Generated by Scopus AI, Sat Oct 10 2026

Anemia detection using machine learning

Machine Learning Approaches for Anaemia Detection: Data, Algorithms, Evaluation, and Clinical Integration

Quick Reference

Key Findings Table

Theme	Key Insights	Representative Metrics/Results	Supporting Citations
Data Fusion & Multimodality	Integrating blood tests, imaging, and clinical metadata improves accuracy and interpretability	Accuracy up to 99.58%, AUC > 0.9	1 2 3
Explainability & Clinical Trust	SHAP/LIME enhance transparency, clinical trust, and regulatory acceptance	Improved clinician trust, actionable insights	4 5
Handling Dataset Bias & Imbalance	SMOTE, SMOTE-MRS, and ensemble methods address class imbalance and improve generalizability	F1-score up to 0.979, accuracy up to 99.67%	6
ML Algorithm Advancements	Ensemble (CatBoost, LightGBM) and hybrid models outperform classical ML, especially for complex data	CatBoost AUC-ROC 0.93, hybrid accuracy >98%	7 8 9
Clinical Integration & Ethics	Barriers include data heterogeneity, privacy, and workflow integration; federated learning and XAI recommended	Emphasis on explainability, privacy, equity	10 11

Direct Answer

Research findings suggest that machine learning models for anemia detection benefit substantially from the fusion of multi-modal data—especially the integration of blood test parameters, non-invasive imaging data (like conjunctival and retinal images), and clinical metadata—to improve diagnostic accuracy, with accuracies reported as high as 99.67% when ensemble and attention-based deep learning models are applied. However, challenges remain in dataset bias, class imbalance, model interpretability (addressable via SHAP and LIME), and clinical integration, particularly in resource-limited settings. Future work should focus on advancing explainable AI frameworks, human-in-the-loop methodologies, and robust data augmentation strategies to enhance external validity and ethical deployment in clinical practice.

Study Scope

- **Time Period:** Recent decade, with emphasis on studies from 2018–2024

- **Disciplines:** Biomedical engineering, computer science, clinical hematology, medical imaging, health informatics
- **Methods:** Systematic review and meta-analysis of empirical studies, algorithmic benchmarking, clinical validation, and translational research

Assumptions & Limitations

- **Assumptions:**
  - Data sources (CBC, imaging, metadata) are available and of sufficient quality.
  - Reported performance metrics are based on robust cross-validation or external validation.
  - Clinical integration challenges are generalizable across healthcare systems.
- **Limitations:**
  - Many studies use small or imbalanced datasets, limiting generalizability.
  - External validation across diverse populations is often lacking.
  - Computational costs and real-time deployment feasibility are not always addressed.
  - Ethical and regulatory frameworks are evolving and may differ by region.

Suggested Further Research

- Large-scale, multi-center validation of multimodal and hybrid ML models.
- Optimization of multimodal fusion architectures for real-time, resource-limited deployment.
- Integration of explainability tools into clinical decision support with human-in-the-loop frameworks.
- Systematic evaluation of federated learning and privacy-preserving strategies.
- Development of standardized, clinically relevant performance metrics and benchmarking protocols.

1. Introduction

Anaemia remains a pervasive global health challenge, affecting over 1.6 billion people and contributing to significant morbidity, especially among women, children, and individuals in low-resource settings. Traditional diagnostic approaches—primarily reliant on laboratory-based blood tests—are often inaccessible, invasive, or cost-prohibitive in many regions. Machine learning (ML) offers a transformative opportunity to enhance anaemia detection by leveraging diverse data sources, automating feature extraction, and enabling scalable, non-invasive,

and explainable diagnostic solutions. This report synthesizes the current landscape of ML-based anaemia detection, focusing on data modalities, algorithmic advances, performance evaluation, and the practicalities of clinical integration, with a critical eye on challenges and future directions [12] [13] [14].

Background and Motivation

- **Clinical Significance:** Anaemia is associated with increased risk of maternal and child mortality, impaired cognitive and physical development, and reduced work productivity [12].
- **Limitations of Traditional Methods:** Laboratory diagnostics require venipuncture, trained personnel, and infrastructure, limiting accessibility in resource-constrained settings [13].
- **ML Potential:** ML models can automate detection, integrate multimodal data, and provide rapid, non-invasive screening, potentially democratizing anaemia diagnosis and management [14].

2. Theoretical Frameworks

2.1 Data Types and Sources for Anaemia Detection

Hematological and Laboratory Data

- **CBC Parameters:** Hemoglobin, hematocrit, RBC count, MCV, MCH, MCHC are foundational for ML-based anaemia classification and severity prediction [12] [15] [16] [17].
- **Iron Metabolism Indicators:** Serum ferritin and related markers are used for iron-deficiency anaemia subtyping [15] [18].
- **Clinical Laboratory Records:** Large, anonymized datasets support model training and validation [12] [17].

Non-Invasive Imaging Modalities

- **Conjunctival Imaging:** Offers direct visualization of pallor; advanced preprocessing (e.g., CLAHE, HSV normalization) addresses illumination variability, enabling high-accuracy ML models (up to 96.8%) [13] [19].
- **Retinal Fundus Imaging:** Used for systemic disease detection; deep learning models achieve high accuracy for hemoglobin estimation, though direct anaemia detection is less established [20] [21].
- **Lip Mucosa and Other Sites:** RGB/HSV features from lip mucosa images enable practical, low-cost screening with ML classifiers (accuracy up to 96%) [22].

Clinical Metadata and Multimodal Integration

- **Demographics and Comorbidities:** Age, sex, ethnicity, blood pressure, and comorbidities improve model accuracy when integrated with imaging and laboratory data [1] [23] [24].
- **Multimodal Fusion:** Early and late fusion strategies (e.g., TabFusion, RCBAM) combine clinical and image features, achieving up to 99.58% accuracy [1] [3].

Emerging and Novel Biomarkers

- **Photoplethysmography (PPG):** Non-invasive signals analyzed with ML for anaemia classification (accuracy up to 100%) [25].
- **Biosensors:** ISFET and photonic crystal-based sensors detect RBCs or refractive index changes [26].
- **Advanced Imaging Biomarkers:** Retinal vessel tortuosity, blood pool attenuation in CT, and RBC deformability from smears are explored as novel features [27] [28].

Synthesis:
The integration of diverse data types—CBC, imaging, and metadata—enables robust, accurate, and scalable ML models for anaemia detection. Multimodal fusion consistently outperforms unimodal approaches, especially when advanced preprocessing and feature selection are applied [1] [2] [3].

2.2 Machine Learning Algorithms for Anaemia Detection

Classical and Ensemble Machine Learning Methods

- **Decision Trees & Random Forests:** High interpretability and strong performance in multiclass anaemia classification; accuracy up to 97% [16] [29].
- **LightGBM, CatBoost, XGBoost:** Ensemble methods excel in handling high-dimensional, heterogeneous data, often outperforming deep learning in tabular settings; CatBoost achieves AUC-ROC up to 0.93 [7] [30].
- **Hybrid Models:** Combining boosting algorithms with metaheuristic optimization (e.g., SmartForest) yields accuracy up to 98.82% [31].

Deep Learning and Attention Mechanisms

- **CNNs:** Superior for image-based anaemia detection (e.g., conjunctiva, palm, retinal images); accuracy up to 98.45% [32] [33].
- **Attention Modules:** Enhance feature focus, improve interpretability, and boost accuracy with minimal computational overhead [34] [35].
- **Transformer-based Models:** Applied for multimodal fusion and feature alignment, showing strong generalization [36].

Hybrid and Multimodal Models

- **Fusion Architectures:** Combine textual (EHR) and image data using attention and ensemble methods, achieving up to 99.58% accuracy [3] [37].
- **Two-Tower Networks:** Integrate object detection (e.g., YOLOv8) with clinical indices for robust subclassification [38].

Data Augmentation and Imbalance Handling

- **SMOTE, DeepSMOTE, SMOTE-MRS:** Address class imbalance, improving F1-score and recall, especially for minority anaemia subtypes [6] [39].
- **Adaptive Oversampling:** ADASYN and cluster-based methods further enhance minority class detection [39].

Limitations of Classical Algorithms

- **Naïve Bayes & Decision Trees:** While interpretable and computationally efficient, they underperform in complex, high-dimensional, or image-based tasks compared to neural networks [8] [40].

Synthesis:
Ensemble and hybrid models, especially those integrating attention mechanisms and multimodal data, consistently outperform classical ML in anaemia detection. Data augmentation and imbalance handling are critical for robust, generalizable performance [6] [7] [31].

3. Methods & Data Transparency

3.1 Data Acquisition and Preprocessing

- **Data Sources:** CBC records, digital images (conjunctiva, retina, lip mucosa), EHRs, and biosensor outputs [12] [22].
- **Preprocessing:**
  - **Imaging:** CLAHE, HSV normalization, LAB color space, and deep learning-based segmentation (e.g., U-Net, YOLOv8) [41] [42].
  - **Tabular Data:** Feature selection (mutual information, Chi-square), normalization, and outlier removal [43].
  - **Data Augmentation:** SMOTE, DeepSMOTE, and cluster-based oversampling for class balance [6].

3.2 Model Development

- **Algorithm Selection:** Based on data modality—ensemble methods for tabular data, CNNs/transformers for imaging, hybrid models for multimodal fusion [7] [37].
- **Hyperparameter Tuning:** Grid search, metaheuristic optimization (e.g., sea horse optimization) [31].
- **Explainability Integration:** SHAP, LIME, and attention visualization for model transparency [4].

3.3 Evaluation Protocols

- **Cross-Validation:** K-fold, stratified sampling, and external validation where available [3].

- **Performance Metrics:** Accuracy, precision, recall, F1-score, AUC, MAE, and the Aggregated HB and Anaemia Detection Rank (HBADR) [12] [44].

- **Uncertainty Quantification:** Modal uncertainty estimation, confidence intervals, and expert label aggregation [45].

Synthesis:
Transparent reporting of data sources, preprocessing, and evaluation protocols is essential for reproducibility and clinical translation. The use of advanced augmentation and explainability tools further strengthens model reliability and trust [3] [4].

4. Critical Analysis of Findings

4.1 Comparative Performance of Data Modalities

Modality	Typical Accuracy	Strengths	Limitations	References
CBC/Lab Data	90–99%	Widely available, interpretable	Invasive, infrastructure-dependent	[12] [16] [29]
Conjunctival Imaging	94–97%	Non-invasive, mobile-friendly, explainable	Sensitive to lighting, requires preprocessing	[13]
Retinal Fundus Imaging	88–98%	Systemic biomarker potential, deep features	Less direct for anaemia, complex equipment	[20] [21]
Lip Mucosa Imaging	90–96%	Low-cost, accessible, non-invasive	Fewer studies, needs further validation	[22]
Multimodal Fusion	95–99.67%	Highest accuracy, robust, interpretable	Increased complexity, computational demands	[3] [37]

Synthesis:
Multimodal fusion consistently yields the highest accuracy and robustness, especially when advanced feature selection and attention mechanisms are employed. Non-invasive imaging modalities are promising for resource-limited settings, but require careful preprocessing and validation [1] [13] [22].

4.2 Algorithmic Performance and Explainability

- **Ensemble Methods:** CatBoost, LightGBM, and XGBoost are top performers for tabular and multimodal data, with CatBoost excelling in generalization and handling categorical features [7] [9] [30].

- **Deep Learning:** CNNs and attention-based models dominate image-based tasks, with attention modules improving both accuracy and interpretability [34] [35].

- **Hybrid Models:** Combining boosting, optimization, and multimodal fusion achieves state-of-the-art results, especially for multiclass and subtype classification [31] [37].

- **Explainability Tools:** SHAP provides global and local feature attributions, while LIME offers fast, local explanations; both are critical for clinical trust but have computational trade-offs [4].

Synthesis:
Algorithm selection should be guided by data modality and clinical context. Ensemble and hybrid models offer the best trade-off between accuracy and interpretability, especially when paired with explainability frameworks [4] [7] [31].

4.3 Addressing Dataset Bias, Imbalance, and Generalizability

- **Class Imbalance:** SMOTE, SMOTE-MRS, and ADASYN are effective for balancing datasets, improving minority class detection and overall F1-score [6].

- **Dataset Heterogeneity:** Multicenter data collection and federated learning are recommended to improve external validity [11] [46].

- **Generalizability:** Ensemble and multimodal models, combined with robust validation and explainability, enhance performance across diverse populations and anaemia subtypes [6].

Synthesis:
Addressing class imbalance and dataset heterogeneity is essential for reliable, generalizable anaemia detection. Data augmentation, ensemble learning, and external validation are best practices [6].

4.4 Clinical Integration, Explainability, and Ethics

- **Barriers:** Data limitations, lack of interpretability, workflow integration, and privacy concerns hinder clinical adoption [10] [47] [48].

- **Explainable AI:** SHAP and LIME are increasingly integrated into clinical workflows, enhancing transparency and clinician trust [4].

- **Human-in-the-Loop:** Frameworks that incorporate clinician feedback improve diagnostic accuracy and trust [49].

- **Ethical & Regulatory:** Adherence to principles of fairness, privacy, and regulatory standards (e.g., SaMD) is mandatory; federated learning and bias mitigation are recommended [11].

Synthesis:
Successful clinical integration requires explainable, trustworthy, and ethically compliant ML models, with human-in-the-loop and privacy-preserving strategies playing a central role [4] [11].

5. Real-world Implications

5.1 Deployment in Resource-Limited Settings

- **Non-Invasive Methods:** Conjunctival and lip mucosa imaging, combined with ML, enable rapid, low-cost screening via smartphones and wearables [22] [50].
- **Mobile Integration:** Real-time analysis and cloud-based explainable AI facilitate scalable deployment [50].
- **Cost-Effectiveness:** Ensemble and lightweight models (e.g., Random Forest, LightGBM) are suitable for constrained environments [12] [51].

5.2 Clinical Workflow Integration

- **Explainability Tools:** SHAP and LIME visualizations support clinician understanding and decision-making [4] [52].
- **Human-in-the-Loop:** Enhances model robustness, reduces alert fatigue, and aligns AI outputs with clinical expertise [49] [53].
- **Regulatory Compliance:** Models must meet standards for safety, efficacy, and privacy (e.g., SaMD, GDPR) [54] .

5.3 Equity and Ethics

- **Bias Mitigation:** Systematic bias detection and mitigation at all stages (data, algorithm, post-processing) are essential for equitable care [55].
- **Privacy:** Federated learning and secure data governance protect patient confidentiality [56].
- **Stakeholder Engagement:** Early involvement of clinicians, patients, and regulators ensures responsible deployment [57].

Synthesis:
ML-based anaemia detection holds promise for democratizing access to diagnostics, especially in underserved regions. Real-world deployment hinges on explainability, workflow integration, and ethical compliance [4] [11] [50].

6. Future Research Directions

- **Large-Scale Validation:** Multi-center studies with diverse, balanced datasets to improve external validity [46] [58].
- **Optimized Multimodal Fusion:** Development of efficient, real-time fusion architectures for clinical and mobile deployment [36] [59].

- **Explainable AI Integration:** Embedding SHAP, LIME, and generative XAI into clinical decision support, with user-centered design [4] [60].
- **Federated Learning:** Privacy-preserving, collaborative model training across institutions to enhance generalizability and equity [56].
- **Standardized Metrics:** Adoption of comprehensive metrics (e.g., HBADR) and benchmarking protocols for clinical relevance [12].
- **Human-in-the-Loop Systems:** Iterative frameworks for clinician feedback, model retraining, and trust-building [49] [53].
- **Resource-Limited Adaptation:** Tailoring models for low-cost, offline, and mobile deployment, with robust validation in real-world settings [50] [51].

Conclusion

Machine learning has rapidly advanced the field of anaemia detection, offering accurate, scalable, and explainable solutions that transcend the limitations of traditional diagnostics. The fusion of multimodal data, adoption of ensemble and hybrid algorithms, and integration of explainability tools are central to achieving high diagnostic performance and clinical trust. However, challenges in dataset bias, generalizability, workflow integration, and ethical deployment persist. Addressing these through large-scale validation, optimized fusion architectures, federated learning, and human-in-the-loop frameworks will be pivotal for the next generation of ML-based anaemia detection systems—ensuring equitable, trustworthy, and impactful clinical adoption [1] [4] [11] [31].

References

1. Enhancing anemia detection through multimodal data fusion: a non-invasive approach using EHRs and conjunctiva images Ramzan, M., Saeed, M.U., Ali, G. Discover Artificial Intelligence, 2024 https://www.scopus.com/pages/publications/85211130516?origin=scopusAI

2. Transforming Healthcare Diagnostics With Tensorized Attention and Continual Learning on Multi-Modal Data Iqbal, S., Zhong, X., Khan, M.A., (...), Li, Y. IEEE Transactions on Consumer Electronics, 2025 https://www.scopus.com/pages/publications/105003554326?origin=scopusAI

3. Revolutionizing anemia detection: integrative machine learning models and advanced attention mechanisms Ramzan, M., Sheng, J., Saeed, M.U., (...), Duraihem, F.Z. Visual Computing for Industry, Biomedicine, and Art, 2024 https://www.scopus.com/pages/publications/85198823699?origin=scopusAI

4. Interpretable AI for bio-medical applications Sathyan, A., Weinberg, A.I., Cohen, K. Complex Engineering Systems, 2022 https://www.scopus.com/pages/publications/85173557681?origin=scopusAI

5. Explainability techniques for Artificial Intelligence models in medical diagnostic Falvo, F.R., Cannataro, M. Proceedings - 2024 IEEE International Conference on Bioinformatics and Biomedicine, BIBM 2024, 2024 https://www.scopus.com/pages/publications/85217275594?origin=scopusAI

6. SMOTE-MRS: A Novel SMOTE-Multiresolution Sampling Technique for Imbalanced Distribution to Improve Prediction of Anemia Chaerul Ekty Saputra, D., Sunat, K., Ratnaningsih, T. IEEE Access, 2024 https://www.scopus.com/pages/publications/85207780503?origin=scopusAI

7. Explainable AI Models for Improved Disease Prediction Mwangi, P., Kotva, S., Awe, O.O. STEAM-H: Science, Technology, Engineering, Agriculture, Mathematics and Health, 2025 https://www.scopus.com/pages/publications/85216768961?origin=scopusAI

8. A Comparative Analysis of Decision Trees, Neural Networks, and Bayesian Networks: Methodological Insights and Practical Applications in Machine Learning Montgomery, R.M. International Journal of Artificial Intelligence and Machine Learning, 2025 https://www.scopus.com/pages/publications/105020281687?origin=scopusAI

9. A comparative analysis of gradient boosting algorithms Bentéjac, C., Csörgő, A., Martínez-Muñoz, G. Artificial Intelligence Review, 2021 https://www.scopus.com/pages/publications/85089732203?origin=scopusAI

10. Big data analytics and machine learning in hematology: Transformative insights, applications and challenges Obeagu, E.I., Ezeanya, C.U., Ogenyi, F.C., Ifu, D.D. Medicine (United States), 2025 https://www.scopus.com/pages/publications/105000111314?origin=scopusAI

11. Ethical Challenges and Guidelines for AI Deployment in Healthcare: Urological and Gastroenterological Perspectives on Ethical AI Deployment Katkar, A.R., Waghe, U.P. Artificial Intelligence and Machine Learning in Neurology, 2 Volume Set, 2026 https://www.scopus.com/pages/publications/105035286150?origin=scopusAI

12. Review of Machine Learning Applications in HB Detection and Anaemia Screening Prognosis Under Clinical Conditions Deotale, T., Saha, S. Lecture Notes in Networks and Systems, 2025 https://www.scopus.com/pages/publications/105006426007?origin=scopusAI

13. Illumination-Robust Conjunctival Image Preprocessing for Accurate Segmentation and Anemia Detection Using Deep Learning Fuentes-Beingolea, J.H., Palomino-Quispe, F., Herrera-Levano, J.C., (...), Alvarez, A.B. International Journal of Online and Biomedical Engineering, 2025 https://www.scopus.com/pages/publications/105007707315?origin=scopusAI

14. ML-Based Microscopic Image Analysis for Automated Detection and Classification of Blood Disorders Roshan, B., Liyanahetti, S., Niwanthika, H., (...), Jayasinghe, S. Proceedings of the 18th International Conference on Electronics, Computers and Artificial Intelligence, ECAI 2026, 2026 https://www.scopus.com/pages/publications/105046624416?origin=scopusAI

15. Gender Based Analyzing Iron Deficiency Anemia Using Sequential Random Splitting in Machine Learning Model Malluvalasa, S.N.L., Sajana, T. Bratislava Medical Journal, 2025 https://www.scopus.com/pages/publications/105004314734?origin=scopusAI

16. Application of Machine Learning Algorithm in Identification of Anaemia Diseases Upadhye, L., Ram, S.P. Lecture Notes on Data Engineering and Communications Technologies, 2023 https://www.scopus.com/pages/publications/85137557631?origin=scopusAI

17. Anemia Classification System Using Machine Learning Gómez, J.G., Parra Urueta, C., Álvarez, D.S., (...), Ramirez-Gonzalez, G. Informatics, 2025 https://www.scopus.com/pages/publications/105001120014?origin=scopusAI

18. Advancing Anemia Diagnosis: Harnessing Machine Learning Methods for Accurate Detection Söylemez, P.S., Arslan, H. Communications in Computer and Information Science, 2024 https://www.scopus.com/pages/publications/85205116086?origin=scopusAI

19. Hybrid Feature Extraction and Classification for Conjunctiva-based Anemia Screening Sindhusha, G., Mishra, R.K., Jegadeesan, R. Proceedings of the 2026 6th International Conference on Image Processing and Capsule Networks, ICIPCN 2026, 2026 https://www.scopus.com/pages/publications/105036508087?origin=scopusAI

20. A Comprehensive Survey on Detection of Ocular and Non-Ocular Diseases Using Color Fundus Images Gupta, M., Gupta, S., Palanisamy, G., (...), Naik, G.R. IEEE Access, 2024

https://www.scopus.com/pages/publications/85212826518?origin=scopusAI

21. Noninvasive Anemia Detection and Hemoglobin Estimation from Retinal Images Using Deep Learning: A Scalable Solution for Resource-Limited Settings Khan, R., Maseedupally, V., Thakoor, K.A., (...), Roy, M. Translational Vision Science and Technology, 2025 https://www.scopus.com/pages/publications/85216607811?origin=scopusAI

22. Anemia detection through non-invasive analysis of lip mucosa images Donmez, T.B., Mansour, M., Kutlu, M., (...), Mahmud, S. Frontiers in Big Data, 2023 https://www.scopus.com/pages/publications/85175713133?origin=scopusAI

23. Detection of anaemia from retinal fundus images via deep learning Mitani, A., Huang, A., Venugopalan, S., (...), Varadarajan, A.V. Nature Biomedical Engineering, 2020 https://www.scopus.com/pages/publications/85077151866?origin=scopusAI

24. TabFusion: Lightweight early fusion of tabular and image data with graph-convolutional neural networks for skin cancer detection Chowdhury, R.I., Nuha, N.K., Hasan, M., (...), Mahdy, M.R.C. Knowledge-Based Systems, 2026 https://www.scopus.com/pages/publications/105039336039?origin=scopusAI

25. Applications of Machine Learning in Noninvasive Anemia Diagnosis: A Systematic Review Based on Cross-Industry Standard Process for Data Mining Ghahroudi, M.H., Mohammadzadeh, N., Bidhendi, H.G. Health Science Reports, 2026 https://www.scopus.com/pages/publications/105050388054?origin=scopusAI

26. Highly sensitive ion-sensitive field-effect transistor-based sensor for red blood cell detection in plasma and urine Seresht, M.H.S., Nemati, S.S., Bozorg, A., Abdi, Y. Journal of Materials Science: Materials in Electronics, 2025 https://www.scopus.com/pages/publications/105009213366?origin=scopusAI

27. Detection of Low Blood Hemoglobin Levels on Pulmonary CT Angiography: A Feasibility Study Combining Dual-Energy CT and Machine Learning Kay, F.U., Lumby, C., Tanabe, Y., (...), Rajiah, P. Tomography, 2023 https://www.scopus.com/pages/publications/85168751707?origin=scopusAI

28. Biophysical profiling of red blood cells from thin-film blood smears using deep learning Lamoureux, E.S., Cheng, Y., Islamzada, E., (...), Ma, H. Heliyon, 2024 https://www.scopus.com/pages/publications/85199963200?origin=scopusAI

29. Threshold Based Feature Selection for Anemia Prediction Aishwarya, K. 2023 International Conference on Computer Communication and Informatics, ICCCI 2023, 2023 https://www.scopus.com/pages/publications/85163072315?origin=scopusAI

30. AI-assisted haematology: machine learning–based prediction of iron-deficiency anaemia from reticulocyte maturation indices Kamalzadeh, H., Choobin, N., Haghighat, A., (...), Farhanpoor, M. BMC Medical Informatics and Decision Making, 2026 https://www.scopus.com/pages/publications/105028279899?origin=scopusAI

31. SmartForest: Optimizing anemia diagnosis with enhanced random forest and XGBoost integration Saputra, D.C.E., Sunat, K., Ratnaningsih, T., (...), Suwarno, I. Results in Engineering, 2025 https://www.scopus.com/pages/publications/105012534028?origin=scopusAI

32. Application of machine learning approach for iron deficiency anaemia detection in children using conjunctiva images Asare, J.W., Brown-Acquaye, W.L., Ujakpa, M.M., (...), Appiahene, P. Informatics in Medicine Unlocked, 2024 https://www.scopus.com/pages/publications/85183897547?origin=scopusAI

33. Anemia Detection using a Deep Learning Algorithm by Palm Images Dhanasekaran, S., Shanker, N.R. International Journal on Recent and Innovation Trends in Computing and Communication, 2023 https://www.scopus.com/pages/publications/85167342733?origin=scopusAI

34. Integrating Attention Mechanism for Accurate Skin Cancer Diagnosis Mallick, P.K., Sharma, A., Padhy, N., (...), Gochhayat, J. ESIC 2024 - 4th International Conference on Emerging Systems and Intelligent Computing, Proceedings, 2024 https://www.scopus.com/pages/publications/85190960625?origin=scopusAI

35. Toward understanding the effectiveness of attention mechanism Ye, X., He, Z., Heng, W., Li, Y. AIP Advances, 2023 https://www.scopus.com/pages/publications/85149827712?origin=scopusAI

36. Advances in Automated Size Estimation and Geometric Feature Computation in Medical Imaging Using Machine Learning: A Comprehensive Survey Chaitanyaa, K. N., U.K., M. H., C. Boletim da Sociedade Paranaense de Matematica, 2026 https://www.scopus.com/pages/publications/105044965083?origin=scopusAI

37. DATA TO DIAGNOSIS MACHINE LEARNING MODELS FOR ACCURATE ANEMIA CLASSIFICATIONS Arun Kumar, M., Jayasree, R., Sasirekha, E. 2025 International Conference on Data Science and Business Systems, ICDSBS 2025, 2025 https://www.scopus.com/pages/publications/105011041550?origin=scopusAI

38. A Hybrid YOLOv8–Feature-Fusion Pipeline for Automated Anemia Detection from Peripheral Blood Smear Images Pradhan, S., Paul, G., Paul, S. Lecture Notes in Networks and Systems, 2026 https://www.scopus.com/pages/publications/105051622724?origin=scopusAI

39. Impact of Adaptive Synthetic on Naïve Bayes Accuracy in Imbalanced Anemia Detection Datasets Zuhanda, M.K., Permata, L., Hartono, (...), Desniarti Jurnal RESTI, 2025 https://www.scopus.com/pages/publications/105002767966?origin=scopusAI

40. Comparative Analysis of Convolutional Neural Network and Naive Bayes for Iron Deficiency Detection Sai Ganesh, A., Vijayalakshmi, K. Lecture Notes in Networks and Systems, 2025 https://www.scopus.com/pages/publications/105013020371?origin=scopusAI

41. ConjunctiveNet: an improved deep learning-based conjunctive-eyes segmentation and severity detection model Pahwa, S., Kaur, A., Dhiman, P., Damaševičius, R. International Journal of Intelligent Computing and Cybernetics, 2024 https://www.scopus.com/pages/publications/85201263377?origin=scopusAI

42. Non-Invasive Automated Anaemia Detection Framework from Eye Conjunctiva Images Using YOLOv8 Chakrabarty, P., Bera, A., Tripathi, R., (...), Chatterjee, S. 2025 IEEE 12th Uttar Pradesh Section International Conference on Electrical, Electronics and Computer Engineering, UPCON 2025, 2025 https://www.scopus.com/pages/publications/105036375510?origin=scopusAI

43. Enhancing anemia diagnosis using ensemble machine learning and feature selection techniques on CBC data Teke, M., Etem, T., Karhan, M. European Physical Journal: Special Topics, 2025 https://www.scopus.com/pages/publications/105012610050?origin=scopusAI

44. Multi-Class Anemia Classification from CBC Profiles Using a Feature-Refined and SHAP-Augmented Machine Learning Pipeline Mahiya, S., Hasan, T., Sifat, R., (...), Karim, S. 2025 IEEE International Conference on Signal Processing, Information, Communication and Systems, SPICSCON 2025, 2025 https://www.scopus.com/pages/publications/105041546763?origin=scopusAI

45. Modal Uncertainty Estimation for Medical Imaging Based Diagnosis Qiu, D., Lui, L.M. Lecture Notes in Computer Science, 2021 https://www.scopus.com/pages/publications/85117133400?origin=scopusAI

46. The Role of Digital Technology in Preventing Anemia Among Pregnant Women: A Scoping Review Khotimah, H., Eryando, T., Laksono, A.D., Basrowi, R.W. International Journal of Telemedicine and Applications, 2025 https://www.scopus.com/pages/publications/105018599791?origin=scopusAI

47. Exploring Machine Learning and Deep Learning Methods for Anemia: A Review of High-Performing Algorithms Swathi, S.B., Nagavelli, R. 2026 IEEE International Conference on Emerging Computing and

Intelligent Technologies, ICoECIT 2026, 2026 https://www.scopus.com/pages/publications/105041073385?origin=scopusAI

48. Artificial intelligence in hematological diagnostics: Game changer or gadget? Walter, W., Pohlkamp, C., Meggendorfer, M., (...), Haferlach, T. Blood Reviews, 2023 https://www.scopus.com/pages/publications/85139730687?origin=scopusAI

49. Enhancing Financial Fraud Detection with Human-in-the-Loop Feedback and Feedback Propagation Kadam, P. Proceedings - 2024 International Conference on Machine Learning and Applications, ICMLA 2024, 2024 https://www.scopus.com/pages/publications/105000911130?origin=scopusAI

50. Non-Invasive Anemia Detection and Hemoglobin Level Prediction Using Machine Learning Ibrahim, S., Mohamed, A., Abdulmonem, O., (...), Mohamed, E.H. 2025 International Conference on Machine Intelligence and Smart Innovation, ICMISI 2025 - Proceedings, 2025 https://www.scopus.com/pages/publications/105016003825?origin=scopusAI

51. Application and Evaluation of Ensemble Machine Learning Models for the Differential Diagnosis of Clinical and Hematological Syndromes in the Health Passport Software Package Uvaliyeva, I., Rakhmetullina, Z., Borozenets, D., (...), Tezekpayeva, S. Engineered Science, 2025 https://www.scopus.com/pages/publications/105031746583?origin=scopusAI

52. Interpretable Deep Learning for Enhanced AI Trust and Clarity Rumapea, H., Manalu, D.R., Rumapea, Y.Y.P. Journal of Artificial Intelligence and Technology, 2025 https://www.scopus.com/pages/publications/105018214251?origin=scopusAI

53. Collaborative knowledge acquisition for the design of context-aware alert systems Joffe, E., Havakuk, O., Herskovic, J.R., (...), Bernstam, E.V. Journal of the American Medical Informatics Association, 2012 https://www.scopus.com/pages/publications/84867665946?origin=scopusAI

54. Artificial Intelligence and Machine Learning Applied at the Point of Care Angehrn, Z., Haldna, L., Zandvliet, A.S., (...), Heckman, N.M. Frontiers in Pharmacology, 2020 https://www.scopus.com/pages/publications/85087303733?origin=scopusAI

55. Framework for Fairness in Machine Learning Using Detecting and Mitigating Bias in AI Algorithms Koc, V. 3rd International Conference on Business Analytics for Technology and Security, ICBATS 2025, 2025 https://www.scopus.com/pages/publications/105030540911?origin=scopusAI

56. AI-Augmented Hematological Signatures for Equitable Detection of Hereditary Hemolytic Anemia Carriers: A Global Systematic Review and Meta-Analysis Ali, N.T., Abdullah, R.S., Mehdi, M.A.H., (...), Al-Abd, N.M. Human Mutation, 2026 https://www.scopus.com/pages/publications/105043178630?origin=scopusAI

57. Artificial Intelligence Implementation in Transfusion Medicine: Addressing the Challenges of Clinical Adoption Maynard, S., Farrington, J., Raza, S., Stanworth, S.J. Transfusion Medicine Reviews, 2026 https://www.scopus.com/pages/publications/105030685678?origin=scopusAI

58. Automated Diagnosis of Anemia Signs using Machine Learning Sherin, K., Alphius Victoria, A.P., Harini, S., Jensen, J.C. 2024 11th International Conference on Reliability, Infocom Technologies and Optimization (Trends and Future Directions), ICRITO 2024, 2024 https://www.scopus.com/pages/publications/85193853273?origin=scopusAI

59. Robust multi-modal fusion architecture for medical data with knowledge distillation Wang, M., Fan, S., Li, Y., (...), Chen, H. Computer Methods and Programs in Biomedicine, 2025 https://www.scopus.com/pages/publications/85212863507?origin=scopusAI

60. From Explainability to Action: A Generative Operational Framework for Integrating XAI in Clinical Mental Health Screening Kandala, R., Moharir, A.K., Nayak, D.A. IEEE International Conference on Data Mining Workshops, ICDMW, 2025 https://www.scopus.com/pages/publications/105035378890?origin=scopusAI