


SHETH L.U.J AND SIR M.V. COLLEGE


SUBJECT NAME: Data Visualization with Tableau

Practical 2: Working with Data Sources and Data Preparation in Tableau

Step A: Connecting to Different Data Sources 1. Launch the Tableau Desktop application.



2. Locate the blue Connect control panel on the far-left section of the start page.




3. Under the To a File sub-header, click on Text File (Tableau classifies .csv spreadsheet extensions as flat text files).

T120
DHEERAJ SINGH

SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau

4. Navigate through your file directory, select Orders.csv, and click Open.




Step B: Creating Data Extracts vs. Live Connections

1. Once the dataset populates the main staging view, navigate to the top-right corner of the Data Source interface.


SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau

2. Locate the connection mode toggle section.
3. Switch the active selection from Live over to Extract.



4. Click on the Sheet 1 navigation tab located at the bottom-left corner of the workspace screen.
5. A system dialog save window will immediately appear. Name the local snapshot file Ecommerce_Extract and click Save.





Step C: Managing Operational Metadata

1. Navigate to the blank workspace canvas on Sheet 1 and view the left-hand side Data Pane.

SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau

2. Rename a Field: Locate the dimensional attribute field labeled order_status or Order Status. Right-click the field name, select Rename, type in Status, and hit Enter.




3. Hide a Field: Locate an internal tracking string variable that will not be used in visual reporting, such as customer. Right-click the field name and select Hide.

T120


DHEERAJ SINGH

SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau



4. Change a Data Type: Locate the operational timestamp column labeled `order_purchase_timestamp`. Click directly on the data type icon (which may incorrectly display as text ABC or a calendar date) positioned immediately to the left of the field name. Select Date & Time from the context dropdown menu to force proper structural recognition (Note: It may by default selected to Date and Time).



Step D: Performing Relational Joins on Multiple Tables


T120

DHEERAJ SINGH


SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau

1. Click the Data Source tab positioned at the bottom-left corner of the window to return to the data schema designer.



2. In the top staging canvas area, locate the rectangular Orders.csv database block.



SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau

3. Double-click directly on the Orders.csv block. This action drills down through the logical relationship layer and enters the Physical Layer canvas space.




Tableau - Book1

File Data Server Window Help

Connections

Orders

Text file

Files

Use Data Interpreter

Data Interpreter might be able to clean your Text file workbook.

Categories.csv

Customers.csv

Geolocation.csv

Order Items.csv

Order Payments.csv

Orders.csv

Products.csv

Reviews.csv

Sellers.csv

New Union

New Table Extension

Orders.csv is made of 1 table.

Orders.csv

Connection

Live Extract Edit Refresh

Filters

0 Add

Extract contains all data. 16-07-2026 10:59:17

Orders.csv

8 fields 90441 rows

100 rows

Name Orders.csv

Description

No description available.

Fields

Type	Field Name	Phys...	Rem...
Abc	Order Id	Order...	order_id
Abc	Customer Id	Order...	custo...
Abc	Status	Order...	order...
	order_purchase_timestamp	Order...	order...

Order Id	Customer Id	Status	order_purchase_timestamp	Order Approved At
e481f51cbdc54678b7cc4913...	9ef432eb6251297304e7618...	delivered	02-10-2017 10:56:00	02-10-2017 11:07:00
53cbb2fc8bc7dce0b6741e21...	b0830fb4747a6c6d20dea0b...	delivered	24-07-2018 20:41:00	26-07-2018 03:24:00
47770eb9100c2d0c44946d...	41ce2a54c0b03bf3443c3d9...	delivered	08-08-2018 08:38:00	08-08-2018 08:55:00
949d5b44dbf5de918fe9c16f...	f88197465ea7920adcbec73...	delivered	18-11-2017 19:28:00	18-11-2017 19:45:00
ad21c59c0840e6cb83a9ceb...	8ab97904e6daea8866dbdb...	delivered	13-02-2018 21:18:00	13-02-2018 22:20:00
a4591c265e18cb1dce52889...	503740e9ca751ccdda7ba28e...	delivered	09-07-2017 21:57:00	09-07-2017 22:10:00
136cce71aa42fbb2cfd53fdc...	ed0271e0b7da060a3937965...	invoiced	11-04-2017 12:22:00	13-04-2017 13:25:00

4. From the left-hand files listing pane, click and drag the Order Payments.csv file, dropping it directly next to the active Orders.csv block. A traditional Venn diagram icon link will snap open between them.

SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau

Tableau - Book1

File Data Server Window Help

Connections

Orders

Text File

Files

Use Data Interpreter

Data Interpreter might be able to clean your Text file workbook.

Categories.csv

Customers.csv

Geolocation.csv

Order Items.csv

Order Payments.csv

Orders.csv

Products.csv

Reviews.csv

Sellers.csv

New Union

New Table Extension

Orders

Orders.csv is made of 2 tables.

Join

Inner Left Right Full Outer

Data Source Order Payments.csv

Order Id order id (Order ...)

Add new join clause

Orders.csv 13 fields 103886 rows

Name Orders.csv

Description

No description available.

Fields

Type	Field Name	Phys...	Rem...
Abc	Order Id	Order...	order_id
Abc	Customer Id	Order...	custo...
Abc	Status	Order...	order_...
Abc	order_purchase_timestamp	Order...	order_...

Order Id	Customer Id	Status	order_purchase_timestamp	Order Approved At
75729cd39e546ea4083ab7f...	aa3e69930a8912ca423373a...	delivered	09-02-2017 19:33:00	09-02-2017 19:43:00
9724H037a78e9215939269a...	8a5d92601125597c036996e...	delivered	12-08-2018 20:35:00	12-08-2018 20:50:00
7323d8e60188123554e4d9...	99e5fb66fa73fce0c4eb1456...	delivered	23-04-2018 20:15:00	24-04-2018 18:39:00
bed08b58982cd12128ec33b...	e51d4d833af20d1989f1b1bd...	delivered	24-01-2018 21:35:00	24-01-2018 21:56:00
7abe1994448d327b3bb1150...	68c91dba5922498621df164...	delivered	06-08-2017 13:59:00	06-08-2017 14:15:00
be55543375e799bd0f439ff...	ec17a9a3e1a147308f1e70ab7...	delivered	03-07-2018 10:11:00	05-07-2018 16:06:00
6a9bf0121b718a84449bc75b...	883b94b34925e9d8684df9...	delivered	07-06-2017 17:52:00	07-06-2017 18:05:00

5. Click directly on the Venn diagram icon to open the Join configuration properties box.

Tableau - Book1

File Data Server Window Help

Connections

Orders

Text File

Files

Use Data Interpreter

Data Interpreter might be able to clean your Text file workbook.

Categories.csv

Customers.csv

Geolocation.csv

Order Items.csv

Order Payments.csv

Orders.csv

Products.csv

Reviews.csv

Sellers.csv

New Union

New Table Extension

Orders

Orders.csv is made of 2 tables.

Join

Inner Left Right Full Outer

Data Source Order Payments.csv

Order Id order id (Order ...)

Add new join clause

Orders.csv 13 fields 103886 rows

Name Orders.csv

Description

No description available.

Fields

Type	Field Name	Phys...	Rem...
Abc	Order Id	Order...	order_id
Abc	Customer Id	Order...	custo...
Abc	Status	Order...	order_...
Abc	order_purchase_timestamp	Order...	order_...

Order Id	Customer Id	Status	order_purchase_timestamp	Order Approved At
75729cd39e546ea4083ab7f...	aa3e69930a8912ca423373a...	delivered	09-02-2017 19:33:00	09-02-2017 19:43:00
9724H037a78e9215939269a...	8a5d92601125597c036996e...	delivered	12-08-2018 20:35:00	12-08-2018 20:50:00
7323d8e60188123554e4d9...	99e5fb66fa73fce0c4eb1456...	delivered	23-04-2018 20:15:00	24-04-2018 18:39:00
bed08b58982cd12128ec33b...	e51d4d833af20d1989f1b1bd...	delivered	24-01-2018 21:35:00	24-01-2018 21:56:00
7abe1994448d327b3bb1150...	68c91dba5922498621df164...	delivered	06-08-2017 13:59:00	06-08-2017 14:15:00
be55543375e799bd0f439ff...	ec17a9a3e1a147308f1e70ab7...	delivered	03-07-2018 10:11:00	05-07-2018 16:06:00
6a9bf0121b718a84449bc75b...	883b94b34925e9d8684df9...	delivered	07-06-2017 17:52:00	07-06-2017 18:05:00

6. Under the data grid coupling properties, select order_id as the matching data key column drop-down for both the left and right tables (Note: in some case Tableau automatically selects the Order Id).

SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau

Tableau - Book1

Connections: Orders (Text File)

Files: Categories.csv, Customers.csv, Geolocation.csv, Order Items.csv, Order Payments.csv, Orders.csv, Products.csv, Reviews.csv, Sellers.csv

Orders.csv is made of 2 tables. Join configuration: Inner Join. Data Source: Order Id, Order Payments.csv: order id (Order ...)

Name	Orders.csv	Order Id	Customer Id	Status	order_purchase_timestamp	Order Approved At
75729cd39e546ea4083ab7f...	aa3e69930a8912ca423373a...	delivered	09-02-2017 19:33:00	09-02-2017 19:43:00		
9724H037a78e9215939269a...	8a5d92601125597c036996e...	delivered	12-08-2018 20:35:00	12-08-2018 20:50:00		
7323d8e601f88123554e4d9...	99e5fb6f6a73fce0c4eb1456...	delivered	23-04-2018 20:15:00	24-04-2018 18:39:00		
bed08b58982cd12128ec33b...	e51d4d833af20d1989f1b1bd...	delivered	24-01-2018 21:35:00	24-01-2018 21:56:00		
7abe199d448d327b3bb1150...	68c91dbaa5922498621df164...	delivered	06-08-2017 13:59:00	06-08-2017 14:15:00		
be555543375e799bd0f439ff...	ec17a9a3e1a147308f1e70ab7...	delivered	03-07-2018 10:11:00	05-07-2018 16:06:00		
6a9b40121b718a84449bc75b...	883b94b34925e9d8684df9...	delivered	07-06-2017 17:52:00	07-06-2017 18:05:00		

7. Toggle Join Configurations:

- o Click Inner: Observe the underlying data preview window at the bottom. The rows instantly filter to show only records that contain both an order entry and a corresponding transaction payment receipt.

Tableau - Book1

Connections: Orders (Text File)

Files: Categories.csv, Customers.csv, Geolocation.csv, Order Items.csv, Order Payments.csv, Orders.csv, Products.csv, Reviews.csv, Sellers.csv

Orders.csv is made of 2 tables. Join configuration: Inner Join. Data Source: Order Id, Order Payments.csv: order id (Order ...)

Name	Orders.csv	Order Id	Customer Id	Status	order_purchase_timestamp	Order Approved At
75729cd39e546ea4083ab7f...	aa3e69930a8912ca423373a...	delivered	09-02-2017 19:33:00	09-02-2017 19:43:00		
9724H037a78e9215939269a...	8a5d92601125597c036996e...	delivered	12-08-2018 20:35:00	12-08-2018 20:50:00		
7323d8e601f88123554e4d9...	99e5fb6f6a73fce0c4eb1456...	delivered	23-04-2018 20:15:00	24-04-2018 18:39:00		
bed08b58982cd12128ec33b...	e51d4d833af20d1989f1b1bd...	delivered	24-01-2018 21:35:00	24-01-2018 21:56:00		
7abe199d448d327b3bb1150...	68c91dbaa5922498621df164...	delivered	06-08-2017 13:59:00	06-08-2017 14:15:00		
be555543375e799bd0f439ff...	ec17a9a3e1a147308f1e70ab7...	delivered	03-07-2018 10:11:00	05-07-2018 16:06:00		
6a9b40121b718a84449bc75b...	883b94b34925e9d8684df9...	delivered	07-06-2017 17:52:00	07-06-2017 18:05:00		

SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau

o Click Left: Notice the view updates to safely preserve 100% of the root rows coming from Orders.csv, leaving payment parameter cells completely empty if an order has no matching payment record.

The screenshot shows the Tableau Desktop interface. On the left, the 'Connections' pane lists 'Orders' as a 'Text file'. Below it, the 'Files' pane shows a list of CSV files including 'Categories.csv', 'Customers.csv', 'Geolocation.csv', 'Order Items.csv', 'Order Payments.csv', 'Orders.csv', 'Products.csv', 'Reviews.csv', and 'Sellers.csv'. The main workspace displays a 'Join' dialog box for 'Orders.csv' and 'Order Payments.csv'. The 'Left' join type is selected. Below the dialog, a data preview table is shown with 13 fields and 10,387 rows. The table has columns for 'Order Id', 'Customer Id', 'Status', 'order_purchase_timestamp', and 'Order Approved At'. The 'Status' column is highlighted with a blue checkmark, indicating it is the primary data pipeline.

Order Id	Customer Id	Status	order_purchase_timestamp	Order Approved At
9724H037a78e9215930269a...	8a5d92601125597c036996e...	delivered	12-08-2018 20:35:00	12-08-2018 20:50:00
7323d8e601f88123554e4d9...	99e5fb6f6a73fce0c4eb1456...	delivered	23-04-2018 20:15:00	24-04-2018 18:39:00
bed08b58982cd12128ec33b...	e51d4d833af20d1989f1b1bd...	delivered	24-01-2018 21:35:00	24-01-2018 21:56:00
2868d7d031293f42d00046...	8d814ba9c7c471f4d8849fa2...	delivered	12-07-2018 00:02:00	12-07-2018 00:15:00
2002527a89799a0cfb0adf6...	0c19a1c2402dd9f603b519f1...	delivered	10-10-2017 17:02:00	10-10-2017 17:15:00
d784639512baf997ba554af5...	8d776ed4b01be6ade388915...	delivered	29-09-2017 21:27:00	03-10-2017 03:56:00
931b1729484868fd8c3064...	c8597d03da73588699da47...	delivered	25-09-2017 11:46:00	26-09-2017 04:07:00

Step E: Applying Data Blending Between Independent Sources

1. Create a brand new blank workspace sheet by clicking on the New Worksheet icon (the chart block containing a \$\$ symbol) positioned at the bottom navigation tab area. This opens Sheet 2.
2. Ensure your joined Orders dataset connection is highlighted at the top left of the Data Pane. Drag the newly modified Status dimension field and drop it onto the Rows shelf. A blue checkmark will appear on the source, designating it as the Primary data pipeline.

SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau


The screenshot shows the Tableau Desktop interface. On the left, the 'Connections' pane lists 'Orders' as a Text File. Below it, the 'Files' pane shows a list of CSV files including 'Categories.csv', 'Customers.csv', 'Geolocation.csv', 'Order Items.csv', 'Order Payments.csv', 'Orders.csv', 'Products.csv', 'Reviews.csv', and 'Sellers.csv'. The main workspace displays the 'Orders' data source, which is a join of 'Orders.csv' and 'Order Payments.csv'. A 'Join' dialog box is open, showing a left join between the two tables on the 'order_id' field. The main view shows a table of order data with columns for Order Id, Customer Id, Status, and order_purchase_timestamp. The status column is highlighted in blue.

Order Id	Customer Id	Status	order_purchase_timestamp
9724ff037a78e9215939269a...	8a5d92001125997c036996e...	delivered	12-08-2018 20:35:00
7323d8e60188123554e4d9...	99e5ff6f6a73fce0c4eb1456...	delivered	23-04-2018 20:15:00
be08b58982cd12128ec33b...	e5d4d833af20d1989f1b1bd...	delivered	24-01-2018 21:35:00
2868d7d03129342d00046...	8d814ba9c7c471f4d8849a2...	delivered	12-07-2018 00:02:00
2002527d89799a0cfb0adff6...	0c19a1c2402dd9f603b519f1...	delivered	10-10-2017 17:02:00
d784639512ba1997ba554af5...	8d776ed4b01be6ade388915...	delivered	29-09-2017 21:27:00
931b1729484868b6d8c3064...	c8597df03da73588699da47...	delivered	25-09-2017 11:46:00


3. Move your mouse to the top application menu bar and click Data > Edit Blend Relationships. If the Option is grayed out as shown in the snapshot, click the New Data Source Option

SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau



After Clicking new data source you are directed to blue menu window select text file to add the Customers.csv file.




After adding the CSV file get back to sheet 2 and recheck the Edit Blend Relationship Option and click on it

T120


DHEERAJ SINGH

SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau




4. Set the Primary data source field box to your active Orders connection, and map the Secondary data source block to the independent Customers dataset file.



SHETH L.U.J AND SIR M.V. COLLEGE


SUBJECT NAME: Data Visualization with Tableau

5. Switch the selection toggle switch from Automatic over to Custom, click the Add... button on the right, pair customer_id from the left dataset column to customer_id in the right column, and click OK.



If the Customer Id is not visible in primary data its not an issue since we hid it earlier at Step C


Now Navigate Back to data source and change the connection to “LIVE” from “EXTRACT”



SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau


Now Go Back to any to the Sheet 2 and right click on the Data Pane's empty space and click on "Show Hidden Fields"




After Clicking it the Customer Id comes back into the data pane and make sure you click the "eye button" next to it marked in bellow provided snapshot

SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau




Now go back to Edit Blend Relationship option and after clicking it you may see both Customer Id in Left and Right, After that click on Custom it changes from automatic to custom and click Ok



SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau


Now, go back to the top-left section of your Data Pane and click directly on the separate Customers dataset tracking label. An orange chain link icon will now appear locked together immediately next to the customer_id field.




At the start you may not see the orange tick on the Customer database for that click on the unlinked chain next to the customer id on the data pane after clicking the orange tick appear as shown in the snapshot

SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau



Click and drag the customer_state dimension variable out from this secondary dataset list and drop it onto the Columns shelf.




Step F: Implementing Multi-Tiered Filters


1. Open a clean worksheet. Drag the quantitative measure field payment_value onto the Rows shelf and place the categorical dimension payment_type onto the Columns shelf.

SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau




2. Dimension Filter: From your Data Pane list, drag the categorical string attribute `payment_type` and drop it onto the empty Filters shelf positioned immediately above the Marks card layout. Uncheck the box for `not_defined`, check the boxes for `credit_card` and `boleto`, and click OK.




SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau




3. Measure Filter: Drag the quantitative numeric variable `payment_value` out from the measures list and drop it directly onto the Filters shelf. Select All Values in the prompt window, click Next, select the At Least option condition, type in 50 to screen out microtransactions(it will be at 0.1 at by default Change it by clicking on it and typing 50 on it), and click OK.



SHETH L.U.J AND SIR M.V. COLLEGE



SUBJECT NAME: Data Visualization with Tableau



4. Date Filter: Drag the calendar configuration time variable `order_purchase_timestamp` and drop it onto the Filters shelf. Select Years or Relative Date from the prompt configuration layout page to isolate the visualization into specific historical reporting boundaries

SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau



Step G: Optimizing Dashboard Performance

1. Extract Filters: Navigate back to the main Data Source configuration workspace screen. Look immediately below the selected Extract radio dial selection button in the upper-right area and click the small Edit link. Click Add, select the categorical field

SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau

Status, choose to check delivered exclusively, and click OK. Tableau will purge all canceled or unfulfilled order rows from the local extract file entirely.

The screenshot shows the Tableau interface with the 'Orders (2)' data source selected. The 'Filters' button is highlighted with a red box. The interface includes a sidebar with 'Connections' and 'Files' sections, a main view area showing the data source details, and a data table at the bottom.

Order Id	Customer Id	Status	Order Purchase Timestamp	Order Approved At
ec72b3cb886591a30fe4747...	87b01be0c7f4ec17eafabf5f1...	delivered	11-02-2017 15:12:00	11-02-2017 15:22:00
17b3a989f0a87769c633d0e...	bd3bd5c7496111bd76518b9c...	delivered	06-05-2018 17:48:00	07-05-2018 09:13:00
c2ce0c4ec17fc536b85fb336...	4505e98fe9949c3bcba1d41...	delivered	05-02-2018 16:41:00	06-02-2018 13:47:00
7254ba1421bac35de5d5da6...	65e1faa1535d1b4ca089fd7b...	delivered	07-10-2016 22:46:00	07-10-2016 22:59:00
8145c63ff6601f1c1aa707a32...	ce8c6f8008f07e4aa7aa7898...	delivered	01-08-2017 15:37:00	02-08-2017 07:15:00
ecd48553265a2cc3dd972...	f5b0f4b5e6d149124be59f0f...	delivered	11-01-2018 19:20:00	11-01-2018 19:27:00
9abb697d6f2af7fa80d6f154...	95c167eb33c376680b37d4e...	delivered	19-01-2018 01:43:00	19-01-2018 01:55:00

The screenshot shows the Tableau interface with the 'Orders (2)' data source selected. The 'Edit Data Source Filters' dialog box is open, showing the 'Filter' tab. The dialog box has fields for 'Filter' and 'Scope', and buttons for 'Add...', 'Edit...', 'Remove', 'OK', and 'Cancel'.

Order Id	Customer Id	Status	Order Purchase Timestamp	Order Approved At
ec72b3cb886591a30fe4747...	87b01be0c7f4ec17eafabf5f1...	delivered	11-02-2017 15:12:00	11-02-2017 15:22:00
17b3a989f0a87769c633d0e...	bd3bd5c7496111bd76518b9c...	delivered	06-05-2018 17:48:00	07-05-2018 09:13:00
c2ce0c4ec17fc536b85fb336...	4505e98fe9949c3bcba1d41...	delivered	05-02-2018 16:41:00	06-02-2018 13:47:00
7254ba1421bac35de5d5da6...	65e1faa1535d1b4ca089fd7b...	delivered	07-10-2016 22:46:00	07-10-2016 22:59:00
8145c63ff6601f1c1aa707a32...	ce8c6f8008f07e4aa7aa7898...	delivered	01-08-2017 15:37:00	02-08-2017 07:15:00
ecd48553265a2cc3dd972...	f5b0f4b5e6d149124be59f0f...	delivered	11-01-2018 19:20:00	11-01-2018 19:27:00
9abb697d6f2af7fa80d6f154...	95c167eb33c376680b37d4e...	delivered	19-01-2018 01:43:00	19-01-2018 01:55:00

SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau

Tableau - Book1

File Data Server Window Help

Connections

Orders

Files

Use Data Interpreter
Data Interpreter might be able to clean your Text file workbook.

Categories.csv
Customers.csv
Geolocation.csv
Order Items.csv
Order Payments.csv
Orders.csv
Products.csv
Reviews.csv
Sellers.csv

New Union
New Table Extension

Orders (2)

Orders.csv

Connection
☐ Live ☒ Extract | Edit Refresh
Extract contains all data. 18-07-2026 12:01:00

Filters
0 | Add

Add Filter

Select a field:

Search

Order Approved At
Order Delivered Carrier Date
Order Delivered Customer Date
Order Estimated Delivery Date
Order Id
order id (Order Payments.csv)
Order Purchase Timestamp
Payment Installments
Payment Sequential
Payment Type
Payment Value
Status

OK Cancel

Orders.csv 13 fields

Name Orders.csv

Description
No description available.

Fields



Type	Field Name	Phys...	Rem...
Abc	Order Id	Order...	order_id
Abc	Customer Id	Order...	custo...
Abc	Status	Order...	order_...
	Order Purchase Timestamp	Order...	order_...

Abc	Abc	Abc	Abc
Orders.csv	Orders.csv	Orders.csv	Orders.csv
Customer Id	Status	Order Purchase Timestamp	Order Approved At
ec72b3cb886591a30fe47417...	delivered	11-02-2017 15:12:00	11-02-2017 15:22:00
17b3a989f0a87769c633d0e...	delivered	06-05-2018 17:48:00	07-05-2018 09:13:00
c2ce0c4ec17fc536b85fb336...	delivered	05-02-2018 16:41:00	06-02-2018 13:47:00
7254ba1421bac35de5d5da6...	delivered	07-10-2016 22:46:00	07-10-2016 22:59:00
8145c63ff6601f1c1aa707a32...	delivered	01-08-2017 15:37:00	02-08-2017 07:15:00
ecc485553265a2cc3ddf972...	delivered	11-01-2018 19:20:00	11-01-2018 19:27:00
9abb69f7d6f2af7fa80d6f154...	delivered	19-01-2018 01:43:00	19-01-2018 01:55:00

Data Source Sheet 1 Sheet 2

SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau



SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau

