



MADHYA PRADESH JAL NIGAM
(A Govt of Madhya Pradesh Undertaking)
8, Arera Hills, Jail Road, Bhopal (M.P.) - 462004
Web: www.mpjalnigam.mp.gov.in,
E-mail: mpjalnigam@mp.gov.in, Ph: 0755 - 2579034
CIN - U41000MP2012SGC028798



क्रमांक: 17567/2026/MPJNM

Bhopal, Dated: 17-05-2026

To,

1. General Managers, All PIUs, MPJN
2. All EPC Contractors, MPJN
3. All SQCs / TPIAs / SQC-O&M / Unified SQC TPIA

Sub: Introduction of New Data Entry, Objection & Approval Process on DHARA Module.

-----0-----

MPJN has developed the Dhara module for daily monitoring of the quantity of water supplied to villages. Data entry and mapping of villages/bulk consumer have been done in the "Vistrit" Module by consulting firms and GM, PIUs, and the entered data is visible on the contractor's ID also. This data should be rechecked and verified by all concerned stakeholders. This data will be frozen and used as a base for the Dhara module. No changes would be allowed in this data.

The module has been operational for over a year now. To ensure the sanctity of data and improve workflow, the following process is being specified:

1. For water supply data entered on DHARA up to 15th May 2026, firms are required to review all historical DHARA readings and communicate their objections, if any, by e-mail to the concerned GM, PIU on or before 20th May 2026. No objections shall be entertained after this date for historical data. If objections are not received by 20th May 2026, it will be considered as deemed consent for all the water supply data on Dhara. GM, PIU shall have time until 25th May 2026 to change/enter/approve all DHARA readings pertaining to data entered up to 15th May 2026. After 25th May 2026, all such readings shall be treated as auto-approved, and no further changes shall be permitted under any circumstances. The auto-approved data for April and May shall be considered final and shall be used for billing purposes.
2. Considering the day of water supply as T0, the following timeline shall be applicable for water supply reading entries from 16th May 2026 onwards –

Day	Example Date	Action / Activity
T0	16 th May 2026	Water supply takes place. This is the reference date.

Day	Example Date	Action / Activity
T1 = T0 + 1 Day	17 th May 2026	Field personnel of Consulting Agencies to enter water supply reading on DHARA module by midnight at the latest. Entered data becomes visible to the Contractor. If the field personnel fail to enter the reading on Dhara, the reading will be shown as zero.
T2 = T0 + 4 Days	20 th May 2026	Contractor may review the entered data and raise objections, if any, within 4 days of water supply date. If no objection is raised within this period, it shall be treated as deemed consent by the Contractor. Contractor shall not be allowed to raise any further objections on the reading data.
T3 = T0 + 9 Days	25 th May 2026	After considering objections raised by the Contractor, GM, PIU may change / enter / approve data within 7 days of water supply date. GM, PIU shall have the option to change any zero reading to non-zero reading or vice versa.
After T3	26 th May 2026	If not approved by GM PIU within the aforementioned duration, reading shall be auto-approved. No further modification shall be allowed. The same data shall be considered for billing.

The data approved (or auto-approved) after the respective deadlines shall be treated as final and shall be used for billing purposes. No modification shall be permissible thereafter. All responsible parties are requested to ensure timely compliance with the above timelines to avoid disputes. GM PIUs are requested to sensitise their field teams regarding the new data entry timelines.

Failure to enter data by field personnel of Consulting Agencies would be considered a deficiency in services by the Consulting Agencies, and penal action, including but not limited to penalties, termination, or blacklisting, would be taken by Jal Nigam.

This is for your information and necessary compliance shall be ensured accordingly.

Digitally signed by
Venkata Subbaiah Choudary Kolasani
Date: 17-05-2026 11:12:44

(K.V.S. Choudary)
Managing Director

क्रमांक: 17567/2026/MPJNM

Bhopal, Dated: 17-05-2026

Copy to:

1. All Chief General Managers, MPJN for information.
2. All Team Leader PMC's, MPJN for information.
3. Guard file/Establishment section, MPJN Bhopal.

Managing Director