



Fortify Audit Workbench

Developer Workbook

FortifyJalNigamJalRekha



Table of Contents

[Executive Summary](#)

[Project Description](#)

[Issue Breakdown by Fortify Categories](#)

[Results Outline](#)





Executive Summary

This workbook is intended to provide all necessary details and information for a developer to understand and remediate the different issues discovered during the FortifyJalNigamJalRekha project audit. The information contained in this workbook is targeted at project managers and developers.

This section provides an overview of the issues uncovered during analysis.

Project Name:	FortifyJalNigamJalRekha
Project Version:	
SCA:	Results Present
WebInspect:	Results Not Present
WebInspect Agent:	Results Not Present
Other:	Results Not Present



Project Description

This section provides an overview of the Fortify scan engines used for this project, as well as the project meta-information.

SCA

Date of Last Analysis:	Dec 19, 2025 3:36 AM	Engine Version:	24.2.0.0150
Host Name:	MPSDCSR1050-MV	Certification:	VALID
Number of Files:	636	Lines of Code:	1,056,416
Rulepack Name		Rulepack Version	
Fortify Secure Coding Rules, Community, Cloud		2025.3.0.0007	
Fortify Secure Coding Rules, Community, Universal		2025.3.0.0007	
Fortify Secure Coding Rules, Core, Android		2025.3.0.0007	
Fortify Secure Coding Rules, Core, Annotations		2025.3.0.0007	
Fortify Secure Coding Rules, Core, Cloud		2025.3.0.0007	
Fortify Secure Coding Rules, Core, .NET		2025.3.0.0007	
Fortify Secure Coding Rules, Core, Java		2025.3.0.0007	
Fortify Secure Coding Rules, Core, JavaScript		2025.3.0.0007	
Fortify Secure Coding Rules, Core, Universal		2025.3.0.0007	
Fortify Secure Coding Rules, Extended, Configuration		2025.3.0.0007	
Fortify Secure Coding Rules, Extended, Content		2025.3.0.0007	
Fortify Secure Coding Rules, Extended, .NET		2025.3.0.0007	
Fortify Secure Coding Rules, Extended, Java		2025.3.0.0007	
Fortify Secure Coding Rules, Extended, JavaScript		2025.3.0.0007	
Fortify Secure Coding Rules, Extended, JSP		2025.3.0.0007	
Fortify Secure Coding Rules, Security Assistant		2024.4.0.0009	
Fortify Secure Coding Rules, Security Assistant, Configuration		2024.4.0.0009	
Fortify Secure Coding Rules, Visual Studio Security Assistant		2024.4.0.0009	
Fortify Secure Coding Rules, Visual Studio Security Assistant		2024.4.0.0009	



Issue Breakdown by Fortify Categories

The following table depicts a summary of all issues grouped vertically by Fortify Category. For each category, the total number of issues is shown by Fortify Priority Order, including information about the number of audited issues.

Category	Fortify Priority (audited/total)				Total Issues
	Critical	High	Medium	Low	
Cookie Security: Session Cookie not Sent Over SSL	0	0 / 2	0	0	0 / 2
Credential Management: Hardcoded API Credentials	0 / 2	0	0	0	0 / 2
Cross-Site Scripting: DOM	0	0 / 172	0	0	0 / 172
Insecure Transport: Database	0 / 5	0	0	0	0 / 5
Open Redirect	0	0 / 1	0	0	0 / 1
Password Management: Insecure Submission	0 / 3	0	0	0	0 / 3
Privacy Violation	0	0 / 1	0	0	0 / 1



Results Outline

Cookie Security: Session Cookie not Sent Over SSL (2 issues)

Abstract

The application session cookie is created without the Secure flag set to true.

Explanation

Modern web browsers support a Secure flag for each cookie. If the flag is set, the browser will only send the cookie over HTTPS. Sending cookies over an unencrypted channel can expose them to network sniffing attacks, so the secure flag helps keep a cookie's value confidential. This is especially important if the cookie contains private data or carries a session identifier. **Example 1:** A configuration that results in the session cookie being added to the response without setting the Secure flag.

```
...
<configuration>
<system.web>
<authentication mode="Forms">
<forms requireSSL="false" loginUrl="login.aspx">
</forms>
</authentication>
</system.web>
</configuration>
```

...
If your application uses both HTTPS and HTTP but does not set the Secure flag, cookies sent during an HTTPS request will also be sent during subsequent HTTP requests. Sniffing network traffic over unencrypted wireless connections is a trivial task for attackers, so sending cookies (especially those with session IDs) over HTTP can result in application compromise.


Recommendation

Set the Secure flag on all new cookies in order to instruct browsers not to send these cookies in the clear. **Example 2:** The following configuration specifies requireSSL="true" to ensure the Secure flag is set on cookies.

```
...
<configuration>
<system.web>
<authentication mode="Forms">
<forms requireSSL="true" loginUrl="login.aspx">
</forms>
</authentication>
</system.web>
</configuration>
...
```

Issue Summary





Engine Breakdown

	SCA	WebInspect	SecurityScope	Total
Cookie Security: Session Cookie not Sent Over SSL	2	0	0	2
Total	2	0	0	2

Cookie Security: Session Cookie not Sent Over SSLHigh

Package: JalNigamWebApplication

JalNigamWebApplication/Web.config, line 130 (Cookie Security: Session Cookie not Sent Over SSL)

Issue Details

Kingdom: Security Features
Scan Engine: SCA (Configuration)

Sink Details

Sink:
File: JalNigamWebApplication/Web.config:130
Taint Flags:

```
127 <add url="~/Frm_FactoryTestingView" mappedUrl="~/Frm_FactoryTestingView.aspx"/>
128 </urlMappings>
129 <authentication mode="Forms">
130 <forms loginUrl="Login" timeout="30"/>
131 </authentication>
132 </system.web>
133 <system.webServer>
```

Package: JalNigamWebApplication.bin

JalNigamWebApplication/bin/JalNigamJalRekha.dll.config, line 130 (Cookie Security: Session Cookie not Sent Over SSL)

Issue Details

Kingdom: Security Features
Scan Engine: SCA (Configuration)

Sink Details

Sink:



Cookie Security: Session Cookie not Sent Over SSL**High****Package: JalNigamWebApplication.bin****JalNigamWebApplication/bin/JalNigamJalRekha.dll.config, line 130 (Cookie Security: Session Cookie not Sent Over SSL)****File: JalNigamWebApplication/bin/JalNigamJalRekha.dll.config:130****Taint Flags:**

```
127 <add url="~/Frm_FactoryTestingView" mappedUrl="~/Frm_FactoryTestingView.aspx"/>
128 </urlMappings>
129 <authentication mode="Forms">
130 <forms loginUrl="Login" timeout="30"/>
131 </authentication>
132 </system.web>
133 <system.webServer>
```

Credential Management: Hardcoded API Credentials (2 issues)

Abstract

Hardcoded API credentials can compromise system security in a way that is not easy to remedy.


Explanation

Never hardcode credentials, including usernames, passwords, API keys, API secrets, and API Tokens. Not only are hardcoded credentials visible to all of the project developers, they are extremely difficult to update. After the code is in production, the credentials cannot be changed without patching the software. If the credentials are compromised, the organization must choose between security and system availability.

Recommendation

Make sure that API credentials are either loaded from a configuration file that is only available in the runtime environment or from environment variables.

Issue Summary



Engine Breakdown

	SCA	WebInspect	SecurityScope	Total
Credential Management: Hardcoded API Credentials	2	0	0	2
Total	2	0	0	2

Credential Management: Hardcoded API Credentials

Critical

Package: JalNigamWebApplication

JalNigamWebApplication/Login.aspx, line 76 (Credential Management: Hardcoded API Credentials)

Issue Details

Kingdom: Security Features
Scan Engine: SCA (Configuration)

Sink Details

Sink:
File: JalNigamWebApplication/Login.aspx:76
Taint Flags:



Credential Management: Hardcoded API Credentials

Critical

Package: JalNigamWebApplication

JalNigamWebApplication/Login.aspx, line 76 (Credential Management: Hardcoded API Credentials)

```
73 <div class="login-main-wrapper-area">
74
75 <div class="fixBtnWrap d-flex gap-2">
76 <a href="https://app.powerbi.com/view?
r=eyJrIjoieTYzMzZjM2U0NDdmLWE0ODAtYzNmMzk3MjcY2U5IiwidCI6IjYzMzI3N2ExLTNmMDctNGU5Mi04MD
77 target="_blank" class="linkBtn">Dashboard</a>
78
79 <div class="dropdownWrp">
```

Package: JalNigamWebApplication.obj.Release.Package.PackageTmp

JalNigamWebApplication/obj/Release/Package/PackageTmp/Login.aspx, line 58 (Credential Management: Hardcoded API Credentials)

Issue Details

Kingdom: Security Features

Scan Engine: SCA (Configuration)

Sink Details

Sink:

File: JalNigamWebApplication/obj/Release/Package/PackageTmp/Login.aspx:58

Taint Flags:

```
55 <div class="wrap-login100">
56 <div class="forms">
57 <div class="fixBtnWrap d-flex gap-2">
58 <a href="https://app.powerbi.com/view?
r=eyJrIjoieTYzMzZjM2U0NDdmLWE0ODAtYzNmMzk3MjcY2U5IiwidCI6IjYzMzI3N2ExLTNmMDctNGU5Mi04MD
59 target="_blank" class="linkBtn">Dashboard</a>
60
61 <div class="dropdownWrp">
62 <p class="dropBtn linkBtn">
```



Cross-Site Scripting: DOM (172 issues)

Abstract

Sending unvalidated data to a web browser can result in the browser executing malicious code.

Explanation

Cross-site scripting (XSS) vulnerabilities occur when: 1. Data enters a web application through an untrusted source. In the case of DOM-based XSS, data is read from a URL parameter or other value within the browser and written back into the page with client-side code. In the case of reflected XSS, the untrusted source is typically a web request, while in the case of persisted (also known as stored) XSS it is typically a database or other back-end data store. 2. The data is included in dynamic content that is sent to a web user without validation. In the case of DOM-based XSS, malicious content is executed as part of DOM (Document Object Model) creation, whenever the victim's browser parses the HTML page. The malicious content sent to the web browser often takes the form of a JavaScript segment, but can also include HTML, Flash or any other type of code that the browser executes. The variety of attacks based on XSS is almost limitless, but they commonly include transmitting private data such as cookies or other session information to the attacker, redirecting the victim to web content controlled by the attacker, or performing other malicious operations on the user's machine under the guise of the vulnerable site. **Example 1:** The following JavaScript code segment reads an employee ID, `eid`, from a URL and displays it to the user.

```
<SCRIPT>
var pos=document.URL.indexOf("eid=")+4;
document.write(document.URL.substring(pos,document.URL.length));
</SCRIPT>
```

Example 2: Consider the HTML form:

```
<div id="myDiv">
Employee ID: <input type="text" id="eid"><br>
...
<button>Show results</button>
</div>
<div id="resultsDiv">
...
</div>
```

The following jQuery code segment reads an employee ID from the form, and displays it to the user.

```
$(document).ready(function(){
$("#myDiv").on("click", "button", function(){
var eid = $("#eid").val();
$("#resultsDiv").append(eid);
...
});
});
```

These code examples operate correctly if the employee ID from the text input with ID `eid` contains only standard alphanumeric text. If `eid` has a value that includes metacharacters or source code, then the code will be executed by the web browser as it displays the HTTP response. **Example 3:** The following code shows an example of a DOM-based XSS within a React application:

```
let element = JSON.parse(getUntrustedInput());
ReactDOM.render(<App>
{element}
</App>);
```

In Example 3, if an attacker can control the entire JSON object retrieved from `getUntrustedInput()`, they may be able to make React render `element` as a component, and therefore can pass an object with `dangerouslySetInnerHTML` with their own controlled value, a typical cross-site scripting attack. Initially these might not appear to be much of a vulnerability. After all, why would someone provide input containing malicious code to run on their own computer? The real danger is that an attacker will create the malicious



URL, then use email or social engineering tricks to lure victims into visiting a link to the URL. When victims click the link, they unwittingly reflect the malicious content through the vulnerable web application back to their own computers. This mechanism of exploiting vulnerable web applications is known as Reflected XSS. As the example demonstrates, XSS vulnerabilities are caused by code that includes unvalidated data in an HTTP response. There are three vectors by which an XSS attack can reach a victim: - Data is read directly from the HTTP request and reflected back in the HTTP response. Reflected XSS exploits occur when an attacker causes a user to supply dangerous content to a vulnerable web application, which is then reflected back to the user and executed by the web browser. The most common mechanism for delivering malicious content is to include it as a parameter in a URL that is posted publicly or emailed directly to victims. URLs constructed in this manner constitute the core of many phishing schemes, whereby an attacker convinces victims to visit a URL that refers to a vulnerable site. After the site reflects the attacker's content back to the user, the content is executed and proceeds to transfer private information, such as cookies that might include session information, from the user's machine to the attacker or perform other nefarious activities. - The application stores dangerous data in a database or other trusted data store. The dangerous data is subsequently read back into the application and included in dynamic content. Persistent XSS exploits occur when an attacker injects dangerous content into a data store that is later read and included in dynamic content. From an attacker's perspective, the optimal place to inject malicious content is in an area that is displayed to either many users or particularly interesting users. Interesting users typically have elevated privileges in the application or interact with sensitive data that is valuable to the attacker. If one of these users executes malicious content, the attacker may be able to perform privileged operations on behalf of the user or gain access to sensitive data belonging to the user. - A source outside the application stores dangerous data in a database or other data store, and the dangerous data is subsequently read back into the application as trusted data and included in dynamic content.


Recommendation

The solution to prevent XSS is to ensure that validation occurs in the required places and that relevant properties are set to prevent vulnerabilities. Because XSS vulnerabilities occur when an application includes malicious data in its output, one logical approach is to validate data immediately before it leaves the application. However, because web applications often have complex and intricate code for generating dynamic content, this method is prone to errors of omission (missing validation). An effective way to mitigate this risk is to also perform input validation for XSS. Web applications must validate all input to prevent other vulnerabilities, such as SQL injection, so augmenting an application's existing input validation mechanism to include checks for XSS is generally relatively easy. Despite its value, input validation for XSS does not take the place of rigorous output validation. An application might accept input through a shared data store or other trusted source, and that data store might accept input from a source that does not perform adequate input validation. Therefore, the application cannot implicitly rely on the safety of this or any other data. This means that the best way to prevent XSS vulnerabilities is to validate everything that enters the application and leaves the application destined for the user. The most secure approach to validation for XSS is to create an allow list of safe characters that can appear in HTTP content and accept input composed exclusively of characters in the approved set. For example, a valid username might only include alphanumeric characters or a phone number might only include digits 0-9. However, this solution is often infeasible in web applications because many characters that have special meaning to the browser must be considered valid input after they are encoded, such as a web design bulletin board that must accept HTML fragments from its users. A more flexible, but less secure approach is to implement a deny list, which selectively rejects or escapes potentially dangerous characters before using the input. To form such a list, you first need to understand the set of characters that hold special meaning for web browsers. Although the HTML standard defines which characters have special meaning, many web browsers try to correct common mistakes in HTML and might treat other characters as special in certain contexts. This is why we do not recommend the use of deny lists as a means to prevent XSS. The CERT(R) Coordination Center at the Software Engineering Institute at Carnegie Mellon University provides the following details about special characters in various contexts [1]: In the content of a block-level element (in the middle of a paragraph of text): - "<" is special because it introduces a tag. - "&" is special because it introduces a character entity. - ">" is special because some browsers treat it as special, on the assumption that the author of the page intended to include an opening "<", but omitted it in error. The following principles apply to attribute values: - In attribute values enclosed in double quotes, the double quotes are special because



they mark the end of the attribute value. - In attribute values enclosed in single quote, the single quotes are special because they mark the end of the attribute value. - In attribute values without any quotes, white-space characters, such as space and tab, are special. - "&" is special when used with certain attributes, because it introduces a character entity. In URLs, for example, a search engine might provide a link within the results page that the user can click to re-run the search. This can be implemented by encoding the search query inside the URL, which introduces additional special characters: - Space, tab, and new line are special because they mark the end of the URL. - "&" is special because it either introduces a character entity or separates CGI parameters. - Non-ASCII characters (that is, everything greater than 127 in the ISO-8859-1 encoding) are not allowed in URLs, so they are considered to be special in this context. - The "%" symbol must be filtered from input anywhere parameters encoded with HTTP escape sequences are decoded by server-side code. For example, "%68%65%6C%6C%6F" becomes "hello" when it appears on the web page. Within the body of a : - Semicolons, parentheses, curly braces, and new line characters must be filtered out in situations where text could be inserted directly into a pre-existing script tag. Server-side scripts: - Server-side scripts that convert any exclamation characters (!) in input to double-quote characters (") on output might require additional filtering. Other possibilities: - If an attacker submits a request in UTF-7, the special character '<' appears as '+ADw-' and might bypass filtering. If the output is included in a page that does not explicitly specify an encoding format, then some browsers try to intelligently identify the encoding based on the content (in this case, UTF-7). After you identify the correct points in an application to perform validation for XSS attacks and what special characters the validation should consider, the next challenge is to identify how your validation handles special characters. If special characters are not considered valid input to the application, then you can reject any input that contains special characters as invalid. A second option is to remove special characters with filtering. However, filtering has the side effect of changing any visual representation of the filtered content and might be unacceptable in circumstances where the integrity of the input must be preserved for display. If input containing special characters must be accepted and displayed accurately, validation must encode any special characters to remove their significance. A complete list of ISO 8859-1 encoded values for special characters is provided as part of the official HTML specification [2]. Many application servers attempt to limit an application's exposure to cross-site scripting vulnerabilities by providing implementations for the functions responsible for setting certain specific HTTP response content that perform validation for the characters essential to a cross-site scripting attack. Do not rely on the server running your application to make it secure. For any developed application, there are no guarantees about which application servers it will run on during its lifetime. As standards and known exploits evolve, there are no guarantees that application servers will continue to stay in sync.

Issue Summary



Engine Breakdown

	SCA	WebInspect	SecurityScope	Total
Cross-Site Scripting: DOM	172	0	0	172
Total	172	0	0	172



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/WorkMonitoring.js, line 219 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/WorkMonitoring.js:208

```
205 type: "POST",
206 contentType: "application/json; charset=utf-8",
207 data: JSON.stringify(obj),
208 success: function (response) {
209
210 if (response.StatusCode === 200) {
211 if (response.Data.length > 0) {
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/WorkMonitoring.js:219

Taint Flags: WEB, XSS

```
216 // Populate dropdown with OHT
217 response.Data.forEach(function (item) {
218 $("#ddlOHT").append(
219 `<option value="${item.ohsr_code}">${item.ohsr_oh_name}</option>`
220 );
221 });
222
```

JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringDtl.js, line 220
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringDtl.js:208

```
205 type: "POST",
206 contentType: "application/json; charset=utf-8",
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringDtl.js, line 220
(Cross-Site Scripting: DOM)

```
207 data: JSON.stringify(obj),
208 success: function (response) {
209
210 if (response.StatusCode === 200) {
211 $("#ddlOHT").prepend(
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringDtl.js:220

Taint Flags: WEB, XSS

```
217 // Populate dropdown with OHT
218 response.Data.forEach(function (item) {
219 $("#ddlOHT").append(
220 `<option value="${item.ohsr_code}">${item.ohsr_oh_name}</option>`
221 );
222 });
223
```

JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringGM.js, line 252
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringGM.js:241

```
238 type: "POST",
239 contentType: "application/json; charset=utf-8",
240 data: JSON.stringify(obj),
241 success: function (response) {
242
243 if (response.StatusCode === 200) {
244 if (response.Data.length > 0) {
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringGM.js, line 252
(Cross-Site Scripting: DOM)

File: JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringGM.js:252

Taint Flags: WEB, XSS

```
249 // Populate dropdown with OHT
250 response.Data.forEach(function (item) {
251   $("#ddlOHT").append(
252     `<option value="${item.ohsr_code}">${item.ohsr_oh_name}</option>`
253   );
254 });
255
```

JalNigamWebApplication/assets/libs/Scripts/component_vill_mapping.js, line 218 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/component_vill_mapping.js:213

```
210 type: "POST",
211 contentType: "application/json; charset=utf-8",
212 data: JSON.stringify({ dist_cd: piu_dist_cd, scheme_id: "-1",
213   is_other_scheme_of_piu: "-1" }),
213 success: function (response) {
214   if (response.Data.length > 0) {
215     // Populate dropdown with received data
216     response.Data.forEach(function (item) {
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/component_vill_mapping.js:218

Taint Flags: WEB, XSS

```
215 // Populate dropdown with received data
216 response.Data.forEach(function (item) {
217   $("#vddlScheme").append(
218     `<option value="${item.scheme_id}">${item.scheme_name}</option>`
219   );
220 });
221 }
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/OMBill.js, line 352 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/OMBill.js:343

```
340 type: "POST",
341 contentType: "application/json; charset=utf-8",
342 data: JSON.stringify(obj),
343 success: function (response) {
344
345 if (response.StatusCode === 200) {
346 $("#ddlQuarter").prepend(
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/OMBill.js:352

Taint Flags: WEB, XSS

```
349 if (response.Data.length > 0) {
350 response.Data.forEach(function (item) {
351 $("#ddlQuarter").append(
352 `<option value="${item.quarter_no}">${item.quarter_name}</option>`
353 );
354 });
355 StopProgress();
```

JalNigamWebApplication/assets/libs/Scripts/OMContractDetails.js, line 857
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/OMContractDetails.js:848

```
845 type: "POST",
846 contentType: "application/json; charset=utf-8",
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/OMContractDetails.js, line 857
(Cross-Site Scripting: DOM)

```
847 data: JSON.stringify(obj),
848 success: function (response) {
849
850 if (response.StatusCode === 200) {
851 $("#ddlDistrict").prepend(
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/OMContractDetails.js:857

Taint Flags: WEB, XSS

```
854 if (response.Data.length > 0) {
855 response.Data.forEach(function (item) {
856 $("#ddlDistrict").append(
857 `<option value="${item.dist_cd}">${item.dist_nm_e}</option>`
858 );
859 });
860 StopProgress();
```

JalNigamWebApplication/assets/libs/Scripts/OMContractDetails.js, line 3771
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/OMContractDetails.js:3763

```
3760 type: "POST",
3761 contentType: "application/json; charset=utf-8",
3762 data: JSON.stringify(obj),
3763 success: function (response) {
3764 if (response.StatusCode === 200) {
3765 $("#ddlDocType").prepend(
3766 `<option value="0">-- Select --</option>`
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/OMContractDetails.js, line 3771
(Cross-Site Scripting: DOM)

File: JalNigamWebApplication/assets/libs/Scripts/OMContractDetails.js:3771

Taint Flags: WEB, XSS

```
3768 if (response.Data.length > 0) {
3769   response.Data.forEach(function (item) {
3770     $("#ddlDocType").append(
3771       `<option value="${item.doc_type_id}">${item.doc_type_name}</option>`
3772     );
3773   });
3774   StopProgress();
```

JalNigamWebApplication/assets/libs/Scripts/Pipeline_Master.js, line 313 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/Pipeline_Master.js:302

```
299 type: "POST",
300 contentType: "application/json; charset=utf-8",
301 data: JSON.stringify(obj),
302 success: function (response) {
303
304   if (response.StatusCode === 200) {
305     if (response.Data.length > 0) {
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/Pipeline_Master.js:313

Taint Flags: WEB, XSS

```
310 // Populate dropdown with MBR
311 response.Data.forEach(function (item) {
312   $("#ddlMBR").append(
313     `<option value="${item.mbr_id}">${item.mbr_name}</option>`
314   );
315 });
316
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/Pipeline_MasterApprove.js, line 310
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/Pipeline_MasterApprove.js:299

```
296 type: "POST",
297 contentType: "application/json; charset=utf-8",
298 data: JSON.stringify(obj),
299 success: function (response) {
300
301 if (response.StatusCode === 200) {
302 if (response.Data.length > 0) {
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/Pipeline_MasterApprove.js:310

Taint Flags: WEB, XSS

```
307 // Populate dropdown with MBR
308 response.Data.forEach(function (item) {
309 $("#ddlMBR").append(
310 `<option value="${item.mbr_id}">${item.mbr_name}</option>`
311 );
312 });
313
```

JalNigamWebApplication/assets/libs/Scripts/Pipeline_MasterDtl.js, line 300
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/Pipeline_MasterDtl.js:289

```
286 type: "POST",
287 contentType: "application/json; charset=utf-8",
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/Pipeline_MasterDtl.js, line 300
(Cross-Site Scripting: DOM)

```
288 data: JSON.stringify(obj),
289 success: function (response) {
290
291 if (response.StatusCode === 200) {
292 if (response.Data.length > 0) {
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/Pipeline_MasterDtl.js:300

Taint Flags: WEB, XSS

```
297 // Populate dropdown with MBR
298 response.Data.forEach(function (item) {
299 $("#ddlMBR").append(
300 `<option value="${item.mbr_id}">${item.mbr_name}</option>`
301 );
302 });
303
```

JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringDtl.js, line 293
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringDtl.js:282

```
279 type: "POST",
280 contentType: "application/json; charset=utf-8",
281 data: JSON.stringify(obj),
282 success: function (response) {
283
284 if (response.StatusCode === 200) {
285 $("#ddldocType").prepend(
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringDtl.js, line 293
(Cross-Site Scripting: DOM)

File: JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringDtl.js:293

Taint Flags: WEB, XSS

```
290 // Populate dropdown with Document Types
291 response.Data.forEach(function (item) {
292   $("#ddlDocType").append(
293     `<option value="${item.doc_type_id}">${item.doc_type_nm}</option>`
294   );
295 });
296
```

JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringDtl_Intake.js, line 262 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringDtl_Intake.js:251

```
248 type: "POST",
249 contentType: "application/json; charset=utf-8",
250 data: JSON.stringify(obj),
251 success: function (response) {
252
253   if (response.StatusCode === 200) {
254     $("#ddlDocType").prepend(
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringDtl_Intake.js:262

Taint Flags: WEB, XSS

```
259 // Populate dropdown with Document Types
260 response.Data.forEach(function (item) {
261   $("#ddlDocType").append(
262     `<option value="${item.doc_type_id}">${item.doc_type_nm}</option>`
263   );
264 });
265
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringDtl_WTP.js, line 344
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringDtl_WTP.js:333

```
330 type: "POST",
331 contentType: "application/json; charset=utf-8",
332 data: JSON.stringify(obj),
333 success: function (response) {
334
335 if (response.StatusCode === 200) {
336 $("#ddlDocType").prepend(
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringDtl_WTP.js:344

Taint Flags: WEB, XSS

```
341 // Populate dropdown with Document Types
342 response.Data.forEach(function (item) {
343 $("#ddlDocType").append(
344 `<option value="${item.doc_type_id}">${item.doc_type_nm}</option>`
345 );
346 });
347
```

JalNigamWebApplication/assets/libs/Scripts/UserLoginAccessMapping.js, line 422 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/UserLoginAccessMapping.js:417

```
414 url: getApiPath() + "GetZone", // URL to fetch designations
415 type: "POST",
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/UserLoginAccessMapping.js, line 422 (Cross-Site Scripting: DOM)

```
416 contentType: "application/json",
417 success: function (response) {
418   if (response.Data.length > 0) {
419     // Populate dropdown with received data
420     response.Data.forEach(function (item) {
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/UserLoginAccessMapping.js:422

Taint Flags: WEB, XSS

```
419 // Populate dropdown with received data
420 response.Data.forEach(function (item) {
421   $("#ddlZone").append(
422     `<option value="${item.zone_cd}">${item.zone_name}</option>`
423   );
424 });
425 } else {
```

JalNigamWebApplication/assets/libs/Scripts/UserLoginAccessMapping.js, line 505 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/UserLoginAccessMapping.js:490

```
487 type: "POST",
488 contentType: "application/json; charset=utf-8",
489 data: JSON.stringify({ distpiu_dist_cd: "0" }),
490 success: function (response) {
491   if (response.Data && response.Data.length > 0) {
492     // Populate dropdown with checkboxes
493     response.Data.forEach(function (item) {
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/UserLoginAccessMapping.js, line 505 (Cross-Site Scripting: DOM)

File: JalNigamWebApplication/assets/libs/Scripts/UserLoginAccessMapping.js:505

Taint Flags: CONCATENATED, WEB, XSS

```
502 </label>
503 </div>
504 `;
505 $("#chkSchemeContainer").append(checkboxHTML);
506 });
507 } else {
508 alert("No scheme found.");
```

JalNigamWebApplication/assets/libs/Scripts/UserLoginAccessMapping.js, line 1485 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/UserLoginAccessMapping.js:1466

```
1463 type: "POST",
1464 contentType: "application/json; charset=utf-8",
1465 data: JSON.stringify({ distpiu_dist_cd: "0" }),
1466 success: function (response) {
1467 if (response.Data && response.Data.length > 0) {
1468 // Populate dropdown with checkboxes
1469 response.Data.forEach(function (item) {
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/UserLoginAccessMapping.js:1485

Taint Flags: CONCATENATED, WEB, XSS

```
1482 </label>
1483 </div>
1484 `;
1485 $("#chkSchemeContainer").append(checkboxHTML);
1486 });
1487
1488 // Add "Check All / Uncheck All" functionality
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/UserLoginAccessMapping.js, line 1547 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/UserLoginAccessMapping.js:1530

```
1527 type: "POST",
1528 contentType: "application/json; charset=utf-8",
1529 data: JSON.stringify({ distpiu_dist_cd: piu_dist_cd }),
1530 success: function (response) {
1531     if (response.Data && response.Data.length > 0) {
1532         response.Data.forEach(function (item) {
1533             const isChecked = selectedIdsArray.includes(item.scheme_id.toString());
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/UserLoginAccessMapping.js:1547

Taint Flags: CONCATENATED, WEB, XSS

```
1544 </label>
1545 </div>
1546 `;
1547 $("#chkSchemeContainer").append(checkboxHTML);
1548 });
1549
1550 // Add "Check All / Uncheck All" functionality
```

JalNigamWebApplication/assets/libs/Scripts/SahbhagitaActivity.js, line 99
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/SahbhagitaActivity.js:81

```
78 type: "POST",
79 contentType: "application/json; charset=utf-8",
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/SahbhagitaActivity.js, line 99
(Cross-Site Scripting: DOM)

```
80 data: JSON.stringify({ user_id: user_id, etoken: $("#hdfetoken").val() }),
81 success: function (response) {
82
83 if (response.Success == true) {
84
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: success()

File: JalNigamWebApplication/assets/libs/Scripts/SahbhagitaActivity.js:99

Taint Flags: WEB, XSS

```
96 );
97
98 $("#ddlScheme").append(
99 `<option value="{scheme_id}">${scheme_name}</option>`
100 );
101
102 StopProgress();
```

JalNigamWebApplication/assets/libs/Scripts/DownloadSurveyData.js, line 275
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/DownloadSurveyData.js:218

```
215 "Content-Type": "application/x-www-form-urlencoded"
216 },
217 data: requestData,
218 success: function (response, status, xhr) {
219
220 // If the response is a URL to download file
221 if (response.success == true) {
```

Sink Details

Sink: open()

Enclosing Method: success()



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/DownloadSurveyData.js, line 275
(Cross-Site Scripting: DOM)

File: JalNigamWebApplication/assets/libs/Scripts/DownloadSurveyData.js:275

Taint Flags: WEB, XSS

```
272 let fileurl = zipFile.replace(/\\/g, "/");
273
274 // Open in new tab
275 window.open(fileurl, "_blank");
276
277 undefined
278 undefined
```

JalNigamWebApplication/assets/libs/Scripts/
Abstract_MonthDateWise_watersupply.js, line 125 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/Abstract_MonthDateWise_watersupply.js:116

```
113 type: "POST",
114 contentType: "application/json; charset=utf-8",
115 data: JSON.stringify(obj),
116 success: function (response) {
117   if (response.StatusCode === 200) {
118     $("#ddlScheme").prepend(
119       '<option value="0"> Scheme</option>`
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/Abstract_MonthDateWise_watersupply.js:125

Taint Flags: WEB, XSS

```
122 // Populate dropdown with schemes
123 response.Data.forEach(function (item) {
124   $("#ddlScheme").append(
125     '<option value="${item.intake_id}">${item.intake_name}</option>`
126 );
127 });
128
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/

Abstract_MonthWise_watersupply.js, line 117 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/Abstract_MonthWise_watersupply.js:
108

```
105  type: "POST",  
106  contentType: "application/json; charset=utf-8",  
107  data: JSON.stringify(obj),  
108  success: function (response) {  
109    if (response.StatusCode === 200) {  
110      $("#ddlScheme").prepend(  
111        `<option value="0">All</option>`
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/Abstract_MonthWise_watersupply.js:117

Taint Flags: WEB, XSS

```
114  // Populate dropdown with schemes  
115  response.Data.forEach(function (item) {  
116    $("#ddlScheme").append(  
117      `<option value="${item.intake_id}">${item.intake_name}</option>`  
118    );  
119  });  
120
```

JalNigamWebApplication/assets/libs/Scripts/

Abstract_Monthly_Bulk_watersupply.js, line 120 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/Abstract_Monthly_Bulk_watersupply.
js:111



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/

Abstract_Monthly_Bulk_watersupply.js, line 120 (Cross-Site Scripting: DOM)

```
108 type: "POST",
109 contentType: "application/json; charset=utf-8",
110 data: JSON.stringify(obj),
111 success: function (response) {
112   if (response.StatusCode === 200) {
113     $("#ddlScheme").prepend(
114       `<option value="0">All</option>`
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/Abstract_Monthly_Bulk_watersupply.js:120

Taint Flags: WEB, XSS

```
117 // Populate dropdown with schemes
118 response.Data.forEach(function (item) {
119   $("#ddlScheme").append(
120     `<option value="${item.intake_id}">${item.intake_name}</option>`
121   );
122 });
123
```

JalNigamWebApplication/assets/libs/Scripts/

Scheme_wise_water_supply_report.js, line 72 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/Scheme_wise_water_supply_report.js:63

```
60 type: "POST",
61 contentType: "application/json; charset=utf-8",
62 data: JSON.stringify(obj),
63 success: function (response) {
64   if (response.StatusCode === 200) {
65     $("#ddlScheme").prepend(
66       `<option value="0">All</option>`
```

Sink Details



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/

Scheme_wise_water_supply_report.js, line 72 (Cross-Site Scripting: DOM)

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/Scheme_wise_water_supply_report.js:72

Taint Flags: WEB, XSS

```
69 // Populate dropdown with schemes
70 response.Data.forEach(function (item) {
71   $("#ddlScheme").append(
72     `<option value="${item.intake_id}">${item.intake_name}</option>`
73   );
74 });
75
```

JalNigamWebApplication/assets/libs/Scripts/pub_Abstract_Daily_watersupply.js,
line 43 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/pub_Abstract_Daily_watersupply.js:
32

```
29 type: "POST",
30 contentType: "application/json; charset=utf-8",
31 data: JSON.stringify(obj),
32 success: function (response) {
33   if (response.StatusCode === 200) {
34     $("#ddlScheme").prepend(
35       `<option value="0"> Scheme</option>`
36     );
37   }
38 }
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/pub_Abstract_Daily_watersupply.js:43

Taint Flags: WEB, XSS

```
40 // Populate dropdown with schemes
41 response.Data.forEach(function (item) {
42   $("#ddlScheme").append(
43     `<option value="${item.intake_id}">${item.intake_name}</option>`
44   );
45 });
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/pub_Abstract_Daily_watersupply.js,
line 43 (Cross-Site Scripting: DOM)

46

JalNigamWebApplication/assets/libs/Scripts/
pub_Abstract_MonthWise_watersupply.js, line 70 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/pub_Abstract_MonthWise_watersupply.js:61

```
58 type: "POST",
59 contentType: "application/json; charset=utf-8",
60 data: JSON.stringify(obj),
61 success: function (response) {
62   if (response.StatusCode === 200) {
63     $("#ddlScheme").prepend(
64       `<option value="0"> Scheme</option>`
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/pub_Abstract_MonthWise_watersupply.js:70

Taint Flags: WEB, XSS

```
67 // Populate dropdown with schemes
68 response.Data.forEach(function (item) {
69   $("#ddlScheme").append(
70     `<option value="${item.intake_id}">${item.intake_name}</option>`
71   );
72 });
73
```

JalNigamWebApplication/assets/libs/Scripts/
pub_Scheme_wise_water_supply_report.js, line 41 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/

pub_Scheme_wise_water_supply_report.js, line 41 (Cross-Site Scripting: DOM)

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/pub_Scheme_wise_water_supply_report.js:32

```
29 type: "POST",
30 contentType: "application/json; charset=utf-8",
31 data: JSON.stringify(obj),
32 success: function (response) {
33   if (response.StatusCode === 200) {
34     $("#ddlScheme").prepend(
35       `<option value="0"> Scheme</option>`
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/pub_Scheme_wise_water_supply_report.js:41

Taint Flags: WEB, XSS

```
38 // Populate dropdown with schemes
39 response.Data.forEach(function (item) {
40   $("#ddlScheme").append(
41     `<option value="${item.intake_id}">${item.intake_name}</option>`
42   );
43 });
44
```

JalNigamWebApplication/assets/libs/Scripts/Frm_oht_vill_mapping.js, line 103
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/Frm_oht_vill_mapping.js:98

```
95 type: "POST",
96 contentType: "application/json; charset=utf-8",
97 data: JSON.stringify({ dist_cd: piu_dist_cd }),
98 success: function (response) {
99   if (response.Data.length > 0) {
100     // Populate dropdown with received data
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/Frm_oht_vill_mapping.js, line 103
(Cross-Site Scripting: DOM)

```
101 response.Data.forEach(function (item) {
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/Frm_oht_vill_mapping.js:103

Taint Flags: WEB, XSS

```
100 // Populate dropdown with received data
101 response.Data.forEach(function (item) {
102   $("#ddlScheme").append(
103     `<option value="${item.scheme_id}">${item.scheme_name}</option>`
104   );
105 });
106 }
```

JalNigamWebApplication/assets/libs/Scripts/Frm_oht_vill_mapping1.js, line 130
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/Frm_oht_vill_mapping1.js:125

```
122 type: "POST",
123 contentType: "application/json; charset=utf-8",
124 data: JSON.stringify({ dist_cd: piu_dist_cd }),
125 success: function (response) {
126   if (response.Data.length > 0) {
127     // Populate dropdown with received data
128     response.Data.forEach(function (item) {
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/Frm_oht_vill_mapping1.js:130

Taint Flags: WEB, XSS

```
127 // Populate dropdown with received data
128 response.Data.forEach(function (item) {
129   $("#ddlScheme").append(
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/Frm_oht_vill_mapping1.js, line 130
(Cross-Site Scripting: DOM)

```
130 `<option value="${item.scheme_id}">${item.scheme_name}</option>`  
131 );  
132 });  
133 }
```

JalNigamWebApplication/assets/libs/Scripts/Get_SopanStatus_Data.js, line 142
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/Get_SopanStatus_Data.js:132

```
129 type: "POST",  
130 contentType: "application/json; charset=utf-8",  
131 data: JSON.stringify(obj),  
132 success: function (response) {  
133  
134 if (response.StatusCode === 200) {  
135 $("#ddlScheme").prepend(  

```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/Get_SopanStatus_Data.js:142

Taint Flags: WEB, XSS

```
139 // Populate dropdown with schemes  
140 response.Data.forEach(function (item) {  
141 $("#ddlScheme").append(  
142 `<option value="${item.scheme_id}">${item.scheme_name}</option>`  
143 );  
144 });  
145
```

JalNigamWebApplication/assets/libs/Scripts/HouseholdSurvey.js, line 113
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/HouseholdSurvey.js, line 113
(Cross-Site Scripting: DOM)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/HouseholdSurvey.js:103

```
100 type: "POST",
101 contentType: "application/json; charset=utf-8",
102 data: JSON.stringify(obj),
103 success: function (response) {
104
105 if (response.Success === true) {
106 $("#ddlScheme").prepend(
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/HouseholdSurvey.js:113

Taint Flags: WEB, XSS

```
110 // Populate dropdown with schemes
111 response.Data.forEach(function (item) {
112 $("#ddlScheme").append(
113 `<option value="${item.scheme_id}">${item.scheme_name}</option>`
114 );
115 });
116
```

JalNigamWebApplication/assets/libs/Scripts/Ngo_FEAccessMapping.js, line 309
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/Ngo_FEAccessMapping.js:304

```
301 type: "POST",
302 contentType: "application/json; charset=utf-8",
303 data: JSON.stringify({ piu_dist_cd: piu_dist_cd }),
304 success: function (response) {
305 if (response.Data.length > 0) {
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/Ngo_FEAccessMapping.js, line 309
(Cross-Site Scripting: DOM)

```
306 // Populate dropdown with received data
307 response.Data.forEach(function (item) {
```

Sink Details

Sink: ~JS_Generic.append()
Enclosing Method: lambda()
File: JalNigamWebApplication/assets/libs/Scripts/Ngo_FEAccessMapping.js:309
Taint Flags: WEB, XSS

```
306 // Populate dropdown with received data
307 response.Data.forEach(function (item) {
308 $("#ddlScheme").append(
309 `<option value="${item.scheme_id}">${item.scheme_name}</option>`
310 );
311 });
312 }
```

JalNigamWebApplication/assets/libs/Scripts/Ngo_PMAccessMapping.js, line 203
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation
Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)
From: success
File: JalNigamWebApplication/assets/libs/Scripts/Ngo_PMAccessMapping.js:198

```
195 type: "POST",
196 contentType: "application/json; charset=utf-8",
197 data: JSON.stringify({ piu_dist_cd: piu_dist_cd }), // Data to send to
the server
198 success: function (response) {
199 if (response.Data.length > 0) {
200 // Populate dropdown with received data
201 response.Data.forEach(function (item) {
```

Sink Details

Sink: ~JS_Generic.append()
Enclosing Method: lambda()
File: JalNigamWebApplication/assets/libs/Scripts/Ngo_PMAccessMapping.js:203
Taint Flags: WEB, XSS

```
200 // Populate dropdown with received data
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/Ngo_PMAccessMapping.js, line 203
(Cross-Site Scripting: DOM)

```
201 response.Data.forEach(function (item) {
202   $("#ddlScheme").append(
203     `<option value="${item.scheme_id}">${item.scheme_name}</option>`
204   );
205 });
206 } else {
```

JalNigamWebApplication/assets/libs/Scripts/Ngo_Reports.js, line 107 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation
Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)
From: success
File: JalNigamWebApplication/assets/libs/Scripts/Ngo_Reports.js:102

```
99 type: "POST",
100 contentType: "application/json; charset=utf-8",
101 data: JSON.stringify({ piu_dist_cd: piu_dist_cd }),
102 success: function (response) {
103   if (response.Data.length > 0) {
104     // Populate dropdown with received data
105     response.Data.forEach(function (item) {
```

Sink Details

Sink: ~JS_Generic.append()
Enclosing Method: lambda()
File: JalNigamWebApplication/assets/libs/Scripts/Ngo_Reports.js:107
Taint Flags: WEB, XSS

```
104 // Populate dropdown with received data
105 response.Data.forEach(function (item) {
106   $("#ddlScheme").append(
107     `<option value="${item.scheme_id}">${item.scheme_name}</option>`
108   );
109 });
110 } else {
```

JalNigamWebApplication/assets/libs/Scripts/Ngo_Summary_Reports.js, line 96
(Cross-Site Scripting: DOM)

Issue Details



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/Ngo_Summary_Reports.js, line 96
(Cross-Site Scripting: DOM)

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/Ngo_Summary_Reports.js:91

```
88  type: "POST",
89  contentType: "application/json; charset=utf-8",
90  data: JSON.stringify({ piu_dist_cd: piu_dist_cd }),
91  success: function (response) {
92    if (response.Data.length > 0) {
93      // Populate dropdown with received data
94      response.Data.forEach(function (item) {
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/Ngo_Summary_Reports.js:96

Taint Flags: WEB, XSS

```
93  // Populate dropdown with received data
94  response.Data.forEach(function (item) {
95    $("#ddlScheme").append(
96    `<option value="${item.scheme_id}">${item.scheme_name}</option>`
97    );
98  });
99  } else {
```

JalNigamWebApplication/assets/libs/Scripts/Ngo_Survey_FinalApproval.js, line 144
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/Ngo_Survey_FinalApproval.js:139

```
136  type: "POST",
137  contentType: "application/json; charset=utf-8",
138  data: JSON.stringify({ piu_dist_cd: piu_dist_cd }),
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/Ngo_Survey_FinalApproval.js, line 144 (Cross-Site Scripting: DOM)

```
139 success: function (response) {
140   if (response.Data.length > 0) {
141     // Populate dropdown with received data
142     response.Data.forEach(function (item) {
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/Ngo_Survey_FinalApproval.js:144

Taint Flags: WEB, XSS

```
141 // Populate dropdown with received data
142 response.Data.forEach(function (item) {
143   $("#ddlScheme").append(
144     `<option value="${item.scheme_id}">${item.scheme_name}</option>`
145   );
146 });
147 }
```

JalNigamWebApplication/assets/libs/Scripts/Pipeline_Master.js, line 108 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/Pipeline_Master.js:98

```
95 type: "POST",
96 contentType: "application/json; charset=utf-8",
97 data: JSON.stringify(obj),
98 success: function (response) {
99
100   if (response.StatusCode === 200) {
101     $("#ddlScheme").prepend(
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/Pipeline_Master.js:108

Taint Flags: WEB, XSS



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/Pipeline_Master.js, line 108 (Cross-Site Scripting: DOM)

```
105 // Populate dropdown with schemes
106 response.Data.forEach(function (item) {
107   $("#ddlScheme").append(
108     `<option value="${item.scheme_id}">${item.scheme_name}</option>`
109   );
110 });
111
```

JalNigamWebApplication/assets/libs/Scripts/Pipeline_MasterApprove.js, line 108 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/Pipeline_MasterApprove.js:98

```
95 type: "POST",
96 contentType: "application/json; charset=utf-8",
97 data: JSON.stringify(obj),
98 success: function (response) {
99
100   if (response.StatusCode === 200) {
101     $("#ddlScheme").prepend(
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/Pipeline_MasterApprove.js:108

Taint Flags: WEB, XSS

```
105 // Populate dropdown with schemes
106 response.Data.forEach(function (item) {
107   $("#ddlScheme").append(
108     `<option value="${item.scheme_id}">${item.scheme_name}</option>`
109   );
110 });
111
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/Pipeline_MasterDtl.js, line 98 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation
Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)
From: success
File: JalNigamWebApplication/assets/libs/Scripts/Pipeline_MasterDtl.js:88

```
85  type: "POST",
86  contentType: "application/json; charset=utf-8",
87  data: JSON.stringify(obj),
88  success: function (response) {
89
90    if (response.StatusCode === 200) {
91      $("#ddlScheme").prepend(
```

Sink Details

Sink: ~JS_Generic.append()
Enclosing Method: lambda()
File: JalNigamWebApplication/assets/libs/Scripts/Pipeline_MasterDtl.js:98
Taint Flags: WEB, XSS

```
95  // Populate dropdown with schemes
96  response.Data.forEach(function (item) {
97    $("#ddlScheme").append(
98    `<option value="${item.scheme_id}">${item.scheme_name}</option>`
99    );
100  });
101
```

JalNigamWebApplication/assets/libs/Scripts/Pipeline_Report.js, line 82 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation
Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)
From: success
File: JalNigamWebApplication/assets/libs/Scripts/Pipeline_Report.js:72

```
69  type: "POST",
70  contentType: "application/json; charset=utf-8",
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/Pipeline_Report.js, line 82 (Cross-Site Scripting: DOM)

```
71 data: JSON.stringify(obj),
72 success: function (response) {
73
74 if (response.StatusCode === 200) {
75 $("#ddlScheme").prepend(
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/Pipeline_Report.js:82

Taint Flags: WEB, XSS

```
79 // Populate dropdown with schemes
80 response.Data.forEach(function (item) {
81 $("#ddlScheme").append(
82 `<option value="${item.scheme_id}">${item.scheme_name}</option>`
83 );
84 });
85 if (vLoginType === "contractor_users") {
```

JalNigamWebApplication/assets/libs/Scripts/RptReq_ApplicationCount.js, line 71 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/RptReq_ApplicationCount.js:63

```
60 type: "POST",
61 contentType: "application/json; charset=utf-8",
62 data: JSON.stringify(obj),
63 success: function (response) {
64 // Ensure response is valid
65 if (response && response.Success === true &&
Array.isArray(response.Data)) {
66 if (response.Data.length > 0) {
```

Sink Details

Sink: ~JS_Generic.append()



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/RptReq_ApplicationCount.js, line 71
(Cross-Site Scripting: DOM)

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/RptReq_ApplicationCount.js:71

Taint Flags: WEB, XSS

```
68 // Populate dropdown with schemes
69 response.Data.forEach(function (item) {
70 $("#ddlScheme").append(
71 `<option value="${item.scheme_id}">${item.scheme_name}</option>`
72 );
73 });
74
```

JalNigamWebApplication/assets/libs/Scripts/UserLoginAccessMapping.js, line 455
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/UserLoginAccessMapping.js:450

```
447 type: "POST",
448 contentType: "application/json; charset=utf-8",
449 data: JSON.stringify({ distpiu_dist_cd: piu_dist_cd }), // Data to send
to the server
450 success: function (response) {
451 if (response.Data.length > 0) {
452 // Populate dropdown with received data
453 response.Data.forEach(function (item) {
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/UserLoginAccessMapping.js:455

Taint Flags: WEB, XSS

```
452 // Populate dropdown with received data
453 response.Data.forEach(function (item) {
454 $("#ddlScheme").append(
455 `<option value="${item.scheme_id}">${item.scheme_name}</option>`
456 );
457 });
458 } else {
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/UserLoginAccessMapping.js, line 455 (Cross-Site Scripting: DOM)

JalNigamWebApplication/assets/libs/Scripts/WebUser.js, line 303 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/WebUser.js:298

```
295 type: "POST",
296 contentType: "application/json; charset=utf-8",
297 data: JSON.stringify({ distpiu_dist_cd: piu_dist_cd }), // Data to send
    to the server
298 success: function (response) {
299     if (response.Data.length > 0) {
300         // Populate dropdown with received data
301         response.Data.forEach(function (item) {
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/WebUser.js:303

Taint Flags: WEB, XSS

```
300 // Populate dropdown with received data
301 response.Data.forEach(function (item) {
302     $("#ddlScheme").append(
303         `<option value="${item.scheme_id}">${item.scheme_name}</option>`
304     );
305 });
306 } else {
```

JalNigamWebApplication/assets/libs/Scripts/WorkMonitoring.js, line 142 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/WorkMonitoring.js, line 142 (Cross-Site Scripting: DOM)

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/WorkMonitoring.js:132

```
129 type: "POST",
130 contentType: "application/json; charset=utf-8",
131 data: JSON.stringify(obj),
132 success: function (response) {
133
134   if (response.StatusCode === 200) {
135     $("#ddlScheme").prepend(
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/WorkMonitoring.js:142

Taint Flags: WEB, XSS

```
139 // Populate dropdown with schemes
140 response.Data.forEach(function (item) {
141   $("#ddlScheme").append(
142     `<option value="${item.scheme_id}">${item.scheme_name}</option>`
143   );
144 });
145
```

JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringDtl.js, line 142 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringDtl.js:132

```
129 type: "POST",
130 contentType: "application/json; charset=utf-8",
131 data: JSON.stringify(obj),
132 success: function (response) {
133
134   if (response.StatusCode === 200) {
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringDtl.js, line 142
(Cross-Site Scripting: DOM)

```
135 $("#ddlScheme").prepend(
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringDtl.js:142

Taint Flags: WEB, XSS

```
139 // Populate dropdown with schemes
140 response.Data.forEach(function (item) {
141   $("#ddlScheme").append(
142     `<option value="${item.scheme_id}">${item.scheme_name}</option>`
143   );
144 });
145
```

JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringDtl_Intake.js, line 119
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringDtl_Intake.js:109

```
106 type: "POST",
107 contentType: "application/json; charset=utf-8",
108 data: JSON.stringify(obj),
109 success: function (response) {
110
111   if (response.StatusCode === 200) {
112     $("#ddlScheme").prepend(
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringDtl_Intake.js:119

Taint Flags: WEB, XSS

```
116 // Populate dropdown with schemes
117 response.Data.forEach(function (item) {
118   $("#ddlScheme").append(
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringDtl_Intake.js, line 119 (Cross-Site Scripting: DOM)

```
119 `<option value="${item.scheme_id}">${item.scheme_name}</option>`  
120 );  
121 });  
122
```

JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringDtl_WTP.js, line 133 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringDtl_WTP.js:123

```
120 type: "POST",  
121 contentType: "application/json; charset=utf-8",  
122 data: JSON.stringify(obj),  
123 success: function (response) {  
124  
125 if (response.StatusCode === 200) {  
126 $("#ddlScheme").prepend(  

```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringDtl_WTP.js:133

Taint Flags: WEB, XSS

```
130 // Populate dropdown with schemes  
131 response.Data.forEach(function (item) {  
132 $("#ddlScheme").append(  
133 `<option value="${item.scheme_id}">${item.scheme_name}</option>`  
134 );  
135 });  
136
```

JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringGM.js, line 179 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringGM.js, line 179
(Cross-Site Scripting: DOM)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringGM.js:169

```
166 type: "POST",
167 contentType: "application/json; charset=utf-8",
168 data: JSON.stringify(obj),
169 success: function (response) {
170
171   if (response.StatusCode === 200) {
172     $("#ddlScheme").prepend(
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringGM.js:179

Taint Flags: WEB, XSS

```
176 // Populate dropdown with schemes
177 response.Data.forEach(function (item) {
178   $("#ddlScheme").append(
179     `<option value="${item.scheme_id}">${item.scheme_name}</option>`
180   );
181 });
182
```

JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringGM_IPS.js, line 120
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringGM_IPS.js:110

```
107 type: "POST",
108 contentType: "application/json; charset=utf-8",
109 data: JSON.stringify(obj),
110 success: function (response) {
111
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringGM_IPS.js, line 120
(Cross-Site Scripting: DOM)

```
112 if (response.StatusCode === 200) {  
113   $("#ddlScheme").prepend(  

```

Sink Details

Sink: ~JS_Generic.append()
Enclosing Method: lambda()
File: JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringGM_IPS.js:120
Taint Flags: WEB, XSS

```
117 // Populate dropdown with schemes  
118 response.Data.forEach(function (item) {  
119   $("#ddlScheme").append(  
120     `<option value="${item.scheme_id}">${item.scheme_name}</option>`  
121   );  
122 });  
123 StopProgress();
```

JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringGM_IntakeWell.js,
line 126 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation
Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)
From: success
File: JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringGM_IntakeWell.js:116

```
113 type: "POST",  
114 contentType: "application/json; charset=utf-8",  
115 data: JSON.stringify(obj),  
116 success: function (response) {  
117  
118   if (response.StatusCode === 200) {  
119     $("#ddlScheme").prepend(  

```

Sink Details

Sink: ~JS_Generic.append()
Enclosing Method: lambda()
File: JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringGM_IntakeWell.js:126
Taint Flags: WEB, XSS

```
123 // Populate dropdown with schemes  
124 response.Data.forEach(function (item) {
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringGM_IntakeWell.js, line 126 (Cross-Site Scripting: DOM)

```
125 $("#ddlScheme").append(  
126 `<option value="${item.scheme_id}">${item.scheme_name}</option>`  
127 );  
128 });  
129 StopProgress();
```

JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringGM_WTP.js, line 160 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation
Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)
From: success
File: JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringGM_WTP.js:150

```
147 type: "POST",  
148 contentType: "application/json; charset=utf-8",  
149 data: JSON.stringify(obj),  
150 success: function (response) {  
151  
152 if (response.StatusCode === 200) {  
153 $("#ddlScheme").prepend(  
154 `<option value="${item.scheme_id}">${item.scheme_name}</option>`  
155 );  
156 });  
157 StopProgress();
```

Sink Details

Sink: ~JS_Generic.append()
Enclosing Method: lambda()
File: JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringGM_WTP.js:160
Taint Flags: WEB, XSS

```
157 // Populate dropdown with schemes  
158 response.Data.forEach(function (item) {  
159 $("#ddlScheme").append(  
160 `<option value="${item.scheme_id}">${item.scheme_name}</option>`  
161 );  
162 });  
163 StopProgress();
```

JalNigamWebApplication/assets/libs/Scripts/WorkMonitoring_IPS.js, line 120 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation



Cross-Site Scripting: DOM**High****Package:** JalNigamWebApplication.assets.libs.Scripts**JalNigamWebApplication/assets/libs/Scripts/WorkMonitoring_IPS.js, line 120**
(Cross-Site Scripting: DOM)**Scan Engine:** SCA (Data Flow)**Source Details****Source:** success(0)**From:** success**File:** JalNigamWebApplication/assets/libs/Scripts/WorkMonitoring_IPS.js:110

```
107 type: "POST",
108 contentType: "application/json; charset=utf-8",
109 data: JSON.stringify(obj),
110 success: function (response) {
111
112   if (response.StatusCode === 200) {
113     $("#ddlScheme").prepend(
```

Sink Details**Sink:** ~JS_Generic.append()**Enclosing Method:** lambda()**File:** JalNigamWebApplication/assets/libs/Scripts/WorkMonitoring_IPS.js:120**Taint Flags:** WEB, XSS

```
117 // Populate dropdown with schemes
118 response.Data.forEach(function (item) {
119   $("#ddlScheme").append(
120     `<option value="${item.scheme_id}">${item.scheme_name}</option>`
121   );
122 });
123 StopProgress();
```

JalNigamWebApplication/assets/libs/Scripts/WorkMonitoring_IntakeWell.js, line 117
(Cross-Site Scripting: DOM)**Issue Details****Kingdom:** Input Validation and Representation**Scan Engine:** SCA (Data Flow)**Source Details****Source:** success(0)**From:** success**File:** JalNigamWebApplication/assets/libs/Scripts/WorkMonitoring_IntakeWell.js:107

```
104 type: "POST",
105 contentType: "application/json; charset=utf-8",
106 data: JSON.stringify(obj),
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/WorkMonitoring_IntakeWell.js, line 117 (Cross-Site Scripting: DOM)

```
107 success: function (response) {
108
109   if (response.StatusCode === 200) {
110     $("#ddlScheme").prepend(
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/WorkMonitoring_IntakeWell.js:117

Taint Flags: WEB, XSS

```
114 // Populate dropdown with schemes
115 response.Data.forEach(function (item) {
116   $("#ddlScheme").append(
117     `<option value="${item.scheme_id}">${item.scheme_name}</option>`
118   );
119 });
120 StopProgress();
```

JalNigamWebApplication/assets/libs/Scripts/WorkMonitoring_WTP.js, line 159 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/WorkMonitoring_WTP.js:149

```
146 type: "POST",
147 contentType: "application/json; charset=utf-8",
148 data: JSON.stringify(obj),
149 success: function (response) {
150
151   if (response.StatusCode === 200) {
152     $("#ddlScheme").prepend(
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/WorkMonitoring_WTP.js:159

Taint Flags: WEB, XSS



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/WorkMonitoring_WTP.js, line 159
(Cross-Site Scripting: DOM)

```
156 // Populate dropdown with schemes
157 response.Data.forEach(function (item) {
158   $("#ddlScheme").append(
159     `<option value="${item.scheme_id}">${item.scheme_name}</option>`
160   );
161 });
162 StopProgress();
```

JalNigamWebApplication/assets/libs/Scripts/component_vill_mapping.js, line 681
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation
Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)
From: success
File: JalNigamWebApplication/assets/libs/Scripts/component_vill_mapping.js:676

```
673 type: "POST",
674 contentType: "application/json; charset=utf-8",
675 data: JSON.stringify({ dist_cd: piu_dist_cd, scheme_id: Scheme_code,
676   is_other_scheme_of_piu: is_other_scheme_of_piu }),
676 success: function (response) {
677   if (response.Data.length > 0) {
678     // Populate dropdown with received data
679     response.Data.forEach(function (item) {
```

Sink Details

Sink: ~JS_Generic.append()
Enclosing Method: lambda()
File: JalNigamWebApplication/assets/libs/Scripts/component_vill_mapping.js:681
Taint Flags: WEB, XSS

```
678 // Populate dropdown with received data
679 response.Data.forEach(function (item) {
680   $("#ddlScheme").append(
681     `<option value="${item.scheme_id}">${item.scheme_name}</option>`
682   );
683 });
684 }
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/wtp_meter_mapping.js, line 64
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation
Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)
From: success
File: JalNigamWebApplication/assets/libs/Scripts/wtp_meter_mapping.js:59

```
56 type: "POST",
57 contentType: "application/json; charset=utf-8",
58 data: JSON.stringify({ dist_cd: piu_dist_cd }),
59 success: function (response) {
60   if (response.Data.length > 0) {
61     // Populate dropdown with received data
62     response.Data.forEach(function (item) {
```

Sink Details

Sink: ~JS_Generic.append()
Enclosing Method: lambda()
File: JalNigamWebApplication/assets/libs/Scripts/wtp_meter_mapping.js:64
Taint Flags: WEB, XSS

```
61 // Populate dropdown with received data
62 response.Data.forEach(function (item) {
63   $("#ddlScheme").append(
64     `<option value="${item.scheme_id}">${item.scheme_name}</option>`
65   );
66 });
67 }
```

JalNigamWebApplication/assets/libs/Scripts/OMContractDetails.js, line 469
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation
Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)
From: success
File: JalNigamWebApplication/assets/libs/Scripts/OMContractDetails.js:458

```
455 type: "POST",
456 contentType: "application/json; charset=utf-8",
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/OMContractDetails.js, line 469
(Cross-Site Scripting: DOM)

```
457 data: JSON.stringify(obj),  
458 success: function (response) {  
459   $("#schemeddl").append(  
460     `<option value="0">-- Select Scheme --</option>`  
461   );
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/OMContractDetails.js:469

Taint Flags: WEB, XSS

```
466 if (response.Data.length > 0) {  
467   response.Data.forEach(function (item) {  
468     $("#schemeddl").append(  
469       `<option value="${item.scheme_id}">${item.scheme_name}</option>`  
470     );  
471   });  
472   StopProgress();
```

JalNigamWebApplication/assets/libs/Scripts/HouseholdSurvey.js, line 182
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/HouseholdSurvey.js:171

```
168 type: "POST",  
169 contentType: "application/json; charset=utf-8",  
170 data: JSON.stringify(obj),  
171 success: function (response) {  
172  
173   if (response.StatusCode === 200) {  
174
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/HouseholdSurvey.js, line 182
(Cross-Site Scripting: DOM)

File: JalNigamWebApplication/assets/libs/Scripts/HouseholdSurvey.js:182

Taint Flags: WEB, XSS

```
179 // Populate dropdown with Component
180 response.Data.forEach(function (item) {
181   $("#ddlComponent").append(
182     `<option value="${item.component_id}">${item.component_name}</option>`
183   );
184 });
185
```

JalNigamWebApplication/assets/libs/Scripts/Pipeline_Master.js, line 178 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/Pipeline_Master.js:167

```
164 type: "POST",
165 contentType: "application/json; charset=utf-8",
166 data: JSON.stringify(obj),
167 success: function (response) {
168
169   if (response.StatusCode === 200) {
170
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/Pipeline_Master.js:178

Taint Flags: WEB, XSS

```
175 // Populate dropdown with Component
176 response.Data.forEach(function (item) {
177   $("#ddlComponent").append(
178     `<option value="${item.component_id}">${item.component_name}</option>`
179   );
180 });
181
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/Pipeline_MasterApprove.js, line 177
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/Pipeline_MasterApprove.js:166

```
163 type: "POST",
164 contentType: "application/json; charset=utf-8",
165 data: JSON.stringify(obj),
166 success: function (response) {
167
168   if (response.StatusCode === 200) {
169
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/Pipeline_MasterApprove.js:177

Taint Flags: WEB, XSS

```
174 // Populate dropdown with Component
175 response.Data.forEach(function (item) {
176   $("#ddlComponent").append(
177     `<option value="${item.component_id}">${item.component_name}</option>`
178   );
179 });
180
```

JalNigamWebApplication/assets/libs/Scripts/Pipeline_MasterDtl.js, line 167
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/Pipeline_MasterDtl.js:156

```
153 type: "POST",
154 contentType: "application/json; charset=utf-8",
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/Pipeline_MasterDtl.js, line 167
(Cross-Site Scripting: DOM)

```
155 data: JSON.stringify(obj),
156 success: function (response) {
157
158   if (response.StatusCode === 200) {
159
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/Pipeline_MasterDtl.js:167

Taint Flags: WEB, XSS

```
164 // Populate dropdown with Component
165 response.Data.forEach(function (item) {
166   $("#ddlComponent").append(
167     `<option value="${item.component_id}">${item.component_name}</option>`
168   );
169 });
170
```

JalNigamWebApplication/assets/libs/Scripts/Pipeline_Report.js, line 159 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/Pipeline_Report.js:148

```
145 type: "POST",
146 contentType: "application/json; charset=utf-8",
147 data: JSON.stringify(obj),
148 success: function (response) {
149
150   if (response.StatusCode === 200) {
151
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/Pipeline_Report.js, line 159 (Cross-Site Scripting: DOM)

File: JalNigamWebApplication/assets/libs/Scripts/Pipeline_Report.js:159

Taint Flags: WEB, XSS

```
156 // Populate dropdown with Component
157 response.Data.forEach(function (item) {
158   $("#ddlComponent").append(
159     `<option value="${item.component_id}">${item.component_name}</option>`
160   );
161 });
162
```

JalNigamWebApplication/assets/libs/Scripts/Ngo_PMAccessMapping.js, line 105 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/Ngo_PMAccessMapping.js:100

```
97 url: getApiPath() + "GetDesignation", // URL to fetch designations
98 type: "POST",
99 contentType: "application/json",
100 success: function (response) {
101   if (response.Data.length > 0) {
102     // Populate dropdown with received data
103     response.Data.forEach(function (item) {
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/Ngo_PMAccessMapping.js:105

Taint Flags: WEB, XSS

```
102 // Populate dropdown with received data
103 response.Data.forEach(function (item) {
104   $("#ddlDesignation").append(
105     `<option value="${item.Id}">${item.Name}</option>`
106   );
107 });
108 } else {
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/UserLoginAccessMapping.js, line 252 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/UserLoginAccessMapping.js:247

```
244 url: getApiPath() + "GetDesignation", // URL to fetch designations
245 type: "POST",
246 contentType: "application/json",
247 success: function (response) {
248   if (response.Data.length > 0) {
249     // Populate dropdown with received data
250     response.Data.forEach(function (item) {
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/UserLoginAccessMapping.js:252

Taint Flags: WEB, XSS

```
249 // Populate dropdown with received data
250 response.Data.forEach(function (item) {
251   $("#ddlDesignation").append(
252     `<option value="${item.Id}">${item.Name}</option>`
253   );
254 });
255 } else {
```

JalNigamWebApplication/assets/libs/Scripts/WebUser.js, line 178 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/WebUser.js:173

```
170 url: getApiPath() + "GetDesignation", // URL to fetch designations
171 type: "POST",
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/WebUser.js, line 178 (Cross-Site Scripting: DOM)

```
172 contentType: "application/json",
173 success: function (response) {
174   if (response.Data.length > 0) {
175     // Populate dropdown with received data
176     response.Data.forEach(function (item) {
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/WebUser.js:178

Taint Flags: WEB, XSS

```
175 // Populate dropdown with received data
176 response.Data.forEach(function (item) {
177   $("#ddlDesignation").append(
178     `<option value="${item.Id}">${item.Name}</option>`
179   );
180 });
181 } else {
```

JalNigamWebApplication/assets/libs/Scripts/WebUser.js, line 271 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/WebUser.js:266

```
263 url: getApiPath() + "GetDesignation", // URL to fetch designations
264 type: "POST",
265 contentType: "application/json",
266 success: function (response) {
267   if (response.Data.length > 0) {
268     // Populate dropdown with received data
269     response.Data.forEach(function (item) {
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/WebUser.js, line 271 (Cross-Site Scripting: DOM)

File: JalNigamWebApplication/assets/libs/Scripts/WebUser.js:271

Taint Flags: WEB, XSS

```
268 // Populate dropdown with received data
269 response.Data.forEach(function (item) {
270   $("#ddlDesignation").append(
271     `<option value="${item.Id}">${item.Name}</option>`
272   );
273 });
274 } else {
```

JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringGM_IPS.js, line 190 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringGM_IPS.js:179

```
176 type: "POST",
177 contentType: "application/json; charset=utf-8",
178 data: JSON.stringify(obj),
179 success: function (response) {
180
181   if (response.StatusCode === 200) {
182     if (response.Data.length > 0) {
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringGM_IPS.js:190

Taint Flags: WEB, XSS

```
187 // Populate dropdown with OHT
188 response.Data.forEach(function (item) {
189   $("#ddlIPS").append(
190     `<option value="${item.ohsr_code}">${item.ohsr_oht_name}</option>`
191   );
192 });
193
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/WorkMonitoring_IPS.js, line 190
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/WorkMonitoring_IPS.js:179

```
176 type: "POST",
177 contentType: "application/json; charset=utf-8",
178 data: JSON.stringify(obj),
179 success: function (response) {
180
181 if (response.StatusCode === 200) {
182 if (response.Data.length > 0) {
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/WorkMonitoring_IPS.js:190

Taint Flags: WEB, XSS

```
187 // Populate dropdown with OHT
188 response.Data.forEach(function (item) {
189 $("#ddlIPS").append(
190 `<option value="${item.ohsr_code}">${item.ohsr_oht_name}</option>`
191 );
192 });
193
```

JalNigamWebApplication/assets/libs/Scripts/Ngo_PMAccessMapping.js, line 73
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/Ngo_PMAccessMapping.js:67

```
64 type: "POST",
65 contentType: "application/json; charset=utf-8",
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/Ngo_PMAccessMapping.js, line 73
(Cross-Site Scripting: DOM)

```
66 data: JSON.stringify({ role_user_type: roleUserType }), // Data to send
    to the server
67 success: function (response) {
68
69 if (response.Data.length > 0) {
70 // Populate the dropdown with roles
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/Ngo_PMAccessMapping.js:73

Taint Flags: CONCATENATED, WEB, XSS

```
70 // Populate the dropdown with roles
71 response.Data.forEach(function (role) {
72 const option = `<option value="${role.role_id}">${role.role_name}</option>`;
73 $("#ddlRole").append(option);
74 });
75 }
76 else {
```

JalNigamWebApplication/assets/libs/Scripts/UserLoginAccessMapping.js, line 219
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/UserLoginAccessMapping.js:213

```
210 type: "POST",
211 contentType: "application/json; charset=utf-8",
212 data: JSON.stringify({ role_user_type: roleUserType }), // Data to send
    to the server
213 success: function (response) {
214
215 if (response.Data.length > 0) {
216 // Populate the dropdown with roles
```

Sink Details



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/UserLoginAccessMapping.js, line 219 (Cross-Site Scripting: DOM)

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/UserLoginAccessMapping.js:219

Taint Flags: CONCATENATED, WEB, XSS

```
216 // Populate the dropdown with roles
217 response.Data.forEach(function (role) {
218   const option = `<option value="${role.role_id}">${role.role_name}</option>`;
219   $("#ddlRole").append(option);
220 });
221 }
222 else {
```

JalNigamWebApplication/assets/libs/Scripts/WebUser.js, line 145 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/WebUser.js:139

```
136 type: "POST",
137 contentType: "application/json; charset=utf-8",
138 data: JSON.stringify({ role_user_type: roleUserType }), // Data to send
    to the server
139 success: function (response) {
140
141   if (response.Data.length > 0) {
142     // Populate the dropdown with roles
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/WebUser.js:145

Taint Flags: CONCATENATED, WEB, XSS

```
142 // Populate the dropdown with roles
143 response.Data.forEach(function (role) {
144   const option = `<option value="${role.role_id}">${role.role_name}</option>`;
145   $("#ddlRole").append(option);
146 });
147 }
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/WebUser.js, line 145 (Cross-Site Scripting: DOM)

```
148 else {
```

JalNigamWebApplication/assets/libs/Scripts/OMContractDetails.js, line 1030 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/OMContractDetails.js:1021

```
1018 type: "POST",
1019 contentType: "application/json; charset=utf-8",
1020 data: JSON.stringify(obj),
1021 success: function (response) {
1022
1023 if (response.StatusCode === 200) {
1024 $("#ddlVillage").prepend(
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/OMContractDetails.js:1030

Taint Flags: WEB, XSS

```
1027 if (response.Data.length > 0) {
1028 response.Data.forEach(function (item) {
1029 $("#ddlVillage").append(
1030 `<option value="${item.vill_cd}">${item.vil_nm_e}</option>`
1031 );
1032 });
1033 StopProgress();
```

JalNigamWebApplication/assets/libs/Scripts/Frm_sch_vill_mapping.js, line 87 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/Frm_sch_vill_mapping.js, line 87
(Cross-Site Scripting: DOM)

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/Frm_sch_vill_mapping.js:82

```
79  type: "POST",
80  contentType: "application/json; charset=utf-8",
81  data: JSON.stringify({ piu_dist_cd: piu_dist_cd }), // Data to send to
the server
82  success: function (response) {
83    if (response.Data.length > 0) {
84      // Populate dropdown with received data
85      response.Data.forEach(function (item) {
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/Frm_sch_vill_mapping.js:87

Taint Flags: WEB, XSS

```
84  // Populate dropdown with received data
85  response.Data.forEach(function (item) {
86    $("#ddlPIUDistrict").append(
87    `<option value="${item.piu_dist_cd}">${item.piu_name}</option>`
88    );
89    Get_SchemeVill(item.piu_dist_cd);
90    Get_ddlsrch_Schema(item.piu_dist_cd);
```

JalNigamWebApplication/assets/libs/Scripts/Ngo_FEAccessMapping.js, line 210
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/Ngo_FEAccessMapping.js:205

```
202  type: "POST",
203  contentType: "application/json; charset=utf-8",
204  data: JSON.stringify({ piu_dist_cd: piu_dist_cd }), // Data to send to
the server
205  success: function (response) {
206    if (response.Data.length > 0) {
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/Ngo_FEAccessMapping.js, line 210
(Cross-Site Scripting: DOM)

```
207 // Populate dropdown with received data
208 response.Data.forEach(function (item) {
```

Sink Details

Sink: ~JS_Generic.append()
Enclosing Method: lambda()
File: JalNigamWebApplication/assets/libs/Scripts/Ngo_FEAccessMapping.js:210
Taint Flags: WEB, XSS

```
207 // Populate dropdown with received data
208 response.Data.forEach(function (item) {
209 $("#ddlPIUDistrict").append(
210 `<option value="${item.piu_dist_cd}">${item.piu_name}</option>`
211 );
212 });
213 } else {
```

JalNigamWebApplication/assets/libs/Scripts/Ngo_FEAccessMapping.js, line 244
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation
Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)
From: success
File: JalNigamWebApplication/assets/libs/Scripts/Ngo_FEAccessMapping.js:239

```
236 contentType: "application/json; charset=utf-8",
237 data: JSON.stringify({ piu_dist_cd: piu_dist_cd }), // Data sent to the
server
238 dataType: "json", // Ensure response is treated as JSON
239 success: function (response) {
240 if (response && response.Data && response.Data.length > 0) {
241 // Populate dropdown with received data
242 response.Data.forEach(function (item) {
```

Sink Details

Sink: ~JS_Generic.append()
Enclosing Method: lambda()
File: JalNigamWebApplication/assets/libs/Scripts/Ngo_FEAccessMapping.js:244
Taint Flags: WEB, XSS

```
241 // Populate dropdown with received data
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/Ngo_FEAccessMapping.js, line 244
(Cross-Site Scripting: DOM)

```
242 response.Data.forEach(function (item) {
243   $("#ddlPIUDistrict").append(
244     `<option value="${item.piu_dist_cd}">${item.piu_name}</option>`
245   );
246 });
247 } else {
```

JalNigamWebApplication/assets/libs/Scripts/Ngo_PMAccessMapping.js, line 170
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation
Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)
From: success
File: JalNigamWebApplication/assets/libs/Scripts/Ngo_PMAccessMapping.js:165

```
162 type: "POST",
163 contentType: "application/json; charset=utf-8",
164 data: JSON.stringify({ piu_dist_cd: piu_dist_cd }), // Data to send to
the server
165 success: function (response) {
166   if (response.Data.length > 0) {
167     // Populate dropdown with received data
168     response.Data.forEach(function (item) {
```

Sink Details

Sink: ~JS_Generic.append()
Enclosing Method: lambda()
File: JalNigamWebApplication/assets/libs/Scripts/Ngo_PMAccessMapping.js:170
Taint Flags: WEB, XSS

```
167 // Populate dropdown with received data
168 response.Data.forEach(function (item) {
169   $("#ddlPIUDistrict").append(
170     `<option value="${item.piu_dist_cd}">${item.piu_name}</option>`
171   );
172 });
173 } else {
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts
JalNigamWebApplication/assets/libs/Scripts/Ngo_PMAccessMapping.js, line 767
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation
Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)
From: success
File: JalNigamWebApplication/assets/libs/Scripts/Ngo_PMAccessMapping.js:762

```
759 type: "POST",  
760 contentType: "application/json; charset=utf-8",  
761 data: JSON.stringify({ piu_dist_cd: piu_dist_cd }), // Data to send to  
the server  
762 success: function (response) {  
763   if (response.Data.length > 0) {  
764     // Populate dropdown with received data  
765     response.Data.forEach(function (item) {
```

Sink Details

Sink: ~JS_Generic.append()
Enclosing Method: lambda()
File: JalNigamWebApplication/assets/libs/Scripts/Ngo_PMAccessMapping.js:767
Taint Flags: WEB, XSS

```
764 // Populate dropdown with received data  
765 response.Data.forEach(function (item) {  
766   $("#ddlPIUDistrict").append(  
767     `<option value="${item.piu_dist_cd}">${item.piu_name}</option>`  
768   );  
769 });  
770 } else {
```

JalNigamWebApplication/assets/libs/Scripts/Ngo_Reports.js, line 75 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation
Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)
From: success
File: JalNigamWebApplication/assets/libs/Scripts/Ngo_Reports.js:71

```
68 type: "POST",
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/Ngo_Reports.js, line 75 (Cross-Site Scripting: DOM)

```
69 contentType: "application/json; charset=utf-8",
70 data: JSON.stringify({ piu_dist_cd: piu_dist_cd }),
71 success: function (response) {
72   if (response.Data.length > 0) {
73     response.Data.forEach(function (item) {
74       $("#ddlPIUDistrict").append(
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/Ngo_Reports.js:75

Taint Flags: WEB, XSS

```
72   if (response.Data.length > 0) {
73     response.Data.forEach(function (item) {
74       $("#ddlPIUDistrict").append(
75         `<option value="${item.piu_dist_cd}">${item.piu_name}</option>`
76       );
77     });
78     $('#ddlPIUDistrict').val(dist_cd);
```

JalNigamWebApplication/assets/libs/Scripts/Ngo_Summary_Reports.js, line 64 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/Ngo_Summary_Reports.js:60

```
57 type: "POST",
58 contentType: "application/json; charset=utf-8",
59 data: JSON.stringify({ piu_dist_cd: piu_dist_cd }),
60 success: function (response) {
61   if (response.Data.length > 0) {
62     response.Data.forEach(function (item) {
63       $("#ddlPIUDistrict").append(
```

Sink Details

Sink: ~JS_Generic.append()



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/Ngo_Summary_Reports.js, line 64
(Cross-Site Scripting: DOM)

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/Ngo_Summary_Reports.js:64

Taint Flags: WEB, XSS

```
61 if (response.Data.length > 0) {
62   response.Data.forEach(function (item) {
63     $("#ddlPIUDistrict").append(
64       `<option value="${item.piu_dist_cd}">${item.piu_name}</option>`
65     );
66   });
67   $('#ddlPIUDistrict').val(dist_cd);
```

JalNigamWebApplication/assets/libs/Scripts/Ngo_Survey_FinalApproval.js, line 113
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/Ngo_Survey_FinalApproval.js:109

```
106 type: "POST",
107 contentType: "application/json; charset=utf-8",
108 data: JSON.stringify({ piu_dist_cd: piu_dist_cd }),
109 success: function (response) {
110   if (response.Data.length > 0) {
111     response.Data.forEach(function (item) {
112       $("#ddlPIUDistrict").append(
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/Ngo_Survey_FinalApproval.js:113

Taint Flags: WEB, XSS

```
110 if (response.Data.length > 0) {
111   response.Data.forEach(function (item) {
112     $("#ddlPIUDistrict").append(
113       `<option value="${item.piu_dist_cd}">${item.piu_name}</option>`
114     );
115   });
116   $('#ddlPIUDistrict').val(dist_cd);
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/UserLoginAccessMapping.js, line 315 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/UserLoginAccessMapping.js:310

```
307 url: getApiPath() + "GetPIUForReg", // URL to fetch designations
308 type: "POST",
309 contentType: "application/json",
310 success: function (response) {
311   if (response.Data.length > 0) {
312     // Populate dropdown with received data
313     response.Data.forEach(function (item) {
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/UserLoginAccessMapping.js:315

Taint Flags: WEB, XSS

```
312 // Populate dropdown with received data
313 response.Data.forEach(function (item) {
314   $("#ddlPIUDistrict").append(
315     `<option value="${item.piu_dist_cd}">${item.piu_name}</option>`
316   );
317 });
318
```

JalNigamWebApplication/assets/libs/Scripts/UserLoginAccessMapping.js, line 358 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/UserLoginAccessMapping.js:353

```
350 url: getApiPath() + "GetPIUForReg",
351 type: "POST",
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/UserLoginAccessMapping.js, line 358 (Cross-Site Scripting: DOM)

```
352 contentType: "application/json",
353 success: function (response) {
354   if (response.Data.length > 0) {
355     // Populate dropdown
356     response.Data.forEach(function (item) {
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/UserLoginAccessMapping.js:358

Taint Flags: WEB, XSS

```
355 // Populate dropdown
356 response.Data.forEach(function (item) {
357   $("#ddlPIUDistrict").append(
358     `<option value="${item.piu_dist_cd}">${item.piu_name}</option>`
359   );
360 });
361
```

JalNigamWebApplication/assets/libs/Scripts/WebUser.js, line 241 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/WebUser.js:236

```
233 url: getApiPath() + "GetPIUForReg", // URL to fetch designations
234 type: "POST",
235 contentType: "application/json",
236 success: function (response) {
237   if (response.Data.length > 0) {
238     // Populate dropdown with received data
239     response.Data.forEach(function (item) {
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/WebUser.js, line 241 (Cross-Site Scripting: DOM)

File: JalNigamWebApplication/assets/libs/Scripts/WebUser.js:241

Taint Flags: WEB, XSS

```
238 // Populate dropdown with received data
239 response.Data.forEach(function (item) {
240 $("#ddlPIUDistrict").append(
241   `<option value="${item.piu_dist_cd}">${item.piu_name}</option>`
242 );
243 });
244 } else {
```

JalNigamWebApplication/assets/libs/Scripts/OMBill.js, line 3524 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/OMBill.js:3515

```
3512 type: "POST",
3513 contentType: "application/json; charset=utf-8",
3514 data: JSON.stringify(obj),
3515 success: function (response) {
3516
3517   if (response.StatusCode === 200) {
3518     $("#ddlVillageCRS").prepend(
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/OMBill.js:3524

Taint Flags: WEB, XSS

```
3521 if (response.Data.length > 0) {
3522   response.Data.forEach(function (item) {
3523     $("#ddlVillageCRS").append(
3524       `<option value="${item.village_code}">${item.village}</option>`
3525     );
3526   });
3527   StopProgress();
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/Frm_oht_vill_mapping1.js, line 159
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/Frm_oht_vill_mapping1.js:154

```
151 type: "GET",
152 contentType: "application/json; charset=utf-8",
153 data: JSON.stringify({ }),
154 success: function (response) {
155     if (response.Data.length > 0) {
156         // Populate dropdown with received data
157         response.Data.forEach(function (item) {
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/Frm_oht_vill_mapping1.js:159

Taint Flags: WEB, XSS

```
156 // Populate dropdown with received data
157 response.Data.forEach(function (item) {
158     $("#ddlSchemeStatus").append(
159         `<option value="${item.sno}">${item.scheme_status_nm_e}</option>`
160     );
161 });
162 }
```

JalNigamWebApplication/assets/libs/Scripts/OMContractDetails.js, line 4810
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/OMContractDetails.js:4641

```
4638 contentType: 'application/json',
4639 data: JSON.stringify(obj),
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/OMContractDetails.js, line 4810
(Cross-Site Scripting: DOM)

```
4640
4641 success: function (response) {
4642
4643   if (response.StatusCode === 200) {
4644     if (response.Data.length > 0) {
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: setSchemeStatusFormFields()

File: JalNigamWebApplication/assets/libs/Scripts/OMContractDetails.js:4810

Taint Flags: CONCATENATED, WEB, XSS

```
4807 `;
4808
4809 // Append to container
4810 $("#docContainer2").append(viewDocHtml);
4811
4812 } else {
4813 // No file available → hide container
```

JalNigamWebApplication/assets/libs/Scripts/SahbhagitaActivity.js, line 95
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/SahbhagitaActivity.js:81

```
78 type: "POST",
79 contentType: "application/json; charset=utf-8",
80 data: JSON.stringify({ user_id: user_id, etoken: $("#hdfetoken").val() }),
81 success: function (response) {
82
83   if (response.Success == true) {
84
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: success()



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/SahbhagitaActivity.js, line 95
(Cross-Site Scripting: DOM)

File: JalNigamWebApplication/assets/libs/Scripts/SahbhagitaActivity.js:95

Taint Flags: WEB, XSS

```
92 const isa_name = response.Data?.[0]?.isa_name;
93
94 $("#ddlPIU").append(
95   `<option value="${piu_id}">${piuName}</option>`
96 );
97
98 $("#ddlScheme").append(
```

JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringDtl_Intake.js, line 190
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringDtl_Intake.js:179

```
176 type: "POST",
177 contentType: "application/json; charset=utf-8",
178 data: JSON.stringify(obj),
179 success: function (response) {
180
181   if (response.StatusCode === 200) {
182     if (response.Data.length > 0) {
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringDtl_Intake.js:190

Taint Flags: WEB, XSS

```
187 // Populate dropdown with OHT
188 response.Data.forEach(function (item) {
189   $("#ddlIntake").append(
190     `<option value="${item.ohsr_code}">${item.ohsr_oh_name}</option>`
191   );
192 });
193
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringGM_IntakeWell.js,
line 195 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringGM_IntakeWell.js:184

```
181 type: "POST",
182 contentType: "application/json; charset=utf-8",
183 data: JSON.stringify(obj),
184 success: function (response) {
185
186 if (response.StatusCode === 200) {
187 if (response.Data.length > 0) {
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringGM_IntakeWell.js:195

Taint Flags: WEB, XSS

```
192 // Populate dropdown with OHT
193 response.Data.forEach(function (item) {
194 $("#ddlIntake").append(
195 `<option value="${item.ohsr_code}">${item.ohsr_oht_name}</option>`
196 );
197 });
198
```

JalNigamWebApplication/assets/libs/Scripts/WorkMonitoring_IntakeWell.js, line
187 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/WorkMonitoring_IntakeWell.js:176

```
173 type: "POST",
174 contentType: "application/json; charset=utf-8",
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/WorkMonitoring_IntakeWell.js, line 187 (Cross-Site Scripting: DOM)

```
175 data: JSON.stringify(obj),
176 success: function (response) {
177
178 if (response.StatusCode === 200) {
179 if (response.Data.length > 0) {
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/WorkMonitoring_IntakeWell.js:187

Taint Flags: WEB, XSS

```
184 // Populate dropdown with OHT
185 response.Data.forEach(function (item) {
186 $("#ddlIntake").append(
187 `<option value="${item.ohsr_code}">${item.ohsr_oh_name}</option>`
188 );
189 });
190
```

JalNigamWebApplication/assets/libs/Scripts/OMContractDetails.js, line 4776 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/OMContractDetails.js:4641

```
4638 contentType: 'application/json',
4639 data: JSON.stringify(obj),
4640
4641 success: function (response) {
4642
4643 if (response.StatusCode === 200) {
4644 if (response.Data.length > 0) {
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: setSchemeStatusFormFields()



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/OMContractDetails.js, line 4776
(Cross-Site Scripting: DOM)

File: JalNigamWebApplication/assets/libs/Scripts/OMContractDetails.js:4776

Taint Flags: CONCATENATED, WEB, XSS

```
4773 `;  
4774  
4775 // Append to container  
4776 $("#docContainer").append(viewDocHtml);  
4777  
4778 } else {  
4779 // No file available → hide container
```

JalNigamWebApplication/assets/libs/Scripts/UserLoginAccessMapping.js, line 569
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/UserLoginAccessMapping.js:564

```
561 type: "POST",  
562 contentType: "application/json; charset=utf-8",  
563 data: JSON.stringify({ Query_type: "Get_TPIA_Master" }), // Data to send  
to the server  
564 success: function (response) {  
565 if (response.Data.length > 0) {  
566 // Populate dropdown with received data  
567 response.Data.forEach(function (item) {
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/UserLoginAccessMapping.js:569

Taint Flags: WEB, XSS

```
566 // Populate dropdown with received data  
567 response.Data.forEach(function (item) {  
568 $("#ddlTPIATL").append(  
569 `<option value="${item.seq_no}">${item.name}</option>`  
570 );  
571 });  
572 } else {
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/WebUser.js, line 367 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/WebUser.js:362

```
359 type: "POST",
360 contentType: "application/json; charset=utf-8",
361 data: JSON.stringify({ Query_type: "Get_TPIA_Master" }), // Data to send
    to the server
362 success: function (response) {
363     if (response.Data.length > 0) {
364         // Populate dropdown with received data
365         response.Data.forEach(function (item) {
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/WebUser.js:367

Taint Flags: WEB, XSS

```
364 // Populate dropdown with received data
365 response.Data.forEach(function (item) {
366     $("#ddlTPIATL").append(
367         `<option value="${item.seq_no}">${item.name}</option>`
368     );
369 });
370 } else {
```

JalNigamWebApplication/assets/libs/Scripts/OMBill.js, line 3460 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/OMBill.js:3451

```
3448 type: "POST",
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/OMBill.js, line 3460 (Cross-Site Scripting: DOM)

```
3449 contentType: "application/json; charset=utf-8",
3450 data: JSON.stringify(obj),
3451 success: function (response) {
3452
3453   if (response.StatusCode === 200) {
3454     $("#ddlGPCRS").prepend(
```

Sink Details

Sink: ~JS_Generic.append()
Enclosing Method: lambda()
File: JalNigamWebApplication/assets/libs/Scripts/OMBill.js:3460
Taint Flags: WEB, XSS

```
3457 if (response.Data.length > 0) {
3458   response.Data.forEach(function (item) {
3459     $("#ddlGPCRS").append(
3460       `<option value="${item.gp_cd}">${item.gram_panchayat}</option>`
3461     );
3462   });
3463   StopProgress();
```

JalNigamWebApplication/assets/libs/Scripts/OMBill.js, line 6026 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation
Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)
From: success
File: JalNigamWebApplication/assets/libs/Scripts/OMBill.js:1956

```
1953 method: "POST",
1954 contentType: "application/json",
1955 data: JSON.stringify(obj),
1956 success: function (res) {
1957   console.log("Server Response:", res);
1958
1959
```

Sink Details

Sink: Assignment to fileElement.innerHTML



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/OMBill.js, line 6026 (Cross-Site Scripting: DOM)

Enclosing Method: addExistingFileToUI()

File: JalNigamWebApplication/assets/libs/Scripts/OMBill.js:6026

Taint Flags: CONCATENATED, JS_OBJECT_CONTROLLED, WEB, XSS

```
6023 fileElement.id = fileId;
6024 fileElement.className = "file-item";
6025
6026 fileElement.innerHTML = `
6027 <div class="imgWrap" style="width:40px; height:40px;">
6028 <iframe src="${fileFullUrl}" style="width:100%; height:100%; border:none;"></iframe>
6029 </div>
```

JalNigamWebApplication/assets/libs/Scripts/Pipeline_Master.js, line 243 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/Pipeline_Master.js:232

```
229 type: "POST",
230 contentType: "application/json; charset=utf-8",
231 data: JSON.stringify(obj),
232 success: function (response) {
233
234 if (response.StatusCode === 200) {
235 if (response.Data.length > 0) {
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/Pipeline_Master.js:243

Taint Flags: WEB, XSS

```
240 // Populate dropdown with OHT
241 response.Data.forEach(function (item) {
242 $("#ddlOHT").append(
243 `<option value="${item.oht_id}">${item.oht_name}</option>`
244 );
245 });
246
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/Pipeline_MasterApprove.js, line 241
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/Pipeline_MasterApprove.js:230

```
227 type: "POST",
228 contentType: "application/json; charset=utf-8",
229 data: JSON.stringify(obj),
230 success: function (response) {
231
232 if (response.StatusCode === 200) {
233 if (response.Data.length > 0) {
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/Pipeline_MasterApprove.js:241

Taint Flags: WEB, XSS

```
238 // Populate dropdown with OHT
239 response.Data.forEach(function (item) {
240 $("#ddlOHT").append(
241 `<option value="${item.ohd_id}">${item.ohd_name}</option>`
242 );
243 });
244
```

JalNigamWebApplication/assets/libs/Scripts/Pipeline_MasterDtl.js, line 231
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/Pipeline_MasterDtl.js:220

```
217 type: "POST",
218 contentType: "application/json; charset=utf-8",
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/Pipeline_MasterDtl.js, line 231
(Cross-Site Scripting: DOM)

```
219 data: JSON.stringify(obj),
220 success: function (response) {
221
222 if (response.StatusCode === 200) {
223 if (response.Data.length > 0) {
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/Pipeline_MasterDtl.js:231

Taint Flags: WEB, XSS

```
228 // Populate dropdown with OHT
229 response.Data.forEach(function (item) {
230 $("#ddlOHT").append(
231 `<option value="${item.ohd_id}">${item.ohd_name}</option>`
232 );
233 });
234
```

JalNigamWebApplication/assets/libs/Scripts/SahbhagitaActivity.js, line 163
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/SahbhagitaActivity.js:159

```
156 type: "POST",
157 contentType: "application/json; charset=utf-8",
158 data: JSON.stringify({ census_dist_cd: census_dist_cd, etoken: $
("#hdfetoken").val() }),
159 success: function (response) {
160 if (response.Data.length > 0) {
161 response.Data.forEach(function (item) {
162 $("#ddlBlock").append(
```

Sink Details

Sink: ~JS_Generic.append()



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/SahbhagitaActivity.js, line 163
(Cross-Site Scripting: DOM)

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/SahbhagitaActivity.js:163

Taint Flags: WEB, XSS

```
160 if (response.Data.length > 0) {
161   response.Data.forEach(function (item) {
162     $("#ddlBlock").append(
163       `<option value="${item.b_cd}">${item.b_nm_e}</option>`
164     );
165   });
166   StopProgress();
```

JalNigamWebApplication/assets/libs/Scripts/OMBill.js, line 296 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/OMBill.js:287

```
284 type: "POST",
285 contentType: "application/json; charset=utf-8",
286 data: JSON.stringify(obj),
287 success: function (response) {
288   console.log(response.Data);
289   if (response.StatusCode === 200) {
290     $("#ddlYrFactor").prepend(
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/OMBill.js:296

Taint Flags: WEB, XSS

```
293 if (response.Data.length > 0) {
294   response.Data.forEach(function (item) {
295     $("#ddlYrFactor").append(
296       `<option value="${item.fy_index}">${item.financial_year}</option>`
297     );
298   });
299   StopProgress();
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/OMBill.js, line 2121 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/OMBill.js:2112

```
2109 type: "POST",
2110 contentType: "application/json; charset=utf-8",
2111 data: JSON.stringify(obj),
2112 success: function (response) {
2113   if (response.StatusCode === 200) {
2114     $("#ddlQuarterMonth").prepend(
2115       `<option value="0">-- Select --</option>`
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/OMBill.js:2121

Taint Flags: WEB, XSS

```
2118
2119 response.Data.forEach(function (item) {
2120   $("#ddlQuarterMonth").append(
2121     `<option value="${item.month_no}">${item.month_label}</option>`);
2122   });
2123   if (month_no != "")
2124     $("#ddlQuarterMonth").val(month_no);
```

JalNigamWebApplication/assets/libs/Scripts/OMBill.js, line 2693 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/OMBill.js:2684

```
2681 type: "POST",
2682 contentType: "application/json; charset=utf-8",
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/OMBill.js, line 2693 (Cross-Site Scripting: DOM)

```
2683 data: JSON.stringify(obj),
2684 success: function (response) {
2685
2686 if (response.StatusCode === 200) {
2687 $("#ddlGP").prepend(
```

Sink Details

Sink: ~JS_Generic.append()
Enclosing Method: lambda()
File: JalNigamWebApplication/assets/libs/Scripts/OMBill.js:2693
Taint Flags: WEB, XSS

```
2690 if (response.Data.length > 0) {
2691 response.Data.forEach(function (item) {
2692 $("#ddlGP").append(
2693 `<option value="${item.gp_cd}">${item.gram_panchayat}</option>`
2694 );
2695 });
2696 StopProgress();
```

JalNigamWebApplication/assets/libs/Scripts/Frm_oht_vill_mapping.js, line 1251 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation
Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)
From: success
File: JalNigamWebApplication/assets/libs/Scripts/Frm_oht_vill_mapping.js:1246

```
1243 type: "POST",
1244 contentType: "application/json; charset=utf-8",
1245 data: JSON.stringify({ scheme_id: scheme_id }),
1246 success: function (response) {
1247 if (response.Data.length > 0) {
1248 $("#ddlDistrict_srch").empty().append('<option value="0">-- Select
District --</option>');
1249 response.Data.forEach(function (item) {
```

Sink Details

Sink: ~JS_Generic.append()



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/Frm_oht_vill_mapping.js, line 1251
(Cross-Site Scripting: DOM)

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/Frm_oht_vill_mapping.js:1251

Taint Flags: WEB, XSS

```
1248 $("#ddlDistrict_srch").empty().append('<option value="0">-- Select District --</option>');
1249 response.Data.forEach(function (item) {
1250 $("#ddlDistrict_srch").append(
1251   '<option value="'+item.dist_cd+'">'+item.dist_nm_e</option>'
1252 );
1253 });
1254 }
```

JalNigamWebApplication/assets/libs/Scripts/Frm_oht_vill_mapping1.js, line 1505
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/Frm_oht_vill_mapping1.js:1500

```
1497 type: "POST",
1498 contentType: "application/json; charset=utf-8",
1499 data: JSON.stringify({ scheme_id: scheme_id }),
1500 success: function (response) {
1501   if (response.Data.length > 0) {
1502     $("#ddlDistrict_srch").empty().append('<option value="0">-- Select District --</option>');
1503     response.Data.forEach(function (item) {
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/Frm_oht_vill_mapping1.js:1505

Taint Flags: WEB, XSS

```
1502 $("#ddlDistrict_srch").empty().append('<option value="0">-- Select District --</option>');
1503 response.Data.forEach(function (item) {
1504 $("#ddlDistrict_srch").append(
1505   '<option value="'+item.dist_cd+'">'+item.dist_nm_e</option>'
1506 );
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/Frm_oht_vill_mapping1.js, line 1505
(Cross-Site Scripting: DOM)

```
1507  });  
1508 }
```

JalNigamWebApplication/assets/libs/Scripts/Frm_sch_vill_mapping.js, line 698
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation
Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)
From: success
File: JalNigamWebApplication/assets/libs/Scripts/Frm_sch_vill_mapping.js:693

```
690  type: "POST",  
691  contentType: "application/json; charset=utf-8",  
692  data: JSON.stringify({ scheme_id: scheme_id }),  
693  success: function (response) {  
694    if (response.Data.length > 0) {  
695      $("#ddlDistrict_srch").empty().append('<option value="0">-- Select  
District --</option>');  
696      response.Data.forEach(function (item) {
```

Sink Details

Sink: ~JS_Generic.append()
Enclosing Method: lambda()
File: JalNigamWebApplication/assets/libs/Scripts/Frm_sch_vill_mapping.js:698
Taint Flags: WEB, XSS

```
695  $("#ddlDistrict_srch").empty().append('<option value="0">-- Select District --</option>');  
696  response.Data.forEach(function (item) {  
697    $("#ddlDistrict_srch").append(  
698    `<option value="${item.dist_cd}">${item.dist_nm_e}</option>`  
699  );  
700  });  
701 }
```

JalNigamWebApplication/assets/libs/Scripts/component_vill_mapping.js, line
1909 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation
Scan Engine: SCA (Data Flow)



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/component_vill_mapping.js, line 1909 (Cross-Site Scripting: DOM)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/component_vill_mapping.js:1904

```
1901 type: "POST",
1902 contentType: "application/json; charset=utf-8",
1903 data: JSON.stringify({ scheme_id: scheme_id }),
1904 success: function (response) {
1905     if (response.Data.length > 0) {
1906         $("#ddlDistrict_srch").empty().append('<option value="0">-- Select District --</option>');
1907         response.Data.forEach(function (item) {
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/component_vill_mapping.js:1909

Taint Flags: WEB, XSS

```
1906 $("#ddlDistrict_srch").empty().append('<option value="0">-- Select District --</option>');
1907 response.Data.forEach(function (item) {
1908     $("#ddlDistrict_srch").append(
1909         '<option value="'+item.dist_cd+'">'+item.dist_nm_e</option>'
1910     );
1911 });
1912 }
```

JalNigamWebApplication/assets/libs/Scripts/DownloadSurveyData.js, line 72 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/DownloadSurveyData.js:62

```
59 type: "POST",
60 contentType: "application/json; charset=utf-8",
61 data: JSON.stringify(obj),
62 success: function (response) {
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/DownloadSurveyData.js, line 72
(Cross-Site Scripting: DOM)

```
63
64 if (response.StatusCode === 200) {
65   $("#ddlScheme").prepend(
```

Sink Details

Sink: ~JS_Generic.append()
Enclosing Method: lambda()
File: JalNigamWebApplication/assets/libs/Scripts/DownloadSurveyData.js:72
Taint Flags: WEB, XSS

```
69 // Populate dropdown with schemes
70 response.Data.forEach(function (item) {
71   $("#ddlScheme").append(
72     `<option value="${item.scheme_id}">${item.scheme_nm}</option>`
73   );
74 });
75
```

JalNigamWebApplication/assets/libs/Scripts/DownloadSurveyData.js, line 141
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation
Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)
From: success
File: JalNigamWebApplication/assets/libs/Scripts/DownloadSurveyData.js:130

```
127 type: "POST",
128 contentType: "application/json; charset=utf-8",
129 data: JSON.stringify(obj),
130 success: function (response) {
131
132   if (response.StatusCode === 200) {
133
```

Sink Details

Sink: ~JS_Generic.append()
Enclosing Method: lambda()
File: JalNigamWebApplication/assets/libs/Scripts/DownloadSurveyData.js:141
Taint Flags: WEB, XSS



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/DownloadSurveyData.js, line 141
(Cross-Site Scripting: DOM)

```
138 // Populate dropdown with Component
139 response.Data.forEach(function (item) {
140 $("#ddlComponent").append(
141 `<option value="${item.component_id}">${item.component_nm}</option>`
142 );
143 });
144
```

JalNigamWebApplication/assets/libs/Scripts/OMBill.js, line 2558 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation
Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)
From: success
File: JalNigamWebApplication/assets/libs/Scripts/OMBill.js:2549

```
2546 type: "POST",
2547 contentType: "application/json; charset=utf-8",
2548 data: JSON.stringify(obj),
2549 success: function (response) {
2550
2551 if (response.StatusCode === 200) {
2552 $("#ddlDistrict").prepend(
```

Sink Details

Sink: ~JS_Generic.append()
Enclosing Method: lambda()
File: JalNigamWebApplication/assets/libs/Scripts/OMBill.js:2558
Taint Flags: WEB, XSS

```
2555 if (response.Data.length > 0) {
2556 response.Data.forEach(function (item) {
2557 $("#ddlDistrict").append(
2558 `<option value="${item.dist_cd}">${item.district}</option>`
2559 );
2560 });
2561 StopProgress();
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/Ngo_FEAccessMapping.js, line 178
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation
Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)
From: success
File: JalNigamWebApplication/assets/libs/Scripts/Ngo_FEAccessMapping.js:169

```
166 type: "POST", // POST method
167 contentType: "application/json",
168 data: JSON.stringify({}), // Send any necessary data as JSON
169 success: function (response) {
170   if (response.Data.length > 0) {
171     response.Data.forEach(function (item) {
172       const checkboxHTML = `
```

Sink Details

Sink: ~JS_Generic.append()
Enclosing Method: lambda()
File: JalNigamWebApplication/assets/libs/Scripts/Ngo_FEAccessMapping.js:178
Taint Flags: CONCATENATED, WEB, XSS

```
175 <label class="form-check-label" for="${item.module_code}">${item.module_name}</label>
176 </div>
177 `;
178 $("#chkModuleContainer").append(checkboxHTML);
179 });
180 } else {
181   alert("No modules found.");
```

JalNigamWebApplication/assets/libs/Scripts/Ngo_FEAccessMapping.js, line 1528 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation
Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)
From: success
File: JalNigamWebApplication/assets/libs/Scripts/Ngo_FEAccessMapping.js:1511

```
1508 type: "POST", // POST method
1509 contentType: "application/json",
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/Ngo_FEAccessMapping.js, line 1528 (Cross-Site Scripting: DOM)

```
1510 data: JSON.stringify({}), // Send any necessary data as JSON
1511 success: function (response) {
1512   if (response.Data.length > 0) {
1513     response.Data.forEach(function (item) {
1514       const isSelected = selectedModuleArray.includes(item.module_code);
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/Ngo_FEAccessMapping.js:1528

Taint Flags: CONCATENATED, WEB, XSS

```
1525 </label>
1526 </div>
1527 `;
1528 $("#chkModuleContainer").append(checkboxHTML);
1529 });
1530 } else {
1531   alert("No modules found.");
```

JalNigamWebApplication/assets/libs/Scripts/Ngo_PMAccessMapping.js, line 138 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/Ngo_PMAccessMapping.js:129

```
126 type: "POST", // POST method
127 contentType: "application/json",
128 data: JSON.stringify({}), // Send any necessary data as JSON
129 success: function (response) {
130   if (response.Data.length > 0) {
131     response.Data.forEach(function (item) {
132       const checkboxHTML = `
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/Ngo_PMAccessMapping.js, line 138
(Cross-Site Scripting: DOM)

File: JalNigamWebApplication/assets/libs/Scripts/Ngo_PMAccessMapping.js:138

Taint Flags: CONCATENATED, WEB, XSS

```
135 <label class="form-check-label" for="${item.module_code}">${item.module_name}</label>
136 </div>
137 `;
138 $("#chkModuleContainer").append(checkboxHTML);
139 });
140 } else {
141 alert("No modules found.");
```

JalNigamWebApplication/assets/libs/Scripts/Ngo_PMAccessMapping.js, line 1083
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/Ngo_PMAccessMapping.js:1066

```
1063 type: "POST", // POST method
1064 contentType: "application/json",
1065 data: JSON.stringify({}), // Send any necessary data as JSON
1066 success: function (response) {
1067   if (response.Data.length > 0) {
1068     response.Data.forEach(function (item) {
1069       const isSelected = selectedModuleArray.includes(item.module_code);
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/Ngo_PMAccessMapping.js:1083

Taint Flags: CONCATENATED, WEB, XSS

```
1080 </label>
1081 </div>
1082 `;
1083 $("#chkModuleContainer").append(checkboxHTML);
1084 });
1085 } else {
1086 alert("No modules found.");
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/UserLoginAccessMapping.js, line 285 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/UserLoginAccessMapping.js:276

```
273 type: "POST", // POST method
274 contentType: "application/json",
275 data: JSON.stringify({}), // Send any necessary data as JSON
276 success: function (response) {
277     if (response.Data.length > 0) {
278         response.Data.forEach(function (item) {
279             const checkboxHTML = `
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/UserLoginAccessMapping.js:285

Taint Flags: CONCATENATED, WEB, XSS

```
282 <label class="form-check-label" for="${item.module_code}">${item.module_name}</label>
283 </div>
284 `;
285 $("#chkModuleContainer").append(checkboxHTML);
286 });
287 } else {
288     alert("No modules found.");
```

JalNigamWebApplication/assets/libs/Scripts/UserLoginAccessMapping.js, line 1427 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/UserLoginAccessMapping.js:1410

```
1407 type: "POST", // POST method
1408 contentType: "application/json",
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/UserLoginAccessMapping.js, line 1427 (Cross-Site Scripting: DOM)

```
1409 data: JSON.stringify({}), // Send any necessary data as JSON
1410 success: function (response) {
1411   if (response.Data.length > 0) {
1412     response.Data.forEach(function (item) {
1413       const isSelected = selectedModuleArray.includes(item.module_code);
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/UserLoginAccessMapping.js:1427

Taint Flags: CONCATENATED, WEB, XSS

```
1424 </label>
1425 </div>
1426 `;
1427 $("#chkModuleContainer").append(checkboxHTML);
1428 });
1429 } else {
1430   alert("No modules found.");
```

JalNigamWebApplication/assets/libs/Scripts/WebUser.js, line 211 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/WebUser.js:202

```
199 type: "POST", // POST method
200 contentType: "application/json",
201 data: JSON.stringify({ role_id: $("#ddlRole").val() }), // Send any
    necessary data as JSON
202 success: function (response) {
203   if (response.Data.length > 0) {
204     response.Data.forEach(function (item) {
205       const checkboxHTML = `
```

Sink Details

Sink: ~JS_Generic.append()



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/WebUser.js, line 211 (Cross-Site Scripting: DOM)

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/WebUser.js:211

Taint Flags: CONCATENATED, WEB, XSS

```
208 <label class="form-check-label" for="${item.module_code}">${item.module_name}</label>
209 </div>
210 `;
211 $("#chkModuleContainer").append(checkboxHTML);
212 });
213 } else {
214 alert("No modules found.");
```

JalNigamWebApplication/assets/libs/Scripts/WebUser.js, line 1286 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/WebUser.js:1270

```
1267 type: "POST", // POST method
1268 contentType: "application/json",
1269 data: JSON.stringify({ role_id: $("#ddlRole").val() }), // Send any
necessary data as JSON
1270 success: function (response) {
1271 if (response.Data.length > 0) {
1272 response.Data.forEach(function (item) {
1273 const isSelected = selectedModuleArray.includes(item.module_code);
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/WebUser.js:1286

Taint Flags: CONCATENATED, WEB, XSS

```
1283 </label>
1284 </div>
1285 `;
1286 $("#chkModuleContainer").append(checkboxHTML);
1287 });
1288 } else {
1289 alert("No modules found.");
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/WebUser.js, line 1286 (Cross-Site Scripting: DOM)

JalNigamWebApplication/assets/libs/Scripts/component_vill_mapping.js, line 714 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/component_vill_mapping.js:709

```
706 type: "POST",
707 contentType: "application/json; charset=utf-8",
708 data: JSON.stringify({ scheme_id: scheme_id, etoken: $
("#hdfetoken").val() }),
709 success: function (response) {
710 if (response.Data.length > 0) {
711 // Populate dropdown with received data
712 response.Data.forEach(function (item) {
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/component_vill_mapping.js:714

Taint Flags: WEB, XSS

```
711 // Populate dropdown with received data
712 response.Data.forEach(function (item) {
713 $("#ddlMeter").append(
714 `<option value="${item.meter_id}">${item.meter_name}</option>`
715 );
716 });
717 }
```

JalNigamWebApplication/assets/libs/Scripts/UserLoginAccessMapping.js, line 537 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/UserLoginAccessMapping.js, line 537 (Cross-Site Scripting: DOM)

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/UserLoginAccessMapping.js:532

```
529 type: "POST",
530 contentType: "application/json; charset=utf-8",
531 data: JSON.stringify({ Query_type: "Get_SQC_Master" }), // Data to send
to the server
532 success: function (response) {
533 if (response.Data.length > 0) {
534 // Populate dropdown with received data
535 response.Data.forEach(function (item) {
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/UserLoginAccessMapping.js:537

Taint Flags: WEB, XSS

```
534 // Populate dropdown with received data
535 response.Data.forEach(function (item) {
536 $("#ddlSQCTL").append(
537 `<option value="${item.seq_no}">${item.name}</option>`
538 );
539 });
540 } else {
```

JalNigamWebApplication/assets/libs/Scripts/WebUser.js, line 335 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/WebUser.js:330

```
327 type: "POST",
328 contentType: "application/json; charset=utf-8",
329 data: JSON.stringify({ Query_type: "Get_SQC_Master" }), // Data to send
to the server
330 success: function (response) {
331 if (response.Data.length > 0) {
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/WebUser.js, line 335 (Cross-Site Scripting: DOM)

```
332 // Populate dropdown with received data
333 response.Data.forEach(function (item) {
```

Sink Details

Sink: ~JS_Generic.append()
Enclosing Method: lambda()
File: JalNigamWebApplication/assets/libs/Scripts/WebUser.js:335
Taint Flags: WEB, XSS

```
332 // Populate dropdown with received data
333 response.Data.forEach(function (item) {
334 $("#ddlSQLCTL").append(
335 `<option value="${item.seq_no}">${item.name}</option>`
336 );
337 });
338 } else {
```

JalNigamWebApplication/assets/libs/Scripts/Frm_sch_vill_mapping.js, line 125 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation
Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)
From: success
File: JalNigamWebApplication/assets/libs/Scripts/Frm_sch_vill_mapping.js:120

```
117 type: "POST",
118 contentType: "application/json; charset=utf-8",
119 data: JSON.stringify({ piu_dist_cd: piu_dist_cd }),
120 success: function (response) {
121 if (response.Data.length > 0) {
122 // Populate dropdown with received data
123 response.Data.forEach(function (item) {
```

Sink Details

Sink: ~JS_Generic.append()
Enclosing Method: lambda()
File: JalNigamWebApplication/assets/libs/Scripts/Frm_sch_vill_mapping.js:125
Taint Flags: WEB, XSS

```
122 // Populate dropdown with received data
123 response.Data.forEach(function (item) {
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/Frm_sch_vill_mapping.js, line 125
(Cross-Site Scripting: DOM)

```
124 $("#ddlScheme").append(  
125   `<option value="${item.scheme_id}">${item.name}</option>`  
126 );  
127 });  
128 }
```

JalNigamWebApplication/assets/libs/Scripts/OMContractDetails.js, line 971
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation
Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)
From: success
File: JalNigamWebApplication/assets/libs/Scripts/OMContractDetails.js:962

```
959 type: "POST",  
960 contentType: "application/json; charset=utf-8",  
961 data: JSON.stringify(obj),  
962 success: function (response) {  
963  
964   if (response.StatusCode === 200) {  
965     $("#ddlgp").prepend(  

```

Sink Details

Sink: ~JS_Generic.append()
Enclosing Method: lambda()
File: JalNigamWebApplication/assets/libs/Scripts/OMContractDetails.js:971
Taint Flags: WEB, XSS

```
968 if (response.Data.length > 0) {  
969   response.Data.forEach(function (item) {  
970     $("#ddlgp").append(  
971       `<option value="${item.lgd_gp_cd}">${item.lgd_gp_nm_e}</option>`  
972     );  
973   });  
974   StopProgress();  

```

JalNigamWebApplication/assets/libs/Scripts/Ngo_Reports.js, line 196 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/Ngo_Reports.js, line 196 (Cross-Site Scripting: DOM)

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/Ngo_Reports.js:192

```
189 type: "POST",
190 contentType: "application/json; charset=utf-8",
191 data: JSON.stringify({}),
192 success: function (response) {
193   if (response.Data.length > 0) {
194     response.Data.forEach(function (item) {
195       $("#ddlUser").append(
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/Ngo_Reports.js:196

Taint Flags: WEB, XSS

```
193 if (response.Data.length > 0) {
194   response.Data.forEach(function (item) {
195     $("#ddlUser").append(
196       `<option value="${item.user_id}">${item.user_name}</option>`
197     );
198   });
199 } else {
```

JalNigamWebApplication/assets/libs/Scripts/Ngo_Summary_Reports.js, line 185 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/Ngo_Summary_Reports.js:181

```
178 type: "POST",
179 contentType: "application/json; charset=utf-8",
180 data: JSON.stringify({}),
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/Ngo_Summary_Reports.js, line 185
(Cross-Site Scripting: DOM)

```
181 success: function (response) {  
182   if (response.Data.length > 0) {  
183     response.Data.forEach(function (item) {  
184       $("#ddlUser").append(  

```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/Ngo_Summary_Reports.js:185

Taint Flags: WEB, XSS

```
182   if (response.Data.length > 0) {  
183     response.Data.forEach(function (item) {  
184       $("#ddlUser").append(  
185         `<option value="${item.user_id}">${item.user_name}</option>`  
186       );  
187     });  
188   } else {
```

JalNigamWebApplication/assets/libs/Scripts/Ngo_Survey_FinalApproval.js, line 264
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/Ngo_Survey_FinalApproval.js:260

```
257   type: "POST",  
258   contentType: "application/json; charset=utf-8",  
259   data: JSON.stringify({}),  
260   success: function (response) {  
261     if (response.Data.length > 0) {  
262       response.Data.forEach(function (item) {  
263         $("#ddlUser").append(  

```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/Ngo_Survey_FinalApproval.js:264

Taint Flags: WEB, XSS



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/Ngo_Survey_FinalApproval.js, line 264 (Cross-Site Scripting: DOM)

```
261 if (response.Data.length > 0) {
262   response.Data.forEach(function (item) {
263     $("#ddlUser").append(
264       `<option value="${item.user_id}">${item.user_name}</option>`
265     );
266   });
267 } else {
```

JalNigamWebApplication/assets/libs/Scripts/SahbhagitaActivity.js, line 194 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/SahbhagitaActivity.js:190

```
187 type: "POST",
188 contentType: "application/json; charset=utf-8",
189 data: JSON.stringify({ census_dist_cd: census_dist_cd, b_cd: b_cd,
190   etoken: $("#hdfetoken").val() }),
191 success: function (response) {
192   if (response.Data.length > 0) {
193     response.Data.forEach(function (item) {
194       $("#ddlGP").append(
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/SahbhagitaActivity.js:194

Taint Flags: WEB, XSS

```
191 if (response.Data.length > 0) {
192   response.Data.forEach(function (item) {
193     $("#ddlGP").append(
194       `<option value="${item.lgd_gp_cd}">${item.lgd_gp_nm_e}</option>`
195     );
196   });
197   StopProgress();
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/OMBill.js, line 2627 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation
Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)
From: success
File: JalNigamWebApplication/assets/libs/Scripts/OMBill.js:2618

```
2615 type: "POST",
2616 contentType: "application/json; charset=utf-8",
2617 data: JSON.stringify(obj),
2618 success: function (response) {
2619
2620 if (response.StatusCode === 200) {
2621 $("#ddlBlock").prepend(
```

Sink Details

Sink: ~JS_Generic.append()
Enclosing Method: lambda()
File: JalNigamWebApplication/assets/libs/Scripts/OMBill.js:2627
Taint Flags: WEB, XSS

```
2624 if (response.Data.length > 0) {
2625 response.Data.forEach(function (item) {
2626 $("#ddlBlock").append(
2627 `<option value="${item.block_cd}">${item.block}</option>`
2628 );
2629 });
2630 StopProgress();
```

JalNigamWebApplication/assets/libs/Scripts/Frm_oht_vill_mapping.js, line 144
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation
Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)
From: success
File: JalNigamWebApplication/assets/libs/Scripts/Frm_oht_vill_mapping.js:139

```
136 type: "POST",
137 contentType: "application/json; charset=utf-8",
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/Frm_oht_vill_mapping.js, line 144
(Cross-Site Scripting: DOM)

```
138 data: JSON.stringify({ scheme_id: scheme_id } ),
139 success: function (response) {
140   if (response.Data.length > 0) {
141     $("#ddlDistrict").empty().append('<option value="0">-- Select District --</option>');
142     response.Data.forEach(function (item) {
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/Frm_oht_vill_mapping.js:144

Taint Flags: WEB, XSS

```
141 $("#ddlDistrict").empty().append('<option value="0">-- Select District --</option>');
142 response.Data.forEach(function (item) {
143   $("#ddlDistrict").append(
144     '<option value="${item.census_dist_cd}">${item.dist_nm_e}</option>'
145   );
146 });
147 }
```

JalNigamWebApplication/assets/libs/Scripts/Frm_oht_vill_mapping1.js, line 235
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/Frm_oht_vill_mapping1.js:230

```
227 type: "POST",
228 contentType: "application/json; charset=utf-8",
229 data: JSON.stringify({ scheme_id: scheme_id } ),
230 success: function (response) {
231   if (response.Data.length > 0) {
232     $("#ddlDistrict").empty().append('<option value="0">-- Select District --</option>');
233     response.Data.forEach(function (item) {
```

Sink Details



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/Frm_oht_vill_mapping1.js, line 235
(Cross-Site Scripting: DOM)

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/Frm_oht_vill_mapping1.js:235

Taint Flags: WEB, XSS

```
232 $("#ddlDistrict").empty().append('<option value="0">-- Select District --</option>');
233 response.Data.forEach(function (item) {
234   $("#ddlDistrict").append(
235     '<option value="${item.census_dist_cd}">${item.dist_nm_e}</option>'
236   );
237 });
238 }
```

JalNigamWebApplication/assets/libs/Scripts/component_vill_mapping.js, line 755
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/component_vill_mapping.js:751

```
748 type: "POST",
749 contentType: "application/json; charset=utf-8",
750 data: JSON.stringify({ scheme_id: scheme_id }),
751 success: function (response) {
752   if (response.Data.length > 0) {
753     response.Data.forEach(function (item) {
754       $("#ddlDistrict").append(
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/component_vill_mapping.js:755

Taint Flags: WEB, XSS

```
752   if (response.Data.length > 0) {
753     response.Data.forEach(function (item) {
754       $("#ddlDistrict").append(
755         '<option value="${item.census_dist_cd}">${item.dist_nm_e}</option>'
756       );
757     });
758   }
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/component_vill_mapping.js, line 755 (Cross-Site Scripting: DOM)

JalNigamWebApplication/assets/libs/Scripts/wtp_meter_mapping.js, line 102 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/wtp_meter_mapping.js:97

```
94  type: "POST",
95  contentType: "application/json; charset=utf-8",
96  data: JSON.stringify({ scheme_id: scheme_id }),
97  success: function (response) {
98    if (response.Data.length > 0) {
99      $("#ddlDistrict").empty().append('<option value="0">-- Select District --</option>');
100    response.Data.forEach(function (item) {
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/wtp_meter_mapping.js:102

Taint Flags: WEB, XSS

```
99  $("#ddlDistrict").empty().append('<option value="0">-- Select District --</option>');
100  response.Data.forEach(function (item) {
101    $("#ddlDistrict").append(
102      '<option value="${item.census_dist_cd}">${item.dist_nm_e}</option>'
103    );
104  });
105 }
```

JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringDtl_WTP.js, line 204 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringDtl_WTP.js, line 204
(Cross-Site Scripting: DOM)

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringDtl_WTP.js:193

```
190 type: "POST",
191 contentType: "application/json; charset=utf-8",
192 data: JSON.stringify(obj),
193 success: function (response) {
194
195 if (response.StatusCode === 200) {
196 if (response.Data.length > 0) {
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringDtl_WTP.js:204

Taint Flags: WEB, XSS

```
201 // Populate dropdown with WTP
202 response.Data.forEach(function (item) {
203 $("#ddlWTP").append(
204 `<option value="${item.ohsr_code}">${item.ohsr_ohr_name}</option>`
205 );
206 });
207
```

JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringGM_WTP.js, line 229
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringGM_WTP.js:218

```
215 type: "POST",
216 contentType: "application/json; charset=utf-8",
217 data: JSON.stringify(obj),
218 success: function (response) {
219
220 if (response.StatusCode === 200) {
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringGM_WTP.js, line 229 (Cross-Site Scripting: DOM)

```
221  if (response.Data.length > 0) {
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringGM_WTP.js:229

Taint Flags: WEB, XSS

```
226  // Populate dropdown with WTP
227  response.Data.forEach(function (item) {
228    $("#ddlWTP").append(
229      `<option value="${item.ohsr_code}">${item.ohsr_oht_name}</option>`
230    );
231  });
232
```

JalNigamWebApplication/assets/libs/Scripts/WorkMonitoring_WTP.js, line 228 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/WorkMonitoring_WTP.js:217

```
214  type: "POST",
215  contentType: "application/json; charset=utf-8",
216  data: JSON.stringify(obj),
217  success: function (response) {
218
219    if (response.StatusCode === 200) {
220      if (response.Data.length > 0) {
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/WorkMonitoring_WTP.js:228

Taint Flags: WEB, XSS

```
225  // Populate dropdown with WTP
226  response.Data.forEach(function (item) {
227    $("#ddlWTP").append(
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/WorkMonitoring_WTP.js, line 228
(Cross-Site Scripting: DOM)

```
228 `<option value="${item.ohsr_code}">${item.ohsr_ohr_name}</option>`  
229 );  
230 });  
231
```

JalNigamWebApplication/assets/libs/Scripts/Frm_sch_vill_mapping.js, line 664
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/Frm_sch_vill_mapping.js:659

```
656 type: "POST",  
657 contentType: "application/json; charset=utf-8",  
658 data: JSON.stringify({ piu_dist_cd: piu_dist_cd }),  
659 success: function (response) {  
660     if (response.Data.length > 0) {  
661         // Populate dropdown with received data  
662         response.Data.forEach(function (item) {
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/Frm_sch_vill_mapping.js:664

Taint Flags: WEB, XSS

```
661 // Populate dropdown with received data  
662 response.Data.forEach(function (item) {  
663     $("#ddlScheme_srch").append(  
664         `<option value="${item.scheme_id}">${item.name}</option>`  
665     );  
666 });  
667 }
```

JalNigamWebApplication/assets/libs/Scripts/Ngo_Reports.js, line 165 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/Ngo_Reports.js, line 165 (Cross-Site Scripting: DOM)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/Ngo_Reports.js:161

```
158 type: "POST",
159 contentType: "application/json; charset=utf-8",
160 data: JSON.stringify({ }),
161 success: function (response) {
162   if (response.Data.length > 0) {
163     response.Data.forEach(function (item) {
164       $("#ddlactivity").append(
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/Ngo_Reports.js:165

Taint Flags: WEB, XSS

```
162   if (response.Data.length > 0) {
163     response.Data.forEach(function (item) {
164       $("#ddlactivity").append(
165         `<option value="${item.act_id}">${item.activity_name}</option>`
166       );
167     });
168   } else {
```

JalNigamWebApplication/assets/libs/Scripts/Ngo_Summary_Reports.js, line 154 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/Ngo_Summary_Reports.js:150

```
147 type: "POST",
148 contentType: "application/json; charset=utf-8",
149 data: JSON.stringify({ }),
150 success: function (response) {
151   if (response.Data.length > 0) {
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/Ngo_Summary_Reports.js, line 154
(Cross-Site Scripting: DOM)

```
152 response.Data.forEach(function (item) {  
153   $("#ddlactivity").append(  

```

Sink Details

Sink: ~JS_Generic.append()
Enclosing Method: lambda()
File: JalNigamWebApplication/assets/libs/Scripts/Ngo_Summary_Reports.js:154
Taint Flags: WEB, XSS

```
151 if (response.Data.length > 0) {  
152   response.Data.forEach(function (item) {  
153     $("#ddlactivity").append(  
154       `<option value="${item.act_id}">${item.activity_name}</option>`  
155     );  
156   });  
157 } else {
```

JalNigamWebApplication/assets/libs/Scripts/Ngo_Survey_FinalApproval.js, line 234
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation
Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)
From: success
File: JalNigamWebApplication/assets/libs/Scripts/Ngo_Survey_FinalApproval.js:230

```
227 type: "POST",  
228 contentType: "application/json; charset=utf-8",  
229 data: JSON.stringify({}),  
230 success: function (response) {  
231   if (response.Data.length > 0) {  
232     response.Data.forEach(function (item) {  
233       $("#ddlactivity").append(  

```

Sink Details

Sink: ~JS_Generic.append()
Enclosing Method: lambda()
File: JalNigamWebApplication/assets/libs/Scripts/Ngo_Survey_FinalApproval.js:234
Taint Flags: WEB, XSS

```
231 if (response.Data.length > 0) {  
232   response.Data.forEach(function (item) {
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/Ngo_Survey_FinalApproval.js, line 234 (Cross-Site Scripting: DOM)

```
233 $("#ddlactivity").append(  
234 `<option value="${item.act_id}">${item.activity_name}</option>`  
235 );  
236 });  
237 } else {
```

JalNigamWebApplication/assets/libs/Scripts/SahbhagitaActivity.js, line 286
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation
Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)
From: success
File: JalNigamWebApplication/assets/libs/Scripts/SahbhagitaActivity.js:281

```
278 type: "POST",  
279 contentType: "application/json; charset=utf-8",  
280 data: JSON.stringify({ etoken: $("#hdfetoken").val() }),  
281 success: function (response) {  
282  
283 if (response.Data.length > 0) {  
284 response.Data.forEach(function (item) {
```

Sink Details

Sink: ~JS_Generic.append()
Enclosing Method: lambda()
File: JalNigamWebApplication/assets/libs/Scripts/SahbhagitaActivity.js:286
Taint Flags: WEB, XSS

```
283 if (response.Data.length > 0) {  
284 response.Data.forEach(function (item) {  
285 $("#ddlactivity").append(  
286 `<option value="${item.act_id}">${item.activity_name}</option>`  
287 );  
288 });  
289 } else {
```

JalNigamWebApplication/assets/libs/Scripts/OMBill.js, line 3261 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation



Cross-Site Scripting: DOM**High****Package:** JalNigamWebApplication.assets.libs.Scripts**JalNigamWebApplication/assets/libs/Scripts/OMBill.js, line 3261 (Cross-Site Scripting: DOM)****Scan Engine:** SCA (Data Flow)**Source Details****Source:** success(0)**From:** success**File:** JalNigamWebApplication/assets/libs/Scripts/OMBill.js:3252

```
3249 type: "POST",
3250 contentType: "application/json; charset=utf-8",
3251 data: JSON.stringify(obj),
3252 success: function (response) {
3253
3254     if (response.StatusCode === 200) {
3255         $("#ddltypeofcomplaintCRS").prepend(
```

Sink Details**Sink:** ~JS_Generic.append()**Enclosing Method:** lambda()**File:** JalNigamWebApplication/assets/libs/Scripts/OMBill.js:3261**Taint Flags:** WEB, XSS

```
3258 if (response.Data.length > 0) {
3259     response.Data.forEach(function (item) {
3260         $("#ddltypeofcomplaintCRS").append(
3261             `<option value="${item.type_id}">${item.type_name}</option>`
3262         );
3263     });
3264     StopProgress();
```

JalNigamWebApplication/assets/libs/Scripts/Ngo_Survey_FinalApproval.js, line 207 (Cross-Site Scripting: DOM)**Issue Details****Kingdom:** Input Validation and Representation**Scan Engine:** SCA (Data Flow)**Source Details****Source:** success(0)**From:** success**File:** JalNigamWebApplication/assets/libs/Scripts/Ngo_Survey_FinalApproval.js:203

```
200 scheme_id : scheme_id
201 }),
202
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/Ngo_Survey_FinalApproval.js, line 207 (Cross-Site Scripting: DOM)

```
203 success: function (response) {
204   if (response.Data.length > 0) {
205     response.Data.forEach(function (item) {
206       $("#ddlVillage").append(
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/Ngo_Survey_FinalApproval.js:207

Taint Flags: WEB, XSS

```
204   if (response.Data.length > 0) {
205     response.Data.forEach(function (item) {
206       $("#ddlVillage").append(
207         `<option value="${item.vill_cd}">${item.vil_nm_e}</option>`
208       );
209     });
210   }
```

JalNigamWebApplication/assets/libs/Scripts/SahbhagitaActivity.js, line 225 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/SahbhagitaActivity.js:221

```
218   type: "POST",
219   contentType: "application/json; charset=utf-8",
220   data: JSON.stringify({ census_dist_cd: census_dist_cd, b_cd: b_cd,
221     lgd_gp_cd: lgd_gp_cd, etoken: ($("#hdfetoken").val() }),
222   success: function (response) {
223     if (response.Data.length > 0) {
224       response.Data.forEach(function (item) {
225         $("#ddlVillage").append(
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/SahbhagitaActivity.js:225



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/SahbhagitaActivity.js, line 225
(Cross-Site Scripting: DOM)

Taint Flags: WEB, XSS

```
222 if (response.Data.length > 0) {
223   response.Data.forEach(function (item) {
224     $("#ddlVillage").append(
225       `<option value="${item.vill_cd}">${item.vil_nm_e}</option>`
226     );
227   });
228   StopProgress();
```

JalNigamWebApplication/assets/libs/Scripts/Get_SopanAPI_Data.js, line 100
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation
Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)
From: success
File: JalNigamWebApplication/assets/libs/Scripts/Get_SopanAPI_Data.js:82

```
79 type: "POST",
80 contentType: "application/json; charset=utf-8",
81 data: JSON.stringify(obj),
82 success: function (response) {
83
84   if (response.StatusCode === 200) {
85     if (vLoginType === "web_users") {
```

Sink Details

Sink: ~JS_Generic.append()
Enclosing Method: lambda()
File: JalNigamWebApplication/assets/libs/Scripts/Get_SopanAPI_Data.js:100
Taint Flags: WEB, XSS

```
97 // Populate dropdown with schemes
98 response.Data.forEach(function (item) {
99   $("#ddl_Scheme").append(
100     `<option value="${item.scheme_id}">${item.scheme_name}</option>`
101   );
102 });
103
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/MappedOHTDtl.js, line 99 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/MappedOHTDtl.js:81

```
78  type: "POST",
79  contentType: "application/json; charset=utf-8",
80  data: JSON.stringify(obj),
81  success: function (response) {
82
83  if (response.StatusCode === 200) {
84  if (vLoginType === "web_users") {
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/MappedOHTDtl.js:99

Taint Flags: WEB, XSS

```
96  // Populate dropdown with schemes
97  response.Data.forEach(function (item) {
98  $("#ddl_Scheme").append(
99  `<option value="${item.scheme_id}">${item.scheme_name}</option>`
100 );
101 });
102
```

JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringDtl_WTP.js, line 272
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringDtl_WTP.js:261

```
258  type: "POST",
259  contentType: "application/json; charset=utf-8",
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringDtl_WTP.js, line 272
(Cross-Site Scripting: DOM)

```
260 data: JSON.stringify(obj),
261 success: function (response) {
262
263 if (response.StatusCode === 200) {
264 if (response.Data.length > 0) {
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringDtl_WTP.js:272

Taint Flags: WEB, XSS

```
269 // Populate dropdown with OHT
270 response.Data.forEach(function (item) {
271 $("#ddlSOC").append(
272 `<option value="${item.soc}">${item.pr particulars}</option>`
273 );
274 });
275
```

JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringGM_WTP.js, line 297 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringGM_WTP.js:286

```
283 type: "POST",
284 contentType: "application/json; charset=utf-8",
285 data: JSON.stringify(obj),
286 success: function (response) {
287
288 if (response.StatusCode === 200) {
289 if (response.Data.length > 0) {
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringGM_WTP.js, line 297 (Cross-Site Scripting: DOM)

File: JalNigamWebApplication/assets/libs/Scripts/WorkMonitoringGM_WTP.js:297

Taint Flags: WEB, XSS

```
294 // Populate dropdown with OHT
295 response.Data.forEach(function (item) {
296   $("#ddlSOC").append(
297     `<option value="${item.soc}">${item.prticulars}</option>`
298   );
299 });
300
```

JalNigamWebApplication/assets/libs/Scripts/WorkMonitoring_WTP.js, line 296 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/WorkMonitoring_WTP.js:285

```
282 type: "POST",
283 contentType: "application/json; charset=utf-8",
284 data: JSON.stringify(obj),
285 success: function (response) {
286
287   if (response.StatusCode === 200) {
288     if (response.Data.length > 0) {
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/WorkMonitoring_WTP.js:296

Taint Flags: WEB, XSS

```
293 // Populate dropdown with OHT
294 response.Data.forEach(function (item) {
295   $("#ddlSOC").append(
296     `<option value="${item.soc}">${item.prticulars}</option>`
297   );
298 });
299
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/OMContractDetails.js, line 801
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation
Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)
From: success
File: JalNigamWebApplication/assets/libs/Scripts/OMContractDetails.js:792

```
789 type: "POST",
790 contentType: "application/json; charset=utf-8",
791 data: JSON.stringify(obj),
792 success: function (response) {
793
794 if (response.StatusCode === 200) {
795 $("#ddlYrFactor").prepend(
```

Sink Details

Sink: ~JS_Generic.append()
Enclosing Method: lambda()
File: JalNigamWebApplication/assets/libs/Scripts/OMContractDetails.js:801
Taint Flags: WEB, XSS

```
798 if (response.Data.length > 0) {
799 response.Data.forEach(function (item) {
800 $("#ddlYrFactor").append(
801 `<option value="${item.year_number}">${item.year_label}</option>`
802 );
803 });
804 StopProgress();
```

JalNigamWebApplication/assets/libs/Scripts/OMBill.js, line 3393 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation
Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)
From: success
File: JalNigamWebApplication/assets/libs/Scripts/OMBill.js:3384

```
3381 type: "POST",
3382 contentType: "application/json; charset=utf-8",
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/OMBill.js, line 3393 (Cross-Site Scripting: DOM)

```
3383 data: JSON.stringify(obj),
3384 success: function (response) {
3385
3386 if (response.StatusCode === 200) {
3387 $("#ddlBlockCRS").prepend(
```

Sink Details

Sink: ~JS_Generic.append()
Enclosing Method: lambda()
File: JalNigamWebApplication/assets/libs/Scripts/OMBill.js:3393
Taint Flags: WEB, XSS

```
3390 if (response.Data.length > 0) {
3391 response.Data.forEach(function (item) {
3392 $("#ddlBlockCRS").append(
3393 `<option value="${item.block_cd}">${item.block}</option>`
3394 );
3395 });
3396 StopProgress();
```

JalNigamWebApplication/assets/libs/Scripts/OMContractDetails.js, line 2987 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation
Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)
From: success
File: JalNigamWebApplication/assets/libs/Scripts/OMContractDetails.js:2978

```
2975 type: "POST",
2976 contentType: "application/json; charset=utf-8",
2977 data: JSON.stringify(obj),
2978 success: function (response) {
2979
2980 if (response.StatusCode === 200) {
2981 $("#ddlVehicle").prepend(
```

Sink Details

Sink: ~JS_Generic.append()
Enclosing Method: lambda()



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/OMContractDetails.js, line 2987
(Cross-Site Scripting: DOM)

File: JalNigamWebApplication/assets/libs/Scripts/OMContractDetails.js:2987

Taint Flags: WEB, XSS

```
2984 if (response.Data.length > 0) {
2985   response.Data.forEach(function (item) {
2986     $("#ddlVehicle").append(
2987       `<option value="${item.vehicle_master_id}">${item.vehicle_type}</option>`
2988     );
2989   });
2990   StopProgress();
```

JalNigamWebApplication/assets/libs/Scripts/Ngo_FEAccessMapping.js, line 343
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/Ngo_FEAccessMapping.js:339

```
336 type: "POST",
337 contentType: "application/json; charset=utf-8",
338 data: JSON.stringify({ scheme_id: scheme_id, user_id: user_id }),
339 success: function (response) {
340   if (response.Data.length > 0) {
341     response.Data.forEach(function (item) {
342       $("#ddlISAName").append(
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/Ngo_FEAccessMapping.js:343

Taint Flags: WEB, XSS

```
340 if (response.Data.length > 0) {
341   response.Data.forEach(function (item) {
342     $("#ddlISAName").append(
343       `<option value="${item.isa_id}">${item.isa_name}</option>`
344     );
345   });
346   //setDropDownValue('#ddlISAName', nisa_id);
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/Ngo_Reports.js, line 134 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/Ngo_Reports.js:130

```
127 type: "POST",
128 contentType: "application/json; charset=utf-8",
129 data: JSON.stringify({ scheme_id: scheme_id, is_isa: is_isa }),
130 success: function (response) {
131   if (response.Data.length > 0) {
132     response.Data.forEach(function (item) {
133       $("#ddlISAName").append(
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/Ngo_Reports.js:134

Taint Flags: WEB, XSS

```
131 if (response.Data.length > 0) {
132   response.Data.forEach(function (item) {
133     $("#ddlISAName").append(
134       `<option value="${item.isa_id}">${item.isa_name}</option>`
135     );
136   });
137 } else {
```

JalNigamWebApplication/assets/libs/Scripts/Ngo_Summary_Reports.js, line 123 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/Ngo_Summary_Reports.js:119

```
116 type: "POST",
117 contentType: "application/json; charset=utf-8",
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/Ngo_Summary_Reports.js, line 123
(Cross-Site Scripting: DOM)

```
118 data: JSON.stringify({ scheme_id: scheme_id, is_isa: is_isa } ),
119 success: function (response) {
120   if (response.Data.length > 0) {
121     response.Data.forEach(function (item) {
122       $("#ddlISAName").append(
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/Ngo_Summary_Reports.js:123

Taint Flags: WEB, XSS

```
120   if (response.Data.length > 0) {
121     response.Data.forEach(function (item) {
122       $("#ddlISAName").append(
123       `<option value="${item.isa_id}">${item.isa_name}</option>`
124     );
125   });
126 } else {
```

JalNigamWebApplication/assets/libs/Scripts/Ngo_Survey_FinalApproval.js, line 174 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/Ngo_Survey_FinalApproval.js:170

```
167 type: "POST",
168 contentType: "application/json; charset=utf-8",
169 data: JSON.stringify({ scheme_id: scheme_id, piu_name: piu_name } ),
170 success: function (response) {
171   if (response.Data.length > 0) {
172     response.Data.forEach(function (item) {
173       $("#ddlISAName").append(
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/Ngo_Survey_FinalApproval.js, line 174 (Cross-Site Scripting: DOM)

File: JalNigamWebApplication/assets/libs/Scripts/Ngo_Survey_FinalApproval.js:174

Taint Flags: WEB, XSS

```
171 if (response.Data.length > 0) {
172   response.Data.forEach(function (item) {
173     $("#ddlISAName").append(
174       `<option value="${item.isa_id}">${item.isa_name}</option>`
175     );
176   });
177 } else {
```

JalNigamWebApplication/assets/libs/Scripts/SahbhagitaActivity.js, line 256 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/SahbhagitaActivity.js:252

```
249 type: "POST",
250 contentType: "application/json; charset=utf-8",
251 data: JSON.stringify({ user_id: user_id, etoken: $
("#hdfetoken").val() }),
252 success: function (response) {
253   if (response.Data.length > 0) {
254     response.Data.forEach(function (item) {
255       $("#ddlISAName").append(
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/SahbhagitaActivity.js:256

Taint Flags: WEB, XSS

```
253 if (response.Data.length > 0) {
254   response.Data.forEach(function (item) {
255     $("#ddlISAName").append(
256       `<option value="${item.isa_id}">${item.isa_name}</option>`
257     );
258   });
259 } else {
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/Frm_sch_vill_mapping.js, line 160
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation
Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)
From: success
File: JalNigamWebApplication/assets/libs/Scripts/Frm_sch_vill_mapping.js:155

```
152 type: "POST",
153 contentType: "application/json; charset=utf-8",
154 data: JSON.stringify({ piu_dist_cd: piu_dist_cd }),
155 success: function (response) {
156   if (response.Data.length > 0) {
157     $("#ddlDistrict").empty().append('<option value="0">-- Select District --</option>');
158     response.Data.forEach(function (item) {
```

Sink Details

Sink: ~JS_Generic.append()
Enclosing Method: lambda()
File: JalNigamWebApplication/assets/libs/Scripts/Frm_sch_vill_mapping.js:160
Taint Flags: WEB, XSS

```
157 $("#ddlDistrict").empty().append('<option value="0">-- Select District --</option>');
158 response.Data.forEach(function (item) {
159   $("#ddlDistrict").append(
160     '<option value="'+item.dist_cd+'">'+item.dist_nm_e</option>'
161   );
162 });
163 }
```

JalNigamWebApplication/assets/libs/Scripts/Ngo_FEAccessMapping.js, line 376
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation
Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)
From: success
File: JalNigamWebApplication/assets/libs/Scripts/Ngo_FEAccessMapping.js:370

```
367 type: "POST",
```

Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/Ngo_FEAccessMapping.js, line 376
(Cross-Site Scripting: DOM)

```
368 contentType: "application/json; charset=utf-8",
369 data: JSON.stringify({ scheme_id: scheme_id }),
370 success: function (response) {
371   if (response.Data.length > 0) {
372     $("#ddlDistrict").empty();
373     $("#ddlDistrict").append('<option value="0">-- Select District --</option>');
374   }
375 }
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/Ngo_FEAccessMapping.js:376

Taint Flags: WEB, XSS

```
373 $("#ddlDistrict").append('<option value="0">-- Select District --</option>');
374 response.Data.forEach(function (item) {
375   $("#ddlDistrict").append(
376     '<option value="' + item.dist_cd + '>' + item.dist_nm_e + '</option>'
377   );
378 });
379 }
```

JalNigamWebApplication/assets/libs/Scripts/SahbhagitaActivity.js, line 131
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/SahbhagitaActivity.js:127

```
124 type: "POST",
125 contentType: "application/json; charset=utf-8",
126 data: JSON.stringify({ etoken: $("#hdfetoken").val() }),
127 success: function (response) {
128   if (response.Data.length > 0) {
129     response.Data.forEach(function (item) {
130       $("#ddlDistrict").append(
131         '<option value="' + item.dist_cd + '>' + item.dist_nm_e + '</option>'
132       );
133     });
134   }
135 }
```

Sink Details



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/SahbhagitaActivity.js, line 131
(Cross-Site Scripting: DOM)

Sink: ~JS_Generic.append()
Enclosing Method: lambda()
File: JalNigamWebApplication/assets/libs/Scripts/SahbhagitaActivity.js:131
Taint Flags: WEB, XSS

```
128 if (response.Data.length > 0) {  
129 response.Data.forEach(function (item) {  
130 $("#ddlDistrict").append(  
131 `<option value="${item.dist_cd}">${item.dist_nm_e}</option>`  
132 );  
133 });  
134
```

JalNigamWebApplication/assets/libs/Scripts/UserLoginAccessMapping.js, line 391
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation
Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)
From: success
File: JalNigamWebApplication/assets/libs/Scripts/UserLoginAccessMapping.js:386

```
383 url: getApiPath() + "Get_Dist_Master_ForReg", // URL to fetch  
designations  
384 type: "POST",  
385 contentType: "application/json",  
386 success: function (response) {  
387 if (response.Data.length > 0) {  
388 // Populate dropdown with received data  
389 response.Data.forEach(function (item) {
```

Sink Details

Sink: ~JS_Generic.append()
Enclosing Method: lambda()
File: JalNigamWebApplication/assets/libs/Scripts/UserLoginAccessMapping.js:391
Taint Flags: WEB, XSS

```
388 // Populate dropdown with received data  
389 response.Data.forEach(function (item) {  
390 $("#ddlDistrict").append(  
391 `<option value="${item.dist_cd}">${item.dist_nm_e}</option>`  
392 );  
393 });
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/UserLoginAccessMapping.js, line 391 (Cross-Site Scripting: DOM)

```
394 } else {
```

JalNigamWebApplication/assets/libs/Scripts/Frm_oht_vill_mapping.js, line 1216 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/Frm_oht_vill_mapping.js:1211

```
1208 type: "POST",
1209 contentType: "application/json; charset=utf-8",
1210 data: JSON.stringify({ piu_dist_cd: piu_dist_cd }),
1211 success: function (response) {
1212     if (response.Data.length > 0) {
1213         // Populate dropdown with received data
1214         response.Data.forEach(function (item) {
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/Frm_oht_vill_mapping.js:1216

Taint Flags: WEB, XSS

```
1213 // Populate dropdown with received data
1214 response.Data.forEach(function (item) {
1215     $("#ddlScheme_srch").append(
1216         `<option value="${item.scheme_id}">${item.scheme_name}</option>`
1217     );
1218 });
1219 }
```

JalNigamWebApplication/assets/libs/Scripts/Frm_oht_vill_mapping1.js, line 1471 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/Frm_oht_vill_mapping1.js, line 1471
(Cross-Site Scripting: DOM)

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/Frm_oht_vill_mapping1.js:1466

```
1463 type: "POST",
1464 contentType: "application/json; charset=utf-8",
1465 data: JSON.stringify({ piu_dist_cd: piu_dist_cd }),
1466 success: function (response) {
1467   if (response.Data.length > 0) {
1468     // Populate dropdown with received data
1469     response.Data.forEach(function (item) {
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/Frm_oht_vill_mapping1.js:1471

Taint Flags: WEB, XSS

```
1468 // Populate dropdown with received data
1469 response.Data.forEach(function (item) {
1470   $("#ddlScheme_srch").append(
1471     `<option value="${item.scheme_id}">${item.scheme_name}</option>`
1472   );
1473 });
1474 }
```

JalNigamWebApplication/assets/libs/Scripts/component_vill_mapping.js, line 1874 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/component_vill_mapping.js:1869

```
1866 type: "POST",
1867 contentType: "application/json; charset=utf-8",
1868 data: JSON.stringify({ piu_dist_cd: piu_dist_cd }),
1869 success: function (response) {
1870   if (response.Data.length > 0) {
1871     // Populate dropdown with received data
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/component_vill_mapping.js, line 1874 (Cross-Site Scripting: DOM)

```
1872 response.Data.forEach(function (item) {
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/component_vill_mapping.js:1874

Taint Flags: WEB, XSS

```
1871 // Populate dropdown with received data
1872 response.Data.forEach(function (item) {
1873 $("#ddlScheme_srch").append(
1874 `<option value="${item.scheme_id}">${item.scheme_name}</option>`
1875 );
1876 });
1877 }
```

JalNigamWebApplication/assets/libs/Scripts/UserLoginAccessMapping.js, line 601 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/UserLoginAccessMapping.js:596

```
593 type: "POST",
594 contentType: "application/json; charset=utf-8",
595 data: JSON.stringify({ Query_type: "Get_DharaTl_Master" }), // Data to
send to the server
596 success: function (response) {
597 if (response.Data.length > 0) {
598 // Populate dropdown with received data
599 response.Data.forEach(function (item) {
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/UserLoginAccessMapping.js:601

Taint Flags: WEB, XSS

```
598 // Populate dropdown with received data
599 response.Data.forEach(function (item) {
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/UserLoginAccessMapping.js, line 601 (Cross-Site Scripting: DOM)

```
600 $("#ddlDharaTL").append(  
601 `<option value="${item.seq_no}">${item.name}</option>`  
602 );  
603 });  
604 } else {
```

JalNigamWebApplication/assets/libs/Scripts/WebUser.js, line 399 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation
Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)
From: success
File: JalNigamWebApplication/assets/libs/Scripts/WebUser.js:394

```
391 type: "POST",  
392 contentType: "application/json; charset=utf-8",  
393 data: JSON.stringify({ Query_type: "Get_DharaTl_Master" }), // Data to  
send to the server  
394 success: function (response) {  
395 if (response.Data.length > 0) {  
396 // Populate dropdown with received data  
397 response.Data.forEach(function (item) {
```

Sink Details

Sink: ~JS_Generic.append()
Enclosing Method: lambda()
File: JalNigamWebApplication/assets/libs/Scripts/WebUser.js:399
Taint Flags: WEB, XSS

```
396 // Populate dropdown with received data  
397 response.Data.forEach(function (item) {  
398 $("#ddlDharaTL").append(  
399 `<option value="${item.seq_no}">${item.name}</option>`  
400 );  
401 });  
402 } else {
```

JalNigamWebApplication/assets/libs/Scripts/OMContractDetails.js, line 1528 (Cross-Site Scripting: DOM)

Issue Details



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/OMContractDetails.js, line 1528
(Cross-Site Scripting: DOM)

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/OMContractDetails.js:1400

```
1397 contentType: 'application/json',
1398 data: JSON.stringify(obj),
1399
1400 success: function (response) {
1401   if (response.StatusCode === 200) {
1402     if (response.Data.length > 0) {
1403       // If data is returned, pass it to the function
```

Sink Details

Sink: ~JS_Generic.html()

Enclosing Method: GetYrFctData()

File: JalNigamWebApplication/assets/libs/Scripts/OMContractDetails.js:1528

Taint Flags: CONCATENATED, WEB, XSS

```
1525   });
1526 }
1527
1528 $table.find('tbody').html(html);
1529 }
1530 function AddCenPopClick() {
1531
```

JalNigamWebApplication/assets/libs/Scripts/component_vill_mapping.js, line 259 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/component_vill_mapping.js:255

```
252 type: "POST",
253 contentType: "application/json; charset=utf-8",
254 data: JSON.stringify({ scheme_id: scheme_id }),
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/component_vill_mapping.js, line 259 (Cross-Site Scripting: DOM)

```
255 success: function (response) {
256   if (response.Data.length > 0) {
257     response.Data.forEach(function (item) {
258       $("#vddlDistrict").append(
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/component_vill_mapping.js:259

Taint Flags: WEB, XSS

```
256   if (response.Data.length > 0) {
257     response.Data.forEach(function (item) {
258       $("#vddlDistrict").append(
259         `<option value="${item.census_dist_cd}">${item.dist_nm_e}</option>`
260       );
261     });
262   }
```

JalNigamWebApplication/assets/libs/Scripts/OMBill.js, line 3319 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/OMBill.js:3310

```
3307   type: "POST",
3308   contentType: "application/json; charset=utf-8",
3309   data: JSON.stringify(obj),
3310   success: function (response) {
3311
3312     if (response.StatusCode === 200) {
3313       $("#ddlComplaintDistrict").prepend(
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/OMBill.js:3319

Taint Flags: WEB, XSS



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/OMBill.js, line 3319 (Cross-Site Scripting: DOM)

```
3316 if (response.Data.length > 0) {
3317   response.Data.forEach(function (item) {
3318     $("#ddlComplaintDistrict").append(
3319       `<option value="${item.dist_cd}">${item.district}</option>`
3320     );
3321   });
3322   StopProgress();
```

JalNigamWebApplication/assets/libs/Scripts/OMContractDetails.js, line 2711 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/OMContractDetails.js:2702

```
2699 type: "POST",
2700 contentType: "application/json; charset=utf-8",
2701 data: JSON.stringify(obj),
2702 success: function (response) {
2703
2704   if (response.StatusCode === 200) {
2705     $("#ddlManpower").prepend(
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/OMContractDetails.js:2711

Taint Flags: WEB, XSS

```
2708 if (response.Data.length > 0) {
2709   response.Data.forEach(function (item) {
2710     $("#ddlManpower").append(
2711       `<option value="${item.manpower_master_id}">${item.designation}</option>`
2712     );
2713   });
2714   StopProgress();
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/OMBill.js, line 6229 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/OMBill.js:1956

```
1953 method: "POST",
1954 contentType: "application/json",
1955 data: JSON.stringify(obj),
1956 success: function (res) {
1957   console.log("Server Response:", res);
1958
1959
```

Sink Details

Sink: Assignment to container.innerHTML

Enclosing Method: loadExistingPdf()

File: JalNigamWebApplication/assets/libs/Scripts/OMBill.js:6229

Taint Flags: CONCATENATED, WEB, XSS

```
6226 </div>
6227 `;
6228
6229 container.innerHTML = html;
6230 }
6231
6232 undefined
```

JalNigamWebApplication/assets/libs/Scripts/OMContractDetails.js, line 2275
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/OMContractDetails.js:2259

```
2256 type: "POST",
2257 contentType: "application/json; charset=utf-8",
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/OMContractDetails.js, line 2275
(Cross-Site Scripting: DOM)

```
2258 data: JSON.stringify(obj),
2259 success: function (response) {
2260   if (response.StatusCode === 200 && response.Data.length > 0) {
2261     penaltyDataMap[ddldropdown] = response.Data;
2262   }
```

Sink Details

Sink: jQuery()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/OMContractDetails.js:2275

Taint Flags: WEB, XSS

```
2272 // Bind change event
2273 if (!$dropdown.data("onchange-bound")) {
2274   $dropdown.on('change', function () {
2275     let selectedId = $(this).val();
2276   });
2277 // Reset penalty dropdown
2278 $target.empty().append('<option value="0">-- Select Penalty --</option>');
```

JalNigamWebApplication/assets/libs/Scripts/OMBill.js, line 2757 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/OMBill.js:2748

```
2745 type: "POST",
2746 contentType: "application/json; charset=utf-8",
2747 data: JSON.stringify(obj),
2748 success: function (response) {
2749   if (response.StatusCode === 200) {
2750     $("#ddlVillage").prepend(
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/OMBill.js, line 2757 (Cross-Site Scripting: DOM)

File: JalNigamWebApplication/assets/libs/Scripts/OMBill.js:2757

Taint Flags: WEB, XSS

```
2754 if (response.Data.length > 0) {
2755   response.Data.forEach(function (item) {
2756     $("#ddlVillage").append(
2757       `<option value="${item.village_code}">${item.village}</option>`
2758     );
2759   });
2760   StopProgress();
```

JalNigamWebApplication/assets/libs/Scripts/OMContractDetails.js, line 914 (Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation

Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)

From: success

File: JalNigamWebApplication/assets/libs/Scripts/OMContractDetails.js:905

```
902 type: "POST",
903 contentType: "application/json; charset=utf-8",
904 data: JSON.stringify(obj),
905 success: function (response) {
906
907   if (response.StatusCode === 200) {
908     $("#ddlbblock").prepend(
```

Sink Details

Sink: ~JS_Generic.append()

Enclosing Method: lambda()

File: JalNigamWebApplication/assets/libs/Scripts/OMContractDetails.js:914

Taint Flags: WEB, XSS

```
911 if (response.Data.length > 0) {
912   response.Data.forEach(function (item) {
913     $("#ddlbblock").append(
914       `<option value="${item.b_cd}">${item.b_nm_e}</option>`
915     );
916   });
917   StopProgress();
```



Cross-Site Scripting: DOM

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/OMContractDetails.js, line 4844
(Cross-Site Scripting: DOM)

Issue Details

Kingdom: Input Validation and Representation
Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)
From: success
File: JalNigamWebApplication/assets/libs/Scripts/OMContractDetails.js:4641

```
4638 contentType: 'application/json',
4639 data: JSON.stringify(obj),
4640
4641 success: function (response) {
4642
4643   if (response.StatusCode === 200) {
4644     if (response.Data.length > 0) {
```

Sink Details

Sink: ~JS_Generic.append()
Enclosing Method: setSchemeStatusFormFields()
File: JalNigamWebApplication/assets/libs/Scripts/OMContractDetails.js:4844
Taint Flags: CONCATENATED, WEB, XSS

```
4841 `;
4842
4843 // Append to container
4844 $("#docContainer3").append(viewDocHtml);
4845
4846 } else {
4847 // No file available → hide container
```

Insecure Transport: Database (5 issues)

Abstract

The application is configured to communicate with its database server in plain text over unencrypted channels, making the communicated data vulnerable to interception via man-in-the-middle (MiTM) attacks.

Explanation

The application communicates with its database server over unencrypted channels and may pose a significant security risk to the company and users of that application. In this case, an attacker can modify the user entered data or even execute arbitrary SQL commands against the database server. **Example 1:** The following configuration causes the application to communicate with its database server over unencrypted channels:


```
<connectionStrings>
<add name="Test" connectionString="Data Source=210.10.20.10,1433; Initial
Catalog=myDataBase;User ID=myUsername;Password=myPassword;"
providerName="System.Data.SqlClient" />
</connectionStrings>
```

Recommendation

Most database servers offer encrypted alternatives on different ports that use SSL/TLS to encrypt all the data being sent over the wire. Always use these alternatives when possible. **Example 2:** The following configuration causes the application to communicate with its database server over encrypted channels:

```
<connectionStrings>
<add name="Test" connectionString="Data Source=210.10.20.10,1433; Initial
Catalog=myDataBase;User ID=myUsername;Password=myPassword; Encrypt=yes;"
providerName="System.Data.SqlClient" />
</connectionStrings>
```

Issue Summary



Engine Breakdown

	SCA	WebInspect	SecurityScope	Total
Insecure Transport: Database	5	0	0	5
Total	5	0	0	5



Insecure Transport: Database

Critical

Package: JalNigamWebApplication

JalNigamWebApplication/Web.config, line 163 (Insecure Transport: Database)

Issue Details

Kingdom: Security Features
Scan Engine: SCA (Configuration)

Sink Details

Sink:
File: JalNigamWebApplication/Web.config:163
Taint Flags:

```
160 </client>-->
161 </system.serviceModel>
162 <connectionStrings>
163 <add name="JalNigamConnectionString" connectionString="CommandTimeout=500;"
providerName="Npgsql"/>
164 </connectionStrings>
165 </configuration>
166
```

Package: JalNigamWebApplication.bin

JalNigamWebApplication/bin/JalNigamJalRekha.dll.config, line 163 (Insecure Transport: Database)

Issue Details

Kingdom: Security Features
Scan Engine: SCA (Configuration)

Sink Details

Sink:
File: JalNigamWebApplication/bin/JalNigamJalRekha.dll.config:163
Taint Flags:

```
160 </client>-->
161 </system.serviceModel>
162 <connectionStrings>
163 <add name="JalNigamConnectionString" connectionString="CommandTimeout=500;"
providerName="Npgsql"/>
164 </connectionStrings>
165 </configuration>
166
```

Package: JalNigamWebApplication.obj.Release.Package.PackageTmp

JalNigamWebApplication/obj/Release/Package/PackageTmp/Web.config, line 62 (Insecure Transport: Database)

Issue Details

Kingdom: Security Features



Insecure Transport: Database

Critical

Package: JalNigamWebApplication.obj.Release.Package.PackageTmp

JalNigamWebApplication/obj/Release/Package/PackageTmp/Web.config, line 62
(Insecure Transport: Database)

Scan Engine: SCA (Configuration)

Sink Details

Sink:

File: JalNigamWebApplication/obj/Release/Package/PackageTmp/Web.config:62

Taint Flags:

```
59 </client>-->
60 </system.serviceModel>
61 <connectionStrings>
62 <add name="JalNigamConnectionString" connectionString="CommandTimeout=500;"
providerName="Npgsql" />
63 </connectionStrings>
64 </configuration>
65 <!--ProjectGuid: 9C872C2C-1D98-44F3-9804-77341344251A-->
```

Package: JalNigamWebApplication.obj.Release.TransformWebConfig.original

JalNigamWebApplication/obj/Release/TransformWebConfig/original/Web.config,
line 71 (Insecure Transport: Database)

Issue Details

Kingdom: Security Features

Scan Engine: SCA (Configuration)

Sink Details

Sink:

File: JalNigamWebApplication/obj/Release/TransformWebConfig/original/Web.config:71

Taint Flags:

```
68 </system.serviceModel>
69 <connectionStrings>
70
71 <add name="JalNigamConnectionString" connectionString="CommandTimeout=500;"
providerName="Npgsql" />
72 </connectionStrings>
73 </configuration>
74
```

Package: JalNigamWebApplication.obj.Release.TransformWebConfig.transformed

JalNigamWebApplication/obj/Release/TransformWebConfig/transformed/
Web.config, line 62 (Insecure Transport: Database)

Issue Details

Kingdom: Security Features

Scan Engine: SCA (Configuration)



Insecure Transport: Database

Critical

Package: JalNigamWebApplication.obj.Release.TransformWebConfig.transformed

JalNigamWebApplication/obj/Release/TransformWebConfig/transformed/
Web.config, line 62 (Insecure Transport: Database)

Sink Details

Sink:

File: JalNigamWebApplication/obj/Release/TransformWebConfig/transformed/Web.config:62

Taint Flags:

```
59 </client>-->
60 </system.serviceModel>
61 <connectionStrings>
62 <add name="JalNigamConnectionString" connectionString="CommandTimeout=500;"
providerName="Npgsql" />
63 </connectionStrings>
64 </configuration>
65 <!--ProjectGuid: 9C872C2C-1D98-44F3-9804-77341344251A-->
```



Open Redirect (1 issue)

Abstract

Allowing unvalidated input to control the URL used in a redirect can aid phishing attacks.

Explanation

Redirects allow web applications to direct users to different pages within the same application or to external sites. Applications utilize redirects to aid in site navigation and, in some cases, to track how users exit the site. Open redirect vulnerabilities occur when a web application redirects clients to any arbitrary URL that can be controlled by an attacker. Attackers might utilize open redirects to trick users into visiting a URL to a trusted site, but then redirecting them to a malicious site. By encoding the URL, an attacker can make it difficult for end-users to notice the malicious destination of the redirect, even when it is passed as a URL parameter to the trusted site. Open redirects are often abused as part of phishing scams to harvest sensitive end-user data. **Example 1:** The following JavaScript code instructs the user's browser to open a URL read from the `dest` request parameter when a user clicks the link.

```
...
strDest = form.dest.value;
window.open(strDest, "myresults");
...
```

If a victim received an email instructing them to follow a link to "http://trusted.example.com/ecommerce/redirect.asp?dest=www.wilyhacker.com", the user would likely click on the link believing they would be transferred to the trusted site. However, when the victim clicks the link, the code in **Example 1** will redirect the browser to "http://www.wilyhacker.com". Many users have been educated to always inspect URLs they receive in emails to make sure the link specifies a trusted site they know. However, if the attacker Hex encoded the destination url as follows: "http://trusted.example.com/ecommerce/redirect.asp?dest=%77%69%6C%79%68%61%63%6B%65%72%2E%63%6F%6D" then even a savvy end-user may be fooled into following the link.

Recommendation


Unvalidated user input should not be allowed to control the destination URL in a redirect. Instead, use a level of indirection: create a list of legitimate URLs that users are allowed to specify, and only allow users to select from the list. With this approach, input provided by users is never used directly to specify a URL for redirects. **Example 2:** The following code references an array populated with valid URLs. The link the user clicks passes in the array index that corresponds to the desired URL.

```
...
strDest = form.dest.value;
if((strDest.value != null)|| (strDest.value.length!=0))
{
if((strDest >= 0) && (strDest <= strURLArray.length -1 ))
{
strFinalURL = strURLArray[strDest];
window.open(strFinalURL, "myresults");
}
}
...
```

In some situations this approach is impractical because the set of legitimate URLs is too large or too hard to keep track of. In such cases, use a similar approach to restrict the domains that users can be redirected to, which can at least prevent attackers from sending users to malicious external sites.

Issue Summary





Engine Breakdown

	SCA	WebInspect	SecurityScope	Total
Open Redirect	1	0	0	1
Total	1	0	0	1

Open Redirect

High

Package: JalNigamWebApplication.assets.libs.Scripts

JalNigamWebApplication/assets/libs/Scripts/DownloadSurveyData.js, line 275
(Open Redirect)

Issue Details

Kingdom: Input Validation and Representation
Scan Engine: SCA (Data Flow)

Source Details

Source: success(0)
From: success
File: JalNigamWebApplication/assets/libs/Scripts/DownloadSurveyData.js:218

```
215  "Content-Type": "application/x-www-form-urlencoded"  
216  },  
217  data: requestData,  
218  success: function (response, status, xhr) {  
219  
220  // If the response is a URL to download file  
221  if (response.success == true) {
```

Sink Details

Sink: open()
Enclosing Method: success()
File: JalNigamWebApplication/assets/libs/Scripts/DownloadSurveyData.js:275
Taint Flags: WEB, XSS

```
272  let fileurl = zipFile.replace(/\\/g, "/");  
273  
274  // Open in new tab  
275  window.open(fileurl, "_blank");
```



276	
277	undefined
278	undefined

Password Management: Insecure Submission (3 issues)

Abstract

Submitting a password as part of an HTTP GET request will cause the password to be displayed, logged, or stored in a cache.

Explanation

By convention, the parameters associated with an HTTP GET request are not treated as sensitive data, so web servers log them, proxies cache them, and web browsers do not make an effort to conceal them. Sending a password or other sensitive data as part of an HTTP GET will likely cause the data to be mishandled and potentially revealed to an attacker. **Example 1:** In the following example, new user password is submitted via an HTTP GET request.

```
<form method="get">
Name of new user: <input type="text" name="username">
Password for new user: <input type="password" name="user_passwd">
<input type="submit" name="action" value="Create User">
</form>
```

Also, note that the default value of the method attributed is GET, thus omitting the attribute results in the same outcome.

Recommendation

Avoid sending sensitive data, such as passwords, via an HTTP GET request. Sensitive data should travel from the browser to the server using HTTP POST, not HTTP GET. **Example 2:** In the following example, new user password is submitted via an HTTP POST request.

```
<form method="post">
Name of new user: <input type="text" name="username">
Password for new user: <input type="password" name="user_passwd">
<input type="submit" name="action" value="Create User">
</form>
```

HTML5 adds the ability to specify the formmethod attribute as part of the submit and image input tags, and the value of this attribute overrides the value of the method attribute of the corresponding form tag.


Example 3: In the following example, new user password is also submitted via an HTTP POST request, which is specified by the formmethod attribute of the submit input tag.

```
<form method="get">
Name of new user: <input type="text" name="username">
Password for new user: <input type="password" name="user_passwd">
<input type="submit" name="action" value="Create User" formmethod="post">
</form>
```

However, be aware that if the value of the formmethod attribute is set to get, the form will be submitted via an HTTP GET request no matter what the method attribute of the corresponding form tag specifies. Avoid sending sensitive data via an HTTP redirect, because it causes the user's web browser to issue an HTTP GET request. The application should either store the sensitive data in a session object so that it does not need to be transmitted back to the browser or simply discard the data and ask the user to enter it again. Other options, such as embedding the sensitive data in a web page that automatically posts its data, are also problematic because the web page may be cached by a proxy or by the web browser. As is often the case, security may need to trump usability in this instance.

Issue Summary





Engine Breakdown

	SCA	WebInspect	SecurityScope	Total
Password Management: Insecure Submission	3	0	0	3
Total	3	0	0	3

Password Management: Insecure Submission

Critical

Package: JalNigamWebApplication

JalNigamWebApplication/Login.aspx, line 146 (Password Management: Insecure Submission)

Issue Details

Kingdom: Security Features
 Scan Engine: SCA (Content)

Sink Details

Sink:
 File: JalNigamWebApplication/Login.aspx:146
 Taint Flags:

```

143 <label for="inputEmail">Password</label>
144 <div class="wrap-input100 validate-input" data-validate="Password is required">
145 <div class="input-container">
146 <input runat="server" id="inputPassword" class="form-control" placeholder="Password"
147 type="password" name="pass" maxlength="30" />
148 <i class="fas fa-eye eye-icon" onclick="toggleVisibility()" "></i>
149 </div>
  
```

Package: JalNigamWebApplication.obj.Release.Package.PackageTmp

JalNigamWebApplication/obj/Release/Package/PackageTmp/Login.aspx, line 114 (Password Management: Insecure Submission)

Issue Details

Kingdom: Security Features
 Scan Engine: SCA (Content)

Sink Details

Sink:



Password Management: Insecure Submission

Critical

Package: JalNigamWebApplication.obj.Release.Package.PackageTmp

JalNigamWebApplication/obj/Release/Package/PackageTmp/Login.aspx, line 114
(Password Management: Insecure Submission)

File: JalNigamWebApplication/obj/Release/Package/PackageTmp/Login.aspx:114

Taint Flags:

```
111 <label for="inputEmail">Password</label>
112 <div class="wrap-input100 validate-input" data-validate="Password is required">
113 <div class="input-container">
114 <input runat="server" id="inputPassword" class="form-control" placeholder="Password"
type="password" name="pass" maxlength="30" />
115 <i class="fas fa-eye eye-icon" onclick="toggleVisibility()"></i>
116 </div>
117 </div>
```

JalNigamWebApplication/obj/Release/Package/PackageTmp/
HandpumpLogin.aspx, line 236 (Password Management: Insecure Submission)

Issue Details

Kingdom: Security Features

Scan Engine: SCA (Content)

Sink Details

Sink:

File: JalNigamWebApplication/obj/Release/Package/PackageTmp/HandpumpLogin.aspx:236

Taint Flags:

```
233 </a>
234 </div>
235 <div class="wrap-input100 validate-input" data-validate="Password is required">
236 <input runat="server" id="txtpass" class="input100" type="password" name="pass" />
237 <%--<asp:TextBox ID="txtpass" runat="server"></asp:TextBox>--%>
238 <span class="focus-input100"></span>
239 </div>
```



Privacy Violation (1 issue)

Abstract

Mishandling private information, such as customer passwords or social security numbers, can compromise user privacy and is often illegal.

Explanation

Privacy violations occur when: 1. Private user information enters the program. 2. The data is written to an external location, such as the console, file system, or network. **Example 1:** The following code stores user's plain text password to the local storage.

```
localStorage.setItem('password', password);
```


Although many developers treat the local storage as a safe location for data, it should not be trusted implicitly, particularly when privacy is a concern. Private data can enter a program in a variety of ways: - Directly from the user in the form of a password or personal information - Accessed from a database or other data store by the application - Indirectly from a partner or other third party Sometimes data that is not labeled as private can have a privacy implication in a different context. For example, student identification numbers are usually not considered private because there is no explicit and publicly-available mapping to an individual student's personal information. However, if a school generates identification numbers based on student social security numbers, then the identification numbers should be considered private. Security and privacy concerns often seem to compete with each other. From a security perspective, you should record all important operations so that any anomalous activity can later be identified. However, when private data is involved, this practice can create risk. Although there are many ways in which private data can be handled unsafely, a common risk stems from misplaced trust. Programmers often trust the operating environment in which a program runs, and therefore believe that it is acceptable to store private information on the file system, in the registry, or in other locally-controlled resources. However, even if access to certain resources is restricted, this does not guarantee that the individuals who do have access can be trusted. For example, in 2004, an unscrupulous employee at AOL sold approximately 92 million private customer email addresses to a spammer marketing an offshore gambling web site [1]. In response to such high-profile exploits, the collection and management of private data is becoming increasingly regulated. Depending on its location, the type of business it conducts, and the nature of any private data it handles, an organization may be required to comply with one or more of the following federal and state regulations: - Safe Harbor Privacy Framework [3] - Gramm-Leach Bliley Act (GLBA) [4] - Health Insurance Portability and Accountability Act (HIPAA) [5] - California SB-1386 [6] Despite these regulations, privacy violations continue to occur with alarming frequency.

Recommendation

When security and privacy demands clash, privacy should usually be given the higher priority. To accomplish this and still maintain required security information, cleanse any private information before it exits the program. To enforce good privacy management, develop and strictly adhere to internal privacy guidelines. The guidelines should specifically describe how an application should handle private data. If your organization is regulated by federal or state law, ensure that your privacy guidelines are sufficiently strenuous to meet the legal requirements. Even if your organization is not regulated, you must protect private information or risk losing customer confidence. The best policy with respect to private data is to minimize its exposure. Applications, processes, and employees should not be granted access to any private data unless the access is required for the tasks that they are to perform. Just as the principle of least privilege dictates that no operation should be performed with more than the necessary privileges, access to private data should be restricted to the smallest possible group.

Issue Summary





Engine Breakdown

	SCA	WebInspect	SecurityScope	Total
Privacy Violation	1	0	0	1
Total	1	0	0	1

Privacy Violation

High

Package: JalNigamWebApplication.assets.libs.js

JalNigamWebApplication/assets/libs/js/accessibility-widget.js, line 1270 (Privacy Violation)

Issue Details

Kingdom: Security Features
 Scan Engine: SCA (Data Flow)

Source Details

Source: Read document.cookie
 From: getCookie
 File: JalNigamWebApplication/assets/libs/js/accessibility-widget.js:1166

```

1163  });
1164
1165  function getCookie(name) {
1166    const value = ";" + document.cookie;
1167    const parts = value.split("; " + name + "=");
1168    if (parts.length === 2) return
decodeURIComponent(parts.pop().split(";").shift());
1169  }
  
```

Sink Details

Sink: ~JS_Generic.log()
 Enclosing Method: loadSettings()
 File: JalNigamWebApplication/assets/libs/js/accessibility-widget.js:1270
 Taint Flags: CONCATENATED, PRIVATE

```

1267  if (!settings) {
1268    settings = getCookie(SETTINGS_KEY);
1269  }
  
```



Privacy Violation

High

Package: JalNigamWebApplication.assets.libs.js

JalNigamWebApplication/assets/libs/js/accessibility-widget.js, line 1270 (Privacy Violation)

```
1270 console.log(settings);  
1271 if (settings) {  
1272   settings = JSON.parse(settings);  
1273   fontSizeCount = settings.fontSizeCount || 0;
```



