1. Aim

To design a responsive front-end prototype of an online flight reservation system covering login, forgot password, flight search, ticket booking with seat selection, payment, e-ticket printing, cancellation, feedback and admin report.

2. Algorithm

1. User searches flights by From, To, Date and Class.
2. The seat map shows taken seats in grey; the user picks up to 6 seats.
3. Passenger details and contact email are validated, then the payment page shows the amount.
4. After payment a booking reference (e.g. SW100001) is generated and the e-ticket is displayed.
5. The user can view status by reference, print the ticket, or cancel (90% refund) which releases the seats.
6. The admin report summarises bookings, revenue, per flight data and feedback.

3. Procedure to Run

1. Copy the file exp5_flight.html to any folder.
2. Double-click the file; it opens in Chrome or Edge. No installation is required.
3. To edit, right-click the file, choose Open with Notepad, change the code, save and refresh the browser.
4. Log in with any user name and password. Choose the role (user or admin) on the login page.

4. Source Code

exp5_flight.html

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<title>SkyWay - Flight Reservation</title>
<style>
:root{--c:#0b6e99}
*{box-sizing:border-box}
body{margin:0;font-family:"Segoe UI",Arial,sans-serif;background:#eef5f9;color:#222}
header{background:var(--c);color:#fff;padding:10px 16px;display:flex;flex-wrap:wrap;gap:10px;align-
items:center;justify-content:space-between}
.brand{font-size:1.25rem;font-weight:600}
nav{display:flex;flex-wrap:wrap;gap:4px}
nav a{color:#fff;opacity:.92;padding:6px 10px;border-radius:6px;font-size:.9rem;cursor:pointer}
nav a:hover{background:rgba(255,255,255,.2)}
main{max-width:1000px;margin:20px auto;padding:0 16px}
h1,h2{color:var(--c);margin-top:0}
.card{background:#fff;border-radius:8px;padding:18px;box-shadow:0 1px 4px rgba(0,0,0,.12);margin-
bottom:16px}
.narrow{max-width:440px;margin:24px auto}
label{display:block;margin:10px 0 4px;font-weight:600;font-size:.9rem}
input,select,textarea{width:100%;padding:8px;border:1px solid #bbb;border-radius:5px;font:inherit}
textarea{min-height:90px}
button{background:var(--c);color:#fff;border:0;padding:8px 14px;border-
radius:5px;cursor:pointer;font:inherit}
button.red{background:#b8423a}button.grey{background:#777}button.s{padding:4px 9px;font-size:.82rem}
button:disabled{background:#bbb;cursor:not-allowed}
.row{display:flex;flex-wrap:wrap;gap:10px;align-items:end}.row>*{flex:1;min-width:120px}.row
button{flex:0 0 auto}
table{width:100%;border-collapse:collapse;background:#fff}
th,td{padding:8px 10px;border-bottom:1px solid #e5e5e5;text-align:left;font-size:.9rem}
th{background:#d3e8f2}
.tw{overflow-x:auto}
.ok{color:#1d7a35;font-weight:600}.bad{color:#b8423a;font-weight:600}.warn{color:#b9770e;font-
weight:600}.muted{color:#666;font-size:.88rem}
.msg{padding:10px 14px;border-radius:6px;margin-
bottom:12px}.msg.s{background:#def3e2;color:#1d5a2a}.msg.e{background:#fbe0de;color:#8a2822}
.seats{display:grid;grid-template-columns:repeat(7,42px);gap:7px;justify-content:center;margin:14px 0}
.seat{height:38px;border-radius:6px;border:1px solid #888;background:#e3f2fd;display:flex;align-
items:center;justify-content:center;font-size:.78rem;cursor:pointer;user-select:none}
.seat.taken{background:#999;color:#fff;cursor:not-allowed}.seat.sel{background:var(--
c);color:#fff}.seat.gap{visibility:hidden}
.ticket{border:2px dashed var(--c);padding:16px;border-radius:8px;background:#f7fbff}
.ref{font-size:1.6rem;letter-spacing:2px;color:var(--c);font-weight:700}
.stat{display:inline-block;background:#fff;border-left:5px solid var(--c);padding:12px 18px;margin:0
10px 10px 0;box-shadow:0 1px 4px rgba(0,0,0,.12)}
.stat b{display:block;font-size:1.5rem}
.fl{display:flex;flex-wrap:wrap;gap:14px;align-items:center;justify-content:space-between}
@media print{header,#msg,.noprint{display:none!important}body{background:#fff}.card{box-shadow:none}}
</style>
</head>
<body>
<header><div class="brand">&#9992;&#65039; SkyWay Airlines</div><nav id="nav"></nav></header>
<main>
<div id="msg"></div>

<section class="page" id="login"><div class="card narrow"><h1>Login</h1>
  <label>Email / username</label><input id="l_u"><label>Password</label><input id="l_p"
type="password">
  <label>Login as</label><select id="l_r"><option value="user">Customer</option><option
value="admin">Administrator</option></select>
  <p><button onclick="doLogin()">Login</button></p>
  <p class="muted">Demo: any credentials work. <a href="#" onclick="show('forgot');return
false">Forgot password?</a> &middot; <a href="#" onclick="show('register');return
false">Register</a></p></div></section>
<section class="page" id="register"><div class="card narrow"><h1>Register</h1>
  <label>Full name</label><input id="r_n"><label>Email</label><input id="r_e"
type="email"><label>Password</label><input id="r_p" type="password">
  <p><button onclick="doRegister()">Register</button></p></div></section>
<section class="page" id="forgot"><div class="card narrow"><h1>Forgot Password</h1>
  <label>Registered email</label><input id="f_e" type="email"><p><button onclick="doForgot()">Send
reset link</button></p></div></section>

<!-- ========== CUSTOMER ========== -->
```

```
<section class="page" id="search">
  <div class="card"><h1>Search Flight</h1><div class="row">
    <div><label>From</label><select id="s_f"></select></div><div><label>To</label><select
id="s_t"></select></div>
    <div><label>Date</label><input type="date" id="s_d"></div><div><label>Class</label><select
id="s_c"><option>Economy</option><option>Business</option></select></div>
    <button onclick="searchFlights()">Search</button></div></div>
  <div id="results"></div></section>

<section class="page" id="booking"><div class="card"><h1>Book Ticket</h1><p id="bk_info"></p>
  <p class="muted">Choose seats (green = free, grey = taken, blue = yours).</p><div class="seats"
id="seatgrid"></div>
  <p>Selected: <b id="bk_sel">none</b></p>
  <h2>Passenger Details</h2><div id="bk_pax"></div>
  <div class="row"><div><label>Contact email</label><input id="bk_e"
type="email"></div><div><label>Contact phone</label><input id="bk_ph"></div></div>
  <p><b id="bk_tot"></b></p><p><button onclick="toPayment()">Proceed to Payment</button> <button
class="grey" onclick="show('search')">Back</button></p></div></section>

<section class="page" id="payment"><div class="card narrow"><h1>Ticket Payment</h1><p
id="pay_sum"></p>
  <label>Payment method</label><select id="pay_m"><option>Credit / Debit
card</option><option>UPI</option><option>Net banking</option></select>
  <label>Card number / UPI id</label><input id="pay_c"><div
class="row"><div><label>Expiry</label><input placeholder="MM/YY"></div><div><label>CVV</label><input
type="password" maxlength="3"></div></div>
  <p><button onclick="pay()">Pay Now</button> <button class="grey"
onclick="show('booking')">Back</button></p></div></section>

<section class="page" id="eticket"><div class="card narrow"><h1>Booking Successful</h1><div
class="ticket" id="et"></div>
  <p class="muted">E-ticket has been emailed to you.</p><p><button onclick="show('myticket')">My
Ticket</button></p></div></section>

<section class="page" id="myticket"><h1>My Ticket</h1><div class="tw" id="mt"></div></section>

<section class="page" id="printticket"><div class="card"><div class="ticket" id="pt"></div><p
class="noprint"><button onclick="window.print()">Print</button> <button class="grey"
onclick="show('myticket')">Back</button></p></div></section>

<section class="page" id="cancel"><div class="card narrow"><h1>Cancel Ticket</h1>
  <label>Booking reference</label><input id="cn_r" maxlength="8"><p><button
onclick="findCancel()">Find Booking</button></p><div id="cn_res"></div></div></section>

<section class="page" id="status"><div class="card narrow"><h1>View Booking Status</h1>
  <label>Booking reference</label><input id="st_r" maxlength="8"><p><button
onclick="checkStatus()">Check Status</button></p><div id="st_res"></div></div></section>

<section class="page" id="feedback"><div class="card narrow"><h1>Customer Feedback</h1>
  <label>Rating</label><select id="fb_r"><option value="5">5 - Excellent</option><option value="4">4 -
Good</option><option value="3">3 - Average</option><option value="2">2 - Poor</option><option
value="1">1 - Very poor</option></select>
  <label>Comments</label><textarea id="fb_t"></textarea><p><button onclick="sendFeedback()">Submit
Feedback</button></p></div></section>

<!-- ========== ADMIN ========== -->
<section class="page" id="a_report"><h1>Admin Report</h1><div id="rp"></div></section>
<section class="page" id="a_flights"><h1>Manage Flights</h1><div class="card"><div class="row">
  <div><label>Flight no.</label><input id="af_n"></div><div><label>From</label><input
id="af_f"></div><div><label>To</label><input id="af_t"></div></div>
  <div class="row"><div><label>Departure</label><input id="af_d" type="time"
value="09:00"></div><div><label>Arrival</label><input id="af_a" type="time" value="11:00"></div>
  <div><label>Economy fare</label><input id="af_e" type="number"
value="4500"></div><div><label>Business fare</label><input id="af_b" type="number"
value="9500"></div><button onclick="addFlight()">Add Flight</button></div></div>
  <div class="tw" id="af_list"></div></section>
</main>

<script>
function $(i){return document.getElementById(i)}
function pad(n){return (n<10?'0':'')+n}
function addDays(n){var d=new Date();d.setDate(d.getDate()+n);return d.getFullYear()+'-
'+pad(d.getMonth()+1)+'-'+pad(d.getDate())}
function msg(t,ok){$('msg').innerHTML='<div class="msg
'+(ok===false?'e':'s')+'">'+t+'</div>';window.scrollTo(0,0)}
```

```
function
show(id){document.querySelectorAll('.page').forEach(function(p){p.hidden=p.id!==id});$('msg').innerHTM
L='';window.scrollTo(0,0);if(window['on_'+id])window['on_'+id]();drawNav()}
function esc(s){return String(s).replace(/[&<>"]/g,function(c){return
{'&':'&amp;','<':'&lt;','>':'&gt;','"':'&quot;'}[c]})}

// ---------------------------------------------- data
var flights=[
 {no:'SW101',from:'Chennai',to:'Delhi',dep:'06:30',arr:'09:15',eco:5200,bus:11800,taken:[3,4,9,15]},
 {no:'SW205',from:'Chennai',to:'Mumbai',dep:'10:00',arr:'12:10',eco:4300,bus:9900,taken:[1,2,8]},
 {no:'SW318',from:'Delhi',to:'Chennai',dep:'18:45',arr:'21:30',eco:5400,bus:12000,taken:[5,6,7]},
 {no:'SW422',from:'Mumbai',to:'Chennai',dep:'14:20',arr:'16:30',eco:4100,bus:9500,taken:[]},
 {no:'SW509',from:'Chennai',to:'Delhi',dep:'20:00',arr:'22:45',eco:4900,bus:11000,taken:[10,11]}];
var bookings=[], feedback=[], nextRef=1, me=null, cur=null, sel=[], draft=null;
var ROWS=6, COLS=6;

function drawNav(){
  var l;
  if(!me)l=[['login','Login'],['register','Register'],['forgot','Forgot Password']];
  else if(me.role==='user')l=[['search','Search Flight'],['myticket','My Ticket'],['status','Booking
Status'],['cancel','Cancel Ticket'],['feedback','Feedback'],['out','Logout']];
  else l=[['a_report','Report'],['a_flights','Flights'],['status','Booking Status'],['out','Logout']];
  $('nav').innerHTML=l.map(function(x){return '<a
onclick="'+(x[0]==='out'?'logout()':"show('"+x[0]+"')")+'">'+x[1]+'</a>'}).join('');
}
function logout(){me=null;show('login');msg('Logged out.')}
function doLogin(){
  if(!$('l_u').value.trim()||!$('l_p').value)return msg('Enter your login details.',false);

me={u:$('l_u').value.trim(),role:$('l_r').value};show(me.role==='admin'?'a_report':'search');msg('Welc
ome, '+esc(me.u)+'!');
}
function doRegister(){
  if(!$('r_n').value.trim()||!$('r_e').value.includes('@')||!$('r_p').value)return msg('Fill in all
fields with a valid email.',false);
  show('login');msg('Registration successful. Please log in.');
}
function doForgot(){if(!$('f_e').value.includes('@'))return msg('Enter a valid email.',false);msg('A
password reset link has been sent to '+esc($('f_e').value)+'.')}

// ---------------------------------------------- search
function on_search(){
  if(!$('s_f').options.length){
    var
p=[];flights.forEach(function(f){[f.from,f.to].forEach(function(x){if(p.indexOf(x)<0)p.push(x)})});p.s
ort();
    var o=p.map(function(x){return
'<option>'+x+'</option>'}).join('');$('s_f').innerHTML=o;$('s_t').innerHTML=o;$('s_t').selectedIndex=M
ath.min(1,p.length-1);$('s_d').value=addDays(7);
  }
}
function fareOf(f,c){return c==='Business'?f.bus:f.eco}
function searchFlights(){
  var f=$('s_f').value,t=$('s_t').value,c=$('s_c').value;
  if(!$('s_d').value)return msg('Choose a date.',false);
  var r=flights.filter(function(x){return x.from===f&&x.to===t});
  $('results').innerHTML=r.length?r.map(function(x){
    return '<div class="card fl"><div><h2>'+x.no+'</h2><span class="muted">'+x.from+' '+x.dep+' &rarr;
'+x.to+' '+x.arr+'</span></div>'+
    '<div><b>Rs. '+fareOf(x,c)+'</b> ('+c+')<br><span class="ok">'+(ROWS*COLS-x.taken.length)+' seats
left</span></div><button onclick="startBooking(\''+x.no+'\')">Book
Ticket</button></div>'}).join(''):'<div class="card">No flights found for this route.</div>';
}

// ---------------------------------------------- book ticket page
function startBooking(no){cur=flights.find(function(f){return f.no===no});sel=[];show('booking')}
function on_booking(){
  $('bk_info').innerHTML='<b>'+cur.no+'</b> '+cur.from+' &rarr; '+cur.to+', '+$('s_d').value+',
'+cur.dep+' - '+$('s_c').value+' class, Rs. '+fareOf(cur,$('s_c').value)+' per seat';
  drawSeats();
}
function drawSeats(){
  var h='',L=['A','B','C','D','E','F'];
  for(var r=1;r<=ROWS;r++)for(var c=0;c<COLS;c++){
    var n=(r-1)*COLS+c+1,id=r+L[c],t=cur.taken.indexOf(n)>=0,s=sel.indexOf(id)>=0;
    h+='<div class="seat'+(t?' taken':'')+(s?' sel':'')+'"
'+(t?'':'onclick="pick(\''+id+'\')"')+'>'+id+'</div>';
    if(c===2)h+='<div class="seat gap"></div>';
  }
```

```
  $('seatgrid').innerHTML=h;$('bk_sel').textContent=sel.length?sel.join(', '):'none';
  $('bk_tot').textContent='Total: Rs. '+(sel.length*fareOf(cur,$('s_c').value));
  var box=$('bk_pax'),old=box.children.length;
  while(box.children.length<sel.length){var
i=box.children.length+1,d=document.createElement('div');d.className='row';d.innerHTML='<div><label>Pas
senger '+i+' name</label><input class="pn"></div><div><label>Age</label><input class="pa"
type="number" min="1"></div><div><label>Gender</label><select
class="pg"><option>Male</option><option>Female</option><option>Other</option></select></div>';box.appe
ndChild(d)}
  while(box.children.length>sel.length)box.removeChild(box.lastChild);
}
function pick(id){var k=sel.indexOf(id);if(k>=0)sel.splice(k,1);else if(sel.length<6)sel.push(id);else
msg('Maximum 6 seats per booking.',false);drawSeats()}
function toPayment(){
  if(!sel.length)return msg('Select at least one seat.',false);
  var
n=[].slice.call(document.querySelectorAll('.pn')),a=[].slice.call(document.querySelectorAll('.pa')),g=
[].slice.call(document.querySelectorAll('.pg')),pax=[];
  for(var i=0;i<n.length;i++){if(!n[i].value.trim()||!(a[i].value>0))return msg('Enter name and age
for every passenger.',false);pax.push({n:n[i].value.trim(),a:+a[i].value,g:g[i].value,seat:sel[i]})}
  if(!$('bk_e').value.includes('@'))return msg('Enter a valid contact email.',false);

draft={flight:cur.no,date:$('s_d').value,cls:$('s_c').value,pax:pax,total:sel.length*fareOf(cur,$('s_c
').value),email:$('bk_e').value};
  show('payment');$('pay_sum').innerHTML='<b>'+cur.no+'</b> '+cur.from+' &rarr; '+cur.to+' on
'+draft.date+'<br>Seats: '+sel.join(', ')+'<br><b>Amount: Rs. '+draft.total+'</b>';
}

// ---------------------------------------------- payment
function pay(){
  if($('pay_c').value.trim().length<5)return msg('Enter card number or UPI id.',false);
  var ref='SW'+String(100000+nextRef++);
  var
b={ref:ref,flight:draft.flight,date:draft.date,cls:draft.cls,pax:draft.pax,total:draft.total,email:dra
ft.email,by:me.u,status:'Confirmed'};
  cur.taken=cur.taken.concat(sel.map(function(s){return (parseInt(s)-
1)*COLS+'ABCDEF'.indexOf(s.slice(-1))+1}));
  bookings.push(b);show('eticket');$('et').innerHTML=ticketHtml(b);
}
function fl(no){return flights.find(function(f){return
f.no===no})||{no:no,from:'?',to:'?',dep:'',arr:''}}
function ticketHtml(b){var f=fl(b.flight);
  return '<div class="ref">'+b.ref+'</div><b>'+f.no+'</b> &middot; '+f.from+' &rarr; '+f.to+'<br>Date:
'+b.date+' &middot; Dep '+f.dep+' &middot; Arr '+f.arr+' &middot; '+b.cls+
    '<br>Passengers: '+b.pax.map(function(p){return esc(p.n)+' (seat '+p.seat+')'}).join(',
')+'<br>Paid: <b>Rs. '+b.total+'</b><br>Status: <b>'+b.status+'</b>'}

// ---------------------------------------------- my ticket / print / status / cancel
function on_myticket(){
  var r=bookings.filter(function(b){return b.by===me.u}).map(function(b){var f=fl(b.flight);
    return '<tr><td>'+b.ref+'</td><td>'+f.no+'</td><td>'+f.from+' &rarr;
'+f.to+'</td><td>'+b.date+'</td><td>'+b.pax.length+'</td><td>Rs. '+b.total+'</td><td
class="'+(b.status==='Confirmed'?'ok':'bad')+'">'+b.status+'</td>'+
    '<td><button class="s" onclick="printTicket(\''+b.ref+'\')">View /
Print</button></td></tr>'}).join('')||'<tr><td colspan="8">No tickets yet.</td></tr>';

$('mt').innerHTML='<table><tr><th>Ref</th><th>Flight</th><th>Route</th><th>Date</th><th>Pax</th><th>Pa
id</th><th>Status</th><th></th></tr>'+r+'</table>';
}
function printTicket(ref){show('printticket');$('pt').innerHTML='<h2>E-
Ticket</h2>'+ticketHtml(bookings.find(function(b){return b.ref===ref}))}
function checkStatus(){
  var b=bookings.find(function(x){return x.ref===$('st_r').value.trim().toUpperCase()});
  $('st_res').innerHTML=b?'<div class="ticket">'+ticketHtml(b)+'</div>':'<p class="bad">Booking not
found.</p>';
}
function findCancel(){
  var b=bookings.find(function(x){return x.ref===$('cn_r').value.trim().toUpperCase()&&x.by===me.u});
  if(!b)return $('cn_res').innerHTML='<p class="bad">No booking with this reference in your
account.</p>';
  if(b.status==='Cancelled')return $('cn_res').innerHTML='<p class="bad">Already cancelled.</p>';
  $('cn_res').innerHTML='<div class="ticket">'+ticketHtml(b)+'<br>Refund (90%): <b>Rs.
'+Math.round(b.total*.9)+'</b></div><p><button class="red" onclick="doCancel(\''+b.ref+'\')">Confirm
Cancellation</button></p>';
}
function doCancel(ref){
  var b=bookings.find(function(x){return x.ref===ref}),f=fl(b.flight);b.status='Cancelled';
  var seats=b.pax.map(function(p){return (parseInt(p.seat)-1)*COLS+'ABCDEF'.indexOf(p.seat.slice(-
1))+1});
  f.taken=f.taken.filter(function(n){return seats.indexOf(n)<0});
```

```
  $('cn_res').innerHTML='';$('cn_r').value='';msg('Ticket cancelled. Refund of Rs.
'+Math.round(b.total*.9)+' will be credited in 5-7 days.');
}
function sendFeedback(){if(!$('fb_t').value.trim())return msg('Please write your
feedback.',false);feedback.push({u:me.u,r:+$('fb_r').value,t:$('fb_t').value.trim()});$('fb_t').value=
'';msg('Thank you for your feedback!')}

// ---------------------------------------------- admin
function on_a_report(){
  var ok=bookings.filter(function(b){return
b.status==='Confirmed'}),rev=ok.reduce(function(s,b){return s+b.total},0);
  var avg=feedback.length?(feedback.reduce(function(s,f){return
s+f.r},0)/feedback.length).toFixed(1):'-';
  var per=flights.map(function(f){var x=ok.filter(function(b){return b.flight===f.no});return
'<tr><td>'+f.no+'</td><td>'+f.from+' &rarr;
'+f.to+'</td><td>'+x.length+'</td><td>'+x.reduce(function(s,b){return s+b.pax.length},0)+'</td><td>Rs.
'+x.reduce(function(s,b){return s+b.total},0)+'</td></tr>'}).join('');
  $('rp').innerHTML='<div class="stat"><b>'+ok.length+'</b>Confirmed bookings</div><div
class="stat"><b>'+(bookings.length-ok.length)+'</b>Cancelled</div><div class="stat"><b>Rs.
'+rev+'</b>Revenue</div><div class="stat"><b>'+avg+'</b>Avg. rating</div>'+
    '<div
class="tw"><table><tr><th>Flight</th><th>Route</th><th>Bookings</th><th>Passengers</th><th>Revenue</th
></tr>'+per+'</table></div>'+
    '<h2 style="margin-top:20px">Customer Feedback</h2><div
class="tw"><table><tr><th>User</th><th>Rating</th><th>Comment</th></tr>'+(feedback.map(function(f){ret
urn '<tr><td>'+esc(f.u)+'</td><td>'+f.r+'/5</td><td>'+esc(f.t)+'</td></tr>'}).join('')||'<tr><td
colspan="3">No feedback yet.</td></tr>')+'</table></div>'+
    '<p class="noprint"><button onclick="window.print()">Print Report</button></p>';
}
function on_a_flights(){


$('af_list').innerHTML='<table><tr><th>Flight</th><th>Route</th><th>Dep</th><th>Arr</th><th>Economy</t
h><th>Business</th><th>Seats left</th><th></th></tr>'+flights.map(function(f,i){
    return '<tr><td>'+f.no+'</td><td>'+f.from+' &rarr;
'+f.to+'</td><td>'+f.dep+'</td><td>'+f.arr+'</td><td>Rs. '+f.eco+'</td><td>Rs.
'+f.bus+'</td><td>'+(ROWS*COLS-f.taken.length)+'</td><td><button class="s red"
onclick="delFlight('+i+')">Delete</button></td></tr>'}).join('')+'</table>';
}
function addFlight(){
  var n=$('af_n').value.trim().toUpperCase(),f=$('af_f').value.trim(),t=$('af_t').value.trim();
  if(!n||!f||!t|||($('af_e').value>0)||!($('af_b').value>0))return msg('Fill in flight number, route
and fares.',false);
  if(flights.some(function(x){return x.no===n}))return msg('Flight number already exists.',false);

flights.push({no:n,from:f,to:t,dep:$('af_d').value,arr:$('af_a').value,eco:+$('af_e').value,bus:+$('af
_b').value,taken:[]});
  ['af_n','af_f','af_t'].forEach(function(i){$(i).value=''});on_a_flights();msg('Flight added.');
}
function delFlight(i){if(confirm('Delete this flight?')){flights.splice(i,1);on_a_flights()}}


show('login');
</script>
</body>
</html>
```

7. Output


Output 1: Search flight




Output 4: Book ticket with seat selection




Output 5: Payment page




Output 6: E-ticket



Output 7: Cancel Ticket



Output 8: Admin report



8. Result

The online flight reservation system prototype was designed and tested successfully; all the listed pages and features work in the browser.