Experiment 3: Online Bus Ticket Booking System

1. Aim

To design a responsive front-end prototype of an online bus ticket booking system in which users search buses by route, date and time, select seats, book and cancel tickets, and the admin manages buses, categories, users, news and reports.

2. Technologies Used

Component	Technology
Front end	HTML5, CSS3 (responsive layout), JavaScript
Data	Sample data held in JavaScript variables (mock-up, no back end)
Editor	Notepad / Visual Studio Code
Browser	Google Chrome or Microsoft Edge

3. Algorithm

1. User selects From, To, Date and time slot and presses Search.
2. Buses matching the route and the time slot are listed with the number of free seats.
3. The seat grid shows booked seats in grey; the user selects up to 6 free seats.
4. Passenger details are validated; a ticket is created and the seats are marked booked.
5. On cancellation, the ticket status becomes Cancelled and its seats are released.
6. The admin report counts active and cancelled bookings and the revenue per bus.

Code

exp3_bus.html

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<title>GoBus - Bus Ticket Booking</title>
<style>
:root{--c:#c0392b}
*{box-sizing:border-box}
body{margin:0;font-family:"Segoe UI",Arial,sans-serif;background:#f5f5f7;color:#222}
header{background:var(--c);color:#fff;padding:10px 16px;display:flex;flex-wrap:wrap;gap:10px;align-
items:center;justify-content:space-between}
.brand{font-size:1.25rem;font-weight:600}
nav{display:flex;flex-wrap:wrap;gap:4px}
nav a{color:#fff;opacity:.92;padding:6px 10px;border-radius:6px;font-size:.9rem;cursor:pointer}
nav a:hover{background:rgba(255,255,255,.2)}
main{max-width:1000px;margin:20px auto;padding:0 16px}
h1,h2{color:var(--c);margin-top:0}
.card{background:#fff;border-radius:8px;padding:18px;box-shadow:0 1px 4px rgba(0,0,0,.12);margin-
bottom:16px}
.narrow{max-width:440px;margin:24px auto}
label{display:block;margin:10px 0 4px;font-weight:600;font-size:.9rem}
input,select,textarea{width:100%;padding:8px;border:1px solid #bbb;border-radius:5px;font:inherit}
textarea{min-height:80px}
button{background:var(--c);color:#fff;border:0;padding:8px 14px;border-
radius:5px;cursor:pointer;font:inherit}
button.red{background:#555}button.grey{background:#777}button.s{padding:4px 9px;font-size:.82rem}
button:disabled{background:#bbb;cursor:not-allowed}
.row{display:flex;flex-wrap:wrap;gap:10px;align-items:end}.row>*{flex:1;min-width:130px}.row
button{flex:0 0 auto}
table{width:100%;border-collapse:collapse;background:#fff}
th,td{padding:8px 10px;border-bottom:1px solid #e5e5e5;text-align:left;font-size:.9rem}
th{background:#f6dcd8}
.tw{overflow-x:auto}
.ok{color:#1d7a35;font-weight:600}.bad{color:#b8423a;font-weight:600}.muted{color:#666;font-
size:.88rem}
.msg{padding:10px 14px;border-radius:6px;margin-
bottom:12px}.msg.s{background:#def3e2;color:#1d5a2a}.msg.e{background:#fbe0de;color:#8a2822}
.bus{display:flex;flex-wrap:wrap;gap:14px;align-items:center;justify-content:space-between}
.seats{display:grid;grid-template-columns:repeat(5,44px);gap:8px;justify-content:center;margin:14px 0}
.seat{height:40px;border-radius:6px;border:1px solid #888;background:#e8f5e9;display:flex;align-
items:center;justify-content:center;font-size:.8rem;cursor:pointer;user-select:none}
.seat.taken{background:#999;color:#fff;cursor:not-allowed}.seat.sel{background:var(--
c);color:#fff}.seat.gap{visibility:hidden}
.ticket{border:2px dashed var(--c);padding:16px;border-radius:8px;background:#fffaf9}
.stat{display:inline-block;background:#fff;border-left:5px solid var(--c);padding:12px 18px;margin:0
10px 10px 0;box-shadow:0 1px 4px rgba(0,0,0,.12)}
.stat b{display:block;font-size:1.5rem}
</style>
</head>
<body>
<header><div class="brand">&#128652; GoBus</div><nav id="nav"></nav></header>
<main>
<div id="msg"></div>

<!-- ============ AUTH ============ -->
<section class="page" id="login"><div class="card narrow"><h1>Login</h1>
  <label>Username</label><input id="l_u"><label>Password</label><input id="l_p" type="password">
  <label>Login as</label><select id="l_r"><option value="user">User</option><option
value="admin">Admin</option></select>
  <p><button onclick="doLogin()">Login</button></p>
  <p class="muted">Demo: any username/password works. <a href="#" onclick="show('forgot');return
false">Forgot password?</a> &middot; <a href="#" onclick="show('register');return
false">Register</a></p></div></section>
<section class="page" id="register"><div class="card narrow"><h1>Registration</h1>
  <label>Full name</label><input id="r_n"><label>Email</label><input id="r_e"
type="email"><label>Phone</label><input id="r_ph">
  <label>Username</label><input id="r_u"><label>Password</label><input id="r_p" type="password">
  <p><button onclick="doRegister()">Register</button></p></div></section>
<section class="page" id="forgot"><div class="card narrow"><h1>Forgot Password</h1>
  <label>Registered email</label><input id="f_e" type="email"><p><button onclick="doForgot()">Send
reset link</button></p></div></section>
<section class="page" id="chpw"><div class="card narrow"><h1>Change Password</h1>
  <label>Old password</label><input id="c_o" type="password"><label>New password</label><input
id="c_n" type="password"><label>Confirm new password</label><input id="c_c" type="password">
```

```
  <p><button onclick="doChange()">Change Password</button></p></div></section>

<!-- ============ USER ============ -->
<section class="page" id="search">
  <div class="card"><h1>Search Buses</h1><div class="row">
    <div><label>From</label><select id="s_f"></select></div><div><label>To</label><select
id="s_t"></select></div>
    <div><label>Date</label><input type="date" id="s_d"></div>
    <div><label>Departure time</label><select id="s_tm"><option value="">Any time</option><option
value="m">Morning (before 12:00)</option><option value="a">Afternoon (12:00-17:59)</option><option
value="n">Night (after 18:00)</option></select></div>
    <button onclick="searchBus()">Search</button></div></div>
  <div id="results"></div></section>

<section class="page" id="seatpage"><div class="card"><h1>Select Seats</h1><p id="sp_info"></p>
  <p class="muted">Green = available, Grey = booked, Red = your selection.</p><div class="seats"
id="seatgrid"></div>
  <p>Selected: <b id="sp_sel">none</b>   Total: <b id="sp_tot">Rs. 0</b></p>
  <h2>Passenger Details</h2><div class="row"><div><label>Name</label><input
id="pd_n"></div><div><label>Age</label><input id="pd_a" type="number"
min="1"></div><div><label>Phone</label><input id="pd_p"></div></div>
  <p><button onclick="bookSeats()">Book Ticket</button> <button class="grey"
onclick="show('search')">Back</button></p></div></section>

<section class="page" id="ticket"><div class="card narrow"><h1>Booking Confirmed</h1><div
class="ticket" id="tk"></div>
  <p class="muted">A confirmation email has been sent to your registered address.</p><p><button
onclick="show('mybookings')">My Bookings</button></p></div></section>

<section class="page" id="mybookings"><h1>My Booking History</h1><div class="tw"
id="mb"></div></section>

<section class="page" id="comments"><div class="card"><h1>Bus Comments</h1>
  <label>Bus</label><select id="cm_bus" onchange="drawComments()"></select>
  <div id="cm_list" style="margin-top:12px"></div>
  <label>Your comment</label><textarea id="cm_t"></textarea><p><button onclick="postComment()">Post
Comment</button></p></div></section>

<!-- ============ ADMIN ============ -->
<section class="page" id="a_cat"><div class="card"><h1>Bus Categories</h1><div id="cat_list"></div>
  <div class="row" style="margin-top:12px"><div><label>New category</label><input id="cat_n"
placeholder="e.g. AC Sleeper"></div><button onclick="addCat()">Add
Category</button></div></div></section>
<section class="page" id="a_bus"><div class="card"><h1>Add / Update Bus</h1>
  <input type="hidden" id="ab_id">
  <div class="row"><div><label>Bus name</label><input
id="ab_n"></div><div><label>Category</label><select id="ab_c"></select></div><div><label>Photo (emoji
or URL)</label><input id="ab_ph" value="&#128652;"></div></div>
  <div class="row"><div><label>From</label><input id="ab_f"></div><div><label>To</label><input
id="ab_t"></div><div><label>Tour location</label><input id="ab_l"></div></div>
  <div class="row"><div><label>Departure time</label><input id="ab_tm" type="time"
value="21:00"></div><div><label>Fare (Rs.)</label><input id="ab_fare" type="number"
value="600"></div><div><label>Available seats (max 40)</label><input id="ab_s" type="number"
value="40" max="40"></div></div>
  <label>Description</label><textarea id="ab_d"></textarea><p><button onclick="saveBus()">Save
Bus</button> <button class="grey" onclick="clearBusForm()">Clear</button></p></div>
  <div class="tw" id="ab_list"></div></section>
<section class="page" id="a_users"><h1>Registered Users</h1><div class="tw" id="au"></div></section>
<section class="page" id="a_news"><div class="card"><h1>Manage News</h1><div id="nw_list"></div>
  <label>New headline</label><input id="nw_t"><p><button onclick="addNews()">Publish
News</button></p></div></section>
<section class="page" id="a_report"><h1>Report</h1><div id="rp"></div></section>
</main>

<script>
function $(i){return document.getElementById(i)}
function pad(n){return (n<10?'0':'')+n}
function addDays(n){var d=new Date();d.setDate(d.getDate()+n);return d.getFullYear()+'-
'+pad(d.getMonth()+1)+'-'+pad(d.getDate())}
function msg(t,ok){$('msg').innerHTML='<div class="msg
'+(ok===false?'e':'s')+'">'+t+'</div>';window.scrollTo(0,0)}
function
show(id){document.querySelectorAll('.page').forEach(function(p){p.hidden=p.id!==id});$('msg').innerHTM
L='';window.scrollTo(0,0);if(window['on_'+id])window['on_'+id]();drawNav()}
function esc(s){return String(s).replace(/[&<>"]/g,function(c){return
{'&':'&amp;','<':'&lt;','>':'&gt;','"':'&quot;'}[c]})}
```

```
// ------------------------------------------------ data (in memory)
var cats=['Volvo','Sleeper Coach','Coach'];
var buses=[
 {id:1,name:'Volvo
Express',cat:'Volvo',from:'Chennai',to:'Bangalore',time:'22:00',fare:850,seats:40,loc:'Bangalore
City',photo:'\u{1F68C}',desc:'AC multi-axle Volvo with push-back seats.',taken:[2,3,10,17]},
 {id:2,name:'Night Rider Sleeper',cat:'Sleeper
Coach',from:'Chennai',to:'Hyderabad',time:'20:30',fare:1100,seats:40,loc:'Hyderabad',photo:'\u{1F6CF}'
,desc:'Comfortable sleeper berths with charging points.',taken:[1,5,6]},
 {id:3,name:'City Link
Coach',cat:'Coach',from:'Bangalore',to:'Chennai',time:'09:15',fare:500,seats:40,loc:'Chennai',photo:'\
u{1F68D}',desc:'Daily day service, non-AC coach.',taken:[8,9]},
 {id:4,name:'Volvo
Premium',cat:'Volvo',from:'Chennai',to:'Bangalore',time:'14:00',fare:900,seats:40,loc:'Bangalore
City',photo:'\u{1F68C}',desc:'Afternoon AC service with snacks.',taken:[]}];
var users=[{u:'guest',n:'Demo User',e:'guest@mail.com',ph:'9999999999'}];
var bookings=[], nextB=5001, news=['New Volvo service from Chennai to Bangalore starts this
week!','Festival offer: 10% off on all sleeper coaches.'];
var comments={1:[{u:'guest',t:'Very comfortable journey and on time.'}]};
var me=null, cur=null, sel=[];

// ------------------------------------------------ navigation
function drawNav(){
  var l;
  if(!me)l=[['login','Login'],['register','Register'],['forgot','Forgot Password']];
  else if(me.role==='user')l=[['search','Search Bus'],['mybookings','My
Bookings'],['comments','Comments'],['chpw','Change Password'],['out','Logout']];
  else
l=[['a_cat','Categories'],['a_bus','Buses'],['a_users','Users'],['a_news','News'],['a_report','Report'
],['out','Logout']];
  $('nav').innerHTML=l.map(function(x){return '<a
onclick="'+(x[0]==='out'?'logout()':"show('"+x[0]+"')")+'">'+x[1]+'</a>'}).join('');
}
function logout(){me=null;show('login');msg('Logged out.')}

// ------------------------------------------------ auth
function doLogin(){
  if(!$('l_u').value.trim()||!$('l_p').value)return msg('Enter username and password.',false);
  me={u:$('l_u').value.trim(),role:$('l_r').value};
  if(me.role==='user'&&!users.some(function(x){return
x.u===me.u}))users.push({u:me.u,n:me.u,e:'',ph:''});
  show(me.role==='admin'?'a_report':'search');msg('Welcome, '+me.u+'!');
}
function doRegister(){
  if(!$('r_n').value.trim()||!$('r_u').value.trim()||!$('r_p').value)return msg('Name, username and
password are required.',false);

users.push({u:$('r_u').value.trim(),n:$('r_n').value.trim(),e:$('r_e').value,ph:$('r_ph').value});show
('login');msg('Registration successful. Please log in.');
}
function doForgot(){if(!$('f_e').value.includes('@'))return msg('Enter a valid email.',false);msg('A
password reset link has been sent to '+esc($('f_e').value)+'.')}
function doChange(){
  if(!$('c_o').value||$('c_n').value.length<4)return msg('Enter old password and a new password of 4+
characters.',false);
  if($('c_n').value!==$('c_c').value)return msg('New passwords do not match.',false);
  $('c_o').value=$('c_n').value=$('c_c').value='';msg('Password changed successfully.');
}

// ------------------------------------------------ search
function on_search(){
  var
places=[];buses.forEach(function(b){[b.from,b.to].forEach(function(p){if(places.indexOf(p)<0)places.pu
sh(p)})});places.sort();
  var o=places.map(function(p){return '<option>'+p+'</option>'}).join('');

if(!$('s_f').options.length){$('s_f').innerHTML=o;$('s_t').innerHTML=o;$('s_t').selectedIndex=Math.min
(1,places.length-1);$('s_d').value=addDays(1)}
}
function inSlot(t,s){var h=+t.split(':')[0];return
!s||(s==='m'&&h<12)||(s==='a'&&h>=12&&h<18)||(s==='n'&&h>=18)}
function searchBus(){
  var f=$('s_f').value,t=$('s_t').value,s=$('s_tm').value;
  var r=buses.filter(function(b){return b.from===f&&b.to===t&&inSlot(b.time,s)});
  $('results').innerHTML=r.length?r.map(function(b){
    return '<div class="card bus"><div><h2>'+esc(b.photo)+' '+esc(b.name)+'</h2><span
class="muted">'+esc(b.cat)+' &middot; '+esc(b.from)+' &rarr; '+esc(b.to)+' &middot; Departs
'+b.time+'</span><br>'+esc(b.desc)+
```

```
    '</div><div><b>Rs. '+b.fare+'</b><br><span class="ok">'+(b.seats-b.taken.length)+' seats
available</span><br><br><button onclick="openSeats('+b.id+')">View
Seats</button></div></div>'}).join(''):'<div class="card">No buses found for this route/time.</div>';
}
function openSeats(id){cur=buses.find(function(b){return b.id===id});sel=[];show('seatpage')}
function on_seatpage(){
  $('sp_info').innerHTML='<b>'+esc(cur.name)+'</b> - '+esc(cur.from)+' to '+esc(cur.to)+',
'+$('s_d').value+' at '+cur.time+'. Fare Rs. '+cur.fare+' per seat';
  drawSeats();
}
function drawSeats(){
  var h='';
  for(var i=1;i<=cur.seats;i++){
    var t=cur.taken.indexOf(i)>=0,s=sel.indexOf(i)>=0;
    h+='<div class="seat'+(t?' taken':'')+(s?' sel':'')+'"
'+(t?'':'onclick="pick('+i+')"')+'>'+i+'</div>';
    if(i%4===2)h+='<div class="seat gap"></div>';
  }
  $('seatgrid').innerHTML=h;$('sp_sel').textContent=sel.length?sel.slice().sort(function(a,b){return
a-b}).join(', '):'none';$('sp_tot').textContent='Rs. '+(sel.length*cur.fare);
}
function pick(i){var k=sel.indexOf(i);if(k>=0)sel.splice(k,1);else if(sel.length<6)sel.push(i);else
msg('You can select at most 6 seats.',false);drawSeats()}
function bookSeats(){
  if(!sel.length)return msg('Select at least one seat.',false);
  if(!$('pd_n').value.trim()||!($('pd_a').value>0)||$('pd_p').value.replace(/\D/g,'').length<10)return
msg('Enter passenger name, age and a 10-digit phone number.',false);
  var b={id:nextB++,bus:cur.id,seats:sel.slice().sort(function(a,b){return a-
b}),date:$('s_d').value,name:$('pd_n').value.trim(),total:sel.length*cur.fare,by:me.u,status:'Booked'}
;
  cur.taken=cur.taken.concat(b.seats);bookings.push(b);
  show('ticket');
  $('tk').innerHTML='<b>Ticket #'+b.id+'</b><br>'+esc(cur.name)+'
('+esc(cur.cat)+')<br>'+esc(cur.from)+' &rarr; '+esc(cur.to)+'<br>Date: '+b.date+' &middot; Time:
'+cur.time+'<br>Passenger: '+esc(b.name)+'<br>Seats: '+b.seats.join(', ')+'<br><b>Amount paid: Rs.
'+b.total+'</b>';
}

// ------------------------------------------------ my bookings / cancel
function busOf(id){return buses.find(function(b){return
b.id===id})||{name:'(removed)',from:'',to:'',taken:[]}}
function on_mybookings(){
  var r=bookings.filter(function(b){return b.by===me.u}).map(function(b){var x=busOf(b.bus);
    return '<tr><td>#'+b.id+'</td><td>'+esc(x.name)+'</td><td>'+esc(x.from)+' &rarr;
'+esc(x.to)+'</td><td>'+b.date+'</td><td>'+b.seats.join(', ')+'</td><td>Rs. '+b.total+'</td><td
class="'+(b.status==='Booked'?'ok':'bad')+'">'+b.status+'</td>'+
    '<td><button class="s red" '+(b.status==='Booked'?'':'disabled')+'
onclick="cancelTicket('+b.id+')">Cancel Ticket</button></td></tr>'}).join('')||'<tr><td colspan="8">No
bookings yet.</td></tr>';

$('mb').innerHTML='<table><tr><th>Ticket</th><th>Bus</th><th>Route</th><th>Date</th><th>Seats</th><th>
Amount</th><th>Status</th><th>Action</th></tr>'+r+'</table>';
}
function cancelTicket(id){
  var b=bookings.find(function(x){return x.id===id});if(!confirm('Cancel ticket #'+id+'?'))return;
  b.status='Cancelled';var x=busOf(b.bus);x.taken=x.taken.filter(function(s){return
b.seats.indexOf(s)<0});on_mybookings();msg('Ticket cancelled and seats released.');
}

// ------------------------------------------------ comments
function on_comments(){$('cm_bus').innerHTML=buses.map(function(b){return '<option
value="'+b.id+'">'+esc(b.name)+'</option>'}).join('');drawComments()}
function drawComments(){var
c=comments[$('cm_bus').value]||[];$('cm_list').innerHTML=c.length?c.map(function(x){return
'<p><b>'+esc(x.u)+':</b> '+esc(x.t)+'</p>'}).join(''):'<p class="muted">No comments yet. Be the
first!</p>'}
function postComment(){var t=$('cm_t').value.trim();if(!t)return msg('Write a comment
first.',false);var
k=$('cm_bus').value;(comments[k]=comments[k]||[]).push({u:me.u,t:t});$('cm_t').value='';drawComments()
;msg('Comment posted.')}

// ------------------------------------------------ admin
function
on_a_cat(){$('cat_list').innerHTML='<table><tr><th>Category</th><th></th></tr>'+cats.map(function(c,i)
{return '<tr><td>'+esc(c)+'</td><td><button class="s red"
onclick="delCat('+i+')">Delete</button></td></tr>'}).join('')+'</table>'}
function addCat(){var n=$('cat_n').value.trim();if(!n)return msg('Enter a category
name.',false);if(cats.indexOf(n)>=0)return msg('Category already
exists.',false);cats.push(n);$('cat_n').value='';on_a_cat();msg('Category added.')}
```

```
function delCat(i){cats.splice(i,1);on_a_cat()}
function on_a_bus(){$('ab_c').innerHTML=cats.map(function(c){return
'<option>'+esc(c)+'</option>'}).join('');drawBusList()}
function drawBusList(){


$('ab_list').innerHTML='<table><tr><th>Bus</th><th>Category</th><th>Route</th><th>Time</th><th>Fare</t
h><th>Seats free</th><th></th></tr>'+buses.map(function(b){
    return '<tr><td>'+esc(b.photo)+' '+esc(b.name)+'</td><td>'+esc(b.cat)+'</td><td>'+esc(b.from)+'
&rarr; '+esc(b.to)+'</td><td>'+b.time+'</td><td>'+b.fare+'</td><td>'+(b.seats-
b.taken.length)+'</td><td><button class="s" onclick="editBus('+b.id+')">Edit</button> <button class="s
red" onclick="delBus('+b.id+')">Delete</button></td></tr>'}).join('')+'</table>';
}
function editBus(id){var b=buses.find(function(x){return
x.id===id});$('ab_id').value=id;$('ab_n').value=b.name;$('ab_c').value=b.cat;$('ab_ph').value=b.photo;
$('ab_f').value=b.from;$('ab_t').value=b.to;$('ab_l').value=b.loc;$('ab_tm').value=b.time;$('ab_fare')
.value=b.fare;$('ab_s').value=b.seats;$('ab_d').value=b.desc;window.scrollTo(0,0)}
function
clearBusForm(){['ab_id','ab_n','ab_f','ab_t','ab_l','ab_d'].forEach(function(i){$(i).value=''})}
function saveBus(){
  var
n=$('ab_n').value.trim(),f=$('ab_f').value.trim(),t=$('ab_t').value.trim(),s=Math.min(40,+$('ab_s').va
lue);
  if(!n||!f||!t|||(s>0)|||!($('ab_fare').value>0))return msg('Fill in name, route, fare and
seats.',false);
  var id=+$('ab_id').value,b=id?buses.find(function(x){return x.id===id}):null;
  if(!b){b={id:buses.reduce(function(m,x){return Math.max(m,x.id)},0)+1,taken:[]};buses.push(b)}

b.name=n;b.cat=$('ab_c').value;b.photo=$('ab_ph').value||'\u{1F68C}';b.from=f;b.to=t;b.loc=$('ab_l').v
alue;b.time=$('ab_tm').value;b.fare=+$('ab_fare').value;b.seats=s;b.desc=$('ab_d').value;
  clearBusForm();drawBusList();msg('Bus saved.');
}
function delBus(id){if(confirm('Delete this bus?')){buses=buses.filter(function(b){return
b.id!==id});drawBusList()}}
function
on_a_users(){$('au').innerHTML='<table><tr><th>Username</th><th>Name</th><th>Email</th><th>Phone</th><
th></th></tr>'+users.map(function(u,i){return
'<tr><td>'+esc(u.u)+'</td><td>'+esc(u.n)+'</td><td>'+esc(u.e)+'</td><td>'+esc(u.ph)+'</td><td><button
class="s red" onclick="delUser('+i+')">Remove</button></td></tr>'}).join('')+'</table>'}
function delUser(i){if(confirm('Remove this user?')){users.splice(i,1);on_a_users()}}
function on_a_news(){$('nw_list').innerHTML='<ul>'+news.map(function(n,i){return '<li>'+esc(n)+'
<button class="s red" onclick="delNews('+i+')">x</button></li>'}).join('')+'</ul>'}
function addNews(){var t=$('nw_t').value.trim();if(!t)return msg('Enter a
headline.',false);news.unshift(t);$('nw_t').value='';on_a_news();msg('News published.')}
function delNews(i){news.splice(i,1);on_a_news()}
function on_a_report(){
  var ok=bookings.filter(function(b){return b.status==='Booked'}),rev=ok.reduce(function(s,b){return
s+b.total},0);
  var per=buses.map(function(b){var x=ok.filter(function(k){return k.bus===b.id});return
'<tr><td>'+esc(b.name)+'</td><td>'+x.length+'</td><td>'+x.reduce(function(s,k){return
s+k.seats.length},0)+'</td><td>Rs. '+x.reduce(function(s,k){return
s+k.total},0)+'</td></tr>'}).join('');
  $('rp').innerHTML='<div class="stat"><b>'+ok.length+'</b>Active bookings</div><div
class="stat"><b>'+(bookings.length-ok.length)+'</b>Cancelled</div><div class="stat"><b>Rs.
'+rev+'</b>Revenue</div><div class="stat"><b>'+users.length+'</b>Users</div>'+
   '<div class="tw"><table><tr><th>Bus</th><th>Bookings</th><th>Seats
sold</th><th>Revenue</th></tr>'+per+'</table></div><p><button onclick="window.print()">Print
Report</button></p>';
}

show('login');
</script>
</body>
</html>
```

7. Output

Output 1: Login page



8. Result

The online bus ticket booking system prototype was designed and tested successfully; all the listed pages and features work in the browser.