UI5 Routing with Reusable Components Bring reusability to a new ultimate

Jiawei Cao, SAP SE Florian Vogt, SAP SE July 10th, 2020




Routing Configuration

the well known part

```
"sap.ui5": {
   "routing": {
       "routes": [{
           "name": "homeRoute",
           "target": "homeTarget",
           "pattern": ""
       }],
       "targets": {
          "homeTarget": {
             "type": "View",
```



Overview




Router

Route

View Target




Overview



- Router
- Route
- View Target
- Component Target



Overview



Step 1: Configure the target to load a Component

```
"sap.ui5": {
   "routing": {
       "routes": [{
           "name": "homeRoute",
           "target": "homeTarget"
       }],
       "targets": {
          "homeTarget": {
              "type": "View",
          },
```



Step 1: Configure the target to load a Component

```
"sap.ui5": {
   "routing": {
       "routes": [{
            "name": "homeRoute",
            "target": "homeTarget"
       }],
       "targets": {
          "homeTarget": {
              "type": "View",
          },
```

```
"componentUsages": {
    "suppliersComponent": {
        "name": "...",
        "settings": {},
        "componentData": {},
        "lazy": false
    }
},
```



Step 1: Configure the target to load a Component

```
"sap.ui5": {
   "routing": {
       "routes": [{
           "name": "homeRoute",
           "target": "homeTarget"
       }],
       "targets": {
          "homeTarget": {
              "type": "View",
```

```
"componentUsages": {
    "suppliersComponent": {
        "name": "...",
        "settings": {},
        "componentData": {},
        "lazy": false
    }
},
```

```
"suppliersTarget": {
    "type": "Component",
    "usage": "suppliersComponent",
    ...
}
```



Step 2: Configure the route which displays the "Component" target

```
"sap.ui5": {
    "componentUsages": {...},
    "routing": {
        "routes": [{
            "name": "homeRoute",
        },
        "targets": {
            "homeTarget": {...},
            "suppliersTarget": {
                "type": "Component",
                "usage": "suppliersComponent",
```

```
"name": "suppliersRoute",
    "pattern": "suppliers",
    "target": {
        "name": "suppliersTarget",
        "prefix": "s"
}
```




Step 3(a): Use the router to navigate


```
this.getOwnerComponent().getRouter().navTo("suppliersRoute");
```



Overview - Advanced



Overview - Advanced



Step 3(b): Use the router to navigate to a specific route

```
this.getOwnerComponent().getRouter().navTo("suppliersRoute");
this.getOwnerComponent().getRouter().navTo("suppliersRoute", {}, {
    suppliersTarget: {
        route: "detailRoute",
        parameters: {
            id: "HT-001"
});
```





Demo Time

Florian Vogt
UI5 Core Developer
florian.vogt@sap.com

Demo Code:

https://github.com/flovogt/ui5con20-ui5-routing

Further Information

- Blogpost https://blogs.sap.com/2020/02/05/ui5er-buzz-46-routing-with-nested-components/
- Dev Guide:
 - Enable routing in Nested Components:
 https://openui5.hana.ondemand.com/topic/fb19f501b16e4e4991eb6a017770945b
 - Navigate with Nested Components:
 https://openui5.hana.ondemand.com/topic/8e9d6e4df5464eb5a6e40696c4d2ccd6



Thank you.

Jiawei Cao
UI5 Core Development Expert
jiawei.cao@sap.com

Florian Vogt
UI5 Core Developer
florian.vogt@sap.com

