









STK-INF3000/4000

PREVENT BULLYING ON TWITTER

Anne Martine Myking
Lisa Li

Outline




-  Introduction
-  Collecting the data
-  Use different methods
-  Problems
-  Other's ideas
-  Further work

Introduction

- 🐦 Why did we choose the project?
- 🐦 Cyber bullying
- 🐦 Bullying - hurtful comments, humiliation, verbal threats
- 🐦 Twitter is trying to prevent bullying

Collecting the data


Words:

-  idiot, nerd, kill yourself, slut, moron, whore, rape + bitch, fat, hate you, nobody likes you
-  “typical” bullying words
-  Worse than others

Filtered out retweets


Collecting data - 1st method

- 🐦 Three datasets of tweets
- 🐦 Approx. 10 000 tweets
- 🐦 5-10 min interval




Collecting data - 2nd method

- 🐦 100 tweets per word
- 🐦 latest tweets
- 🐦 Time interval



Account info

- Account age
- Number of previous tweets
- Count
- Not enough data yet




Problems

- 🐦 We cannot get all data
- 🐦 Abbreviation
- 🐦 Words chosen may not be bullying
- 🐦 Examples: positive / negative content

What are Twitter doing?

 Twitter have taken measures

-  Potentially sensitive content

 Other researches - similarly approach



-  Classifications, Data mining

Further work



- 🐦 Analysed the data
- 🐦 Tweets consisting bullying words
- 🐦 Filter out non-bullying tweets
- 🐦 Training data, test data
 - 🐦 New
- 🐦 Lists
 - 🐦 Bully, good, typical daily words, counter

Further work

Dictionary

-  Users → keep an eye, warning, warning to others, terminate
-  Youtube copyright, three strikes

Account

-  Only starting from now
-  Previous tweets

Another way to think for twitter

Thank you!