Learning a Part-of-Speech Tagger from Minimal Annotation

Dan Garrette

University of Texas at Austin

Supervised training is not an option.

Supervised training is not an option.

We do semi-supervised training.

Supervised training is not an option.

We do semi-supervised training.

Annotate some data by hand

Supervised training is not an option.

We do semi-supervised training.

Annotate some data by hand... cheaply

HMM with Expectation-Maximization (EM)

HMM with Expectation-Maximization (EM)

Need:

HMM with Expectation-Maximization (EM)

Need:

Large raw corpus

HMM with Expectation-Maximization (EM)

Need:

Large raw corpus

Tag dictionary

HMM with Expectation-Maximization (EM)

Need:

Large raw corpus - know how to get this

Tag dictionary


HMM with Expectation-Maximization (EM)


Need:

[Kupiec, 1992] [Merialdo, 1994]

tag dict entries

# tag dict entries	2,000			
	1,500			
	I,000 ——			
	500			
	0 ——	Labeled Corpus	2 Hours	






Extremely low coverage means most words are unknown


Extremely low coverage means most words are unknown

⇒ Bad for learning (poorly constrained)






























cover the vocabulary remove noise









Task #1

Up to 4 hours to create a tag dictionary


Task #1

Up to 4 hours to create a tag dictionary

```
the
ordered by
               and
frequency
               only
               can
               York
               into
               after
               president
```

Task #1

Up to 4 hours to create a tag dictionary



Task #2

Up to 4 hours to annotate full sentences

```
Task #2
Up to 4 hours to annotate full sentences
```


```
Pierre Vinken , 61 years old , will join the board as a nonexecutive director Nov. 29 . Mr. Vinken is chairman of Elsevier N.V. , the Dutch publishing group .
```


Task #2

Up to 4 hours to annotate full sentences

```
Pierre Vinken, 61 years old, will join the board as a nonexecutive director Nov. 29 . NNP NNP, CD NNS JJ, MD VB DT NN IN DT JJ NN NNP CD .

Mr. Vinken is chairman of Elsevier N.V., the Dutch publishing group . NNP NNP VB NN IN NNP NNP, DT JJ JJ NN .
```






cover the vocabulary remove noise



Tag Dict Generalization

These annotations are too sparse!

These annotations are too sparse!



Generalize to the entire vocabulary

Our strategy: Label Propagation

Our strategy: Label Propagation

Connect annotations to raw corpus tokens

Our strategy: Label Propagation


Connect annotations to raw corpus tokens


Push tag labels to entire corpus

Type Annotations
the DT
dog NN

Raw Corpus

Type Annotations
the DT
dog NN





Type Annotations the **DT**

dog NN

Raw Corpus

TOK_the_4

TOK_the_1

TOK_thug_5

TOK_dog_2

Type Annotations the **DT**

dog NN

Raw Corpus

TOK_the_4

TOK_the_1

TOK_thug_5

TOK_dog_2

Type Annotations the **DT**

dog NN

Raw Corpus

TOK_the_4

TOK_the_1

TOK_thug_5

TOK_dog_2

Type Annotations the **DT**

dog NN

Raw Corpus

TOK_the_4

TOK_the_1

TOK_thug_5

TOK_dog_2

Type Annotations the **DT**

dog NN

Raw Corpus

TOK_the_4

TOK_the_1

TOK_thug_5

TOK_dog_2

Type Annotations
the DT
dog NN

Raw Corpus

PREV_

PREV_the

NEXT_walks

TOK_the_4


TOK_the_1

TOK_thug_5

TOK_dog_2


Type Annotations
the DT
dog NN


Raw Corpus




Type Annotations
the DT
dog NN


Raw Corpus








Raw Corpus




























Token Annotations
the dog walks
DT NN VBZ


Any arbitrary features could be used





Token Annotations
the dog walks
DT NN VBZ


Any arbitrary features could be used














Finite-State Transducer (FST)




Finite-State Transducer (FST)

Generates morphological analysis




Finite-State Transducer (FST)

Generates morphological analysis




Finite-State Transducer (FST)

Generates morphological analysis




Finite-State Transducer (FST)


- Generates morphological analysis
- Hand-built by a linguist in 10 hours





Finite-State Transducer (FST)


- Generates morphological analysis
- Hand-built by a linguist in 10 hours

























Token Annotations the dog walks


















































































































Result:













Result:

a tag distribution on every token (soft tagging)













Result:

- a tag distribution on every token (soft tagging)
- an expanded tag dictionary (non-zero tags)











Our Approach



cover the vocabulary remove noise



Our Approach



cover the vocabulary remove noise



Model Minimization

- Induce a cleaner hard tagging from a noisy soft tagging.
- Approach based on work by Sujith Ravi and Kevin Knight (ISI)

Model Minimization

Model Minimization

 $\langle b \rangle_0$ The₁ man₂ saw₃ the₄ saw₅ $\langle b \rangle_6$

 $\langle b \rangle_0$ The₁ man₂ saw₃ the₄ saw₅ $\langle b \rangle_6$


DT

NN


>


DT


NN





NN






















NN






T ? ?

man caw the caw <h>

 $\langle b \rangle_0$ The₁ man₂ saw₃ the₄ saw₅ $\langle b \rangle_6$


DT

NN




DT

NN




DT

NN



DT

NN




NN

VBD



(8.0)

0.3





NN

VBD





(8.








NN














f(NN → VBD) (tag bigram occurrences







 $f(DT \rightarrow NN)$




 $f(DT \rightarrow NN)$




















































```
<b>_0 The<sub>1</sub> man<sub>2</sub> saw<sub>3</sub> the<sub>4</sub> saw<sub>5</sub> <b>_6 DT NN VBD DT NN
```


Our Approach



cover the vocabulary remove noise



Our Approach



```
<b>_0 The<sub>1</sub> man<sub>2</sub> saw<sub>3</sub> the<sub>4</sub> saw<sub>5</sub> <b>_6 DT NN VBD DT NN
```

Auto-Tagged Corpus

Expanded
Tag Dictionary

Auto-Tagged
Corpus

Tag Dictionary
Generalization


Expanded
Tag Dictionary

Auto-Tagged Corpus

Tag Dictionary
Generalization


Expanded
Tag Dictionary

Auto-Tagged
Corpus
Initial Emissions
Initial Transitions




Results

	00
	90
	85
accuracy	80
	75
	70
	70 ————————————————————————————————————








annotation time

[English]


Morphological Analysis



annotation time


[Kinyarwanda]

Morphological Analysis




[Kinyarwanda]

Morphological Analysis




[Kinyarwanda]

Total Accuracy



[4 hours of type annotation]

Unknown Word Accuracy



[2 hours of type annotation]

All of Wiktionary (Li et al., 2012)

All of Wiktionary (Li et al., 2012)

87%

All of Wiktionary (Li et al., 2012)

87%

Parallel Corpus (Täckström et al., 2013)

All of Wiktionary (Li et al., 2012) 87%

Parallel Corpus (Täckström et al., 2013) 89%

All of Wiktionary (Li et al., 2012) 87%

Parallel Corpus (Täckström et al., 2013) 89%

4-hours (Garrette et al., 2013)

All of Wiktionary (Li et al., 2012) 87%

Parallel Corpus (Täckström et al., 2013) 89%

4-hours (Garrette et al., 2013) 90%

12 tags All of Wiktionary (Li et al., 2012)

87%

Parallel Corpus (Täckström et al., 2013)

89%

4-hours (Garrette et al., 2013)

90%

12 tags All of Wiktionary (Li et al., 2012)

87%

Parallel Corpus (Täckström et al., 2013)

89%

45 tags

4-hours (Garrette et al., 2013)

90%

Parallel Corpus (Täckström et al., 2013)
Turkish

Parallel Corpus (Täckström et al., 2013)

Turkish

65%

Parallel Corpus (Täckström et al., 2013)

Turkish

65%

4-hours (Garrette et al., 2013) Kinyarwanda

Parallel Corpus (Täckström et al., 2013)

Turkish

65%

4-hours (Garrette et al., 2013)

Kinyarwanda

82%

Current Work

- Minimally supervised CCG supertagging and parsing
- Human-provided GFL annotations

Conclusion

- Our approach is able to achieve results better that or comparable to others, but given significantly less input.
- Our annotations are available to others.
- Software available as well.