

Project Report
On

Online Shopping Portal

ACKNOWLEDGEMENT

I am deeply grateful to my esteemed guide, **Mr. XYZ**, whose guidance and advice have been invaluable throughout the course of this project. His expertise and encouragement have played a crucial role in its successful completion.

I would also like to extend my sincere thanks to **Mr. XYZ**, head of the division, for providing the necessary resources and support that made this project possible.

I would further like to acknowledge the assistance of the faculty members, whose insight and contributions were instrumental in shaping the project.

Finally, I extend my heartfelt appreciation to my parents and friends for their unwavering support, valuable suggestions, and encouragement, all of which have been essential in the completion of this project.

ABSTRACT

The Online Shopping Portal System is designed to offer customers a seamless and convenient shopping experience by providing a digital platform where they can browse, select, and purchase products from a variety of categories. The system streamlines the traditional shopping process by incorporating user-friendly features such as product search, detailed descriptions, reviews, secure payment gateways, and order tracking.

This system is built with the objective of enhancing the shopping experience for users by allowing them to access a wide range of products from the comfort of their homes. The portal also offers sellers a space to display their products and manage inventory effectively. The system integrates functionalities such as product recommendation, customer feedback, wishlist management, and real-time stock updates.

Security and privacy are key considerations in the development of this portal, ensuring that user data is protected and transactions are securely processed. Additionally, the portal provides registered users with personalized accounts where they can manage their orders, track delivery, and view purchase history.

The project explores the full development life cycle of this online shopping system, focusing on the technical aspects of designing a scalable and user-centric platform. It also highlights the impact of online shopping on consumer behavior, market trends, and the future of e-commerce.

INDEX

<u>S. N</u>	<u>CONTENTS</u>
1.	INTRODUCTION
2.	ANALYSIS
	2.1 SYSTEM ANALYSIS
	2.2 SYSTEM SPECIFICATIONS
3.	DESIGN APPROACH
	3.1 INTRODUCTION TO DESIGN
	3.2 UML DIAGRAMS
	3.3 DATA FLOW DIAGRAMS
	3.4 E-R DIAGRAMS
4.	PROJECT MODULES
5.	IMPLEMENTATION
6.	CONCEPTS AND TECHNIQUES
7.	TESTING
8.	TEST CASES
9.	OUTPUT SCREENS
10.	CONCLUSION
11.	FUTURE ENHANCEMENTS
12.	BIBILIOGRAPHY

Introduction

INTRODUCTION:

In the rapidly evolving digital age, online shopping has transformed the traditional retail landscape, providing consumers with unprecedented convenience and access to a wide variety of products. The **Online Shopping Portal** is a web-based system that allows users to browse, compare, and purchase products or services directly from the comfort of their homes.

The primary objective of this system is to simplify the shopping experience for users while providing a platform for businesses to expand their reach. It eliminates the geographical and time limitations associated with conventional shopping, offering a 24/7 shopping experience. By leveraging the power of the internet, customers can shop at any time, from any place, without needing to visit physical stores.

The portal is designed to cater to two major user groups:

1. **Consumers**, who are looking for a wide range of products and services with easy access to product details, reviews, and secure payment options.
2. **Sellers**, who can display their products, manage inventories, and track customer orders in real-time.

Key features of the **Online Shopping Portal** include:

- **Product Catalog:** A comprehensive list of products across multiple categories.
- **Customer Reviews and Ratings:** An interactive section where users can share their shopping experiences and rate products.
- **Search and Filter Options:** Advanced search functionality allowing users to find desired products quickly.
- **Secure Payment Gateways:** Integration with various payment methods ensuring safe transactions.
- **Order Tracking:** Real-time updates on order status from placement to delivery.

In addition to enhancing user experience, the system also addresses crucial aspects like data security, user privacy, and payment protection. It is built using modern web technologies and follows best practices in user interface

design, ensuring that the portal is easy to navigate and accessible on different devices.

This project not only focuses on the technical development of the portal but also explores the impact of online shopping on consumer behavior, the efficiency of e-commerce, and the growing trend of digital commerce in the global marketplace.

OBJECTIVE:

The primary objective of the **Online Shopping Portal** project is to create a comprehensive, user-friendly platform that facilitates seamless online shopping experiences for consumers while empowering businesses to effectively manage their product offerings and customer interactions. The specific objectives include:

1. **Enhancing User Experience:** To provide an intuitive and engaging interface that allows users to easily navigate through product categories, view detailed descriptions, and make informed purchasing decisions.
2. **Streamlining the Purchase Process:** To implement a secure and efficient shopping cart and checkout system, enabling users to complete their transactions with minimal steps and maximum security.
3. **Integrating Advanced Search and Filter Options:** To offer users the ability to quickly find products using various filters such as category, price range, brand, and ratings, enhancing the overall shopping experience.
4. **Facilitating Customer Interaction:** To allow users to leave reviews and ratings for products, fostering a sense of community and enabling informed decisions based on peer feedback.
5. **Providing Robust Seller Tools:** To equip sellers with comprehensive tools for managing their inventories, tracking orders, and analyzing sales data to optimize their business strategies.
6. **Ensuring Data Security and Privacy:** To implement strong security measures to protect user data and ensure safe transactions, building trust with customers.
7. **Offering Multiple Payment Options:** To integrate various payment gateways, allowing users to choose their preferred payment method for greater convenience.

8. **Real-Time Order Tracking:** To provide users with updates on their order status from confirmation to delivery, ensuring transparency and enhancing customer satisfaction.
9. **Scalability and Future Growth:** To develop a system that can be easily scaled and adapted to accommodate future technological advancements and increasing user demands.

By achieving these objectives, the Online Shopping Portal aims to enhance the online shopping experience, drive sales for businesses, and contribute to the growth of e-commerce in the digital marketplace.

Analysis

SYSTEM ANALYSIS:

1. Existing System

Existing system is a manual one in which users are maintaining books to store the information like product details, purchases, sales details and accounts for every month. It is very difficult to maintain historical data.

2. Disadvantages:

The following are the disadvantages of the existing system

- It is difficult to maintain important information in books.
- More manual hours need to generate required reports.
- It is tedious to manage historical data which needs much space to keep all the previous years' ledgers, books etc.
- Daily sales and purchases details must be entered into books are very difficult to maintain.

3. Objective of the System

The objective of the Shopping Cart is to provide better information for the users of this system for better results for their maintenance in the product details that is sales, purchases and stock.

System Specifications

Hardware Requirements:-

- Dual Core(Processor).
- 256 MB Ram
- 512 KB Cache Memory
- Hard disk 10 GB
- Microsoft Compatible 101 or more Key Board

Software Requirements: -

Technology Implemented : Apache Server

Language Used : Python (Framework is Django)

Database : MySQL

User Interface Design : HTML, AJAX,JQUERY,JAVASCRIPT

Web Browser : Mozilla, Google Chrome, IE8,OPERA

Software : XAMPP Server

Design

INTRODUCTION:

Design is the first step in the development phase for any techniques and principles for the purpose of defining a device, a process or system in sufficient detail to permit its physical realization.

Once the software requirements have been analyzed and specified the software design involves three technical activities - design, coding, implementation and testing that are required to build and verify the software.

The design activities are of main importance in this phase, because in this activity, decisions ultimately affecting the success of the software implementation and its ease of maintenance are made. These decisions have the final bearing upon reliability and maintainability of the system. Design is the only way to accurately translate the customer's requirements into finished software or a system.

Design is the place where quality is fostered in development. Software design is a process through which requirements are translated into a representation of software. Software design is conducted in two steps. Preliminary design is concerned with the transformation of requirements into data.

UML Diagrams:

Actor:

A coherent set of roles that users of use cases play when interacting with the use `cases.



Use case:

A description of sequence of actions, including variants, that a system performs that yields an observable result of value of an actor.



UML stands for Unified Modeling Language. UML is a language for specifying, visualizing and documenting the system. This is the step while developing any product after analysis. The goal from this is to produce a model of the entities involved in the project which later need to be built. The representation of the entities that are to be used in the product being developed need to be designed.

There are various kinds of methods in software design:

They are as follows:

- Use case Diagram
- Sequence Diagram
- Collaboration Diagram

- Activity Diagram
- State chat Diagram

USECASE DIAGRAMS:

Use case diagrams model behavior within a system and helps the developers understand of what the user require. The stick man represents what's called an actor.

Use case diagram can be useful for getting an overall view of the system and clarifying who can do and more importantly what they can't do.


Use case diagram consists of use cases and actors and shows the interaction between the use case and actors.

- The purpose is to show the interactions between the use case and actor.
- To represent the system requirements from user's perspective.
- An actor could be the end-user of the system or an external system.


USECASE DIAGRAM:

A Use case is a description of set of sequence of actions. Graphically it is rendered as an ellipse with solid line including only its name. Use case diagram is a behavioral diagram that shows a set of use cases and actors and their relationship. It is an association between the use cases and actors. An actor represents a real-world object. Primary Actor – Sender, Secondary Actor Receiver.


Use Case Diagram of User side




Use Case Diagram of admin



Activity Diagram for User Side




Activity Diagram for Admin Side

COLLABORATION DIAGRAM:

A collaboration diagram is an introduction diagram that emphasizes the structural organization of the objects that send and receive messages. Graphically a collaboration diagram is a collection of vertices and arcs.

Collaboration Diagram




CLASS DIAGRAM:

Class is nothing but a structure that contains both variables and methods. The Class Diagram shows a set of classes, interfaces, and collaborations and their relating ships. There is most common diagram in modeling the object oriented systems and are used to give the static view of a system. It shows the dependency between the classes that can be used in our system.

The interactions between the modules or classes of our projects are shown below. Each block contains Class Name, Variables and Methods.

Shopping Cart



DATA FLOW DIAGRAMS:

The DFD takes an input-process-output view of a system i.e. data objects flow into the software, are transformed by processing elements, and resultant data objects flow out of the software.

Data objects represented by labeled arrows and transformation are represented by circles also called as bubbles. DFD is presented in a hierarchical fashion i.e., the first data flow model represents the system as a whole. Subsequent DFD refine the context diagram (level 0 DFD), providing increasing details with each subsequent level.

The DFD enables the software engineer to develop models of the information domain & functional domain at the same time. As the DFD is refined into greater levels of details, the analyst performs an implicit functional decomposition of the system. At the same time, the DFD refinement results in a corresponding refinement of the data as it moves through the process that embody the applications.


A context-level DFD for the system the primary external entities produce information for use by the system and consume information generated by the system. The labeled arrow represents data objects or object hierarchy.

RULES FOR DFD:


- Fix the scope of the system by means of context diagrams.
- Organize the DFD so that the main sequence of the actions
- Reads left to right and top to bottom.
- Identify all inputs and outputs.
- Identify and label each process internal to the system with Rounded circles.
- A process is required for all the data transformation and Transfers. Therefore, never connect a data store to a data Source or the destinations or another data store with just a Data flow arrow.
- Do not indicate hardware and ignore control information.
- Make sure the names of the processes accurately convey everything the process is done.
- There must not be unnamed process.
- Indicate external sources and destinations of the data, with Squares.
- Number each occurrence of repeated external entities.
- Identify all data flows for each process step, except simple Record retrievals.
- Label data flow on each arrow.
- Use details flow on each arrow.
- Use the details flow arrow to indicate data movements.

DATAFLOW DIAGRAMS:


Zero Level DFD




First Level DFD



Second Level DFD





E-R Diagrams:

The Entity-Relationship (ER) model was originally proposed by Peter in 1976 [Chen76] as a way to unify the network and relational database views. Simply stated the ER model is a conceptual data model that views the real world as entities and relationships. A basic component of the model is the Entity-Relationship diagram which is used to visually represents data objects. Since Chen wrote his paper the model has been extended and today it is commonly used for database design For the database designer, the utility of the ER model is:

- it maps well to the relational model. The constructs used in the ER model can easily be transformed into relational tables.
- it is simple and easy to understand with a minimum of training. Therefore, the model can be used by the database designer to communicate the design to the end user.
- In addition, the model can be used as a design plan by the database developer to implement a data model in a specific database management software.

Connectivity and Cardinality

The basic types of connectivity for relations are: one-to-one, one-to-many, and many-to-many. A *one-to-one* (1:1) relationship is when at most one instance of a entity A is associated with one instance of entity B. For example, "employees in the company are each assigned their own office. For each employee there exists a unique office and for each office there exists a unique employee.

A *one-to-many* (1:N) relationships is when for one instance of entity A, there are zero, one, or many instances of entity B, but for one instance of entity B, there is only one instance of entity A. An example of a 1:N relationships is a department has many employees

each employee is assigned to one department

A *many-to-many* (M:N) relationship, sometimes called non-specific, is when for one instance of entity A, there are zero, one, or many instances of entity B and for one instance of entity B there are zero, one, or many instances of entity A. The connectivity of a relationship describes the mapping of associated

ER Notation


There is no standard for representing data objects in ER diagrams. Each modeling methodology uses its own notation. The original notation used by Chen is widely used in academics texts and journals but rarely seen in either CASE tools or publications by non-academics. Today, there are a number of notations used, among the more common are Bachman, crow's foot, and IDEFIX.

All notational styles represent entities as rectangular boxes and relationships as lines connecting boxes. Each style uses a special set of symbols to represent the cardinality of a connection. The notation used in this document is from Martin. The symbols used for the basic ER constructs are:

- **entities** are represented by labeled rectangles. The label is the name of the entity. Entity names should be singular nouns.
- **relationships** are represented by a solid line connecting two entities. The name of the relationship is written above the line. Relationship names should be verbs
- **attributes**, when included, are listed inside the entity rectangle. Attributes which are identifiers are underlined. Attribute names should be singular nouns.
- **cardinality** of many is represented by a line ending in a crow's foot. If the crow's foot is omitted, the cardinality is one.
- **existence** is represented by placing a circle or a perpendicular bar on the line. Mandatory existence is shown by the bar (looks like a 1) next to the entity for an instance is required. Optional existence is shown by placing a circle next to the entity that is optional

Shopping Cart

ER DIAGRAM



DATABASE DESIGN

Database is an integrated collection of data and provides a centralized access to the data and makes possible to treat data as a separate resource. Usually centralized data managing software is called a Relational Database Management System (RDBMS). The most significant difference between RDBMS and other type of Data Management is the separation of data as seen by the program and data as stored on the direct access storage device. This is the difference between logical and physical data.

Data Dictionary:

The efficiency of an application developed using RDBMS mainly depends upon the database tables, the fields in each table and the way the tables are opened using the contents in them to retrieve the necessary information. Hence a careful selection of tables and their fields is imperative.

The database tables used in this system are created keeping the above points in mind.

Online Shopping Portal Project contains 21 MySQL tables (In this MySQL 12 table is customized and 9 table made by default in django) :

Customized Tables Details

Custom user Table :(Table name is shoppingapp_customuser)

This table store personal and login details of both admin and users.

shoppingapp_customuser

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra
1	id	int(11)			No	None		AUTO_INCREMENT
2	password	varchar(128)	utf8mb4_general_ci		No	None		
3	last_login	datetime(6)			Yes	NULL		
4	is_superuser	tinyint(1)			No	None		
5	username	varchar(150)	utf8mb4_general_ci		No	None		
6	first_name	varchar(150)	utf8mb4_general_ci		No	None		
7	last_name	varchar(150)	utf8mb4_general_ci		No	None		
8	email	varchar(254)	utf8mb4_general_ci		No	None		
9	is_staff	tinyint(1)			No	None		
10	is_active	tinyint(1)			No	None		
11	date_joined	datetime(6)			No	None		
12	user_type	varchar(50)	utf8mb4_general_ci		No	None		
13	profile_pic	varchar(100)	utf8mb4_general_ci		No	None		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	3	A	No	
username	BTREE	Yes	No	username	3	A	No	

Brand Table: (Table name is shoppingapp_brand)

This table store the logo and brand name of products.

shoppingapp_brand

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra
1	id	int(11)			No	None		AUTO_INCREMENT
2	brandname	varchar(250)	utf8mb4_general_ci		No	None		
3	brandlogo	varchar(100)	utf8mb4_general_ci		No	None		
4	created_at	datetime(6)			No	None		
5	updated_at	datetime(6)			No	None		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	9	A	No	

Shopping Cart Table :(Table name is shoppingapp_cart)

This table store products details which is added in cart by user.

shoppingapp_cart

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra
1	id	int(11)			No	None		AUTO_INCREMENT
2	quantity	int(10)		UNSIGNED	No	None		
3	added_at	datetime(6)			No	None		
4	product_id	int(11)			No	None		
5	reguser_id	int(11)			No	None		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	2	A	No	
shoppingapp_cart_product_id_2368ec21_fk_shoppingapp_products_id	BTREE	No	No	product_id	2	A	No	
shoppingapp_cart_reguser_id_f1fa9cbe_fk_shoppingapp_regusers_id	BTREE	No	No	reguser_id	2	A	No	

Category Table :(Table name is shoppingapp_category)

This table store the category of products.

shoppingapp_category

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra
1	id	int(11)			No	None		AUTO_INCREMENT
2	catname	varchar(200)	utf8mb4_general_ci		No	None		
3	catdes	longtext	utf8mb4_general_ci		No	None		
4	created_at	datetime(6)			No	None		
5	updated_at	datetime(6)			No	None		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	14	A	No	

Subcategory Table :(Table name is subcategory)

This table store the subcategory of products.

shoppingapp_subcategory

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra
1	id	int(11)			No	None		AUTO_INCREMENT
2	subcatname	varchar(200)	utf8mb4_general_ci		No	None		
3	created_at	datetime(6)			No	None		
4	updated_at	datetime(6)			No	None		
5	cat_id_id	int(11)			No	None		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	25	A	No	
shoppingapp_subcateg_cat_id_id_d4019f5b_fk_shoppinga	BTREE	No	No	cat_id_id	25	A	No	

Orders Table :(Table name is shoppingapp_order)

This table store the billing, shipping and transaction method of users.

shoppingapp_order

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra
1	id	int(11)			No	None		AUTO_INCREMENT
2	billing_address	longtext	utf8mb4_general_ci		No	None		
3	shipping_address	longtext	utf8mb4_general_ci		No	None		
4	transaction_method	varchar(50)	utf8mb4_general_ci		No	None		
5	created_at	datetime(6)			No	None		
6	reguser_id	int(11)			No	None		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	11	A	No	
shoppingapp_order_reguser_id_fcac18d6_fk_shoppingapp_regusers_id	BTREE	No	No	reguser_id	5	A	No	

Order item Table: (Table name is shoppingapp_orderitem)

This table store details of item which is order by users.

shoppingapp_orderitem

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra
1	id	int(11)			No	None		AUTO_INCREMENT
2	quantity	int(10)		UNSIGNED	No	None		
3	price	decimal(10,2)			No	None		
4	shipping_charge	decimal(10,2)			No	None		
5	remark	varchar(250)	utf8mb4_general_ci		No	None		
6	status	varchar(250)	utf8mb4_general_ci		No	None		
7	updated_at	datetime(6)			No	None		
8	order_id	int(11)			No	None		
9	product_id	int(11)			No	None		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	11	A	No	
shoppingapp_orderitem_order_id_497560ba_fk_shoppingapp_order_id	BTREE	No	No	order_id	11	A	No	
shoppingapp_orderite_product_id_0ed576cf_fk_shoppinga	BTREE	No	No	product_id	11	A	No	

Orders Tracking Table :(Table name is shoppingapp_tracking)

This table store the data of order tracking history.

shoppingapp_tracking

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra
1	id	int(11)			No	None		AUTO_INCREMENT
2	status	varchar(250)	utf8mb4_general_ci		No	None		
3	updated_at	datetime(6)			No	None		
4	order_id	int(11)			Yes	NULL		
5	remark	varchar(250)	utf8mb4_general_ci		No	None		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	16	A	No	
shoppingapp_tracking_order_id_5d0c3985_fk_shoppingapp_order_id	BTREE	No	No	order_id	16	A	Yes	

Products Table :(Table name is shoppingapp_products)

This table store the data of products.

shoppingapp_products

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra
1	id	int(11)			No	None		AUTO_INCREMENT
2	productname	varchar(250)	utf8mb4_general_ci		No	None		
3	productpricebd	decimal(10,2)			No	None		
4	productprice	decimal(10,2)			No	None		
5	description	longtext	utf8mb4_general_ci		No	None		
6	shippingcharge	decimal(10,2)			No	None		
7	productavailability	varchar(50)	utf8mb4_general_ci		No	None		
8	productimage1	varchar(100)	utf8mb4_general_ci		No	None		
9	productimage2	varchar(100)	utf8mb4_general_ci		No	None		
10	productimage3	varchar(100)	utf8mb4_general_ci		No	None		
11	created_at	datetime(6)			No	None		
12	updated_at	datetime(6)			No	None		
13	brand_id_id	int(11)			No	None		
14	cat_id_id	int(11)			No	None		
15	subcategory_id_id	int(11)			No	None		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	15	A	No	
shoppingapp_products_brand_id_id_5eb72885_fk_shippinga	BTREE	No	No	brand_id_id	15	A	No	
shoppingapp_products_cat_id_id_df9096a2_fk_shippinga	BTREE	No	No	cat_id_id	7	A	No	
shoppingapp_products_subcategory_id_id_69832bf7_fk_shippinga	BTREE	No	No	subcategory_id_id	15	A	No	

User Table:(Table name is shoppingapp_regusers)

This table store the data of registered users.

Shopping Cart

shoppingapp_regusers

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra
1	id	int(11)			No	None		AUTO_INCREMENT
2	mobilenumber	varchar(11)	utf8mb4_general_ci		No	None		
3	joinigdate_at	datetime(6)			No	None		
4	updated_at	datetime(6)			No	None		
5	admin_id	int(11)			Yes	NULL		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	1	A	No	
mobilenumber	BTREE	Yes	No	mobilenumber	1	A	No	
admin_id	BTREE	Yes	No	admin_id	1	A	Yes	

Wishlist Table: (Table name is shoppingapp_wishlist)

This table store the wish listed products of users.

shoppingapp_wishlist

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra
1	id	int(11)			No	None		AUTO_INCREMENT
2	added_at	datetime(6)			No	None		
3	product_id	int(11)			No	None		
4	reguser_id	int(11)			No	None		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	1	A	No	
shoppingapp_wishlist_product_id_71801539_fk_shoppinga	BTREE	No	No	product_id	1	A	No	
shoppingapp_wishlist_reguser_id_87fcd261_fk_shoppinga	BTREE	No	No	reguser_id	1	A	No	

Review Table: (Table name is shoppingapp_review)

This table store the details of reviews.

Shopping Cart

shoppingapp_review

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra
1	id	int(11)			No	None		AUTO_INCREMENT
2	review	longtext	utf8mb4_general_ci		No	None		
3	name	varchar(250)	utf8mb4_general_ci		No	None		
4	email	varchar(250)	utf8mb4_general_ci		No	None		
5	status	varchar(250)	utf8mb4_general_ci		No	None		
6	posted_date	datetime(6)			No	None		
7	updated_at	datetime(6)			No	None		
8	prod_id_id	int(11)			No	None		
9	rating	int(11)			No	None		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	11	A	No	
shoppingapp_review_prod_id_id_d6dd5b3b_fk_shoppinga	BTREE	No	No	prod_id_id	11	A	No	

Default Tables Details

shoppingapp_customuser_groups table Structure : This table by default table.

authentication_customuser_groups

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra
1	id	bigint(20)			No	None		AUTO_INCREMENT
2	customuser_id	bigint(20)			No	None		
3	group_id	int(11)			No	None		

shoppingapp_customuser_user_permissions table Structure : This table by default table.

authentication_customuser_user_permissions

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra
1	id	bigint(20)			No	None		AUTO_INCREMENT
2	customuser_id	bigint(20)			No	None		
3	permission_id	int(11)			No	None		

auth_group table Structure : This table in Django is part of the Django authentication system and is used to represent groups of users.

auth_group

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra
1	id	int(11)			No	None		AUTO_INCREMENT
2	name	varchar(150)	utf8mb4_general_ci		No	None		

auth_group_permissions table Structure : This table in Django is a part of the permission system and is used to manage the relationship between user groups and permissions.

auth_group_permissions

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra
1	id	bigint(20)			No	None		AUTO_INCREMENT
2	group_id	int(11)			No	None		
3	permission_id	int(11)			No	None		

auth_permission table Structure : This table in Django is used to store information about the permissions defined.

auth_permission

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra
1	id	int(11)			No	None		AUTO_INCREMENT
2	name	varchar(255)	utf8mb4_general_ci		No	None		
3	content_type_id	int(11)			No	None		
4	codename	varchar(100)	utf8mb4_general_ci		No	None		

django_admin_log table Structure : This table is used to store records of actions taken by administrators or users through the Django admin interface.

django_admin_log

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra
1	id	int(11)			No	None		AUTO_INCREMENT
2	action_time	datetime(6)			No	None		
3	object_id	longtext	utf8mb4_general_ci		Yes	NULL		
4	object_repr	varchar(200)	utf8mb4_general_ci		No	None		
5	action_flag	smallint(5)		UNSIGNED	No	None		
6	change_message	longtext	utf8mb4_general_ci		No	None		
7	content_type_id	int(11)			Yes	NULL		
8	user_id	bigint(20)			No	None		

django_content_type table Structure : This table in Django is a system table that is used to store information about each model (database table) in your Django project.

django_content_type

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra
1	id	int(11)			No	None		AUTO_INCREMENT
2	app_label	varchar(100)	utf8mb4_general_ci		No	None		
3	model	varchar(100)	utf8mb4_general_ci		No	None		

django_migrations table Structure : This table is part of the database schema and is used to keep track of which migrations have been applied to the database.

django_migrations

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra
1	id	bigint(20)			No	None		AUTO_INCREMENT
2	app	varchar(255)	utf8mb4_general_ci		No	None		
3	name	varchar(255)	utf8mb4_general_ci		No	None		
4	applied	datetime(6)			No	None		

django_session table Structure : This table store the session data for user.

django_session

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra
1	session_key	varchar(40)	utf8mb4_general_ci		No	None		
2	session_data	longtext	utf8mb4_general_ci		No	None		
3	expire_date	datetime(6)			No	None		

MODULES

PROJECT MODULES

MODULES : This project contains two modules, those are

- **Admin**
- **User**

MODULES DESCRIPTION:

Admin Modules

This module provides administrator-related functionalities. The administrator manages the entire application.

Dashboard: In this section, admin can briefly view the total brands, total category, total subcategory , total products, total registered users, total new orders , total in-process orders , total dispatched orders , total delivered, total new review, total approved review and total unapproved review.

Brand: In this section, admin can manage brand of products(add/update/delete).

Category: In this section, admin can manage category of products(add/update/delete).

Subcategory: In this section, admin can manage subcategory of products (add/update/delete).

Products: In this section, admin can manage products (add/update/delete).

Reviews: In this section, admin can view the reviews and have to right approved and disapproved the reviews.

Orders: In this section, admin can view the order details and they have also the right to change order status according to current status.

Search Order: In this section, admin can search particular order with the help of the order number.

Reports: In this section admin can view order details and sales reports according to dates.

Registered Users: In this section, the admin can view registered users.

Admin can also update his profile, change the password and recover the password.

User Module

1.Shop: In this section, users can view which products is available on the website

2.My Accounts: In this section, users can his/her password, view and update his/her profile and log out from accounts.

3.My orders: In this section, users can view order history after login.

4.Cart: In this section, the user can add the products which he/she want to order.

5.Wishlist: In this section, the user can add products to the Wishlist.

6.The user has also a facility to download his/her invoice and cancel orders if he/she wants to cancel.

Brief Information about the Homepage

On this page guest users (users who are not registered) can view the products, search for products according to name and brand name. Guest users can also sign up and the registered users can sign in. User can also track their order without login.

Functions

Functions are bet declared between the <Head> tag of HTML page.

Functions are called by user-initiated events. Seems reasonable to keep the functions between the <Head> tags. They are loaded first before a user can do anything that might call a function. Scripts can be placed between inside comment fields to ensure that older browser do not display the script itself.

```
<html>
<head>
<script language="JavaScript">
function pushbutton (){
alert ("Hello!");
}
</script>
</head>
<body>
<form>
<input type="button" name="Button1" value="push me"
onclick="pushbutton ()">
</form>
</body>
</html>
```

If we want to test this one immediately and you are using a Java Script enabled browser then please go ahead and push the button.

This script will create a button and when you press it a window will pop up saying “hello!”. In fact we have a lot of possibilities just by adding functions to our scripts.

The common browsers transmit the form information by either method: here’s the complete tag including the GET transmission method attribute for the previous form

Example

```
<Form method =GET action=http://phpgurukul.com/>
```

```
.....
```

```
</form>
```

Input elements.

Use the <input> tag to define any one of a number of common form elements including text fields multiple choice lists click able images and submission buttons. There are many attributers for this tag only that types and name attributes are required for each element, each type of input element uses only a subset of the followed attributes. Additional <input> attributes may be required based upon which type of the form element you specify.

Submit button:

The submit button (`<input type=submit>`) does what its name implies, settings in motion the form's submission to the server from the browser. We many have more than submit buttons will be added to the parameter list the browser sends along to the server.

Example

```
< Input type ="submit">
```

```
<Input type="submit" value="submit" name="name">
```

Reset button:

The reset button if firm `<input>` button is nearly self- explanatory; it lets the user reset erase or set to some default value all elements in the form. By default the browser displays a reset button worth the label "reset". We can change that by specifying a value attribute with tour own button label.

OVERVIEW OF TECHNOLOGIES USED

Python

Python is an interpreted, object-oriented, high-level programming language with dynamic semantics. Its high-level built in data structures, combined with dynamic typing and dynamic binding, make it very attractive for Rapid Application Development, as well as for use as a scripting or glue language to connect existing components together. Python's simple, easy to learn syntax emphasizes readability and therefore reduces the cost of program maintenance. Python supports modules and packages, which encourages program modularity and code reuse. The Python interpreter and the extensive standard library are available in source or binary form without charge for all major platforms, and can be freely distributed.

Often, programmers fall in love with Python because of the increased productivity it provides. Since there is no compilation step, the edit-test-debug cycle is incredibly fast. Debugging Python programs is easy: a bug or bad input will never cause a segmentation fault. Instead, when the interpreter discovers an error, it raises an exception. When the program doesn't catch the exception, the interpreter prints a stack trace. A source level debugger allows inspection of local and global variables, evaluation of arbitrary expressions, setting breakpoints, stepping through the code a line at a time, and so on. The debugger is written in Python itself, testifying to Python's introspective power. On the other hand, often the quickest way to debug a program is to add a few print statements to the source: the fast edit-test-debug cycle makes this simple approach very effective.

What is Django?

Django is a Python framework that makes it easier to create web sites using Python.

Django takes care of the difficult stuff so that you can concentrate on building your web applications.

Django emphasizes reusability of components, also referred to as DRY (Don't Repeat Yourself), and comes with ready-to-use features like login system, database connection and CRUD operations (Create Read Update Delete).

Django is especially helpful for database driven websites.

How does Django Work?

Django follows the MVT design pattern (Model View Template).

- Model - The data you want to present, usually data from a database.
- View - A request handler that returns the relevant template and content - based on the request from the user.
- Template - A text file (like an HTML file) containing the layout of the web page, with logic on how to display the data.

Model

The model provides data from the database.

In Django, the data is delivered as an Object Relational Mapping (ORM), which is a technique designed to make it easier to work with databases.

The most common way to extract data from a database is SQL. One problem with SQL is that you have to have a pretty good understanding of the database structure to be able to work with it.

Django, with ORM, makes it easier to communicate with the database, without having to write complex SQL statements.

The models are usually located in a file called models.py.

View

A view is a function or method that takes http requests as arguments, imports the relevant model(s), and finds out what data to send to the template, and returns the final result.

The views are usually located in a file called views.py.

Template

A template is a file where you describe how the result should be represented.

Templates are often .html files, with HTML code describing the layout of a web page, but it can also be in other file formats to present other results, but we will concentrate on .html files.

Django uses standard HTML to describe the layout, but uses Django tags to add logic:

```
<h1>My Homepage</h1>

<p>My name is {{ firstname }}.</p>
```

The templates of an application is located in a folder named templates.

URLs

Django also provides a way to navigate around the different pages in a website.

When a user requests a URL, Django decides which *view* it will send it to.

This is done in a file called urls.py.

So, What is Going On?

When you have installed Django and created your first Django web application, and the browser requests the URL, this is basically what happens:

1. Django receives the URL, checks the urls.py file, and calls the view that matches the URL.
2. The view, located in views.py, checks for relevant models.
3. The models are imported from the models.py file.

4. The view then sends the data to a specified template in the template folder.
5. The template contains HTML and Django tags, and with the data it returns finished HTML content back to the browser.

Django can do a lot more than this, but this is basically what you will learn in this tutorial, and are the basic steps in a simple web application made with Django.

Django History

Django was invented by Lawrence Journal-World in 2003, to meet the short deadlines in the newspaper and at the same time meeting the demands of experienced web developers.

Initial release to the public was in July 2005.

Latest version of Django is 4.0.3 (March 2022).

Django Admin

Django Admin is a really great tool in Django, it is actually a CRUD* user interface of all your models!

It is free and comes ready-to-use with Django:

MYSQL

MySQL is a popular database management system. It has a free and open source version. With its rich features, it has been the choice for many database driven Python applications.

MySQL History

MySQL was founded by Michael Widenius and David Axmark in 1994. It was then developed under the company MySQL AB where the company provided both open source and commercial licenses. In January 2008, Sun Microsystems acquired MySQL AB and in January 2010, Oracle acquired Sun Microsystems making MySQL owned by Oracle. Since Oracle is primarily a proprietary software company, concerns have been raised about the future of MySQL. MySQL forks like MariaDB and alternatives like PostgreSQL have gained more attention with these concerns. However still MySQL is used by many open source software and large scale websites.

SQL Processing Capabilities:

SQL is composed of a definition language a Data Manipulation Language and a Data Control Language. These three languages support the complete spectrum of Relational Data processing activity. In fact most SQL based product all access to the data through SQL.

1. Data Definition Language:

DDL allows creation, Deletion and Modification of data structure for bar system. These structures include tables, databases and indexes.

Ex: Create, Drop and Alter.

2. Data Manipulation Language:

These commands are used to manipulate the data in tables directly or through views. There are four standard DML statements. They are select, delete, insert and update.

3. Data control language:

These commands are used to control usage and access of data. The most commonly found one's will include grant, revoke.

Why to Use?

Oracle greatly supports RDBMS features. Also it supports high security to the data and faster accessing capability. It can be run on a variety of platforms and operating systems. One can develop an application easily by providing user-friendly environment.

The features of oracle are portability and compatibility.

HTML:

The extended reach of information and services to customers that the Internet has enabled, has created a new challenge for the developer. The developer should develop a user interface that is distributable, available on multiple platforms and supports a wide range of client environments from handheld wireless devices to high-end workstations. So to maintain a broad reach to client environments and to achieve greatest compatibility with all browsers, this system uses standard HTML.

Hyper Text Markup Language is the standard language for creating documents for the World Wide Web. An HTML document is a text file, which contains the elements, in the form of tags that a web browser uses to display

text, multimedia objects, and hyperlinks using HTML; we can format a document for display and add hyperlinks to other documents.

The user interface has been designed in HTML hence can be browsed in any web browser.

Cascading Style Sheets:

These have been used to separate data from presentation. By using these style sheets throughout the project, a uniform look and feel can be maintained for all the HTML elements and tags that have been used in the project. If there is any revamp the way the content has been presented in the website, the changes can be made to the appropriate style sheet, which will be reflected across all the style sheets.

JavaScript

JavaScript Tutorial for beginners and professionals is a solution of client side dynamic pages.

JavaScript is an object-based scripting language (programming language) that is lightweight and cross-platform

JavaScript is not compiled but translated. The JavaScript Translator is responsible to translate the JavaScript code.

Our JavaScript tutorial include all points of Statements , Comments, Variables, Operators, Arithmetic, Assignment, Data Types, Functions, Objects, Scope, Events, Strings, String Methods, Numbers, Number Methods, Math, Date Methods , Arrays, Array Methods, Booleans, Comparisons, Conditions, Switch, Loop For, Loop While, Break, Type Conversion, RegExp, Errors, Debugging etc

JavaScript Examples

The JavaScript example is the easiest to code. The reason being there are three places where the code can be placed

Here are the three places where the JavaScript can be saved.

One is within the existing body tag, it can be saved in the head tag and last but not the least it can be saved in the external JavaScript file.

The script tag present in the JavaScript file mentions that we are using the JavaScript.

Next the text or the actual script used this is the content which will provide information to the browser for the data. The document.Write() is the function which is used in order to display the dynamic content using the JavaScript.

There are three main places where the JavaScript code can be embedded are mentioned below:

- Between the tag of the body of the text
- Between the head tag
- In the .js file

Introduction to HTML

The hypertext markup language (HTML) is a simple markup language. Used to create a hypertext documents that are portable from one platform to another HTML documents are SGML (Standard generalized mark up language) documents with generic semantics that are appropriate for representing information from a wide range of applications. This specification defines HTML version 3.2. HTML 3.2 aims to capture recommended practice as of early '96 and as such a replacement for HTML2.0 (RFC 1866).

A set of instructions embedded in a document is called mark up language. These instructions describe what the document text means and how it should look like in a display. Hyper Text Mark Up language (HTML) is the language used to encode World Wide Web documents.

WHY TO USE HTML?

Website is a collection of pages, publications, and documents that reside on web server. While these pages publications and a document as a formatted in a single format, you should use HTML for home page and all primary pages in the site. This will enable the millions of web users can easily access and to take advantage of your website.

HTML is considered first for formatting any new material you plan to publish on the web. HTML documents are platform independent, meaning that they don't confirm to any standard. If they are created properly you can move home page to any server platform or you can access them with any complaint www browser.

STRUCTURE OF HTML

HTML elements perform a defined task. HTML uses two types of elements

Empty Tags

.Container Tags

These tags differ because of what they represent. Empty tags represent formatting constricts such as line breaks and horizontal rules. Container tags define a section of text, formats and dot all of the selected text. A container tag has both a beginning and an ending.

HTML LAYOUT:

An HTML document consists of text, which comprises the content of the document and tags, which, defines the structure, and appearance of the document. The structure of an HTML document is simple, consists of outer.

<HTML>tag enclosing the document header and body

<HTML>

<HEAD>

<TITLE>the title of HTML document</TITLE>

</HEAD>

<BODY>

This is where the actual HTML documents

Text lies, which is displayed in the browser

</BODY>

</HTML>

Each document has a head and body delimited by the <HEAD> and <BODY> tag. The head is where you give your HTML document a title and where you indicate other parameters the browser may use when displaying the document. This includes the text for displaying the text. Tag also references special and indicates the hot spots that link your document to other documents.

HTML FORMS:

Creating a form usually involves two independent steps: Creating the layout for the form itself and then writing a script program on the server side to process the formation you get back from a form.

To create a form, you use the <FORM> tag. Inside the opening and closing FORM tags are each of the individual form elements plus any other HTML content to create a layout for that form.

The opening tag of the FORM element usually includes the attributes: METHOD and ACTION. The METHOD attributes can be either GET or POST which determines how your form data is sent to the script to process it.

The ACTION attribute is a pointer to the script that processes the form on the server side. The ACTION can be included by a relative path or by a full URL to a script on your server or somewhere else. For example, the following <FORM> tag would call a script called form-name in cgi-bin directory on server www.myserver.com

```
<FORM Method= post action=http://www.myserver.com/cgi-bin/form-name.pl>
```

.....

```
</FORM>
```


METHOD ATTRIBUTE:

The other required attribute for the <form> tag sets the methods by which the browser form's data to the server for processing. There are two ways: the POST method and GET method. With POST method, the browser sends the data in two steps: the browser first contacts the form-processing server specified in the action attributes, and once contact is made, sends the data.

DATABASE MODELS


Single Tier

In a single tier the server and client are the same in the sense that a client program that needs information (client) and the source of this type of architecture is also possible in java, in case flat files are used to store the data. However this is useful only in case of small applications. The advantage with this is the simplicity and portability of the application developed.



Two Tier (client-server)

In two tier architecture the database resides in one machine and client in different machine they are connected through the network. In this type of architecture a database management takes control of the database and provides access to clients in a network. This software bundle is also called as the server. Software in different machines, requesting for information are called as the clients



Three Tier and N-Tier

In the three-tier architecture, any number servers can access the database that resides on server. Which in turn serve clients in a network. For example, you want to access the database using java applets, the applet running in some other machine, can send request only to the server from which it is downloaded. For this reason we will need to have a intermediate server which will accept the requests from applets and then to the actual database server. This intermediate server acts as a two-way communication channel also. This is the information or data from the database is passed on to the applet that is requesting it. This can be extended to make n tiers of servers, each server carrying to specific type of request from clients, however in practice only 3 tiers architecture is popular.

FEASIBILITY STUDY:

Feasibility study is conducted once the problem is clearly understood. Feasibility study is a high-level capsule version of the entire system analysis and design process. The objective is to determine quickly at a minimum expense how to solve a problem. The purpose of feasibility is not to solve the problem but to determine if the problem is worth solving.

The system has been tested for feasibility in the following points.

1. Technical Feasibility
2. Economical Feasibility
3. Operational Feasibility.

1. Technical Feasibility

The project entitles "Courier Service System" is technically feasibility because of the below mentioned feature. The project was developed in Java which Graphical User Interface.

It provides the high level of reliability, availability and compatibility.

All these make Java an appropriate language for this project. Thus the existing software Java is a powerful language.

2. Economical Feasibility

The computerized system will help in automate the selection leading the profits and details of the organization. With this software, the machine and manpower utilization are expected to go up by 80-90% approximately. The costs incurred of not creating the system are set to be great, because precious time can be wanted by manually.

3. Operational Feasibility

In this project, the management will know the details of each project where he may be presented and the data will be maintained as decentralized and if any inquires for that particular contract can be known as per their requirements and necessities.

Implementation:

Implementation is the stage where the theoretical design is turned into a working system. The most crucial stage in achieving a new successful system and in giving confidence on the new system for the users that it will work efficiently and effectively.

The system can be implemented only after thorough testing is done and if it is found to work according to the specification.

It involves careful planning, investigation of the current system and its constraints on implementation, design of methods to achieve the change over and an evaluation of change over methods a part from planning. Two major tasks of preparing the implementation are education and training of the users and testing of the system.

The more complex the system being implemented, the more involved will be the systems analysis and design effort required just for implementation.

The implementation phase comprises of several activities. The required hardware and software acquisition is carried out. The system may require some software to be developed. For this, programs are written and tested. The user then changes over to his new fully tested system and the old system is discontinued.

SOFTWARE METHODOLOGY

The software methodology followed in this project includes the object-oriented methodology and the application system development methodologies. The description of these methodologies is given below.

Application System Development – A Life cycle Approach

Although there are a growing number of applications (such as decision support systems) that should be developed using an experimental process strategy such as prototyping, a significant amount of new development work continue to involve major operational applications of broad scope. The application systems are large highly structured. User task comprehension and developer task proficiency is usually high. These factors suggest a linear or iterative assurance strategy. The most common method for this stage class of problems is a system development life cycle modal in which each stage of development is well defined and has straightforward requirements for deliverables, feedback and sign off. The system development life cycle is described in detail since it continues to be an appropriate methodology for a significant part of new development work.

The basic idea of the system development life cycle is that there is a well-defined process by which an application is conceived and developed and implemented. The life cycle gives structure to a creative process. In order to manage and control the development effort, it is necessary to know what should have been done, what has been done, and what has yet to be accomplished. The phrases in the system development life cycle provide a basis for management and control because they define segments of the

flow of work, which can be identified for managerial purposes and specifies the documents or other deliverables to be produced in each phase.

The phases in the life cycle for information system development are described differently by different writers, but the differences are primarily in the amount of necessity and manner of categorization. There is a general agreement on the flow of development steps and the necessity for control procedures at each stage.

The information system development cycle for an application consists of three major stages.

- 1) Definition.
- 2) Development.
- 3) Installation and operation.

The first stage of the process, which defines the information requirements for a feasible cost effective system. The requirements are then translated into a physical system of forms, procedures, programs etc., by the system design, computer programming and procedure development. The resulting system is test and put into operation. No system is perfect so there is always a need for maintenance changes. To complete the cycle, there should be a post audit of the system to evaluate how well it performs and how well it meets the cost and performance specifications. The stages of definition, development and

installation and operation can therefore be divided into smaller steps or phrases as follows.

Definition

Proposed definition : preparation of request for proposed applications.

Feasibility assessment : evaluation of feasibility and cost benefit of proposed system.

Information requirement analysis : determination of information needed.

Design

Conceptual design : User-oriented design of application development.

Physical system design : Detailed design of flows and processes in applications processing system and preparation of program specification.
Development

Program development : coding and testing of computer programs.

Procedure development : design of procedures and preparation of user instructions.

Installation and operation

Conversion : final system test and conversion.

Operation and maintenance : Month to month operation and maintenance

Post audit : Evaluation of development process,application system and results of use at the completion of the each phase, formal approval sign-off is required from the users as well as from the manager of

the project development.

HTML CODE:

```
<html>
<head>
<h4 class="">sign in</h4>
<p class="">Hello, Welcome to your account.</p>
<form class="register-form outer-top-xs" method="post">
<div class="form-group">
<label class="info-title" for="exampleInputEmail1">Email Address
<span>*</span></label>
<input type="email" name="email" class="form-control unicast-form-control text-input" id="exampleInputEmail1" >
</div>
<div class="form-group">
<label class="info-title" for="exampleInputPassword1">Password
<span>*</span></label>
<input type="password" name="password" class="form-control unicast-form-control text-input" id="exampleInputPassword1" >
</div>
<div class="radio outer-xs">
<a href="forgot-password.php" class="forgot-password pull-right">Forgot your Password?</a>
</div>
<button type="submit" class="btn-upper btn btn-primary checkout-page-button" name="login">Login</button>
</form>
</div> </body>
</html>
```

Testing

Testing is a process of executing a program with the intent of finding an error. Testing is a crucial element of software quality assurance and presents ultimate review of specification, design and coding.

System Testing is an important phase. Testing represents an interesting anomaly for the software. Thus, a series of testing are performed for the proposed system before the system is ready for user acceptance testing.

A good test case is one that has a high probability of finding an as undiscovered error. A successful test is one that uncovers an as undiscovered error.

Testing Objectives:

- ✓ Testing is a process of executing a program with the intent of finding an error
- ✓ A good test case is one that has a probability of finding an as yet undiscovered error
- ✓ A successful test is one that uncovers an undiscovered error

Testing Principles:

- All tests should be traceable to end user requirements
- Tests should be planned long before testing begins
- Testing should begin on a small scale and progress towards testing in large
- Exhaustive testing is not possible
- To be most effective testing should be conducted by a independent third party

The primary objective for test case design is to derive a set of tests that has the highest livelihood for uncovering defects in software. To accomplish this

objective two different categories of test case design techniques are used.

They are

- White box testing.
- Black box testing.

White-box testing:

White box testing focus on the program control structure. Test cases are derived to ensure that all statements in the program have been executed at least once during testing and that all logical conditions have been executed.

Block-box testing:

Black box testing is designed to validate functional requirements without regard to the internal workings of a program. Black box testing mainly focuses on the information domain of the software, deriving test cases by partitioning input and output in a manner that provides through test coverage. Incorrect and missing functions, interface errors, errors in data structures, error in functional logic are the errors falling in this category.

Testing strategies:

A strategy for software testing must accommodate low-level tests that are necessary to verify that all small source code segment has been correctly implemented as well as high-level tests that validate major system functions against customer requirements.

Testing fundamentals:

Testing is a process of executing program with the intent of finding error. A good test case is one that has high probability of finding an undiscovered error. If testing is conducted successfully it uncovers the errors in the software. Testing cannot show the absence of defects, it can only show that software defects present.

Testing Information flow:

Information flow for testing flows the pattern. Two class of input provided to test the process. The software configuration includes a software requirements specification, a design specification and source code.

Test configuration includes test plan and test cases and test tools. Tests are conducted and all the results are evaluated. That is test results are compared with expected results. When erroneous data are uncovered, an error is implied and debugging commences.

Unit Testing:

Unit testing is essential for the verification of the code produced during the coding phase and hence the goal is to test the internal logic of the modules. Using the detailed design description as a guide, important paths are tested to uncover errors with in the boundary of the modules. These tests were carried out during the programming stage itself. All units of ViennaSQL were successfully tested.

Integration testing :

Integration testing focuses on unit tested modules and build the program structure that is dictated by the design phase.

System testing:

System testing tests the integration of each module in the system. It also tests to find discrepancies between the system and it's original objective, current specification and system documentation. The primary concern is the compatibility of individual modules. Entire system is working properly or not will be tested here, and specified path ODBC connection will correct or not, and giving output or not are tested here these verifications and validations are done by giving input values to the system and by comparing with expected output. Top-down testing implementing here.

Acceptance Testing:

This testing is done to verify the readiness of the system for the implementation. Acceptance testing begins when the system is complete. Its purpose is to provide the end user with the confidence that the system is ready for use. It involves planning and execution of functional tests, performance tests and stress tests in order to demonstrate that the implemented system satisfies its requirements.

Tools to special importance during acceptance testing include:

Test coverage Analyzer – records the control paths followed for each test case.

Timing Analyzer – also called a profiler, reports the time spent in various regions of the code are areas to concentrate on to improve system performance.

Coding standards – static analyzers and standard checkers are used to inspect code for deviations from standards and guidelines.

Test Cases:

Test cases are derived to ensure that all statements in the program have been executed at least once during testing and that all logical conditions have been executed.

Using White-Box testing methods, the software engineer can drive test cases that

- Guarantee that logical decisions on their true and false sides.
- Exercise all logical decisions on their true and false sides.
- Execute all loops at their boundaries and within their operational bounds.
- Exercise internal data structure to assure their validity.

The test case specification for system testing has to be submitted for review before system testing commences.

Output screens

Home Page

Online Shopping

Search for products

Submit

Categories

Home About Us Shop My Account Contact

OUR SHOP

Home - Shop



HP 15 Laptop

\$54000.00 \$52000.00

View Detail

Wishlist



Aspire Lite 12th Gen Intel

\$54000.00 \$52000.00

View Detail

Wishlist



Lenovo ThinkPad 5th Gen Intel Core i5

\$54000.00 \$52000.00

View Detail

Wishlist



Samsung 183 L, 3 Star, Digital Inverter, Direct-Cool Sing...

\$25000.00 \$22000.00

View Detail

Wishlist



LG 183 L, 3 Star, Digital Inverter, Direct-Cool Single Door...

\$24000.00 \$21000.00

View Detail

Wishlist



Samsung 215 L, 5 Star

\$19000.00 \$18000.00

View Detail

Wishlist



Samsung 236 L, 3 Star, Convertible

\$28000.00 \$27000.00

View Detail

Wishlist



adidas Mens Courun Avant M Running Shoe

\$3100.00 \$2900.00

View Detail

Wishlist



mens Ultra Light Running Running Shoe

\$1200.00 \$1000.00

View Detail

Wishlist

1 2 > >>

Online Shopping

Dolore erat dolor sit lorem vero amet. Sed sit lorem magna, ipsum no sit erat lorem et magna ipsum dolore amet erat.

123 Street, New York, USA

info@example.com

+012 345 67890

Online Shopping

Quick Links

> Home

> Our Shop

> About Us

> Contact Us

78

View Single Product

Online Shopping

Search for products

Submit

1

0

Categories

Home About Us Shop My Account Contact

SHOP DETAIL

Home - Shop Detail



HP 15 Laptop

Reviews (1)

\$52000.00

Processor: 13th Gen Intel® Core™ i5-1334U (12 MB cache, 10 cores, 12 threads, up to 4.60 GHz Turbo)
Operating System: Windows 11 Home Single...

1

Add To Cart

Description Information Reviews (1)

Product Description

Processor: 13th Gen Intel® Core™ i5-1334U (12 MB cache, 10 cores, 12 threads, up to 4.60 GHz Turbo) Operating System: Windows 11 Home Single Language, English Video Card: Intel® UHD Graphics Display: 15.6", FHD 1920x1080, 120Hz, WVA, IPS, Non-Touch, Anti-Glare, 250 nit, Narrow Border, LED-Backlit Memory: 8 GB: 1 x 8 GB, DDR4, 2666 MT/s Storage: 512 GB, M.2, PCIe NVMe, SSD Color: Platinum Silver (Plastic) Microsoft Office: Microsoft Office Home and Student 2021 Security Software: McAfee LiveSafe 1-year (5-device) Support Services: 1Y Basic Onsite Service after remote diagnosis with Hardware-Only Support.

You May Also Like

Online Shopping

Dolore erat dolor sit lorem vero amet. Sed sit lorem magna, ipsum no sit erat lorem et magna ipsum dolore amet erat.

123 Street, New York, USA

info@example.com

+012 345 67890

Online Shopping

Quick Links

- Home
- Our Shop
- About Us
- Contact Us

About Us

Online Shopping

Search for products

Submit

♥ 1

🛒 0

Categories ▾

[Home](#) [About Us](#) [Shop](#) [My Account ▾](#) [Contact](#)

ABOUT US

[Home](#) - [About Us](#)

— About Us —

Justo sed diam ut sed amet duo amet lorem amet stet sea ipsum, sed duo amet et. Est elit dolor elit erat sit sit. Dolor diam et erat cilita ipsum justo sed.

Justo sed diam ut sed amet duo amet lorem amet stet sea ipsum, sed duo amet et. Est elit dolor elit erat sit sit. Dolor diam et erat cilita ipsum justo sed.

Justo sed diam ut sed amet duo amet lorem amet stet sea ipsum, sed duo amet et. Est elit dolor elit erat sit sit. Dolor diam et erat cilita ipsum justo sed.

Online Shopping

Dolore erat dolor sit lorem vero amet. Sed sit lorem magna, ipsum no sit erat lorem et magna ipsum dolore amet erat.

📍

123 Street, New York, USA

✉

info@example.com

☎

+012 345 67890

Quick Links

➤

Home

➤

Our Shop

➤

About Us

➤

Contact Us

Online Shopping

Contact Us

Online Shopping

Search for products

Submit

♥ 1

🛒 0

Categories

HomeAbout UsShopMy AccountContact

CONTACT US

Home - Contact

— Contact For Any Queries —

Get In Touch

Justo sed diam ut sed amet duo amet lorem amet stet sea ipsum, sed duo amet et. Est elit dolor elit erat sit sit. Dolor diam et erat clita ipsum justo sed.

Store 1

📍 123 Street, New York, USA
✉ info@example.com
☎ +012 345 67890

Store 2

📍 123 Street, New York, USA
✉ info@example.com
☎ +012 345 67890

Online Shopping

Dolore erat dolor sit lorem vero amet. Sed sit lorem magna, ipsum no sit erat lorem et magna ipsum dolore amet erat.

📍 123 Street, New York, USA
✉ info@example.com
☎ +012 345 67890

Online Shopping

Quick Links

> Home
> Our Shop
> About Us
> Contact Us

All Products

Online Shopping

Search for products

Submit

10

Categories

Home About Us Shop My Account Contact

OUR SHOP

Home - Shop



HP 15 Laptop

\$54000.00 \$52000.00

View Detail Wishlist



Aspire Lite 12th Gen Intel

\$54000.00 \$52000.00

View Detail Wishlist



Lenovo ThinkPad 5th Gen Intel Core i5

\$54000.00 \$52000.00

View Detail Wishlist



Samsung 183 L, 3 Star, Digital Inverter, Direct-Cool Sing...

\$25000.00 \$22000.00

View Detail Wishlist



LG 183 L, 3 Star, Digital Inverter, Direct-Cool Single Door...

\$24000.00 \$21000.00

View Detail Wishlist



Samsung 215 L, 5 Star

\$19000.00 \$18000.00

View Detail Wishlist



Samsung 236 L, 3 Star, Convertible

\$28000.00 \$27000.00

View Detail Wishlist



adidas Mens Courun Avant M Running Shoe

\$3100.00 \$2900.00

View Detail Wishlist



mens Ultra Light Running Running Shoe

\$1200.00 \$1000.00

View Detail Wishlist

1 2 3 4

Online Shopping

Dolore erat dolor sit lorem vero amet. Sed sit lorem magna, ipsum no sit erat lorem et magna ipsum dolore amet erat.

123 Street, New York, USA

info@example.com

+012 345 67890

Quick Links

Home

Our Shop

About Us

Contact Us

Online Shopping

82

Category wise

Online Shopping

Search for products

Submit

1

0

Categories

Home About Us Shop My Account Contact

OUR SHOP

Home - Categories Wise

Consumer Electronics



iPhone 16e 128 GB: Built for Apple Intelligence, A18 Chip...

\$60000.00 \$55000.00

View Detail

Wishlist



Samsung 183 L, 3 Star, Digital Inverter, Direct-Cool Sing...

\$25000.00 \$22000.00

View Detail

Wishlist



LG 183 L, 3 Star, Digital Inverter, Direct-Cool Single Door...

\$24000.00 \$21000.00

View Detail

Wishlist



Samsung 215 L, 5 Star

\$19000.00 \$18000.00

View Detail

Wishlist



Samsung 236 L, 3 Star, Convertible

\$28000.00 \$27000.00

View Detail

Wishlist



HP 15 Laptop

\$54000.00 \$52000.00

View Detail

Wishlist

1 2 > >>

Online Shopping

Dolore erat dolor sit lorem vero amet. Sed sit lorem magna, ipsum no sit erat lorem et magna ipsum dolore amet erat.

123 Street, New York, USA

info@example.com

+012 345 67890

Quick Links

> Home

> Our Shop


> About Us

> Contact Us

Online Shopping

User Panel

Login Page



A mockup of a login page for an online shopping application. The page features a light blue background with a white login form in the center. The form includes a title, a greeting, a sign-in instruction, two input fields for username and password, a login button, a back home button, and a link to create a new account.

Online Shopping

Hello! let's get started
Sign in to continue.

Username

Password

Login

[Back Home](#)

Don't have an account? [Create](#)

Signup

Online Shopping

Submit

Categories

Home About Us Shop Contact

Login Register Admin

REGISTRATION

Home - Signup

— Register with us!! —

Profile Pic:

Choose File

No file chosen

First Name:

Last Name:

Email:

Mobile Number:

Username:

Password:

Submit

Online Shopping

Dolore erat dolor sit lorem vero amet. Sed sit lorem magna, ipsum no sit erat lorem et magna ipsum dolore amet erat.

📍 123 Street, New York, USA

✉ info@example.com

☎ +012 345 67890

Quick Links

- Home
- Our Shop
- About Us
- Contact Us

Online Shopping

Forgot Password

Online Shopping

Hello! let's get started

Sign in to continue.

Enter Email ID

Enter New Password

Enter Confirm Password

Reset

Back Home

Don't have an account? [Create](#)

Already have an account? [Login](#)

Profile

Online Shopping

Search for products

Submit

Categories

Home About Us Shop My Account Contact

USER PROFILE

Home - User Profile

— User Profile!! —

Old Profile Pic:

Profile Pic:

Choose File No file chosen

First Name:

Test

Last Name:

Test

Email:

Test@gmail.com

Mobile Number:

6546589797

Username:

test123

Registration Date:

July 25, 2025, 4:47 a.m.

Submit

Online Shopping

Dolore erat dolor sit lorem vero amet. Sed sit lorem magna, ipsum no sit erat lorem et magna ipsum dolore amet erat.

123 Street, New York, USA

info@example.com

+012 345 67890

Online Shopping

Quick Links

Home

Our Shop

About Us

Contact Us

Change Password

Online Shopping

Search for products

Submit

Categories

Home

About Us

Shop

My Account

Contact

CHANGE PASSWORD

Home - Change Password

— Change Password!! —

Current Password:

New Password:

Submit

Online Shopping

Dolore erat dolor sit lorem vero amet. Sed sit lorem magna, ipsum no sit erat lorem et magna ipsum dolore amet erat.

123 Street, New York, USA

info@example.com

+012 345 67890

Online Shopping

Quick Links

> Home

> Our Shop

> About Us

> Contact Us

Cart Products

Online Shopping

Search for products

Submit

Categories

Home

About Us

Shop

My Account

Contact

Shopping Cart

Home - Shopping Cart

Products	Price(Per Unit)	Shipping Charge	Quantity	Total	Remove
adidas Mens Courun Avant M Running Shoe	\$2900.00	\$100.00	1	\$3000.00	

Continue Shopping

Cart Summary

Grand Total

3000.00

Proceed To Checkout

Shipping Address

Billing Address

Transaction Method

Payment Method

Online Shopping

Dolore erat dolor sit lorem vero amet. Sed sit lorem magna, ipsum no sit erat lorem et magna ipsum dolore amet erat.

123 Street, New York, USA

info@example.com

+012 345 67890

Quick Links

> Home

> Our Shop

> About Us

> Contact Us

Online Shopping

Wishlist Products

Online Shopping

Search for products

Submit

♥ 1

🛒 1

Categories

Home About Us Shop My Account Contact

WISHLIST

Home - Your Wishlist

Your Wishlist

Products	Price (Per Unit)	Shipping Charge	Quantity	Action
 HP 15 Laptop	\$52000.00	\$250.00	1	Add to Cart

Online Shopping

Dolore erat dolor sit lorem vero amet. Sed sit lorem magna, ipsum no sit erat lorem et magna ipsum dolore amet erat.

📍 123 Street, New York, USA

✉ info@example.com

☎ +012 345 67890

Quick Links

➤ Home

➤ Our Shop

➤ About Us

➤ Contact Us

Online Shopping

Order Page

Online Shopping

Search for products

Submit

♥ 1

🛒 0

Categories

Home About Us Shop My Account Contact

ORDER HISTORY

Home - Order History

Order History

Order #25 - July 25, 2025, 4:51 a.m.

Billing Address: P-908, Shakarpur Laxmi Nagar Delhi

Shipping Address: -908, Shakarpur Laxmi Nagar Delhi

Transaction Method: credit_card

Total Price: \$3000.00

View Details View Invoice Track Order

1

Online Shopping

Dolore erat dolor sit lorem vero amet. Sed sit lorem magna, ipsum no sit erat lorem et magna ipsum dolore amet erat.

📍 123 Street, New York, USA

✉ info@example.com

☎ +012 345 67890

Online Shopping

Quick Links

> Home

> Our Shop

> About Us

> Contact Us

Detail of Order

Online Shopping

Search for products

Submit

Categories

Home About Us Shop My Account Contact

ORDER HISTORY

Home - Order History

Order #25 - July 25, 2025, 4:51 a.m.

Billing Address: P-908, Shakarpur Laxmi Nagar Delhi
Shipping Address: ~908, Shakarpur Laxmi Nagar Delhi
Transaction Method: credit_card
Total Price: \$3000.00

Items:

Product	Quantity	Price (Per Unit)	Shipping Charge	Total	Status
adidas Mens Courun Avant M Running Shoe	1	\$2900.00	\$100.00	\$3000.00	Pending

Cancel Order Back

Online Shopping

Dolore erat dolor sit lorem vero amet. Sed sit lorem magna, ipsum no sit erat lorem et magna ipsum dolore amet erat.

123 Street, New York, USA

info@example.com

+012 345 67890

Quick Links

> Home

> Our Shop

> About Us

> Contact Us

Online Shopping

Order Invoice

Online Shopping

Search for products

Submit

Categories

Home About Us Shop My Account Contact

Home - Invoice

Invoice #25

Date: July 25, 2025, 4:51 a.m.

Order Details

Billing Address: P-908, Shakarpur Laxmi Nagar Delhi
Shipping Address: -908, Shakarpur Laxmi Nagar Delhi
Transaction Method: credit_card

Items:

Product	Quantity	Price (Per Unit)	Shipping Charge	Total
adidas Mens Courun Avant M Running Shoe	1	\$2900.00	\$100.00	\$3000.00

Total: \$3000.00

Back

Online Shopping

Dolore erat dolor sit lorem vero amet. Sed sit lorem magna, ipsum no sit erat lorem et magna ipsum dolore amet erat.

123 Street, New York, USA

info@example.com

+012 345 67890

Online Shopping

Quick Links

> Home

> Our Shop

> About Us

> Contact Us

Track Order

Online Shopping

Search for products

Submit

♥ 1

🛒 0

Categories

Home About Us Shop My Account Contact

TRACKING ORDER

Home - Tracking

Tracking for Order #25

Items:

Date	Status	Remark
July 25, 2025, 5:30 a.m.	Inprocess	Order is in process
July 25, 2025, 5:31 a.m.	Dispatch	Your Order has been disptached
July 25, 2025, 5:32 a.m.	Delivered	Your Order Has been Delivered

Back

Online Shopping

Dolore erat dolor sit lorem vero amet. Sed sit lorem magna, ipsum no sit erat lorem et magna ipsum dolore amet erat.

📍 123 Street, New York, USA

✉ info@example.com

☎ +012 345 67890

Quick Links

> Home

> Our Shop


> About Us

> Contact Us

Online Shopping

Admin Panel

Login Page



A mockup of a login page for an online shopping application. The page has a light blue background. In the center, there is a white card with the title "Online Shopping". Below the title, it says "Hello! let's get started" and "Sign in to continue.". There are two input fields: "Username" and "Password". Below the "Password" field is a link "Forgot Password". There are two buttons: a teal "Login" button and a dark blue "Back Home" button. At the bottom, it says "Don't have an account? [Create](#)".

Online Shopping

Hello! let's get started
Sign in to continue.

Username

[Forgot Password](#)


Password

Login

Back Home

Don't have an account? [Create](#)

Forgot Password



A mockup of a forgot password page for an online shopping application. The page has a light blue background. In the center, there is a white card with the title "Online Shopping". Below the title, it says "Hello! let's get started" and "Sign in to continue.". There are three input fields: "Enter Email ID", "Enter New Password", and "Enter Confirm Password". There are two buttons: a teal "Reset" button and a dark blue "Back Home" button. At the bottom, it says "Don't have an account? [Create](#)" and "Already have an account? [Login](#)".

Online Shopping

Hello! let's get started
Sign in to continue.

Enter Email ID

Enter New Password

Enter Confirm Password

Reset

Back Home

Don't have an account? [Create](#)

Already have an account? [Login](#)

Dashboard

Online Shopping

Admin Sample

admin@gmail.com

Dashboard

Brand

Category

Subcategory

Products

Reviews

Orders

Search Order

Reports

Registered Users

Welcome Admin dashboard!

Report Summary

Total Brand
12
[View Details](#)

Total Category
13
[View Details](#)

Total Subcategory
25
[View Details](#)

Total Products
16
[View Details](#)

Total Reg Users
5
[View Details](#)

New Order
6
[View Details](#)

Inprocess Order
1
[View Details](#)

Dispatch Order
0
[View Details](#)

Delivered Order
4
[View Details](#)

New Review
0
[View Details](#)

Approved Review
4
[View Details](#)

Unapproved Reviews
0
[View Details](#)

Online Shopping

Python(Django)

Profile

Online Shopping

Admin Sample

admin@gmail.com

Dashboard

Brand

Category

Subcategory

Products

Reviews

Orders

Search Order

Reports

Registered Users

Welcome Admin dashboard!

View & Update Profile

Old Profile Pic



Profile Pic

Choose File

No file chosen

First Name

Admin

Last Name

Sample

Email

admin@gmail.com

Username

admin

Submit

Online Shopping

Python(Django)

Change Password

Online Shopping

Admin Sample
admin@gmail.com

Dashboard

Brand

Category

Subcategory

Products

Reviews

Orders

Search Order

Reports

Registered Users

Welcome Admin dashboard!

Change Password

Current Password

New Password

Submit

Online Shopping

Python(Django)

Add Brand

Online Shopping

Admin Sample
admin@gmail.com

Dashboard

Brand

Add Brand

Manage Brand

Category

Subcategory

Products

Reviews

Orders

Search Order

Reports

Registered Users

Welcome Admin dashboard!

Add Brand

Brand Name

Brand Logo

Choose File No file chosen

Submit

Online Shopping

Python(Django)

Manage Brand

Online Shopping

Admin Sample
admin@gmail.com

Dashboard

Brand

> Add Brand

> Manage Brand

Category

Subcategory

Products

Reviews

Orders

Search Order

Reports

Registered Users

Welcome Admin dashboard!

Manage Brand

#	Brand Name	Brand Logo	Creation Date	Action
1	LG		July 18, 2025, 5:31 a.m.	<button>EDIT</button> <button>DELETE</button>
2	Samsung		July 18, 2025, 5:31 a.m.	<button>EDIT</button> <button>DELETE</button>
3	Realme		July 18, 2025, 5:31 a.m.	<button>EDIT</button> <button>DELETE</button>
4	Oppo		July 18, 2025, 5:31 a.m.	<button>EDIT</button> <button>DELETE</button>
5	Vivo		July 18, 2025, 5:31 a.m.	<button>EDIT</button> <button>DELETE</button>
6	Dell		July 18, 2025, 5:31 a.m.	<button>EDIT</button> <button>DELETE</button>
7	hp		July 18, 2025, 5:31 a.m.	<button>EDIT</button> <button>DELETE</button>
8	Loreal		July 18, 2025, 5:31 a.m.	<button>EDIT</button> <button>DELETE</button>
9	Adidas		July 18, 2025, 5:31 a.m.	<button>EDIT</button> <button>DELETE</button>
10	Campus		July 18, 2025, 5:31 a.m.	<button>EDIT</button> <button>DELETE</button>

Page 1 of 2. [next](#) [last »](#)

Online Shopping

Python(Django)

Edit Brands

Online Shopping

Admin Sample
admin@gmail.com

Dashboard

Brand

Category

Subcategory

Products

Reviews

Orders

Search Order

Reports

Registered Users

Welcome Admin dashboard!

Update Brand

Brand Name

LG

Old Brand Logo



New Brand Logo

Choose File

No file chosen

Submit

Online Shopping

Python(Django)

Add Category

Online Shopping

Admin Sample
admin@gmail.com

Dashboard

Brand

Category

> Add Category

> Manage Category

Subcategory

Products

Reviews

Orders

Search Order

Reports

Registered Users

Welcome Admin dashboard!

Admin Sample

Admin Sample

1

Admin Sample

Add Category

Category Name

Description

Submit

Online Shopping

Python(Django)

Manage Category

Online Shopping

Admin Sample
admin@gmail.com

Dashboard

Brand

Category

> Add Category

> Manage Category

Subcategory

Products

Reviews

Orders

Search Order

Reports

Registered Users

Welcome Admin dashboard!

Admin Sample

Admin Sample

1

Admin Sample

Manage Category

#	Category Name	Creation Date	Updated Date	Action
1	Mobile	July 18, 2025, 5:31 a.m.	July 18, 2025, 5:31 a.m.	EDIT DELETE
2	Consumer Electronics	July 18, 2025, 5:31 a.m.	July 18, 2025, 5:31 a.m.	EDIT DELETE
3	Apparel & Accessories	July 18, 2025, 5:31 a.m.	July 18, 2025, 5:31 a.m.	EDIT DELETE
4	Automotive Parts & Accessories	July 18, 2025, 5:31 a.m.	July 18, 2025, 5:31 a.m.	EDIT DELETE
5	Flowers & Gifts	July 18, 2025, 5:31 a.m.	July 18, 2025, 5:31 a.m.	EDIT DELETE
6	Hardware & Home Improvement	July 18, 2025, 5:31 a.m.	July 18, 2025, 5:31 a.m.	EDIT DELETE
7	Health & Beauty	July 18, 2025, 5:31 a.m.	July 18, 2025, 5:31 a.m.	EDIT DELETE
8	Houseware & Home Furnishings	July 18, 2025, 5:31 a.m.	July 18, 2025, 5:31 a.m.	EDIT DELETE
9	Jewelry	July 18, 2025, 5:31 a.m.	July 18, 2025, 5:31 a.m.	EDIT DELETE
10	Office Supplies	July 18, 2025, 5:31 a.m.	July 18, 2025, 5:31 a.m.	EDIT DELETE

Page 1 of 2. [next](#) [last »](#)

Online Shopping

Python(Django)

Update Category

Online Shopping

Admin Sample
admin@gmail.com

Dashboard

Brand

Category

Subcategory

Products

Reviews

Orders

Search Order

Reports

Registered Users

Welcome Admin dashboard!

Update Category

Category Name

Mobile

Description

All types of mobile available here.

Submit

Online Shopping

Python(Django)

Add Subcategory

Online Shopping

Admin Sample
admin@gmail.com

Dashboard

Brand

Category

Subcategory

> Add Subcategory

> Manage Subcategory

Products

Reviews

Orders

Search Order

Reports

Registered Users

Welcome Admin dashboard!

Add Subcategory

Select Category Name

Select Category

Subcategory Name

Enter Subcategory Name

Submit

Online Shopping

Python(Django)

Manage Subcategory

Online Shopping

Admin Sample
admin@gmail.com

Dashboard

Brand

Category

Subcategory

> Add Subcategory

> Manage Subcategory

Products

Reviews

Orders

Search Order

Reports

Registered Users

Welcome Admin dashboard!

Manage Subcategory

#	Category Name	Subcategory Name	Creation Date	Updated Date	Action
1	Consumer Electronics	Laptops	July 18, 2025, 3:20 a.m.	July 18, 2025, 3:20 a.m.	EDIT DELETE
2	Consumer Electronics	Desktop	July 18, 2025, 3:20 a.m.	July 18, 2025, 3:20 a.m.	EDIT DELETE
3	Consumer Electronics	Freeze	July 18, 2025, 3:20 a.m.	July 18, 2025, 3:20 a.m.	EDIT DELETE
4	Apparel & Accessories	Shoes	July 18, 2025, 3:20 a.m.	July 18, 2025, 3:20 a.m.	EDIT DELETE
5	Apparel & Accessories	Clothing	July 18, 2025, 3:20 a.m.	July 18, 2025, 3:20 a.m.	EDIT DELETE
6	Apparel & Accessories	Handbag	July 18, 2025, 3:20 a.m.	July 18, 2025, 3:20 a.m.	EDIT DELETE
7	Flowers & Gifts	Frame	July 18, 2025, 3:20 a.m.	July 18, 2025, 3:20 a.m.	EDIT DELETE
8	Flowers & Gifts	Bouquet	July 18, 2025, 3:20 a.m.	July 18, 2025, 3:20 a.m.	EDIT DELETE
9	Flowers & Gifts	Wallets	July 18, 2025, 3:20 a.m.	July 18, 2025, 3:20 a.m.	EDIT DELETE
10	Flowers & Gifts	Statues	July 18, 2025, 3:20 a.m.	July 18, 2025, 3:20 a.m.	EDIT DELETE

Page 1 of 3. [next](#) [last](#)

Online Shopping

Python(Django)

Update Subcategory

Online Shopping

Admin Sample
admin@gmail.com

Dashboard

Brand

Category

Subcategory

Products

Reviews

Orders

Search Order

Reports

Registered Users

Welcome Admin dashboard!

Update Subcategory

Select Category Name

Consumer Electronics

Subcategory Name

Laptops

Submit

Online Shopping

Python(Django)

Add Products

Online Shopping

Admin Sample
admin@gmail.com

Dashboard

Brand

Category

Subcategory

Products

Add Products

Manage Products

Reviews

Orders

Search Order

Reports

Registered Users

Welcome Admin dashboard!

Add Products

Category

Select Category

Subcategory

Select Subcategory

Product Name

Enter Product Name

Brand

Select Brand

Price Before Discount

Enter Product Price

Price After Discount(Selling Price)

Enter Product Price

Product Description

Enter Product Description

Shipping Charge

Enter Product Shipping Charge

Product Availability

Select

Product Featured Image

Choose File

No file chosen

Product Image 2

Choose File

No file chosen

Product Image 3

Choose File

No file chosen

Submit

Online Shopping

Python(Django)

Manage Products

Online Shopping

Admin Sample
admin@gmail.com

Dashboard

Brand

Category

Subcategory

Products

> Add Products

> Manage Products

Reviews

Orders

Search Order

Reports

Registered Users

Welcome Admin dashboard!

Manage Products

#	Product Name	Category Name	Subcategory Name	Creation Date	Action
1	HP 15 Laptop	Consumer Electronics	Laptops	July 25, 2025, 5:20 a.m.	EDIT DELETE
2	Inspiron 15 Laptop	Consumer Electronics	Laptops	July 25, 2025, 5:20 a.m.	EDIT DELETE
3	Aspire Lite 12th Gen Intel	Consumer Electronics	Laptops	July 25, 2025, 5:20 a.m.	EDIT DELETE
4	Lenovo ThinkPad 5th Gen Intel Core i5	Consumer Electronics	Laptops	July 25, 2025, 5:20 a.m.	EDIT DELETE
5	Samsung 183 L, 3 Star, Digital Inverter,	Consumer Electronics	Freeze	July 25, 2025, 5:20 a.m.	EDIT DELETE
6	LG 183 L, 3 Star, Digital Inverter,	Consumer Electronics	Freeze	July 25, 2025, 5:20 a.m.	EDIT DELETE
7	Samsung 215 L, 5 Star	Consumer Electronics	Freeze	July 25, 2025, 5:20 a.m.	EDIT DELETE
8	Samsung 236 L, 3 Star, Convertible	Consumer Electronics	Freeze	July 25, 2025, 5:20 a.m.	EDIT DELETE
9	adidas Mens Courun Avant M Running Shoe	Apparel & Accessories	Shoes	July 25, 2025, 5:20 a.m.	EDIT DELETE
10	mens Ultra Light Running Running Shoe	Apparel & Accessories	Shoes	July 25, 2025, 5:20 a.m.	EDIT DELETE

Page 1 of 2. [next](#) [last »](#)

Online Shopping

Python(Django)

Update Products

Online Shopping

Admin Sample

admin@gmail.com

Dashboard

Brand

Category

Subcategory

Products

Reviews

Orders

Search Order

Reports

Registered Users

Welcome Admin dashboard!

Update Products

Category

Consumer Electronics

Subcategory

Laptops

Product Name

HP 15 Laptop

Brand

hp

Price Before Discount

54000.00

Price After Discount(Selling Price)

52000.00

Product Description

Processor:
13th Gen Intel® Core™ i5-1334U (12 MB cache, 10 cores, 12 threads, up to 4.60 GHz Turbo)
Operating System:
Windows 11 Home Single Language, English

Shipping Charge

250.00

Product Availability

In Stock

Old Product Featured Image



Product Featured Image

Choose File

No file chosen

Old Product Image 2



Product Image 2

Choose File

No file chosen

Old Product Image 3



Product Image 3

Choose File

No file chosen

Submit

Online Shopping

Python(Django)

All Reviews

Online Shopping

Admin Sample
admin@gmail.com

Dashboard

Brand

Category

Subcategory

Products

Reviews

All Reviews

New Reviews

Approved Reviews

Unapproved Reviews

Orders

Search Order

Reports

Registered Users

Welcome Admin dashboard!

Admin Sample

All Review Details

#	Product Name	Name	Email ID	Status	Posted Date	Action
1	LG 183 L, 3 Star, Digital Inverter,	Abir Singh	abir@gmail.com	Approved	July 18, 2025, 3:07 p.m.	View DELETE
2	Aspire Lite 12th Gen Intel	Manav	manav@gmail.com	Approved	July 18, 2025, 3:08 p.m.	View DELETE
3	HP 15 Laptop	abir123	abir@gmail.com	Approved	July 19, 2025, 2:15 a.m.	View DELETE
4	iPhone 16e 128 GB: Built for Apple Intelligence, A18.	John Doe	john12@test.com	Approved	July 24, 2025, 5:28 p.m.	View DELETE

Page 1 of 1.

Online Shopping

Python(Django)

Details of Reviews

Online Shopping

Admin Sample
admin@gmail.com

Dashboard

Brand

Category

Subcategory

Products

Reviews

Orders

Search Order

Reports

Registered Users

Welcome Admin dashboard!

Admin Sample

Review Details

Name	Abir Singh	Email	abir@gmail.com
Product Name	LG 183 L, 3 Star, Digital Inverter, View Details		
Review	Item is good	Review Date	July 18, 2025, 3:07 p.m.
Status	Approved		

Online Shopping

Python(Django)

All Orders

Online Shopping

Admin Sample
admin@gmail.com

Dashboard

Brand

Category

Subcategory

Products

Reviews

Orders

> New Order

> Inprocess Order

> Dispatch Order

> Delivered Order

> Cancelled Order

> All Order

Search Order

Reports

Registered Users

Welcome Admin dashboard!

All Order Details

Order ID	Name	Email	Contact Number	Product	Order Status	Order Date	Action
15	Manisha Verma	manisha@gmail.com	1547798797	adidas Mens Running Shoe (1)	Delivered	July 18, 2025, 7:49 a.m.	Details
16	Manisha Verma	manisha@gmail.com	1547798797	Aspire Lite 12th Gen Intel (1)	Status not updated	July 18, 2025, 7:51 a.m.	Details
17	Abir Singhal	abir@gmail.com	6545645646	Samsung 183 L, 3 Star, Digital Inverter, (1)	Status not updated	July 18, 2025, 7:52 a.m.	Details
18	Abir Singhal	abir@gmail.com	6545645646	LG 183 L, 3 Star, Digital Inverter, (1) mens Running Running Shoe (1)	Delivered Delivered	July 18, 2025, 7:54 a.m.	Details
19	Garima Singh	garaim12@gmail.com	1231234562	Aspire Lite 12th Gen Intel (1)	Inprocess	July 24, 2025, 5:05 p.m.	Details
21	John Doe	john12@test.com	14253625	iPhone 16e 128 GB: (1)	Delivered	July 24, 2025, 5:26 p.m.	Details
22	Abir Singhal	abir@gmail.com	6545645646	Aspire Lite 12th Gen Intel (1)	Status not updated	July 25, 2025, 3:30 a.m.	Details
23	Abir Singhal	abir@gmail.com	6545645646	adidas Mens Running Shoe (1)	Status not updated	July 25, 2025, 3:33 a.m.	Details
24	Abir Singhal	abir@gmail.com	6545645646	Manicure Set Nail Clippers (1)	Status not updated	July 25, 2025, 3:35 a.m.	Details
25	Test Test	Test@gmail.com	6546589797	adidas Mens Running Shoe (1)	Status not updated	July 25, 2025, 4:51 a.m.	Details

1 of 1.

Online Shopping

Python(Django)

New Order

Online Shopping

Admin Sample
admin@gmail.com

Dashboard

Brand

Category

Subcategory

Products

Reviews

Orders

Search Order

Reports

Registered Users

Welcome Admin dashboard!

Order Details

Order #25 - July 25, 2025, 4:51 a.m.

Billing Address: P-908, Shakarpur Laxmi Nagar Delhi

Shipping Address: -908, Shakarpur Laxmi Nagar Delhi

Transaction Method: credit_card

Total Price: \$3000.00

Items:

Product	Quantity	Price (Per Unit)	Shipping Charge	Total	Status
adidas Mens Running Shoe	1	\$2900.00	\$100.00	\$3000.00	Status not updated

User Details:

Name	Test Test	Contact Number	6546589797	Email	Test@gmail.com
------	-----------	----------------	------------	-------	----------------

Order History:

#	Remark	Status	Updation Date
No tracking history found.			

Update Order Status:

Remark:

Status:

Choose Status

Close

Update

Online Shopping

Python(Django)

In-Process Order

Online Shopping

Admin Sample
admin@gmail.com

Dashboard

Brand

Category

Subcategory

Products

Reviews

Orders

Search Order

Reports

Registered Users

Welcome Admin dashboard!

Order Details

Order #25 - July 25, 2025, 4:51 a.m.

Billing Address: P-908, Shakarpur Laxmi Nagar Delhi

Shipping Address: -908, Shakarpur Laxmi Nagar Delhi

Transaction Method: credit_card

Total Price: \$3000.00

Items:

Product	Quantity	Price (Per Unit)	Shipping Charge	Total	Status
adidas Mens Running Shoe	1	\$2900.00	\$100.00	\$3000.00	Inprocess

User Details:

Name	Test Test	Contact Number	6546589797	Email	Test@gmail.com
------	-----------	----------------	------------	-------	----------------

Order History:

#	Remark	Status	Updation Date
1	Order is in process	Inprocess	July 25, 2025, 5:30 a.m.

Update Order Status:

Remark:

Status:

Choose Status

Close

Update

Online Shopping

Python(Django)

Dispatched Orders

Online Shopping

Admin Sample
admin@gmail.com

Dashboard

Brand

Category

Subcategory

Products

Reviews

Orders

Search Order

Reports

Registered Users

Welcome Admin dashboard!

Admin Sample

Order Details

Status updated successfully

Order #25 - July 25, 2025, 4:51 a.m.

Billing Address: P-908, Shakarpur Laxmi Nagar Delhi

Shipping Address: -908, Shakarpur Laxmi Nagar Delhi

Transaction Method: credit_card

Total Price: \$3000.00

Items:

Product	Quantity	Price (Per Unit)	Shipping Charge	Total	Status
adidas Mens Running Shoe	1	\$2900.00	\$100.00	\$3000.00	Dispatch

User Details:

Name	Test Test	Contact Number	6546589797	Email	Test@gmail.com
------	-----------	----------------	------------	-------	----------------

Order History:

#	Remark	Status	Updation Date
1	Order is in process	Inprocess	July 25, 2025, 5:30 a.m.
2	Your Order has been dispatched	Dispatch	July 25, 2025, 5:31 a.m.

Update Order Status:

Remark:

Remark

Status:

Choose Status

Close

Update

Online Shopping

Python(Django)

Delivered Order

Online Shopping

Admin Sample
admin@gmail.com

Dashboard

Brand

Category

Subcategory

Products

Reviews

Orders

Search Order

Reports

Registered Users

Welcome Admin dashboard!

Status updated successfully

Order Details

Order #25 - July 25, 2025, 4:51 a.m.

Billing Address: P-908, Shakarpur Laxmi Nagar Delhi

Shipping Address: -908, Shakarpur Laxmi Nagar Delhi

Transaction Method: credit_card

Total Price: \$3000.00

Items:

Product	Quantity	Price (Per Unit)	Shipping Charge	Total	Status
adidas Mens Running Shoe	1	\$2900.00	\$100.00	\$3000.00	Delivered

User Details:

Name	Contact Number	Email
Test Test	6546589797	Test@gmail.com

Order History:

#	Remark	Status	Updation Date
1	Order is in process	Inprocess	July 25, 2025, 5:30 a.m.
2	Your Order has been dispatched	Dispatch	July 25, 2025, 5:31 a.m.
3	Your Order Has been Delivered	Delivered	July 25, 2025, 5:32 a.m.

Online Shopping

Python(Django)

Between dates report

Online Shopping

Admin Sample
admin@gmail.com

Dashboard

Brand

Category

Subcategory

Products

Reviews

Orders

Search Order

Reports

B/W Date Order Report

Sales Report

Registered Users

Welcome Admin dashboard!

Between Dates Order Report

From Date

To Date

Submit

Data Between: "July 23, 2025 to July 26, 2025"

#	Order ID	Name	Email	Contact Number	Product	Order Status	Order Date	Action
1	19	Garima Singh	garaim12@gmail.com	1231234562	Aspire Lite 12th Gen Intel (1)	Inprocess	July 24, 2025, 5:05 p.m.	Details
2	21	John Doe	john12@test.com	14253625	iPhone 16e 128 GB: (1)	Delivered	July 24, 2025, 5:26 p.m.	Details
3	22	Abir Singhal	abir@gmail.com	6545645646	Aspire Lite 12th Gen Intel (1)	Status not updated	July 25, 2025, 3:30 a.m.	Details
4	23	Abir Singhal	abir@gmail.com	6545645646	adidas Mens Running Shoe (1)	Status not updated	July 25, 2025, 3:33 a.m.	Details
5	24	Abir Singhal	abir@gmail.com	6545645646	Manicure Set Nail Clippers (1)	Status not updated	July 25, 2025, 3:35 a.m.	Details
6	25	Test Test	Test@gmail.com	6546589797	adidas Mens Running Shoe (1)	Delivered	July 25, 2025, 4:51 a.m.	Details

Online Shopping

Python(Django)

Sales Report

Online Shopping
Admin Sample
admin@gmail.com
Dashboard
Brand
Category
Subcategory
Products
Reviews
Orders
Search Order
Reports
> B/W Date Order Report
> Sales Report
Registered Users

Welcome Admin dashboard!

Admin Sample

Sales Report
Start Date: mm/dd/yyyy
End Date: mm/dd/yyyy
Generate Report

Sales Report from July 24, 2025 to July 26, 2025

Order ID	Customer	Total Quantity	Total Price	Total Shipping	Order Date
21	John Doe	1	55000.00	0	July 24, 2025, 5:26 p.m.
25	Test Test	1	2900.00	100.00	July 25, 2025, 4:51 a.m.

Total Sales Summary:
Total Quantity Sold: 2
Total Revenue: 57900.00
Total Shipping Charges: 100.00

Online Shopping
Python(Django)

View Registered Users

Online Shopping
Admin Sample
admin@gmail.com
Dashboard
Brand
Category
Subcategory
Products
Reviews
Orders
Search Order
Reports
Registered Users

Welcome Admin dashboard!

Admin Sample

Registered Users Details

#	Name	Mobile Number	Email ID	Registration Date	Action
1	Abir Singhal	6545645646	abir@gmail.com	July 18, 2025, 7:47 a.m.	View Orders DELETE
2	Manisha Verma	1547798797	manisha@gmail.com	July 18, 2025, 7:48 a.m.	View Orders DELETE
3	Garima Singh	1231234562	garaim12@gmail.com	July 24, 2025, 5:01 p.m.	View Orders DELETE
4	John Doe	14253625	john12@test.com	July 24, 2025, 5:24 p.m.	View Orders DELETE
5	Test Test	6546589797	Test@gmail.com	July 25, 2025, 4:47 a.m.	View Orders DELETE

Page 1 of 1.

Online Shopping
Python(Django)

View Orders of particular registered user.

The screenshot shows the 'Online Shopping' Admin Dashboard. The left sidebar contains a menu with options: Dashboard, Brand, Category, Subcategory, Products, Reviews, Orders, Search Order, Reports, and Registered Users. The main content area is titled 'Welcome Admin dashboard!' and features a user profile 'Admin Sample' with a dropdown arrow. Below this, the section 'All Order Details Of Garima Singh' displays a table with the following data:

#	Order ID	Name	Email	Contact Number	Product	Order Status	Order Date	Action
1	19	Garima Singh	garaim12@gmail.com	1231234562	Aspire Lite 12th Gen Intel (1)	Inprocess	July 24, 2025, 5:05 p.m.	Details

The footer of the dashboard includes the text 'Online Shopping' and 'Python(Django)' with a heart icon.

Search Order

The screenshot shows the 'Online Shopping' Admin Dashboard with the 'Search Order' section active. The left sidebar is the same as in the previous screenshot. The main content area is titled 'Welcome Admin dashboard!' and features the same user profile 'Admin Sample'. Below this, the section 'Search Order Details' includes a search input field with the placeholder text 'Search (By Fullname / Mobile Number / Order Number)'. A green 'Search' button is positioned below the input field. The search results are displayed in a green box with the text 'Search results for 'test' x'. Below this, a table shows the following data:

#	Order ID	Name	Email	Contact Number	Product	Order Status	Order Date	Action
1	25	Test Test	Test@gmail.com	6546589797	adidas Mens Running Shoe (1)	Delivered	July 25, 2025, 4:51 a.m.	Details

The footer of the dashboard includes the text 'Online Shopping' and 'Python(Django)' with a heart icon.

Conclusion

CONCLUSION:

The Online Shopping Portal system has revolutionized the way consumers engage with products and services, providing a seamless and efficient shopping experience. Through the integration of user-friendly interfaces, secure payment gateways, and robust product management features, this system has simplified the shopping process for both consumers and sellers. The ability to browse, purchase, and review products from the comfort of one's home has significantly increased convenience and accessibility.

This project has successfully demonstrated how technology can transform traditional retail processes, making them more efficient, scalable, and customer-centric. With features like real-time order tracking, personalized recommendations, and secure transactions, the system enhances user satisfaction and operational efficiency. As e-commerce continues to grow, this system provides a solid foundation for future developments and adaptations to the ever-evolving digital marketplace.

In conclusion, the Online Shopping Portal not only meets the current demands of online consumers but also sets the stage for future advancements in the e-commerce industry.

Future Enhancements

FUTURE ENHANCEMENTS:

The Online Shopping Portal system has already streamlined the shopping experience, but there are several potential future enhancements that could further improve its functionality and user engagement. Here are some possible areas for development:

1. **Advanced AI-Powered Recommendations**

By integrating more sophisticated machine learning algorithms, the portal can offer personalized recommendations based on user behavior, preferences, and trends. This can lead to more accurate product suggestions, improving the user experience and increasing sales.

2. **Augmented Reality (AR) for Product Visualization**

AR technology can allow users to visualize products in real-world settings, such as trying on clothes virtually or placing furniture in their homes. This immersive shopping experience can reduce return rates and enhance customer satisfaction.

3. **Voice Search and Assistance**

Adding voice-activated shopping capabilities would make the portal more accessible and convenient for users. Integration with virtual assistants like Alexa or Google Assistant could allow customers to browse, add items to their cart, and complete purchases using voice commands.

4. **One-Click Checkout and Multiple Payment Methods**

Simplifying the checkout process by introducing one-click checkout and offering a wider variety of payment options, including digital wallets and cryptocurrency, can enhance the user experience and improve conversion rates.

5. **Social Shopping Features**

Implementing social shopping features such as live-streamed product demonstrations, group buying discounts, or product reviews from social media influencers can increase user engagement and drive more sales.

6. **Enhanced Security Features**

As cyber threats evolve, the system could incorporate advanced security measures like biometric authentication, multi-factor authentication (MFA), and end-to-end encryption for better protection of user data and transactions.

7. Subscription Models for Frequent Shoppers

Introducing a subscription service that offers benefits like free shipping, exclusive discounts, and early access to sales could create a loyal customer base and increase repeat purchases.

8. Eco-Friendly Shopping Options

Adding features that allow users to filter products by sustainability criteria or choose eco-friendly delivery options could attract environmentally conscious shoppers and contribute to sustainable business practices.

9. Improved Delivery and Logistics Management

Incorporating real-time delivery tracking, same-day delivery, and partnerships with local delivery services can enhance the logistics of order fulfillment, offering users faster and more reliable service.

10. Global Expansion and Multi-Language Support

Expanding the portal to support multiple languages and currencies would make it accessible to a broader audience, paving the way for global expansion and increased market share.

By implementing these enhancements, the Online Shopping Portal can continue to stay ahead of industry trends, offering a cutting-edge shopping experience that caters to the evolving needs of modern consumers.

Bibliography

BIBLIOGRAPHY

The following books were referred during the analysis and execution phase of the project

For Python and Django

- [1] Django homepage. <http://www.djangoproject.com/>.
- [2] Python documentation. <http://www.python.org/doc>.
- [3] Django(web framework). <http://en.wikipedia.org/wiki/Django>.
- [4] Django documentation. <http://docs.djangoproject.com>.
- [5] Python(programming language). <http://en.wikipedia.org/wiki/Python>.
- [6]Books: Web Development with Django by Ben Shaw, Saurabh,
Django 4 By Example by Antonio Mele

For MySQL

- <https://www.mysql.com/>
- <http://www.mysqltutorial.org>

For XAMPP

- <https://www.apachefriends.org/download.html>