

rough.py - C:\Users\dhinesh\Desktop\rough.py (3.7.1)

File Edit Format Run Options Window Help

```
for i in range(5,0,-1):
    for j in range(0,i+1):
        print(j,end=' ')
    print("\r")
```

Python 3.7.1 Shell

File Edit Shell Debug Options Window Help

Python 3.7.1 (v3.7.1:260ec2c36a, Oct 20 2018, 14:57:15) [MSC v.1915 64 bit (AMD64)] on win32
Type "help", "copyright", "credits" or "license()" for more information.

```
>>>
===== RESTART: C:\Users\dhinesh\Desktop\rough.py =====
>>> 0 1 2 3 4 5
    0 1 2 3 4
    0 1 2 3
    0 1 2
    0 1
>>>
```

rough.py - C:\Users\dhinesh\Desktop\rough.py (3.7.1)

File Edit Format Run Options Window Help

```
for i in range(1,6):
    for j in range(1,6):
        if j <= i:
            print(i,end=' ')
        else:
            print(j,end=' ')
    print()
```

Python 3.7.1 Shell

File Edit Shell Debug Options Window Help

```
Python 3.7.1 (v3.7.1:260ec2c36a, Oct 20 2018, 14:57:15) [MSC v.1915 64 bit (AMD64)] on win32
Type "help", "copyright", "credits" or "license()" for more information.
>>>
===== RESTART: C:\Users\dhinesh\Desktop\rough.py =====
1 2 3 4 5
2 2 3 4 5
3 3 3 4 5
4 4 4 4 5
5 5 5 5 5
>>> |
```

rough.py - C:\Users\dhinesh\Desktop\rough.py (3.7.1)

File Edit Format Run Options Window Help

```
s=7
v=65
a=(2*s)-2
for i in range(0,s):
    for j in range(0,a):
        print(end=' ')
    a-=1
    for j in range(0,i+1):
        c=chr(v)
        print(c,end=' ')
        v+=1
    print(" ")
```

Python 3.7.1 Shell

File Edit Shell Debug Options Window Help

Python 3.7.1 (v3.7.1:260ec2c36a, Oct 20 2018, 14:57:15) [MSC v.1915 64 bit (AMD64)] on win32
Type "help", "copyright", "credits" or "license()" for more information.
>>>

===== RESTART: C:\Users\dhinesh\Desktop\rough.py =====

```
      A
     B C
    D E F
   G H I J
  K L M N O
 P Q R S T U
V W X Y Z [ \
>>> |
```