

IntelliJ IDEA Dojo

Daniel Hinojosa

Twitter: @dhinojosa

Email: dhinojosa@evolutionnext.com





Tool Windows



Tool Windows Navigation 📒 🐧



ALT-0...ALT-9

Open Corresponding Tool Window

CTRL-E

View Recent Files, Includes Tool Windows

ESC

Return to the Editor

CTRL+SHIFT+F12

Maximize the Editor

ALT+ESCAPE

Close Current Tool Window



Tool Windows Navigation



 $COMMAND(\mathbb{H}) + 0...COMMAND(\mathbb{H}) + 9$

Open Corresponding Tool Window

COMMAND(光)-E

View Recent Files, Includes Tool Windows

ESCAPE(⊗)

Return to the Editor

COMMAND(光)+SHIFT(①)+F12

Maximize the Editor

SHIFT(☆)+ESCAPE(⊗)

Close Current Tool Window



Find Action





CTRL-SHIFT-A Find Action
CTRL-CTRL Run Anything
SHIFT-SHIFT Search Everywhere





SHIFT(①)+COMMAND(光) + A Find Action CONTROL(^) + CONTROL(^) Run Anything SHIFT(①)+ SHIFT(①) Search Everywhere



Dojo: Tool Windows



Finding Stuff





CTRL-N Go to class CTRL-SHIFT-N Go to file CTRL-ALT-SHIFT-N Go to symbol





```
COMMAND(\Re) + O Find Class
COMMAND(\Re) + SHIFT(\Im) + O Go to File
COMMAND(\Re) + OPTION(\neg) + O Go to File
```



Dojo: Finding Files



Navigating Errors





F2

Move to the Next Highlighted Issue

ALT+ENTER

Propose a Fix





F2
Move to the Next Highlighted Issue
OPTION(¬=) + RETURN(△)
Propose a Fix



Dojo: Finding Errors



Generating Files & Code



ALT+INSERT Generate File or Code



Generating Files and Code



COMMAND(\mathbb{H}) + N or CONTROL($^{\wedge}$) + RETURN(\triangleleft)

Generate File or Code



Formatting Code





CTRL + ALT + L

Format All Code (includes imports)

CTRL + ALT + O

Optimize Imports

CTRL + ALT + I

Format Line by Line





COMMAND(\Re) + OPTION(\lnot) + L Format All Code (includes imports CONTROL($^$) + OPTION(\lnot) + O Optimize Imports CONTROL($^$) + OPTION(\lnot) + I Format Line by Line



Dojo: Generating Code



The Blob





Selecting Code Blocks



CTRL + W Increase Code Block

CTRL + SHIFT + W Decrease Code Block



Selecting Code Blocks



OPTION(\neg) + UP(\uparrow) Increase Code Block OPTION(\neg) + DOWN(\downarrow) Decrease Code Block



Editing Basics





CTRL+Y Delete Line at Caret
CTRL+D Duplicate Line at Caret
CTRL+X Cut <u>Line</u> at Caret
CTRL+C Copy <u>Line</u> at Caret
CTRL+SHIFT+V Paste From History





 $COMMAND(\mathbb{H})+DELETE(\boxtimes)$

Delete Line at Caret

COMMAND(光)+D

Duplicate Line at Caret

COMMAND(光)+X

Cut Line at Caret

COMMAND(光)+C

Copy Line at Caret

COMMAND(光)+SHIFT(企)+V

Paste From History



Surround Blocks and Selections





CTRL + ALT + T Surround Block or Selection





COMMAND(光) + OPTION(⁻) + T Surround Block or Selection



Dojo: Using Blobs



Usages





Ctrl + Alt + B Go to Implementation

Ctrl + B Go to Declaration

Alt + F7/Ctrl + F7 Find Usages/Find in File





 $COMMAND(\mathbb{H}) + OPTION(\sim) + B$

Go to Implementation

COMMAND(光)+B

Go to Declaration

OPTION (\sim) + F7 / COMMAND(\Re) + F7

Find Usages/Find In Files



Dojo: Usages



Code Completion



Code Completion



CTRL + SPACE

Basic Code Completion

CTRL + ALT + SPACE

Code Completion that shows inaccessible members

CTRL + SHIFT + SPACE

Type Sensitive Code Completion

CTRL + SHIFT + ENTER

Complete Statement

CTRL + P

Parameter Info



Code Completion



CONTROL(^) + SPACE

Basic Code Completion

CONTROL(^) + OPTION (¬=) + SPACE

Code Completion that shows inaccessible members

CONTROL(^) + SHIFT(①) + SPACE

Type Sensitive Code Completion

COMMAND(光) + SHIFT(☆) + RETURN(△)

Complete Statement

COMMAND(光)+P

Parameter Info



Moving Code





CTRL + SHIFT + UP/DOWN

Move either line or method, depending on caret location





SHIFT (♠) + COMMAND(ૠ) + UP(↑)/DOWN(↓)

Move either line or method, depending on caret location



Dojo: Moving Code



Code Documentation & Help



Code Documentation and Help



CTRL + Q
Quick Documentation Lookup

CTRL + SHIFT + I
Quick Definition Lookup

ALT+Q
Context Info



Code Documentation and Help



CONTROL(^) + J
Quick Documentation
OPTION(~=) + COMMAND(光) + I
Quick Definition Lookup
CONTROL(^) + SHIFT(①) + Q
Context Info



Dojo: Documentation and Info



Testing





CTRL + SHIFT + T

Toggle Between Test and Production

SHIFT + F10

Run All Test

CTRL + SHIFT + F10

Run Contextual Single Test





COMMAND(光) + SHIFT (①) + T Toggle Between Test and Production CONTROL(^) + R Run Previous Test Selection CONTROL(^) + SHIFT (①) + R Run New Test Selection



Dojo: Running and Testing





Alt + Shift + F10/F9

Select Configuration + Debug

Ctrl + Shift + F10/F9

Run Context Configuration Debug





CONTROL(^) + D Run Previous Test Selection CONTROL(^) + SHIFT (①) + D Run Context Configuration Debug



Dojo: Debugging



Refactoring



Refactoring (Part 1)



CTRL + ALT+ SHIFT + T

Refactor This...

F5

Copy item

F6

Move item

SHIFT+F6

Rename globally

ALT+DELETE

Safe Delete



Refactoring (Part 2)



Ctrl + Alt + N Inline

Ctrl + Alt + M Extract Method

Ctrl + Alt + V Extract Variable

Ctrl + Alt + F Extract Field

Ctrl + Alt + C Extract Constant

Ctrl + Alt + P Extract Parameter



Refactoring (Part 1)



```
CONTROL(^{\wedge}) + T
```

Refactor This

F5

Copy item

F6

Move item

SHIFT(①)+F6

Rename globally

COMMAND(光)+DELETE

Safe Delete



Refactoring (Part 2)



COMMAND(\Re) + OPTION(\neg) + N Inline

 $COMMAND(\mathbb{H}) + OPTION(\mathbb{H}) + M$

Extract Method

 $COMMAND(\mathbb{H}) + OPTION(\mathbb{L}) + V$

Extract Variable



Refactoring (Part 3)



 $COMMAND(\mathbb{H}) + OPTION(\mathbb{L}) + F$

Extract Field

 $COMMAND(\mathbb{H}) + OPTION(\mathbb{L}) + C$

Extract Constant

 $COMMAND(\mathbb{H}) + OPTION(\sim) + P$

Extract Parameter



Dojo: Refactoring



HTML/XML Editing



http://docs.emmet.io/abbreviations/syntax/

https://docs.emmet.io/cheat-sheet/



Dojo: Hey Emmet



Version Control



Version Control



ALT + 0

Version Control Window

CTRL + K

Commit

CTRL+T

Update Project

CTRL + SHIFT + K

Push

ALT + `(Backquote)

Version Control Quick Help



Version Control



 $COMMAND(\mathbb{H}) + 0$

Version Control Window

 $COMMAND(\mathbb{H}) + K$

Commit

 $COMMAND(\mathbb{H}) + T$

Update Project

COMMAND(光) +SHIFT(企) + K

Push

 $CONTROL(^) + V$


Version Control Quick Help



Version Control Conflicts



Version Control Conflicts





Column Selection Mode



Column Selection Mode



ALT+SHIFT+INSERT Column Selection Mode



Column Selection Mode



SHIFT(①)+COMMAND(光) + 8 Column Selection Mode



Multicursors





ALT+SHIFT+ [Click]

Start Multicursors

Delete Single Multicursor

Note: Can be used in ranges as well

ALT+J

Select Next Word Occurrence

ALT+SHIFT+J

Select All Word Occurrences
Can be used with Find...





OPTION(¬=) + SHIFT(↑) + [Click]

Start Multicursors

Delete Single Multicursor

Note: Can be used in ranges as well

 $CONTROL(^) + G$

Select Next Word Occurrence

CONTROL(^) + COMMAND(光) + G

Select All Word Occurrences

Can be used with Find...



Presentation Mode



Build Tools Support



Build Tools Support



- Maven
- Gradle
- SBT
- Leiningen

- Rake
- Buildr
- Ant
- Gant



Live Templates





- Use live templates to insert common constructs into your code, such as
 - Loops,
 - Conditions,
 - Various declarations
 - Print statements





Open the



Dojo: Live Templates



Alternative Languages





- Kotlin
- Scala
- Groovy
- JRuby

- Jython
- JavaScript
- Haskell
- Other Products



Audience Favorites

Thanks!

Email: dhinojosa@evolutionnext.com

Twitter: @dhinojosa