



IntelliJ IDEA Jedi Tricks

Daniel Hinojosa
Twitter: @dhinojosa
Email: dhinojosa@evolutionnext.com





Tool Windows



Tool Windows Navigation



ALT-0...ALT-9

Open Corresponding Tool Window

CTRL-E

View Recent Files, Includes Tool Windows

ESC

Return to the Editor

CTRL+SHIFT+F12

Maximize the Editor

ALT+ESCAPE

Close Current Tool Window



Tool Windows Navigation



COMMAND(⌘) + 0...COMMAND(⌘) + 9

Open Corresponding Tool Window

COMMAND(⌘)-E

View Recent Files, Includes Tool Windows

ESCAPE(⊥)

Return to the Editor

COMMAND(⌘)+SHIFT(⇧)+F12


Maximize the Editor

SHIFT(⇧)+ESCAPE(⊥)

Close Current Tool Window



Find Action



CTRL-SHIFT-A Find Action

CTRL-CTRL Run Anything

SHIFT-SHIFT Search Everywhere



Action Keys



SHIFT(⬆)+COMMAND(⌘) + A Find Action
CONTROL(^) + CONTROL(^) Run Anything
SHIFT(⬆)+ SHIFT(⬆) Search Everywhere



Generating Files & Code



Generating Files and Code



ALT+INSERT Generate File or Code



Generating Files and Code



COMMAND(⌘) + N or
CONTROL(^) + RETURN(↵)
Generate File or Code



The Blob



TONY LYN presents
THE BLOB
starring
STEVE McQUEEN,
ANETA CORSAUT, STEPHEN CHASE,
EARL ROWE, OLIN HOWLIN,
JOHN BENSON & GEORGE KARAS

12



Selecting Code Blocks



CTRL + W Increase Code Block

CTRL + SHIFT + W Decrease Code Block



Selecting Code Blocks



OPTION(⌥) + UP(↑) Increase Code Block

OPTION(⌥) + DOWN(↓) Decrease Code Block



Editing Basics



Editing Basics



CTRL+Y Delete Line at Caret

CTRL+D Duplicate Line at Caret

CTRL+X Cut Line at Caret

CTRL+C Copy Line at Caret

CTRL+SHIFT+V Paste From History



Editing Basics



COMMAND(⌘)+DELETE(⌫)

Delete Line at Caret

COMMAND(⌘)+D

Duplicate Line at Caret

COMMAND(⌘)+X

Cut Line at Caret

COMMAND(⌘)+C

Copy Line at Caret

COMMAND(⌘)+SHIFT(⇧)+V

Paste From History



Surround Blocks and Selections



Surround Blocks and Selections



CTRL + ALT + T Surround Block or Selection



Surround Blocks and Selections



COMMAND(⌘) + OPTION(⌥) + T

Surround Block or Selection



Code Completion



Code Completion



CTRL + SPACE

Basic Code Completion

CTRL + ALT + SPACE

Code Completion that shows inaccessible members

CTRL + SHIFT + SPACE

Type Sensitive Code Completion

CTRL + SHIFT + ENTER

Complete Statement

CTRL + P

Parameter Info



Code Completion



CONTROL(^) + SPACE

Basic Code Completion

CONTROL(^) + OPTION (~) + SPACE

Code Completion that shows inaccessible members

CONTROL(^) + SHIFT(↑) + SPACE

Type Sensitive Code Completion

COMMAND(⌘) + SHIFT(↑) + RETURN(↵)

Complete Statement

COMMAND(⌘) + P

Parameter Info



Code Documentation
& Help



Code Documentation and Help



CTRL + Q

Quick Documentation Lookup

CTRL + SHIFT + I

Quick Definition Lookup

ALT+Q

Context Info



Code Documentation and Help



CONTROL(^) + J

Quick Documentation

OPTION(⌥) + COMMAND(⌘) + I


Quick Definition Lookup

CONTROL(^) + SHIFT (⇧) + Q

Context Info



Testing



CTRL + SHIFT + T

Toggle Between Test and Production

SHIFT + F10

Run All Test

CTRL + SHIFT + F10

Run Contextual Single Test



Testing (Alternate)



COMMAND(⌘) + SHIFT (⇧) + T

Toggle Between Test and Production

CONTROL(^) + R

Run Previous Test Selection

CONTROL(^) + SHIFT (⇧) + R

Run New Test Selection



Formatting Code



Formatting Code



CTRL + ALT + L

Format All Code (includes imports)

CTRL + ALT + O

Optimize Imports

CTRL + ALT + I

Format Line by Line



Formatting Code



COMMAND(⌘) + OPTION(⌥) + L

Format All Code (includes imports)

CONTROL(^) + OPTION(⌥) + O

Optimize Imports

CONTROL(^) + OPTION(⌥) + I

Format Line by Line



Navigating Errors



Navigating Errors



F2

Move to the Next Highlighted Issue

ALT+ENTER

Propose a Fix



Navigating Errors



F2

Move to the Next Highlighted Issue

OPTION(⌥) + RETURN(↵)

Propose a Fix



Moving Code



Moving Code



CTRL + SHIFT + UP/DOWN

Move either line or method, depending on caret location



Moving Code



SHIFT (⬆) + COMMAND(⌘) + UP(↑)/DOWN(↓)

Move either line or method, depending on
caret location



Refactoring



Refactoring (Part 1)



CTRL + T

Refactor This...

F5

Copy item

F6

Move item

SHIFT+F6

Rename globally

ALT+DELETE

Safe Delete



Refactoring (Part 2)



Ctrl + Alt + N Inline

Ctrl + Alt + M Extract Method

Ctrl + Alt + V Extract Variable

Ctrl + Alt + F Extract Field

Ctrl + Alt + C Extract Constant

Ctrl + Alt + P Extract Parameter



Refactoring (Part 1)



CONTROL(^) + T

Refactor This

F5

Copy item

F6

Move item

SHIFT(⇧)+F6

Rename globally

COMMAND(⌘)+DELETE

Safe Delete



Refactoring (Part 2)



COMMAND(⌘) + OPTION(⌥) + N

Inline

COMMAND(⌘) + OPTION(⌥) + M

Extract Method

COMMAND(⌘) + OPTION(⌥) + V

Extract Variable



Refactoring (Part 3)



COMMAND(⌘) + OPTION(⌥) + F

Extract Field

COMMAND(⌘) + OPTION(⌥) + C

Extract Constant

COMMAND(⌘) + OPTION(⌥) + P

Extract Parameter



Version Control



ALT + 0

Version Control Window

CTRL + K

Commit

CTRL+T

Update Project

CTRL + SHIFT + K

Push

ALT + ` (Backquote)

Version Control Quick Help





Version Control



COMMAND(⌘) + 0

Version Control Window

COMMAND(⌘) + K

Commit

COMMAND(⌘) + T

Update Project

COMMAND(⌘) + SHIFT(⇧) + K

Push

CONTROL(^) + V

Version Control Quick Help



Version Control Conflicts



Version Control Conflicts

Merge Revisions for C:\IdeaProjects\help-sources\intellij-platform\topics\Install_and_set_up_product.xml

Local Changes (Read-only)

Changes from Server (revision cf342407e563428a6a781d1abbbe3f7a5... LF)

3 changes, 1 conflict

LF Result CRLF

Ignore Accept

Accept Left Side
Accept Right Side
Resolve using Left
Resolve using Right
Resolve Automatically
Ignore
Compare with Clipboard
Annotate

Accept

Ctrl+click to resolve conflict

Accept Left Accept Right Apply Abort

Code snippet showing a merge conflict between local and server changes:

```
<td>
  (32 or 64 bit)
</td>
<td>
  MacOS 10.5 or higher
  <br/>
  (only 64-bit systems are supported)
</td>
<td>
  <list type="bullet">
    <li>
      OS Linux (only 64-bit)
    </li>
    <li>
      KDE, Gnome or Unity
    </li>
  </list>
</td>
</tr>
</table>
</chapter>
</chapter>
<chapter title="Download and install $product$">
  <p>
    $product$ is available in two editions. The Community edition is an open-source edition is commercial, and provides see the <a href="https://www.jetbrains.com/$product$/">$product$</a>
  </p>
  <p>
    To install $product$
  </p>
  <list type="decimal">
    <li>
      <a href="https://www.jetbrains.com/$product$/">$product$</a>
    </li>
  </list>
</chapter>
</chapter>
</topic>
```



HTML/XML Editing



HTML/XML Editing

<http://docs.emmet.io/abbreviations/syntax/>

<https://docs.emmet.io/cheat-sheet/>



Column Selection Mode



Column Selection Mode



ALT+SHIFT+INSERT Column Selection Mode



Column Selection Mode



SHIFT(⬆)+COMMAND(⌘) + 8

Column Selection Mode



Multicursors



Multicursors



ALT+SHIFT+ [Click]

Start Multicursors

Delete Single Multicursor

Note: Can be used in ranges as well

ALT+J

Select Next Word Occurrence

ALT+SHIFT+J

Select All Word Occurrences

Can be used with Find...



Multicursors



OPTION(⌥) + SHIFT(⇧) + [Click]

Start Multicursors

Delete Single Multicursor

Note: Can be used in ranges as well

CONTROL(^) + G

Select Next Word Occurrence

CONTROL(^) + COMMAND(⌘) + G

Select All Word Occurrences

Can be used with Find...



Presentation Mode



Build Tools Support



Build Tools Support



- Maven
- Gradle
- SBT
- Leiningen
- Rake
- Buildr
- Ant
- Gant



Live Templates



Alternative Languages



Audience Favorites

Thanks!

Email: dhinojosa@evolutionnext.com
Twitter: [@dhinojosa](https://twitter.com/dhinojosa)