


Test Driven Development

in Java with Daniel Hinojosa



DevelopIntelligence
A PLURALSIGHT COMPANY

The Adam
Book

TEST-DRIVEN DEVELOPMENT

BY EXAMPLE

KENT BECK



The Process

“

1. Quickly add a test.
2. Run all tests and see the new one fail.
3. Make a little change.
4. Run all tests and see them all succeed.
5. Refactor to remove duplication.

”

Kent Beck – Test Driven Development By
Example 2003

“


1. Write a failing test.
2. Write code to make it pass.
3. Repeat steps 1 and 2.
4. Along the way, refactor aggressively.
5. When you can't think of any more tests, you must be done.

”

Neal Ford – Evolutionary Architecture and
Emergent Design 2009

Benefits

- Promotes design decisions up front
- Allows you and your team to understand your code
- Model the API the way you want it to look
- Means of communicating an API before implementation
- Avoids Technical Debt
- Can be used with any programming language




```
public class TaxCode {  
    public void applyTaxAndSurcharge(Order order) {  
        Money total = order.total();  
        if (order.after(LocalDate.of("2001-01-01"))) {  
            if (order.customer.getState().equals("FL") ||  
                order.customer.getState().equals("NY"))  
                order.applySurcharge(new Money(10))  
                order.applyTax(new Money(total *  
                    TaxWS.findTaxRate(order.customer.getState())));  
            else  
                order.applyTax(new Money(total));  
        }  
        else {  
            order.applyTax(0)  
            order.applySurcharge(0)  
        }  
    }  
}
```

"Game"ifying Development

Consider each fail test a challenge

Less Debugging!



Disadvantages

- People find it difficult and unintuitive at first
- Requires team investment
- Many do not see the advantages until it is too late

Bob Martin's Three TDD Laws

“

You may not write production code until you have written a failing unit test.

”

Bob Martin – Clean Code 2008

“

You may not write more of a unit test than is sufficient to fail, and not compiling is failing.

”

Bob Martin – Clean Code 2008

“

You may not write more production code than is sufficient to pass the currently failing test.

”

Bob Martin – Clean Code 2008

Adopting TDD

Adopting TDD As An Individual

- Practice Makes Perfect
- TDD every new method, class, or function
- Contribute to an open source project for fun
- Use testing when learning a new language!

* You should learn a new language
every year anyway

Adopting TDD As A Team


- For Green Field Projects
 - Start Immediately!
 - Prevent Technical Debt
- For Brown Field Projects
 - Adopt "Testing Thursdays or Fridays" if affordable
 - Powermock in Java if necessary*


* Powermock in Java, or any class manipulation utility is usually a sign of bad design


Measuring and Monitoring TDD


- Use Code Coverage to check that code is being tested
 - Cobertura
 - Emma
 - Jacoco
- Employ Pair Programming
- Employee Code Review
 - Non-TDD Code is easy to spot


Levels of Testing














- Is the system secure?
- Can it be hacked or compromised
- No holds barred testing
- Results in creation of system tests and Unit Test to plug up
- Done by developers, technical managers, testers, or QA








Infrastructure Changes Required

- TDD Adherence among all developers
- Continuous Integration Server:
 - Performs unit testing every hour
 - Breaks the build if agreed testing metrics are not met



Bamboo

> go[®]



Travis CI

What to test?

Any program can be a long series of functions and statements

But we don't do that.

- We break things up into logical sections
 - We also want to reuse those sections
 - Those things must form a cohesive unit
 - Single Responsibility Principle

cout << endl;
int main();
main();

int main() {
 cout << "YOU ARE IN THE MAIN FUNCTION" << endl;
 int main();
}

Test

```

import static org.junit.Assert.*;
import static org.junit.runners.Parameterized.*;
import static org.junit.runners.provider.MethodSource.*;

public class DynamicTestExecutionTest {
    public static int[] multiply(int i, int j) {
        return new int[] { i, 2, 3, 4, 5, 15, ( i * 121, 4, 484 ) };
    }

    @Parameterized.Parameters
    public static Collection<Object> data() {
        List<Object> list = new ArrayList<Object>();
        list.add(multiply(1, 1));
        list.add(multiply(1, 2));
        list.add(multiply(1, 3));
        list.add(multiply(1, 4));
        list.add(multiply(1, 5));
        list.add(multiply(1, 15));
        list.add(multiply(121, 4));
        list.add(multiply(4, 484));
        return list;
    }

    @Test
    public void test() {
        for (Object data : data()) {
            int[] expected = (int[]) data;
            int[] actual = multiply((int) expected[0], (int) expected[1]);
            assertEquals(expected[0], actual[0]);
            assertEquals(expected[1], actual[1]);
            assertEquals(expected[2], actual[2]);
            assertEquals(expected[3], actual[3]);
            assertEquals(expected[4], actual[4]);
            assertEquals(expected[5], actual[5]);
            assertEquals(expected[6], actual[6]);
        }
    }

    @Test
    public void testWithIndex() {
        for (Object data : data()) {
            int[] expected = (int[]) data;
            int i = 0;
            int j = 1;
            int[] actual = multiply(i, j);
            assertEquals(expected[i], actual[0]);
            assertEquals(expected[j], actual[1]);
        }
    }
}

```

We test the logical sections

What not to test?

What not to test?

- The main method, this is where wiring takes place
- GUIs
 - There are varying testing frameworks to test GUIs
 - Selenium Web Driver (Web, JavaScript)
 - Fest-Swing (Java Swing Applications)
 - TestFX (Java FX Applications)
 - Code that calls external services and APIs (Maybe)
 - What about getters and setters? Yes*

* Strong Opinion

Testing Libraries On The JVM

JUnit

- Kent Beck
- Original Testing Framework on the JVM
- Most popular
- Plugins easy available for Eclipse and IntelliJ

TestNG

- Developed by Cedric Beust
- Multiple Features for Testing
 - Groups (also now available in JUnit)
 - Providers
 - Ordered Testing
 - JUnit Integration

Cucumber JVM

- Specification Testing Framework
- Used primarily to test features demanded by stakeholder
- Non-Programmer Readable Style Tests
- Can be used for Unit Testing

Code Coverage Libraries On The JVM

What is Code Coverage?

- Analyzes what production code has been covered by Unit Testing
- Line Coverage tests which line have been covered by tests
- Branch Coverage tests if all conditions have been tested in your `if, else, else, while, do`
- Cyclomatic Complexity
 - Algorithm to determine code complexity
 - Aim for 5 (even if the max should be 10)

How does code coverage work?

- Code that is compiled is then instrumented at byte code level
- Detects when a line of code is process by thread

Example JVM Coverage Report

Packages

All

- [net.sourceforge.cobertura.ant](#)
- [net.sourceforge.cobertura.check](#)
- [net.sourceforge.cobertura.coveragedata](#)
- [net.sourceforge.cobertura.instrument](#)
- [net.sourceforge.cobertura.merge](#)
- [net.sourceforge.cobertura.reporting](#)
- [net.sourceforge.cobertura.reporting.html](#)
- [net.sourceforge.cobertura.reporting.html.files](#)
- [net.sourceforge.cobertura.reporting.xml](#)
- [net.sourceforge.cobertura.util](#)
- ...

All Packages

Classes

- [AntUtil \(88%\)](#)
- [Archive \(100%\)](#)
- [ArchiveUtil \(80%\)](#)
- [BranchCoverageData \(N/A\)](#)
- [CheckTask \(0%\)](#)
- [ClassData \(N/A\)](#)
- [ClassInstrumenter \(94%\)](#)
- [ClassPattern \(100%\)](#)
- [CoberturaFile \(73%\)](#)
- [CommandLineBuilder \(96%\)](#)
- [CommonMatchingTask \(88%\)](#)
- [ComplexityCalculator \(100%\)](#)
- [ConfigurationUtil \(50%\)](#)
- [CopyFiles \(87%\)](#)
- [CoverageData \(N/A\)](#)
- [CoverageDataContainer \(N/A\)](#)
- [CoverageDataFileHandler \(N/A\)](#)
- [CoverageRate \(0%\)](#)
- [ExcludeClasses \(100%\)](#)
- [FileFinder \(96%\)](#)
- [FileLocker \(0%\)](#)
- [FirstPassMethodInstrumenter \(100%\)](#)
- [HTMLReport \(94%\)](#)
- [HasBeenInstrumented \(N/A\)](#)
- [Header \(80%\)](#)
- [IStringUtil \(62%\)](#)
- [Ignore \(100%\)](#)
- [IgnoreBranches \(0%\)](#)

Coverage Report - All Packages

Package	# Classes	Line Coverage	Branch Coverage	Complexity
All Packages	55	75% 1625/2179	64% 472/739	2.319
net.sourceforge.cobertura.ant	11	52% 170/330	43% 40/94	1.848
net.sourceforge.cobertura.check	3	0% 0/150	0% 0/76	2.429
net.sourceforge.cobertura.coveragedata	13	N/A	N/A	2.277
net.sourceforge.cobertura.instrument	10	90% 460/510	75% 129/164	1.854
net.sourceforge.cobertura.merge	1	86% 30/35	88% 14/16	5.5
net.sourceforge.cobertura.reporting	3	87% 116/134	80% 43/54	2.882
net.sourceforge.cobertura.reporting.html	4	91% 475/523	77% 156/202	4.444
net.sourceforge.cobertura.reporting.html.files	1	87% 39/45	62% 5/8	4.5
net.sourceforge.cobertura.reporting.xml	1	100% 155/155	95% 21/22	1.524
net.sourceforge.cobertura.util	9	60% 175/293	69% 70/102	2.892
someotherpackage	1	83% 5/6	N/A	1.2

Report generated by Cobertura 1.9 on 6/9/07 12:37 AM.

Cobertura

- Open Source Code Coverage
- Spanish/Portuguese for "Coverage"
- Easy Use

Emma

- Open Source Coverage Tool
- Easy Use

JaCoCo

- Another Open Source Coverage Tool
- Easy Use
- Excellent Java 8 Use

SCCM


- Open Source
- Scala based Code Coverage for Scala programs

Lab: Retrieve Project

- For Java Based Project:

<https://github.com/dhinojosa/java-tdd-2021-06-22>

Either clone or
download project
of your choice:



Lab: Run A Quick Test

- For Java Based Project:
 - cd java-tdd
 - mvn test

Setting up your IDEs

Quick Note About Java IDEs

- Integrated Development Environment
- They are tremendous for full projects
- They are terrible for simple file editing
- Two popular ones for the JVM
 - Eclipse
 - IntelliJ IDEA
- Full fledged Node/JS IDEs are since editors are usually used
 - WebStorm

* NetBeans still has some Mind Share, Not Sure it is Popular

Eclipse

- <http://www.eclipse.org>
- Variant Eclipse versions depending on focus (Spring STS, Jboss Tools, Scala-IDE, etc)
- Open Source
- Pluggable Features
- Most popular IDE among JVM developers



IntelliJ IDEA

- <http://www.jetbrains.com/idea>
- Community Edition (Free)
- Ultimate Edition (Various Pricing Packages)
- Has more keyboard shortcut bindings than Eclipse
- Pluggable Features
- Easy to Use



Learning Shortcuts for IDEs

Why Keyboard Shortcuts?

- You waste an enormous amount of time using a mouse
- Efficient development requires you know most if not all keyboard shortcuts
- Learn one or two keyboard shortcuts a day (It adds up)
- If you need to perform a task, look up the shortcut until it is committed to memory
- It is essential for successful Test Driven Development

Essential Shortcuts

(Windows/Linux)

- CTRL+S - **Save**
- CTRL+C - **Copy**
- CTRL+X - **Cut**
- CTRL+V - **Paste**
- CTRL+Z - **Undo**
- CTRL+SHIFT+Z or CTRL+R - **Redo**
- ALT+TAB – **Switch Applications**

Essential Shortcuts (Mac OS X)

- ⌘+S - **Save**
- ⌘+C - **Copy**
- ⌘+X - **Cut**
- ⌘+V - **Paste**
- ⌘+Z - **Undo**
- ⌘ + SHIFT(⬆) + Z - **Redo**
- ⌘ + TAB - **Switch Applications**

Essential Eclipse Shortcuts

(Linux/Windows)

- **CTRL + SHIFT + L – Toggle Keyboard Shortcut Help**
- **CTRL + E - Recent Files**
- **CTRL + M – Toggle Fullscreen**
- **CTRL + D – Delete Line**
- **SHIFT + CTRL + F – Format Code**
- **CTRL + 1 – Context Help**



Essential Eclipse Shortcuts (Mac OSX)

- **⌘ + SHIFT(⬆) + L – Toggle Keyboard Shortcut Help**
- **⌘ + E - Recent Files**
- **CTRL + M – Toggle Fullscreen**
- **⌘ + D – Delete Line**
- **⌘ + SHIFT(⬆) + F – Format Code**
- **⌘ + 1 – Context Help**



MoreUnit for Eclipse

- Eclipse Plugin that allows you to:
 - Switch between Test and Production Easily
 - Run Tests
- **CTRL + J – Switch to Test/Production Code**
- **CTRL + R – Run the Test**



Installing MoreUnit for Eclipse

- Help > Eclipse Marketplace...
- Search for MoreUnit
- Click Install
- Accept License Agreement
- Restart Eclipse if necessary



Essential IntelliJ Shortcuts

(Linux/Windows)

- **CTRL + SHIFT + A – Keyboard Shortcut Lookup**
- **CTRL + E - Recent Files**
- **CTRL + SHIFT + F12 – Maximize Screen**
- **CTRL + Y – Delete Line**
- **SHIFT + ALT + L – Format Code**
- **ALT + ENTER – Context Help**
- **CTRL + SHIFT+ T – Toggle between Test and Class**
- **CTRL + SHIFT + F10 – Run**

https://www.jetbrains.com/idea/docs/IntelliJIDEA_ReferenceCard_Mac.pdf



Essential IntelliJ Shortcuts

(Mac OSX)


- SHIFT(⬆) + ⌘ + A – **Toggle Keyboard Shortcut Help**
- ⌘ + E - **Recent Files**
- ⌘ + SHIFT(⬆) + F – **Toggle Fullscreen**
- ⌘ + DELETE(⌫) – **Delete Line**
- ⌘ + OPTION(⌥) + L – **Format Code**
- OPTION(⌥) + ENTER(↲) – **Context Help**

https://www.jetbrains.com/idea/docs/IntelliJIDEA_ReferenceCard_Mac.pdf



Editor Can't Toggle?

Consider using split pane



The screenshot shows a code editor window with a split-pane feature. On the left, there is a file tree for a project named 'danno-test-project'. The 'calculator-spec.js' file is selected in the tree. The main area contains two panes of the same file, 'calculator-spec.js', side-by-side. The left pane has a light gray background, while the right pane has a yellowish tint. Both panes show the same code content, which is a JavaScript test file using Chai and Mocha. The code includes various describe and it blocks for testing addition, negative numbers, and object manipulation.

```
calculator-spec.js — test — ~/Development/danno-test-project

calculator-spec.js
calculator-spec.js


1 import chai,
2   expect,
3 } from 'chai';
4 import add,{foo} from '../src/calculator.js';
5 import chaiAsPromised from 'chai-as-promised'
6 chai.use(chaiAsPromised)
7
8 describe('add', () => {
9   describe('addition', () => {
10     it('should add two numbers', () => {
11       expect(add(2, 3)).to.equal(5);
12     });
13   });
14   describe('negative numbers', () => {
15     it('should add consider negative numbers', () => {
16       expect(add(2, -3)).to.equal(-1);
17     });
18   });
19   describe('the hell is going on here', function() {
20     it('should smell great', function() {
21       expect(add(5, 10)).to.equal(15);
22     });
23   });
24   describe('obj.blah', () => {
25     it('should be mocked as...', () => {
26       const baz = fblah • () => 'hutt';
1 import chai,
2   expect,
3 } from 'chai';
4 import add,{foo} from '../src/calculator.js';
5 import chaiAsPromised from 'chai-as-promised'
6 chai.use(chaiAsPromised)
7
8 describe('add', () => {
9   describe('addition', () => {
10     it('should add two numbers', () => {
11       expect(add(2, 3)).to.equal(5);
12     });
13   });
14   describe('negative numbers', () => {
15     it('should add consider negative numbers', () => {
16       expect(add(2, -3)).to.equal(-1);
17     });
18   });
19   describe('the hell is going on here', function() {
20     it('should smell great', function() {
21       expect(add(5, 10)).to.equal(15);
22     });
23   });
24   describe('obj.blah', () => {
25     it('should be mocked as...', () => {
26       const baz = fblah • () => 'hutt';

```

test/calculator-spec.js 1:1


LF UTF-8 JavaScript master

Atom Keyboard Shortcuts



<https://github.com/nwinkler/atom-keyboard-shortcuts>

Sublime Keyboard Shortcuts



[http://docs.sublimetext.info/en/latest/reference/
keyboard_shortcuts_win.html](http://docs.sublimetext.info/en/latest/reference/keyboard_shortcuts_win.html)

Sublime Keyboard Shortcuts



[http://docs.sublimetext.info/en/latest/reference/
keyboard_shortcuts_osx.html](http://docs.sublimetext.info/en/latest/reference/keyboard_shortcuts_osx.html)

AssertJ

- Update to Fest Assert
- Contains assertions for Guava, Joda-Time, Swing
- `import static org.assertj.core.api.Assertions.*;`

cyber-dojo.org

the place to practice programming



setup a new practice session

enter a practice session

review a practice session

100% of your donation buys
Raspberry Pi computers to
help children learn to program

**please
donate**

Demo: In the Small Person or Wallet

Demo: In the Small Person or Wallet

Lab: Fizz Buzz



Fizz Buzz Test


The "Fizz-Buzz test" is an interview question designed to help filter out the 99.5% of programming job candidates who can't seem to program their way out of a wet paper bag. The text of the programming assignment is as follows:

"Write a program that prints the numbers from 1 to 100. But for multiples of three print “Fizz” instead of the number and for the multiples of five print “Buzz”. For numbers which are multiples of both three and five print “FizzBuzz”."

Dont believe it,
it's more like 60%

<http://wiki.c2.com/?FizzBuzzTest>

Group Lab: Caesar Cipher




“Foo” $\Rightarrow +5 \Rightarrow$ “Ktt”

Property Based Testing

What is a Property?



Exhaustive Testing through Fuzzing



100s or more
values

Throttling your functions or methods

A high-speed photograph of a water droplet hitting a surface, creating a large splash and concentric ripples.

Invalid Random Unexpected



TDD ++



How is it different than a unit test?

- This doesn't make a direct assignment of value
- I want to make sure a certain rule about my software holds
- These rules are called properties

**Questions: What
Properties can you
come with?**

Reversing a String?

- The beginning of the original string is the end of the reverse
- The end of the original string is the beginning of the reverse
- The "middle" is the same
- If you reverse the reverse you should get the original?

Concatenating Two Lists?

- The concatenating result of the two lists must be greater than or equal to each of the lists
- The sum of the sizes of the two lists should equal the concatenation

Building a Custom Map?

- Compare against a standards implementation (use Java's implementation)
- E.g. A key must exist after adding, but only once

Absolute Value of

- Always greater than or equal to zero

Fizz Buzz

- All divisible by 3 values should start with "fizz"
- All divisible by 5 values should end with "buzz"

What a property test will not give you

- Not a replacement for Test Driven Development
- It is not a randomizer of input, it has a specific need to find outliers
- 0, 1, -1, Integer.MAX_VALUE, Integer.MIN_VALUE

Day 2: Isolated Testing

Isolated Testing

Isolation

- The key to unit testing is isolation
- Mock, Stub, Dummy, or Fake dependencies
- Prefer to investigate an interface of the object you wish to inject.

Evidence of Dependencies


No evidence of a Dependency

```
public void method1() {  
    new Employee("Roger", "Moore");  
}
```



No evidence of a static dependency

```
public void method2() {  
    Resource resource =  
        ServerInstance.find("/accounts/resource");  
    resource.addDeposit(3000.00);  
}
```



Static Dependency Hard to Control

```
public Resource method3() {  
    Resource resource =  
        ServerInstance.find("/accounts/resource");  
    resource.addDeposit(3000.00);  
    return resource;  
}
```



Full Evidence of a Dependency

```
public Resource method4(Resource resource)
{
    resource.addDeposit(3000.00);
    return resource;
}
```



Full Evidence of a Dependency

```
public Employee method4() {  
    return new Employee("Sean",  
"Connery"); //OK  
}
```



Full Evidence of a Dependency

```
public List<Employee> method5() {  
    return Arrays.asList(  
        new Employee("Sean", "Connery"),  
        new Employee("George", "Lazenby"),  
        new Employee("Pierce", "Brosnan"),  
        new Employee("Roger", "Moore"),  
        new Employee("Timothy", "Dalton"),  
        new Employee("Daniel", "Craig"));  
}
```



Test Doubles

Fakes

“

Objects that actually have working implementations, but usually take some shortcut which makes them not suitable for production (an in memory database is a good example).

”

Dummies

“

Objects that are passed around but never actually used. Usually they are just used to fill parameter lists.

”

Stubs

“

Stubs provide canned answers to calls made during the test, usually not responding at all to anything outside what's programmed in for the test. Stubs may also record information about calls, such as an email gateway stub that remembers the messages it 'sent', or maybe only how many messages it 'sent'.

”

Mocks

“

Mocks are ... objects pre-programmed with expectations which form a specification of the calls they are expected to receive.

”

Java 8 Functions

- Lambda Expressions are available now on Java 8
- Potential to minimize the use of mocks & stubs, save time

Java 8 Functions

“

A functional interface is any interface that contains only one abstract method. (A functional interface may contain one or more default methods or static methods.) Because a functional interface contains only one abstract method, you can omit the name of that method when you implement it.


”

Functional Interface Definition - <https://docs.oracle.com/javase/tutorial/java/javaOO/lambdaexpressions.html>

Functions vs. Mocks

The thing that you will find is the more you adapt either functions or higher abstractions *the more likely you will not need mocks.*

Mocking Frameworks



EasyMock

- One of the first mocking frameworks
- <http://www.easymock.org>
- Strict by default

JMock

- Mocking Framework
- No current release since 2012

Mockito


- Flexible Mocking Framework
- Most popular of the mocking framework
- Lenient

Demo: Using EasyMock or Mockito

Study in Hexagonal Architecture

Primary / Driving Adapter

Secondary / Driven Adapter



Dependencies Go Inwards



Demo: Creating a DAO

Lab: Completing the Domain

Question: What would be required to change the DAO to use JPA?

Group Lab: Finding overdue library books.

Day 3: Dealing with Legacy

Best Practices and Advice

Code Reviewer Guide

<http://misko.hevery.com/code-reviewers-guide/>



Miško Hevery

The Testability Explorer Blog



Exception Handling

- One Exception can be thrown for multiple reasons
- It is best to check the messages to avoid false positives

AntiPattern: Mocks returning Mocks

- Mocks returning Mocks shows bad form
- Having more than 2 mocks can possibly show bad form
- Shows that a class is multipurpose
- *Likely broke the "Single Responsibility Principle"*

Single Responsibility Principle

- "A class should have only one reason to change,"
- Consider a module that compiles and prints a report.
- Imagine such a module can be changed for two reasons.
 - The content of the report could change.
 - The format of the report could change.
- These two things change for different causes

Command/Query Separation

- The fundamental idea is that we should divide an object's methods into two sharply separated categories:
 - **Queries:** Return a result and do not change the observable state of the system (are free of side effects).
 - **Commands:** Change the state of a system but do not return a value.

Command/Query Separation

- Clearly separate methods that change state from those that don't
- You can use queries in many situations with much more confidence, introducing them anywhere, changing their order.
- You have to be more careful with modifiers.

Isolating Side Effects

- Taken from functional programming, it is tough to test methods and functions that produce a side effect.
- Side effects include
 - Sending over a network
 - Writing to disk
 - Printing to screen
- Create the smallest possible method responsible for producing the side effect, while may be difficult test, it is best to isolate the smallest piece

Isolating Side Effects

```
reconcileBudget(...)
```

Testable

```
printReportToScreen(Report report)
```

**Non-Testable
Lightweight**

```
applyTaxToPurchases(...)
```

Testable

“

Perhaps a better rule is that we want to test a single concept in each test function. We don't want long test functions that go testing one miscellaneous thing after another.

”

Bob Martin – Clean Code 2008

“

Every class should have responsibility over a single part of the functionality provided by the software, and that responsibility should be entirely encapsulated by the class. All its services should be narrowly aligned with that responsibility

”

Source: http://en.wikipedia.org/wiki/Single_responsibility_principle

Class Cohesion

- Methods should support most if not all private encapsulated member variables
- A few can go unused in some methods, but should have a very good reason to do so.
- Any private member variables that are not entirely supported by encapsulating variables should be removed or refactored

In VCS We Trust


- Commenting out code that you do think you need anymore is bad form
- If you don't need it, **delete it**
- Trust in your version control system
- Commit green and clean code constantly, so that you can recover it
- Take time or take training to know and understand your VCS very well

Fail Fast

- Definition: A fail-fast system is designed to immediately report at its interface any failure or condition that is likely to lead to failure.
- Do not hide exceptions
- Go wrong fast and upfront or go wrong in production

What about Powermock?





Refactoring

**Question: How do you define
bad code?**

**Question: Where does bad code
come from?**

Name some code smells.

Refactoring

Improve Structure of Code
Without Changing Observable Behavior
At a Specific Boundary

Long Methods

- Takes too long to understand
- Inverted Pyramid
- Mixes Levels of Abstraction
- Violation (Perhaps) of Single Responsibility Principle
- Too Many Lines of Code
- References Many Variables and Methods
- Use Extract Method to extract

Primitive Obsession

- Use of primitives instead of small objects for simple tasks (such as currency, ranges, special strings for phone numbers, etc.)
- Use of constants for coding information (such as a constant `USER_ADMIN_ROLE = 1` for referring to users with administrator rights.)
- Lack of constraint. Do you need `MAX_VALUE` for a number?
- Create Value Objects: `AccountNumber`, `Point`, `Coordinate`, `Date/Time`
- Consider Immutability for Value Objects

Feature Envy

- One object gets at the fields of another object in order to perform some sort of computation or make a decision, rather than asking the object to do the computation itself.

Feature Envy

- Consider a class representing a rectangle. The user of the rectangle may need to know its area. The programmer could expose width and height fields and then do the computation outside of the Rectangle class.
- Alternatively, Rectangle could keep the width and height fields private and provide a getArea method. This is arguably a better approach
- Use Extract Method to extract and Move Method to Move to the correct class


Demo: Blackjack



Lab: Blackjack



Testing Legacy Code



```
class Service1 {  
    def bar(int i) {  
        foo.bar(i + 9)  
    }  
}
```



```
class Service2 {  
    def bar(int i) {  
        foo.bar(i + 3)  
    }  
}
```




```
class $odFOO {  
    def bar(int i) {  
        ...  
    } }  
}
```

Legacy Code Techniques

Parameterize Method

Parameterize Method

```
public class Foo {  
    public void bar() {  
        Bar bar = new Bar();  
        bar.baz();  
        bar.qux();  
    }  
}
```



Step 1: Identify the method that you want to replace

Parameterize Method

```
public class Foo {  
    public void bar() {  
        Bar bar = new Bar();  
        bar.baz();  
        bar.qux();  
    }  
  
    public void bar() {  
        Bar bar = new Bar();  
        bar.baz();  
        bar.qux();  
    }  
}
```

Step 1.1: Make a copy of the method

Parameterize Method

```
public class Foo {  
    public void bar() {  
        Bar bar = new Bar();  
        bar.baz();  
        bar.qux();  
    }  
  
    public void bar(Bar b) {  
        Bar bar = new Bar();  
        bar.baz();  
        bar.qux();  
    }  
}
```

Step 2.1: Add a parameter to the method for the object whose creation you are going to replace.

Parameterize Method

```
public class Foo {  
    public void bar() {  
        Bar bar = new Bar();  
        bar.baz();  
        bar.qux();  
    }  
  
    public void bar(Bar b) {  
        Bar bar =  
        bar.baz();  
        bar.qux();  
    }  
}
```

Step 2.2: Remove the object creation

Parameterize Method

```
public class Foo {  
    public void bar() {  
        Bar bar = new Bar();  
        bar.baz();  
        bar.qux();  
    }  
  
    public void bar(Bar b) {  
        Bar bar = b;  
        bar.baz();  
        bar.qux();  
    }  
}
```

Step 2.3: Add an assignment from the parameter to the variable that holds the object

Parameterize Method

```
public class Foo {  
    public void bar() {  
  
    }  
  
    public void bar(Bar b) {  
        Bar bar = b;  
        bar.baz();  
        bar.qux();  
    }  
}
```

Step 3.1: Delete the body of the original method

Parameterize Method

```
public class Foo {  
    public void bar() {  
        bar(new Bar());  
    }  
  
    public void bar(Bar b) {  
        Bar bar = b;  
        bar.baz();  
        bar.qux();  
    }  
}
```

Step 3.1: Make a call to the parameterized method, using the object creation expression for the original object.

Parameterize Method

```
public class Foo {  
    public void bar() {  
        bar(new Bar());  
    }  
  
    public void bar(Bar b) {  
        Bar bar = b;  
        bar.baz();  
        bar.qux();  
    }  
}
```

Addendum: The new method is now testable


Parameterize Method

```
public class Foo {  
    public void bar() {  
        bar(new Bar());  
    }  
  
    public void bar(Bar bar) {  
        bar.baz();  
        bar.qux();  
    }  
}
```

Addendum: After your test, perform refactoring

Parameterize Method to Overcome Static Calls

Parameterize Method to Overcome Static Calls



Parameterize Method



```
public class Foo {  
    public void bar(int a, int b) {  
        Resource r = Server.getResource("account")  
        r.send(r.process(a, b) * 10);  
    }  
}
```

Step 1: Identify the method that you want to replace

Parameterize Method

```
public class Foo {  
    public void bar(int a, int b) {  
        Resource r = Server.getResource("account")  
        r.send(r.process(a, b) * 10);  
    }  
  
    public void bar(int a, int b) {  
        Resource r = Server.getResource("account")  
        r.send(r.process(a, b) * 10);  
    }  
}
```

Step 1.1: Make a copy of the method

Parameterize Method

```
public class Foo {  
    public void bar(int a, int b) {  
        Resource r = Server.getResource("account")  
        r.send(r.process(a, b) * 10);  
    }  
  
    public void bar(int a, int b,  
                    Function<String, Resource> f){  
        Resource r = Server.getResource("account")  
        r.send(r.process(a, b) * 10);  
    }  
}
```

Step 2.1: Add a functional interface to the method for the static you are going to replace.

Parameterize Method

```
public class Foo {  
    public void bar(int a, int b) {  
        Resource r = Server.getResource("account")  
        r.send(r.process(a, b) * 10);  
    }  
  
    public void bar(int a, int b,  
                    Function<String, Resource> f){  
        Resource r = f.apply("account")  
        r.send(r.process(a, b) * 10);  
    }  
}
```

Step 2.3: Add an assignment from the parameter to the variable that holds what the function will return, including the static's former parameters.

Parameterize Method

```
public class Foo {  
    public void bar(int a, int b) {  
  
    }  
  
    public void bar(int a, int b,  
                  Function<String, Resource> f){  
        Resource r = f("account")  
        r.send(r.process(a, b) * 10);  
    }  
}
```

Step 3.1: Delete the body of the original method

Parameterize Method

```
public class Foo {  
    public void bar(int a, int b) {  
        bar(a, b,  
            s -> Server.getResource(s)  
    }  
  
    public void bar(int a, int b,  
                    Function<String, Resource> f){  
        Resource r = f.apply("account");  
        r.send(r.process(a, b) * 10);  
    }  
}
```

Step 3.2: Make a call to the parameterized method, using the object creation expression for the original object.

Caveat

If the function is something where you don't expect much of a different behavior to change you may opt for a “*Parameterize Constructor*” with the function instead.

Parameterize Constructor

Parameterize Constructor

- Constructors are not a part of the interface!
- It is false to think that a change in the constructor will change your interface.

Parameterize Constructor



```
public class Foo {  
    public Foo() {  
        Bar bar = new Bar();  
        bar.init();  
    }  
  
    public baz() {  
        bar.qux();  
    }  
}
```

Step 1: Identify the constructor that you want to parameterize

Parameterize Constructor

```
public class Foo {  
    public Foo() {  
        Bar bar = new Bar();  
        bar.init();  
    }  
  
    public Foo() {  
        Bar bar = new Bar();  
        bar.init();  
    }  
  
    public baz() {  
        bar.qux();  
    }  
}
```

Step 1.1: Make a copy of it.

Parameterize Constructor

```
public class Foo {  
    public Foo() {  
        Bar bar = new Bar();  
        bar.init();  
    }  
  
    public Foo(Bar b) {  
        Bar bar = new Bar();  
        bar.init();  
    }  
  
    public baz() {  
        bar.qux();  
    }  
}
```

Step 2.1: Add a parameter to the constructor for the object whose creation you are going to replace

Parameterize Constructor

```
public class Foo {  
    public Foo() {  
        Bar bar = new Bar();  
        bar.init();  
    }  
  
    public Foo(Bar b) {  
        Bar bar = b  
        bar.init();  
    }  
  
    public baz() {  
        bar.qux();  
    }  
}
```

Step 2.2: Remove the object creation and add an assignment from the parameter to the instance variable for the object.


Parameterize Constructor

```
public class Foo {  
    public Foo() {  
        this(new Bar());  
    }  
  
    public Foo(Bar b) {  
        Bar bar = b  
        bar.init();  
    }  
  
    public baz() {  
        bar.qux();  
    }  
}
```

Step 3: Remove the body of the old constructor and replace it with a call to the new constructor

**Parameterize Constructor
with Lambdas to overcome
static calls**

Parameterize Constructor



```
public class Foo {  
    public void bar(int a, int b) {  
        Resource r = Server.getResource("account")  
        r.send(r.process(a, b) * 10);  
    }  
}
```

Step 1: Identify the static method that you want to parameterize in a constructor

Parameterize Constructor

```
public class Foo {  
    public Foo() {}  
    public Foo() {}  
    public void bar(int a, int b) {  
        Resource r = Server.getResource("account")  
        r.send(r.process(a, b) * 10);  
    }  
}
```

Step 1.1: Make a copy of the constructor
(in this case there was no explicit constructor, so I
made two to preserve signatures)

Parameterize Constructor

```
public class Foo {  
    public Foo() {}  
    public Foo(Function<String, Resource> f) {}  
    public void bar(int a, int b) {  
        Resource r = Server.getResource("account")  
        r.send(r.process(a, b) * 10);  
    }  
}
```

Step 2.1: Add a parameter to the new constructor
for the functional interface that matches your static's
signature

Parameterize Constructor

```
public class Foo {  
    private Function<String, Resource> f;  
    public Foo() {}  
    public Foo(Function<String, Resource> f) {}  
    public void bar(int a, int b) {  
        Resource r = Server.getResource("account")  
        r.send(r.process(a, b) * 10);  
    }  
}
```

Step 2.2: Create a member variable to store the function

Parameterize Constructor

```
public class Foo {  
    private Function<String, Resource> f;  
    public Foo() {}  
    public Foo(Function<String, Resource> f) {  
        this.f = f;  
    }  
    public void bar(int a, int b) {  
        Resource r = Server.getResource("account")  
        r.send(r.process(a, b) * 10);  
    }  
}
```

Step 2.2: Add an assignment from the parameter to the member variable in the copied constructor

Parameterize Constructor

```
public class Foo {  
    private Function<String, Resource> f;  
    public Foo() {  
        this(s -> Server.getResource(s))  
    }  
    public Foo(Function<String, Resource> f) {  
        this.f = f;  
    }  
    public void bar(int a, int b) {  
        Resource r = Server.getResource("account")  
        r.send(r.process(a, b) * 10);  
    }  
}
```

Step 3: Remove the body of the old constructor
(if applicable) and replace it with a call to the new constructor

Parameterize Constructor

```
public class Foo {  
    private Function<String, Resource> f;  
    public Foo() {  
        this(s -> Server.getResource(s))  
    }  
    public Foo(Function<String, Resource> f) {  
        this.f = f;  
    }  
    public void bar(int a, int b) {  
        Resource r = f.apply("account")  
        r.send(r.process(a, b) * 10);  
    }  
}
```

Step 4: Replace the static with your function

Parameterize Constructor

```
public class Foo {  
    private Function<String, Resource> f;  
    public Foo() {  
        this(Server::getResource)  
    }  
    public Foo(Function<String, Resource> f) {  
        this.f = f;  
    }  
    public void bar(int a, int b) {  
        Resource r = f("account")  
        r.send(r.process(a, b) * 10);  
    }  
}
```

Addendum: test your method with TDD, refactor

Sprout Class & Method

Sprout Method

Sprout Method



```
public class Foo {  
    int i;  
    public void bar {  
        doSomething1;  
        doSomething2;  
        doSomething3;  
    }  
}
```

Step 1: Identify where you need to make your code change.

Sprout Method

```
public class Foo {  
    int i;  
    public void bar {  
        //baz()  
        doSomething1;  
        doSomething2;  
        doSomething3;  
    }  
}
```

Step 2: If the change can be formulated as a single sequence of statements in one place in a method, write down a call for a new method that will do the work involved and then comment it out.

Sprout Method

```
public class Foo {  
    int i;  
    public void bar {  
        //baz(i)  
        doSomething1;  
        doSomething2;  
        doSomething3;  
    }  
}
```

Step 3: Determine what local variables you need from the source method, and make them arguments to the call.

Sprout Method

```
public class Foo {  
    int i;  
    public void bar {  
        //float f = baz(i)  
        doSomething1;  
        doSomething2;  
        doSomething3;  
    }  
}
```

Step 4: Determine whether the sprouted method will need to return values to source method. If so, change the call so that its return value is assigned to a variable.

Sprout Method

```
public class Foo {  
    int i;  
    public void baz {...}  
    public void bar {  
        //float f = baz(i)  
        doSomething1;  
        doSomething2;  
        doSomething3;  
    }  
}
```

```
public class FooTest {  
    @Test  
    public void testBaz {  
        Foo foo = new Foo();  
        assertEquals(  
            19.0f, foo.baz(10))  
    }  
}
```

Step 5: Develop the sprout method using test-driven development

Sprout Method


```
public class Foo {  
    int i;  
    public void baz {...}  
    public void bar {  
        float f = baz(i)  
        doSomething1;  
        doSomething2;  
        doSomething3;  
    }  
}
```

```
public class FooTest {  
    @Test  
    public void testBaz {  
        Foo foo = new Foo();  
        assertEquals(  
            19.0f, foo.baz(10))  
    }  
}
```

Step 5: Remove the comment in the source method to enable the call.

Sprout Class

Sprout Class



```
public class Foo {  
    int i;  
    public void bar() {  
        doSomething1;  
        doSomething2;  
        doSomething3;  
    }  
}
```

Step 1: Identify where you need to make your code change.

Sprout Class

```
public class Foo {  
    int i;  
    public void bar() {  
        doSomething1;  
        doSomething2;  
        doSomething3;  
    }  
}
```

Step 2.1: If the change can be formulated as a single sequence of statements in one place in a method, think of a good name for a class that could do that work.

Sprout Class

```
public class Foo {  
    int i;  
    public void bar() {  
        // Other other = new Other();  
        // other.baz();  
        doSomething1;  
        doSomething2;  
        doSomething3;  
    }  
}
```

Step 2.2: Write code that would create an object of that class in that place, and call a method in it that will do the work that you need to do; then comment those lines out.

Sprout Class

```
public class Other {  
    public Other(int i) {}  
    public void baz(){}  
}
```

```
public class Foo {  
    int i;  
    public void bar() {  
        // Other other = new Other(i);  
        // other.baz();  
        doSomething1;  
        doSomething2;  
        doSomething3;  
    }  
}
```

Step 3: Determine what local variables you need from the source method, and make them arguments to the classes' constructor.

Sprout Class

```
public class Other {  
    public Other(int i) {}  
    public float baz(){}  
}
```

```
public class Foo {  
    int i;  
    public void bar() {  
        // Other other = new Other(i);  
        // other.baz();  
        doSomething1;  
        doSomething2;  
        doSomething3;  
    }  
}
```

Step 4.1: Determine whether the sprouted class will need to return values to the source method. If so, provide a method in the class that will supply those values,

Sprout Class

```
public class Other {  
    public Other(int i) {}  
    public float baz(){}  
}
```

```
public class Foo {  
    int i;  
    public void bar {  
        // Other other = new Other(i);  
        // float f = other.baz();  
        doSomething1;  
        doSomething2;  
        doSomething3;  
    }  
}
```

Step 4.2: Add a call in the source method to receive those values.

Sprout Class

```
public class Other {  
    public Other(int i) {}  
    public float baz(){}  
}
```

```
public class OtherTest {  
    @Test  
    public void testBaz() {  
        ...  
        assertEquals(...)  
    }  
}
```

Step 5: Develop the sprout class test first (TDD)

Sprout Class

```
public class Other {  
    public Other(int i) {}  
    public float baz(){}  
}
```

```
public class Foo {  
    int i;  
    public void bar {  
        Other other = new Other(i);  
        float f = other.baz();  
        doSomething1;  
        doSomething2;  
        doSomething3;  
    }  
}
```

Step 6: Remove the comments


Demo: Sprout Class



Wrap Class & Method

Wrap Method

Wrap Method (v1)



```
public class Foo {  
    public void deposit(int amt) {...}  
}
```

1. Identify a method you need to change.

Wrap Method (v1)

```
public class Foo {  
    protected void depositTx(int amt) {...}  
    public void deposit(int amt) {}  
}
```

Step 2: Rename the method and then create a new method with the same name and signature as the old method.

Wrap Method (v1)

```
public class Foo {  
    protected void depositTx(int amt) {  
        ...  
    }  
    public void deposit(int amt) {  
        depositTx(amt);  
    }  
}
```

Step 3: Place a call to the old method in the new method

Wrap Method (v1)

```
public class Foo {  
    public void depositTx(int amt) {...}  
    public void deposit(int amt) {  
        audit(amt, "Depositing");  
        depositTx(amt);  
        audit(amt, "Deposited");  
    }  
    protected void audit(int amt, String msg) {...}  
}
```

Step 4: Develop a method for the new feature, test first, and call it from the new method

Wrap Method (v2)

Wrap Method (v2)



```
public class Foo {  
    public void deposit(int amt) {...}  
}
```

1. Identify a method you need to change.

Wrap Method (v2)

```
public class Foo {  
    public void deposit(int amt) {...}  
    protected void audit(int amt, String msg) {...}  
}
```

Step 2: Develop a new method for it using test-driven development.

Wrap Method (v2)

```
public class Foo {  
    public void deposit(int amt) {...}  
    protected void audit(int amt, String msg) {...}  
    public void auditedDeposit(int amt) {  
        audit(amt, "Depositing");  
        deposit(amt);  
        audit(amt, "Deposited");  
    }  
}
```

Step 3: Create another method that calls the new method and the old method.


Wrap Method (v2)

```
public class Foo {  
    public void deposit(int amt) {...}  
    protected void audit(int amt, String msg) {...}  
    public void auditedDeposit(int amt) {  
        audit(amt, "Depositing");  
        deposit(amt);  
        audit(amt, "Deposited");  
    }  
}
```

Addendum: You now have a choice, regular or audited

Wrap Class

Wrap Class



```
public class Foo {  
    public void deposit(int amt) {...}  
}
```

1. Identify a method you need to change.

Wrap Class

```
public interface Foo {  
    public void deposit(int amt);  
}
```

```
public class FooImpl implements Foo {  
    public void deposit(int amt) {...}  
}
```

2. Extract an interface from a class

Wrap Class

```
public interface Foo {  
    public void deposit(int amt);  
  
    public class FooLogger implements Foo {  
        public FooLogger(Foo foo) {...}  
        public void deposit(int amt) {}  
    }  
  
    public void deposit(int amt) {...}  
}
```

3. Create a class that accepts the interface you are going to wrap as a constructor argument

Wrap Class

```
public class FooLogger implements Foo {  
    public FooLogger(Foo foo) {...}  
    protected void audit(int amt, String msg) {...}  
    public void deposit(int amt) {}  
}
```

```
public class FooLoggerTest {  
    @Test  
    public void testAudit() {...}  
}
```


4. Create a new method using TDD that does the new work and behavior

Wrap Class

```
public class FooLogger implements Foo {  
    private Foo foo;  
    public FooLogger(Foo foo) {this.foo = foo;}  
    protected void audit(int amt, String msg) {...}  
    public void deposit(int amt) {  
        audit(amt, "Depositing");  
        foo.deposit(amt);  
        audit(amt, "Deposited");  
    }  
}
```

-
5. Ensure that you call the old methods on the old class

Wrap Class




Lab: Wrap Class



Introduce Instance Delegator

Introduce Instance Delegator



```
public class Foo {  
    public static bar(int x, String y) {...}  
}
```

Step 1: Identify a static method that is problematic to use in a test.

Introduce Instance Delegator

```
public class Foo {  
    public static void bar(int x, String y) {...}  
    public void inBar(int x, String y) {  
        }  
}
```

Step 2: Create an instance method for
the static method on the class,
preserving signatures

Introduce Instance Delegator

```
public class Foo {  
    public static void bar(int x, String y) {...}  
    public void inBar(int x, String y) {  
        bar(x, y);  
    }  
}
```

Step 3: Make the instance method
delegate to the static method.

Introduce Instance Delegator

```
public class Nom {  
    public void chomp(int i, int j, String status) {  
        Foo.bar(i + j, status);  
    }  
}
```

Step 4: Find locations where the static call was made.

Introduce Instance Delegator

```
public class Nom {  
    public Nom() {}  
    public Nom(Foo foo) {this.foo = foo;}  
    public void chomp(int i, int j, String status) {  
        foo.inBar(i + j, status);  
    }  
}
```

Step 5. Use ParameterizeMethod or
ParameterizeConstructor to exchange it for the
instance call.

Passing Null

Passing Null

- It's important to get the test out as soon as possible.
- If you need to create a test and the subject under test (SUT) is hard to construct *pass null!*

Subclass and Override Method

Subclass and Override Method

```
public class InterestRateCalc {  
    private final float callWS() {..}  
    public float calculate {...}  
}
```

Step 1: Identify the method dependencies that are complex, gather those that are giving you problems

Subclass and Override Method

```
public class InterestRateCalc {  
    private float callWS() {..}  
    public float calculate {...}  
}
```

Step 2: Make each method overridable

Subclass and Override Method

```
public class InterestRateCalc {  
    protected float callWS() {..}  
    public float calculate {...}  
}
```

Step 3: Adjust the visibility

Subclass and Override Method

```
public class TestableInterestRateCalc extends InterestRateCalc {  
    protected float callWS() {return 100.0;} //fake  
    public float calculate {...} //testable  
}
```

Step 4: Create a subclass that overrides the methods. Verify that you are able to build it in your test harness.

Subclass and Override Method

```
public class InterestRateCalcTest
        extends InterestRateCalc {
    @Override
    protected float callWS() {return 100.0;} //fake

    public void testCalculate() {
        assertEquals(200, this.calculate());
    }
}
```

Addendum: You can also extend in a test class!

Sensing Variables

Sensing Variables

- A publicly accessible public variable used to determine if a certain behavior is triggered.
- It is then used in a test to verify and used to test other regressions.
- Once long methods have been broken up the tests and sensing variable can be removed.
- Great for the long “inverted pyramid” code

Sensing Variables

```
public class TaxCode {  
    public void applyTaxAndSurcharge(Order order) {  
        Money total = order.total();  
        if (order.after(LocalDate.of("2001-01-01))) {  
            if (order.customer.getState().equals("FL") ||  
                order.customer.getState().equals("NY"))  
                order.applySurcharge(new Money(10))  
                order.applyTax(new Money(total *  
                    TaxWS.findTaxRate(order.customer.getState())));  
            else  
                order.applyTax(new Money(total))  
        }  
    } else {  
        order.applyTax(0)  
        order.applySurcharge(0)  
    }  
}
```

Sensing Variables

```
public class TaxCode {  
    public boolean nyFLTAXApplied = false;  
    public void applyTaxAndSurcharge(Order order) {  
        Money total = order.total();  
        if (order.after(LocalDate.of("2001-01-01))) {  
            if (order.customer.getState().equals("FL") ||  
                order.customer.getState().equals("NY"))  
                order.applySurcharge(new Money(10))  
                order.applyTax(new Money(total *  
                    TaxWS.findTaxRate(order.customer.getState()));  
            nyFLTAXApplied = true;  
        } else  
            order.applyTax(new Money(total));  
    }  
}
```

Sensing Variables

```
public class TaxCode {  
    public boolean nyFLTAXApplied = false  
    public void applyTaxAndSurcharge(Order order) {  
        Money total = order.total();  
  
        public class TaxCodeTest {  
            public void testNYFLTAXApplied() {  
                Order fakeOrder = ...;  
                TaxCode taxCode = new TaxCode();  
                taxCode.applyTaxAndSurcharge(fakeOrder);  
                assertTrue(taxCode.nyFLTAXApplied());  
            }  
        }  
  
        } else {  
            order.applyTax(0)  
            order.applySurcharge(0)  
        }  
    }  
}
```

Q&A

Some Questions to Start

- How do you handle decay?
- How do you best organize tests?
- Should we have naming conventions?
- What are JUnit Descriptions?
- Maintainability over time
- Consistency over time
- Is code coverage a worthy goal?
- Do you think you will feel confident?
- What happens when I get frustrated with TDD?
- Are there advancements in Java in general that will help?

The naysayers

"It takes a lot time"

"In the beginning, it does, but anything worthwhile takes time. It is a great practice, and the initial time investment up front will provide faster code maintenance later."

**"Mocking is kind of an
inane practice"**

**"There should only be two mocks or
less used per test. If there are more,
you may have to reevaluate your
design"**

"Seems I am going to spend my whole life testing!"

"Test your core. Test what you believe is critical to the project. Test also what you believe will have a negative impact if given the wrong input"

**"Testing in general sucks when
my boss asks me to make a
change"**

**"Don't change your class that you
worked so hard on. Respect your code.
There are many design patterns that you
can use to change the behavior of your
code. Look up Adapter Pattern,
Decorator Pattern, and the Strategy
Pattern"**

"We weren't taught that way"

**"Agreed, but we are doing more than
Hello World apps now. We are also paid
to maintain what we create."**

Quotes from the Pros

“

As a programmer, do you deserve to feel confident?" (Can you sleep at night knowing your code works)

”

Kent Beck, Is TDD Dead? You Tube
Video Series

“

The primary benefit of TDD is self testing code

”

Kent Beck, Is TDD Dead? You Tube Video Series

“

Testing extends what the compiler does, check against your domain to ensure what you are doing is accurate.

”

Daniel Hinojosa -- Yes, I am quoting myself

“

I know this sounds strident and unilateral, but given the record I don't think surgeons should have to defend hand-washing, and I don't think programmers should have to defend TDD.

”

Robert Martin, The Clean Coder: A Code of Conduct for Professional Programmers 2011

“

To me, legacy code is simply code without tests.

”

Michael Feathers, Working Effectively with Legacy Code 2004

Recap

Recap

- Test First.. Always
- Have an editor **and** an IDE of choice, and learn its keymap very well
- Learn your version control very well.
- Speed in TDD is key.
- Perhaps a mock can be replaced by a function!
- "Game"ify your development with testing