

In [2]:

```
import json
from pathlib import Path
import os

import pandas as pd
import s3fs

def read_cluster_csv(file_path, endpoint_url='https://storage.budsc.midwest-data
s3 = s3fs.S3FileSystem(
    anon=True,
    client_kwargs={
        'endpoint_url': endpoint_url
    }
)
return pd.read_csv(s3.open(file_path, mode='rb'))

current_dir = Path(os.getcwd()).absolute()
results_dir = current_dir.joinpath('results')
kv_data_dir = results_dir.joinpath('kvdb')
kv_data_dir.mkdir(parents=True, exist_ok=True)

people_json = kv_data_dir.joinpath('people.json')
visited_json = kv_data_dir.joinpath('visited.json')
sites_json = kv_data_dir.joinpath('sites.json')
measurements_json = kv_data_dir.joinpath('measurements.json')
```

In [3]:

```
class KVDB(object):
    def __init__(self, db_path):
        self._db_path = Path(db_path)
        self._db = {}
        self._load_db()

    def _load_db(self):
        if self._db_path.exists():
            with open(self._db_path) as f:
                self._db = json.load(f)

    def get_value(self, key):
        return self._db.get(key)

    def set_value(self, key, value):
        self._db[key] = value

    def save(self):
        with open(self._db_path, 'w') as f:
            json.dump(self._db, f, indent=2)
```

In [4]:

```
def create_sites_kvdb():
    db = KVDB(sites_json)
    df = read_cluster_csv('data/external/tidynomicon/site.csv')
    for site_id, group_df in df.groupby('site_id'):
        db.set_value(site_id, group_df.to_dict(orient='records')[0])
```

```

db.save()

def create_people_kvdb():
    db = KVDB(people_json)
    df_ppl = read_cluster_csv('data/external/tidynomicon/person.csv')
    for person_id, group_df in df_ppl.groupby('person_id'):
        db.set_value(person_id, group_df.to_dict(orient='records')[0])
    db.save()

def create_visits_kvdb():
    db = KVDB(visited_json)
    df_vis = read_cluster_csv('data/external/tidynomicon/visited.csv')
    for visit_id, group_df in df_vis.groupby('visit_id'):
        db.set_value(str(visit_id), group_df.to_dict(orient='records')[0])
    db.save()

def create_measurements_kvdb():
    db = KVDB(measurements_json)
    df_measr = read_cluster_csv('data/external/tidynomicon/measurements.csv')
    for visit_id, group_df in df_measr.groupby('visit_id'):
        db.set_value(visit_id, group_df.to_dict(orient='records')[0])
    db.save()

```

```

In [ ]:
create_sites_kvdb()
create_people_kvdb()
create_visits_kvdb()
create_measurements_kvdb()

```

```

In [ ]:
kvdb_path = 'visits.json'
kvdb = KVDB(kvdb_path)
key = (619, 'DR-1')
value = dict(visit_id=619,
             site_id='DR-1',
             visit_date='1927-02-08'
            )
kvdb.set_value(key, value)
retrieved_value = kvdb.get_value(key)

```