

1. - use a command to show the current working directory - list the directory contents in the short and long format (with file permissions,owner,size etc,.). Explore attributes given in long format e.g. file type, file permissions, file size, file owner etc. - list all files along with hidden files in current working directory. - list only hidden files in the directory

```
root@dhiraj-VirtualBox: /home/dhiraj
/home/dhiraj
root@dhiraj-VirtualBox:/home/dhiraj# ls
asd.txt  Documents  folderrr  Pictures  rrr
ddd      Downloads  joker     Public    Templates
Desktop  dsds       Music     rfv.txt   Videos
root@dhiraj-VirtualBox:/home/dhiraj# ls -l
total 48
-rw-rw-r-- 1 root   root    79 Mar 10 15:04 asd.txt
----- 1 root   root      0 Mar 10 16:11 ddd
drwxr-xr-x 2 dhiraj dhiraj 4096 Mar  9 17:25 Desktop
drwxr-xr-x 2 dhiraj dhiraj 4096 Mar 10 17:50 Documents
drwxr-xr-x 2 dhiraj dhiraj 4096 Mar  9 17:25 Downloads
-----w--w- 1 root   root      0 Mar 10 16:14 dsds
drwxrwxr-- 2 root   root    4096 Mar 10 16:18 folderrr
drwxr-xr-x 2 root   root    4096 Mar 10 15:24 joker
drwxr-xr-x 2 dhiraj dhiraj 4096 Mar  9 17:25 Music
drwxr-xr-x 2 dhiraj dhiraj 4096 Mar  9 17:25 Pictures
drwxr-xr-x 2 dhiraj dhiraj 4096 Mar  9 17:25 Public
-rw-r--r-- 1 root   root    174 Mar 10 16:23 rfv.txt
-rw-r--r-- 1 root   root      0 Mar 10 16:11 rrr
drwxr-xr-x 2 dhiraj dhiraj 4096 Mar  9 17:25 Templates
drwxr-xr-x 2 dhiraj dhiraj 4096 Mar  9 17:25 Videos
root@dhiraj-VirtualBox:/home/dhiraj#
```

```
root@dhiraj-VirtualBox: /home/dhiraj/folderrr
root@dhiraj-VirtualBox:/home/dhiraj/folderrr# ls -g
total 8
----- 1 root      0 Mar 10 16:18 ddd
-----w- 1 root      0 Mar 10 16:12 eee
d---w--w- 2 root 4096 Mar 10 18:01 folder2
drwxrwxrwx 2 root 4096 Mar 10 18:02 folder3
root@dhiraj-VirtualBox:/home/dhiraj/folderrr# ls -h
ddd eee folder2 folder3
root@dhiraj-VirtualBox:/home/dhiraj/folderrr# ls -s -l
total 8
0 ----- 1 root root      0 Mar 10 16:18 ddd
0 -----w- 1 root root      0 Mar 10 16:12 eee
4 d---w--w- 2 root root 4096 Mar 10 18:01 folder2
4 drwxrwxrwx 2 root root 4096 Mar 10 18:02 folder3
root@dhiraj-VirtualBox:/home/dhiraj/folderrr# ls -S -l
total 8
d---w--w- 2 root root 4096 Mar 10 18:01 folder2
drwxrwxrwx 2 root root 4096 Mar 10 18:02 folder3
----- 1 root root      0 Mar 10 16:18 ddd
-----w- 1 root root      0 Mar 10 16:12 eee
root@dhiraj-VirtualBox:/home/dhiraj/folderrr#
```

```
root@dhiraj-VirtualBox: /home/dhiraj
root@dhiraj-VirtualBox:/home/dhiraj/folderrr# cd ..
root@dhiraj-VirtualBox:/home/dhiraj# ls -a
.          .config      .gnupg      Public
..         ddd         joker       rfv.txt
asd.txt    Desktop      .local      rrr
.bash_history Documents    .mozilla    .sudo_as_admin_successful
.bash_logout Downloads   Music       Templates
.bashrc    dsds       Pictures     Videos
.cache     folderrr   .profile
root@dhiraj-VirtualBox:/home/dhiraj# ls -ad .*
.          .bash_logout  .config      .mozilla
..         .bashrc       .gnupg       .profile
.bash_history .cache        .local       .sudo_as_admin_successful
root@dhiraj-VirtualBox:/home/dhiraj#
```

2. Make a directory and name it as cdac-dir and change the current working directory to the new directory.(Hint : use mkdir,cd commands). 3. Create following nested directories inside current directory by invoking single command for only one time. Note : here root\_dir is current directory. 4. List the directories(folders), then remove the cdac-dir directory and list the folders again to show that it is no longer present.(Hint : use rm, ls command).

```
root@dhiraj-VirtualBox:/home/dhiraj# mkdir cdac-dir
root@dhiraj-VirtualBox:/home/dhiraj# cd cdac-dir/
root@dhiraj-VirtualBox:/home/dhiraj/cdac-dir#
```

```
root@dhiraj-VirtualBox: /home/dhiraj/cdac-dir
root@dhiraj-VirtualBox: /home/dhiraj/cdac-dir# ls
root@dhiraj-VirtualBox: /home/dhiraj/cdac-dir# cd ..
root@dhiraj-VirtualBox: /home/dhiraj# cd cdac-dir/
root@dhiraj-VirtualBox: /home/dhiraj/cdac-dir# mkdir -p root1/a1/{b1,b2}
root1/a2/{c1,c2}
root@dhiraj-VirtualBox: /home/dhiraj/cdac-dir# tree
└─ root1
   └─ a1
      ├── b1
      └─ b2
   └─ a2
      ├── c1
      └─ c2


7 directories, 0 files
root@dhiraj-VirtualBox: /home/dhiraj/cdac-dir#
```

```
7 directories, 0 files
root@dhiraj-VirtualBox: /home/dhiraj/cdac-dir# mkdir -p root2/a1/b1/c1 r
oot2/a2/b2/c2
root@dhiraj-VirtualBox: /home/dhiraj/cdac-dir# tree
└─ root1
   └─ a1
      ├── b1
      └─ b2
   └─ a2
      ├── c1
      └─ c2
└─ root2
   └─ a1
      ├── b1
      └─ c1
   └─ a2
      ├── b2
      └─ c2

14 directories, 0 files
root@dhiraj-VirtualBox: /home/dhiraj/cdac-dir#
```

```
root@dhiraj-VirtualBox: /home/dhiraj
root@dhiraj-VirtualBox:/home/dhiraj/cdac-dir# ls
root1 root2
root@dhiraj-VirtualBox:/home/dhiraj/cdac-dir# cd ..
root@dhiraj-VirtualBox:/home/dhiraj# rm -dr cdac-dir/
root@dhiraj-VirtualBox:/home/dhiraj# ls
asd.txt  Documents  folderrr  Pictures  rrr      Videos
ddd      Downloads  joker     Public    structure
Desktop  dsds      Music     rfv.txt   Templates
root@dhiraj-VirtualBox:/home/dhiraj#
```

- Question-2. 1. Display the man-page for ls, but redirect the output into temp.txt, then use the cat, less, and more commands to display the new file.
2. Display the initial 10 lines and final 5 lines of temp.txt with the obvious Linux commands.(Hint: use head and tail commands).
3. Copy temp.txt to another directory and rename it there. (Hint: use cp to copy and mv command to rename).
4. Display the number of lines, words and characters in file using Linux command (Hint: use wc command).
5. Use history command to display last 10 commands used. (Hint: use history command).



```
root@dhiraj-VirtualBox: /home/dhiraj/Desktop
LS(1)                                User Commands                                LS(1)
NAME
  ls - list directory contents
SYNOPSIS
  ls [OPTION]... [FILE]...
DESCRIPTION
  List information about the FILES (the current directory by default).
  Sort entries alphabetically if none of -cftuvSUX nor --sort is speci-
  fied.

  Mandatory arguments to long options are mandatory for short options
  too.

  -a, --all
      do not ignore entries starting with .

  -A, --almost-all
      do not list implied . and ..

  --author
      with -l, print the author of each file

  -b, --escape
      print C-style escapes for nongraphic characters

  --block-size=SIZE
      with -l, scale sizes by SIZE when printing them; e.g.,
      '--block-size=M'; see SIZE format below

  -B, --ignore-backups
      do not list implied entries ending with ~

  -c
      with -lt: sort by, and show, ctime (time of last modification
      of file status information); with -l: show ctime and sort by
      name; otherwise: sort by ctime, newest first

  -C
      list entries by columns

  --color[=WHEN]
      colorize the output; WHEN can be 'always' (default if omitted),
      'auto', or 'never'; more info below

  -d, --directory
      Manual page ls(1) line 1 (press h for help or q to quit)
```

```
root@dhiraj-VirtualBox: /home/dhiraj/Desktop
Manual page ls(1) line 1 (press h for help or q to quit)
root@dhiraj-VirtualBox:/home/dhiraj/Desktop#
root@dhiraj-VirtualBox:/home/dhiraj/Desktop# cat temp.txt
NAME
    ls - list directory contents

SYNOPSIS
    ls [OPTION]... [FILE]...

DESCRIPTION
    List information about the FILES (the current directory by default).
    Sort entries alphabetically if none of -cftuvSUX nor --sort is speci-
    fied.

    Mandatory arguments to long options are mandatory for short options
    too.

    -a, --all
        do not ignore entries starting with .

    -A, --almost-all
        do not list implied . and ..

    --author
        with -l, print the author of each file

    -b, --escape
        print C-style escapes for nongraphic characters
```

```
root@dhiraj-VirtualBox: /home/dhiraj/Desktop
root@dhiraj-VirtualBox:/home/dhiraj/Desktop# less temp.txt
root@dhiraj-VirtualBox:/home/dhiraj/Desktop# less temp.txt
root@dhiraj-VirtualBox:/home/dhiraj/Desktop# head temp.txt
NAME
    ls - list directory contents

SYNOPSIS
    ls [OPTION]... [FILE]...

DESCRIPTION
    List information about the FILES (the current directory by default).
    Sort entries alphabetically if none of -cftuvSUX nor --sort is speci-
    fied.
root@dhiraj-VirtualBox:/home/dhiraj/Desktop# tail -n 5
root@dhiraj-VirtualBox:/home/dhiraj/Desktop# tail -n 5 temp.txt
    -H, --dereference-command-line
        follow symbolic links listed on the command line

    --dereference-command-line-symlink-to-dir
        Manual page ls(1) line 1 (press h for help or q to quit)
root@dhiraj-VirtualBox:/home/dhiraj/Desktop#
```

```
root@dhiraj-VirtualBox: /home/dhiraj/Desktop
--dereference-command-line-symlink-to-dir
Manual page ls(1) line 1 (press h for help or q to quit)
root@dhiraj-VirtualBox:/home/dhiraj/Desktop# more temp.txt
NAME
    ls - list directory contents

SYNOPSIS
    ls [OPTION]... [FILE]...

DESCRIPTION
    List information about the FILES (the current directory by default).
    Sort entries alphabetically if none of -cftuvSUX nor --sort is speci-
    fied.

    Mandatory arguments to long options are mandatory for short options
    too.

    -a, --all
        do not ignore entries starting with .

    -A, --almost-all
        do not list implied . and ..

    --author
        with -l, print the author of each file

    -b, --escape
        print C-style escapes for nongraphic characters
```

```
root@dhiraj-VirtualBox:/home/dhiraj/Desktop# ls
temp.txt
root@dhiraj-VirtualBox:/home/dhiraj/Desktop# mv temp.txt dhiraj
root@dhiraj-VirtualBox:/home/dhiraj/Desktop# ls
dhiraj
root@dhiraj-VirtualBox:/home/dhiraj/Desktop# man wc
root@dhiraj-VirtualBox:/home/dhiraj/Desktop# wc dhiraj
  85  302 2570 dhiraj
root@dhiraj-VirtualBox:/home/dhiraj/Desktop#
```

```
root@dhiraj-VirtualBox:/home/dhiraj# history 10
465  cat > dsds
466  tar dsds
467  tar -cf dsds
468  tar --usage
469  tar -c dsds
470  tar -fc dsds
471  tar -cf dsdsd dsds
472  ls
473  ls -l
474  history 10
root@dhiraj-VirtualBox:/home/dhiraj#
```

Question-3. 1. Create tar archive file of any directory present in your home directory. (Hint: use tar command) - list the contents of the archive file without extracting.

2. Create zip file of another directory. (Hint: use zip command) - list the contents of the zip file without extracting.

3. Give read, write & execute permissions to your file. (Hint: use chmod command)

4. Change ownership of that file.(Hint: use chown command)

5. List processes running in shell, all running processes(Hint: use man page of ps command) and show top processes in decreasing order of their resource utilization.(Hint: use top command).

```
root@dhiraj-VirtualBox:/home/dhiraj# tar -cvf tarfile folderrr/
folderrr/
folderrr/dsdsd
folderrr/ddd
folderrr/folder3/
folderrr/folder2/
folderrr/dsds
folderrr/eee
root@dhiraj-VirtualBox:/home/dhiraj# ls
asd.txt  Desktop  Downloads  joker  Pictures  rfv.txt  structure  Templates
ddd      Documents folderrr   Music  Public    rrr      tarfile    Videos
root@dhiraj-VirtualBox:/home/dhiraj# man tar
root@dhiraj-VirtualBox:/home/dhiraj# tar -tf tarfile
folderrr/
folderrr/dsdsd
folderrr/ddd
folderrr/folder3/
folderrr/folder2/
folderrr/dsds
folderrr/eee
root@dhiraj-VirtualBox:/home/dhiraj#
```

```
root@dhiraj-VirtualBox:/home/dhiraj# zip -r zipfile folderrr/
adding: folderrr/ (stored 0%)
adding: folderrr/dsdsd (deflated 99%)
adding: folderrr/ddd (stored 0%)
adding: folderrr/folder3/ (stored 0%)
adding: folderrr/folder2/ (stored 0%)
adding: folderrr/dsds (deflated 38%)
adding: folderrr/eee (stored 0%)
root@dhiraj-VirtualBox:/home/dhiraj# ls
asd.txt  Documents  joker  Public  structure  Videos
ddd      Downloads  Music  rfv.txt  tarfile    zipfile.zip
Desktop  folderrr   Pictures  rrr      Templates
```



```

root@dhiraj-VirtualBox:/home/dhiraj# unzip -l zipfile.zip
Archive:  zipfile.zip
  Length      Date    Time    Name
-----
         0  2022-03-10  21:42    folderrr/
      10240  2022-03-10  21:36    folderrr/dsdsd
         0  2022-03-10  16:18    folderrr/ddd
         0  2022-03-10  18:02    folderrr/folder3/
         0  2022-03-10  18:01    folderrr/folder2/
        29  2022-03-10  21:34    folderrr/dsds
         0  2022-03-10  16:12    folderrr/eee
-----
      10269                      7 files
root@dhiraj-VirtualBox:/home/dhiraj#

```

```

root@dhiraj-VirtualBox:/home/dhiraj# chmod 777 rfv.txt
root@dhiraj-VirtualBox:/home/dhiraj# ls -l
total 76
-rw-rw-r-- 1 root root 79 Mar 10 15:04 asd.txt
----- 1 root root 0 Mar 10 16:11 ddd
drwxr-xr-x 2 dhiraj dhiraj 4096 Mar 10 21:13 Desktop
drwxr-xr-x 2 dhiraj dhiraj 4096 Mar 10 17:50 Documents
drwxr-xr-x 2 dhiraj dhiraj 4096 Mar 9 17:25 Downloads
drwxrwxr-- 4 root root 4096 Mar 10 21:42 folderrr
drwxr-xr-x 2 root root 4096 Mar 10 15:24 joker
drwxr-xr-x 2 dhiraj dhiraj 4096 Mar 9 17:25 Music
drwxr-xr-x 2 dhiraj dhiraj 4096 Mar 10 21:58 Pictures
drwxr-xr-x 2 dhiraj dhiraj 4096 Mar 9 17:25 Public
-rwxrwxrwx 1 root root 174 Mar 10 16:23 rfv.txt
-rw-r--r-- 1 root root 0 Mar 10 16:11 rrr
drwxrwxrwx 2 root root 4096 Mar 10 18:24 structure
-rw-r--r-- 1 root root 20480 Mar 10 21:43 tarfile
drwxr-xr-x 2 dhiraj dhiraj 4096 Mar 9 17:25 Templates
drwxr-xr-x 2 dhiraj dhiraj 4096 Mar 9 17:25 Videos
-rw-r--r-- 1 root root 1233 Mar 10 21:51 zipfile.zip

```

```

root@dhiraj-VirtualBox:/home/dhiraj/folderrr# ls -l
total 24
----- 1 root root      0 Mar 10 16:18 ddd
-----w--w- 1 root root    29 Mar 10 21:34 dsds
-rw-r--r-- 1 root root 10240 Mar 10 21:36 dsdsd
-----w- 1 root root      0 Mar 10 16:12 eee
d----w--w- 2 root root   4096 Mar 10 18:01 folder2
drwxrwxrwx 2 root root   4096 Mar 10 18:02 folder3
root@dhiraj-VirtualBox:/home/dhiraj/folderrr# chown dhiraj ddd
root@dhiraj-VirtualBox:/home/dhiraj/folderrr# ls -l
total 24
----- 1 dhiraj root      0 Mar 10 16:18 ddd
-----w--w- 1 root root    29 Mar 10 21:34 dsds
-rw-r--r-- 1 root root 10240 Mar 10 21:36 dsdsd
-----w- 1 root root      0 Mar 10 16:12 eee
d----w--w- 2 root root   4096 Mar 10 18:01 folder2
drwxrwxrwx 2 root root   4096 Mar 10 18:02 folder3
root@dhiraj-VirtualBox:/home/dhiraj/folderrr#

```

```

root@dhiraj-VirtualBox:/home/dhiraj/folderrr# ps -e
  PID TTY          TIME CMD
    1 ?           00:00:00 systemd
    2 ?           00:00:00 kthreadd
    3 ?           00:00:00 rcu_gp
    4 ?           00:00:00 rcu_par_gp
    6 ?           00:00:00 kworker/0:0H-events_highpri
    9 ?           00:00:00 mm_percpu_wq
   10 ?           00:00:00 rcu_tasks_rude_
   11 ?           00:00:00 rcu_tasks_trace
   12 ?           00:00:00 ksoftirqd/0
   13 ?           00:00:00 rcu_sched
   14 ?           00:00:00 migration/0
   15 ?           00:00:00 idle_inject/0
   16 ?           00:00:00 cpuhp/0
   17 ?           00:00:00 kdevtmpfs
   18 ?           00:00:00 netns
   19 ?           00:00:00 inet_frag_wq
   20 ?           00:00:00 kauditd
   21 ?           00:00:00 khungtaskd
   22 ?           00:00:00 oom_reaper
   23 ?           00:00:00 writeback
   24 ?           00:00:00 kcompactd0
   25 ?           00:00:00 ksmd
   26 ?           00:00:00 khugepaged
   72 ?           00:00:00 kintegrityd
   73 ?           00:00:00 kblockd
   74 ?           00:00:00 blkcg_punt_bio

```

```
root@dhiraj-VirtualBox: /home/dhiraj/folderrr
top - 22:13:54 up 1:35, 1 user, load average: 0.02, 0.03, 0.05
Tasks: 178 total, 1 running, 177 sleeping, 0 stopped, 0 zombie
%Cpu(s): 41.5 us, 4.1 sy, 0.0 ni, 54.1 id, 0.0 wa, 0.0 hi, 0.3 si, 0.0 st
MiB Mem : 2983.0 total, 1719.0 free, 677.9 used, 586.1 buff/cache
MiB Swap: 448.5 total, 448.5 free, 0.0 used. 2151.6 avail Mem

  PID USER      PR  NI    VIRT    RES    SHR  S  %CPU  %MEM   TIME+ COMMAND
    979 dhiraj    20   0 3684596 332168 124824 S   31.2   10.9   1:39.04 gnome-+
   2726 dhiraj    20   0  735872   44816   33872 S    7.0    1.5   0:00.21 gnome-+
    755 dhiraj    20   0 264268  77124  46272 S    5.0    2.5   0:40.79 Xorg
   1377 dhiraj    20   0  820696  54716   39224 S    1.0    1.8   0:21.60 gnome-+
    82  root      0  -20      0        0        0 I    0.3    0.0   0:00.32 kworker+
     1  root     20   0 167380   11436    8380 S    0.0    0.4   0:00.84 systemd
     2  root     20   0      0        0        0 S    0.0    0.0   0:00.00 kthrea+
     3  root      0  -20      0        0        0 I    0.0    0.0   0:00.00 rcu_gp
     4  root      0  -20      0        0        0 I    0.0    0.0   0:00.00 rcu_pa+
     6  root      0  -20      0        0        0 I    0.0    0.0   0:00.00 kworker+
     9  root      0  -20      0        0        0 I    0.0    0.0   0:00.00 mm_per+
    10  root     20   0      0        0        0 S    0.0    0.0   0:00.00 rcu_ta+
    11  root     20   0      0        0        0 S    0.0    0.0   0:00.00 rcu_ta+
    12  root     20   0      0        0        0 S    0.0    0.0   0:00.11 ksofti+
    13  root     20   0      0        0        0 I    0.0    0.0   0:00.43 rcu_sc+
    14  root      rt   0      0        0        0 S    0.0    0.0   0:00.08 migrat+
    15  root    -51   0      0        0        0 S    0.0    0.0   0:00.00 idle_i+
    16  root     20   0      0        0        0 S    0.0    0.0   0:00.00 cpuhp/0
    17  root     20   0      0        0        0 S    0.0    0.0   0:00.00 kdevtm+
    18  root      0  -20      0        0        0 I    0.0    0.0   0:00.00 netns
    19  root      0  -20      0        0        0 I    0.0    0.0   0:00.00 inet_f+
    20  root     20   0      0        0        0 S    0.0    0.0   0:00.00 kauditd
```

Question-4.

1. Display current time and calendar (Hint: use date, cal commands)
2. Change the current date and time of the system to following 14th March 2017, 10:10 AM
3. Explore following commands who, whoami, whatis, whereis, (Hint: use man pages)

```
root@dhiraj-VirtualBox:/home/dhiraj/folderrr# date
Thursday 10 March 2022 10:15:28 PM IST
root@dhiraj-VirtualBox:/home/dhiraj/folderrr# cal
      March 2022
Su Mo Tu We Th Fr Sa
                1  2  3  4  5
 6  7  8  9 10 11 12
13 14 15 16 17 18 19
20 21 22 23 24 25 26
27 28 29 30 31

root@dhiraj-VirtualBox:/home/dhiraj/folderrr# man date
root@dhiraj-VirtualBox:/home/dhiraj/folderrr# date 031410102017
Tuesday 14 March 2017 10:10:00 AM IST
```

```
root@dhiraj-VirtualBox:/home/dhiraj/folderrr# who
dhiraj  :0                2022-03-10 20:38 (:0)
root@dhiraj-VirtualBox:/home/dhiraj/folderrr# whoami
root
root@dhiraj-VirtualBox:/home/dhiraj/folderrr# whatis ls
ls (1)                - list directory contents
root@dhiraj-VirtualBox:/home/dhiraj/folderrr# whereis dhiraj
dhiraj:
root@dhiraj-VirtualBox:/home/dhiraj/folderrr#
```