


Creating Microservices for account and loan

Account Microservice



The screenshot displays an IDE with two files open. The top file is `pom.xml`, which is a Maven project configuration. It inherits from the `spring-boot-starter-parent` and defines the `com.cognizant.account` project with version `0.0.1-SNAPSHOT`. The bottom file is `AccountController.java`, which is a REST controller for the `com.cognizant.account` package. It implements a `getAccount` method that returns a new `Account` object with the specified number, type "savings", and a balance of 234343.

```
1 <?xml version="1.0" encoding="UTF-8"?>
2 <project xmlns="http://maven.apache.org/POM/4.0.0" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
3   xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 http://maven.apache.org/xsd/maven-4.0.0.xsd">
4   <modelVersion>4.0.0</modelVersion>
5   <parent>
6     <groupId>org.springframework.boot</groupId>
7     <artifactId>spring-boot-starter-parent</artifactId>
8     <version>4.1.0</version>
9     <relativePath/> <!-- lookup parent from repository -->
10  </parent>
11  <groupId>com.cognizant</groupId>
12  <artifactId>account</artifactId>
13  <version>0.0.1-SNAPSHOT</version>
14  <name/>
15  <description/>
16  <url/>
17  <licenses>
18    <license/>
19  </licenses>
20  <developers>
21    <developer/>
22  </developers>
23  <scm>
24    <connection/>
25    <developerConnection/>
```

```
src > main > java > com > cognizant > account > AccountController.java > AccountController
1 package com.cognizant.account;
2
3 import org.springframework.web.bind.annotation.GetMapping;
4 import org.springframework.web.bind.annotation.PathVariable;
5 import org.springframework.web.bind.annotation.RestController;
6
7 @RestController
8 public class AccountController {
9
10     @GetMapping("/accounts/{number}")
11     public Account getAccount(@PathVariable String number) {
12
13         return new Account(number, type: "savings", balance: 234343);
14     }
15 }
```

The screenshot shows the VS Code editor with the `LoanApplication.java` file open. The file is located in the `src/main/java/com/cognizant/loan` directory. The code defines a `LoanApplication` class that implements `SpringBootApplication` and has a `main` method to run the application.

```
1 package com.cognizant.loan;
2
3 import org.springframework.boot.SpringApplication;
4 import org.springframework.boot.autoconfigure.SpringBootApplication;
5
6 @SpringBootApplication
7 public class LoanApplication {
8
9     Run | Debug
10    public static void main(String[] args) {
11        SpringApplication.run(LoanApplication.class, args);
12    }
13 }
14
```

The terminal output shows the following logs:


```
2026-07-12T22:15:19.795+05:30 INFO 14984 --- [loan] [ restartedMain] o.s.boot.tomcat.TomcatWebServer : Tomcat initialized with port 8081 (http)
2026-07-12T22:15:19.850+05:30 INFO 14984 --- [loan] [ restartedMain] o.apache.catalina.core.StandardService : Starting service [Tomcat]
2026-07-12T22:15:19.850+05:30 INFO 14984 --- [loan] [ restartedMain] o.apache.catalina.core.StandardEngine : Starting Servlet engine: [Apache Tomcat/11.0.22]
2026-07-12T22:15:19.957+05:30 INFO 14984 --- [loan] [ restartedMain] b.w.c.s.WebApplicationContextInitializer : Root WebApplicationContext: initialization completed in 2831 ms
2026-07-12T22:15:20.920+05:30 INFO 14984 --- [loan] [ restartedMain] o.s.boot.tomcat.TomcatWebServer : Tomcat started on port 8081 (http) with context path '/'
2026-07-12T22:15:20.940+05:30 INFO 14984 --- [loan] [ restartedMain] com.cognizant.loan.LoanApplication : Started LoanApplication in 5.109 seconds (process running for 6.151)
```

The screenshot shows the VS Code editor with the `AccountController.java` file open. The file is located in the `src/main/java/com/cognizant/account` directory. The code defines an `AccountController` class that implements `RestController` and has a `getAccount` method to retrieve an account by ID.

```
1 package com.cognizant.account;
2
3 import org.springframework.web.bind.annotation.GetMapping;
4 import org.springframework.web.bind.annotation.PathVariable;
5 import org.springframework.web.bind.annotation.RestController;
6
7 @RestController
8 public class AccountController {
9
10    @GetMapping("/accounts/{number}")
11    public Account getAccount(@PathVariable String number) {
12
13        return new Account(number, type: "savings", balance: 234343);
14    }
15 }
```

The terminal output shows the following logs:

```
2026-07-12T21:27:49.449+05:30 INFO 23040 --- [account] [ restartedMain] b.w.c.s.WebApplicationContextInitializer : Root WebApplicationContext: initialization completed in 1680 ms
2026-07-12T21:27:50.053+05:30 INFO 23040 --- [account] [ restartedMain] o.s.boot.tomcat.TomcatWebServer : Tomcat started on port 8080 (http) with context path '/'
2026-07-12T21:27:50.068+05:30 INFO 23040 --- [account] [ restartedMain] c.cognizant.account.AccountApplication : Started AccountApplication in 4.454 seconds (process running for 5.788)
2026-07-12T21:28:41.283+05:30 INFO 23040 --- [account] [nio-8080-exec-1] o.a.c.c.c.[Tomcat].[localhost].[/] : Initializing Spring DispatcherServlet 'dispatcherServlet'
2026-07-12T21:28:41.283+05:30 INFO 23040 --- [account] [nio-8080-exec-1] o.s.web.servlet.DispatcherServlet : Initializing Servlet 'dispatcherServlet'
2026-07-12T21:28:41.287+05:30 INFO 23040 --- [account] [nio-8080-exec-1] o.s.web.servlet.DispatcherServlet : Completed initialization in 4 ms
```



Loan Microservice

