RAJALAKSHMI ENGINEERING COLLEGE

Dhivya Sri G 251001055-2025-IT

D2

Started on	Friday, 9 October 2026, 7:44 PM
State	Finished
Completed on	Friday, 9 October 2026, 8:04 PM
Time taken	19 mins 24 secs
Marks	1.00/1.00
Grade	**10.00** out of 10.00 (**100**%)

Question 1 | Correct Mark 1.00 out of 1.00

Find the intersection of two sorted arrays.

OR in other words,

Given 2 sorted arrays, find all the elements which occur in both the arrays.

Input Format

· The first line contains T, the number of test cases. Following T lines contain:

1. Line 1 contains N1, followed by N1 integers of the first array
2. Line 2 contains N2, followed by N2 integers of the second array

Output Format

The intersection of the arrays in a single line

Example

Input:

1

3 10 17 57

6 2 7 10 15 57 246

Output:

10 57

Input:

1

6 1 2 3 4 5 6

2 1 6

Output:

1 6

For example:

Input	Result
1 3 10 17 57 6 2 7 10 15 57 246	10 57

Answer: (penalty regime: 0 %)

```
#include <stdio.h>

void solve() {

    int n1;
    if (scanf("%d", &n1) != 1) return;
    int a[n1];
    for (int i = 0; i < n1; i++) {
         scanf("%d", &a[i]);
    }

    int n2;
    if (scanf("%d", &n2) != 1) return;
    int b[n2];
```

```
15     for (int i = 0; i < n2; i++) {
16     scanf("%d", &b[i]);
17    }
18    int i = 0, j = 0;
19    int first = 1;
20
21    while (i < n1 && j < n2) {
22     if (a[i] < b[j]) {
23         i++;
24     } else if (b[j] < a[i]) {
25         j++;
26
27     } else {
28
29       if (!first) printf(" ");
30       printf("%d", a[i]);
31       first = 0;
32       i++;
33       j++;
34     }
35
36    }
37    printf("\n");
38 }
39 int main() {
40     int t;
41     if (scanf("%d", &t) == 1) {
42        while (t--) {
43         solve();
44
45        }
46     }
47     return 0;
48 }
```

	Input	Expected	Got	
✔	1 3 10 17 57 6 2 7 10 15 57 246	10 57	10 57	✔
✔	1 6 1 2 3 4 5 6 2 1 6	1 6	1 6	✔

Passed all tests! ✔

Correct

Marks for this submission: 1.00/1.00.

Back to Course