





jobid: 11543440	uid: 76535	nprocs: 512	runtime: 31 seconds
-----------------	------------	-------------	---------------------

I/O performance *estimate* (at the MPI-IO layer): transferred **482471 MiB** at **17004.68 MiB/s**

I/O performance *estimate* (at the STDIO layer): transferred **0.5 MiB** at **16.95 MiB/s**




Most Common Access Sizes
(POSIX or MPI-IO)

	access size	count
POSIX	33554432	9379
	40	8
	272	7
	544	7
MPI-IO ‡	9432960	327
	11319552	184
	34368768	114
	35586816	57

‡ NOTE: MPI-IO accesses are given in terms of aggregate datatype size.

File Count Summary
(estimated by POSIX I/O access offsets)

type	number of files	avg. size	max size
total opened	6	3.8K	8.7K
read-only files	1	899	899
write-only files	5	4.4K	8.7K
read/write files	0	0	0
created files	5	4.4K	8.7K




Average I/O per process (POSIX and STDIO)

	Cumulative time spent in I/O functions (seconds)	Amount of I/O (MB)
Independent reads	1.33398437500001e-06	0.000857353210449219
Independent writes	-0.110316435546875	586.424852369353
Independent metadata	0.00816612890625	N/A
Shared reads	0	0
Shared writes	0	0
Shared metadata	0	N/A

Data Transfer Per Filesystem (POSIX and STDIO)

File System	Write		Read	
	MiB	Ratio	MiB	Ratio
/global/cscratch1	300249.52151	1.00000	0.43896	1.00000
UNKNOWN	0.00290	0.00000	0.00000	0.00000



sequential: An I/O op issued at an offset greater than where the previous I/O op ended.
consecutive: An I/O op issued at the offset immediately following the end of the previous I/O op.

Variance in Shared Files (POSIX and STDIO)

File Suffix	Processes	Fastest			Slowest			σ	
		Rank	Time	Bytes	Rank	Time	Bytes	Time	Bytes