jobid: 11244428	uid: 76535	nprocs: 128	runtime: 36 seconds

I/O performance *estimate* (at the MPI-IO layer): transferred 128572 MiB at 4464.52 MiB/s
I/O performance *estimate* (at the STDIO layer): transferred 0.1 MiB at 5.81 MiB/s







Most Common Access Sizes
(POSIX or MPI-IO)

	access size	count
POSIX	33554432	3416
	40	8
	272	7
	544	7
MPI-IO ‡	15092736	104
	13206144	24
	50675712	22
	50231808	11

‡ NOTE: MPI-IO accesses are given in terms of aggregate datatype size.

File Count Summary
(estimated by POSIX I/O access offsets)

type	number of files	avg. size	max size
total opened	5	21G	104G
read-only files	1	899	899
write-only files	4	27G	104G
read/write files	0	0	0
created files	4	27G	104G





Average I/O per process (POSIX and STDIO)

	Cumulative time spent in I/O functions (seconds)	Amount of I/O (MB)
Independent reads	1.1875e-06	0.000857353210449219
Independent writes	9.04228586718751	854.84684112668
Independent metadata	0.01664378125	N/A
Shared reads	0	0
Shared writes	0	0
Shared metadata	0	N/A

Data Transfer Per Filesystem (POSIX and STDIO)

File System	Write		Read	
	MiB	Ratio	MiB	Ratio
/global/cscratch1	109420.39277	1.00000	0.10974	1.00000
UNKNOWN	0.00290	0.00000	0.00000	0.00000



sequential: An I/O op issued at an offset greater than where the previous I/O op ended.
consecutive: An I/O op issued at the offset immediately following the end of the previous I/O op.

Variance in Shared Files (POSIX and STDIO)

File Suffix	Processes	Fastest			Slowest			σ	
		Rank	Time	Bytes	Rank	Time	Bytes	Time	Bytes