



jobid: 11246519 uid: 76535 nprocs: 512 runtime: 155 seconds

I/O performance estimate (at the MPI-IO layer): transferred 3339 MiB at 9300.33 MiB/s










Most Common Access Sizes (POSIX or MPI-IO)


	access size	count		
POSIX	33554432	40952		
	4232	6		
	33550200	6		
	2184	2		
MPI-IO ‡	335544320	4096		
	272	8		
	40	2		
	96	2		


NOTE: MPI-IO accesses are given in terms of aggregate datatype size.

File Count Summary (estimated by POSIX I/O access offsets)

type	number of files	avg. size	max size
total opened	3	94	280
read-only files	0	0	0
write-only files	2	141	280
read/write files	0	0	0
created files	2	141	280








Average I/O per process (POSIX and STDIO) Cumulative time spent in Amount of I/O (MB) I/O functions (seconds) Independent reads Independent writes -4.72040094140625 2560.00001462363 Independent metadata 0.011119369140625 N/A Shared reads 0 0 Shared writes 0 0

Shared writes Shared metadata Data Transfer Per Filesystem (POSIX and STDIO)

N/A

File System	Write		Read		
	MiB	Ratio	MiB	Ratio	
UNKNOWN	0.00318	0.00000	0.00000	0.00000	
/global/cscratch1	1310720.00430	1.00000	0.00000	0.00000	



 ${\it sequential:} \ \, \text{An I/O op issued at an offset greater than where the previous I/O op ended.} \\ {\it consecutive:} \ \, \text{An I/O op issued at the offset immediately following the end of the previous I/O op.} \\$

Variance in Shared Files (POSIX and STDIO)

File	Processes	Fastest		Slowest		σ			
Suffix		Rank	Time	Bytes	Rank	Time	Bytes	Time	Bytes