





jobid: 11544818	uid: 76535	nprocs: 1024	runtime: 21 seconds
-----------------	------------	--------------	---------------------

I/O performance *estimate* (at the MPI-IO layer): transferred **960106 MiB** at **24835.17 MiB/s**  
I/O performance *estimate* (at the STDIO layer): transferred **0.9 MiB** at **56.89 MiB/s**




Most Common Access Sizes  
(POSIX or MPI-IO)

	access size	count
POSIX	33554432	9379
	40	8
	544	7
	272	7
MPI-IO ‡	5659776	695
	3773184	328
	18079104	115
	16531584	115

‡ NOTE: MPI-IO accesses are given in terms of aggregate datatype size.

File Count Summary  
(estimated by POSIX I/O access offsets)

type	number of files	avg. size	max size
total opened	8	5.0K	8.7K
read-only files	1	899	899
write-only files	7	5.6K	8.7K
read/write files	0	0	0
created files	7	5.6K	8.7K




Average I/O per process (POSIX and STDIO)

	Cumulative time spent in I/O functions (seconds)	Amount of I/O (MB)
Independent reads	1.22851562500001e-06	0.000857353210449219
Independent writes	-0.0527402314453126	293.212442340329
Independent metadata	0.0061126142578125	N/A
Shared reads	0	0
Shared writes	0	0
Shared metadata	0	N/A

Data Transfer Per Filesystem (POSIX and STDIO)

File System	Write		Read	
	MiB	Ratio	MiB	Ratio
/global/cscratch1	300249.53806	1.00000	0.87793	1.00000
UNKNOWN	0.00290	0.00000	0.00000	0.00000



*sequential*: An I/O op issued at an offset greater than where the previous I/O op ended.  
*consecutive*: An I/O op issued at the offset immediately following the end of the previous I/O op.

Variance in Shared Files (POSIX and STDIO)

File Suffix	Processes	Fastest			Slowest			$\sigma$	
		Rank	Time	Bytes	Rank	Time	Bytes	Time	Bytes