


jobid: 11543539	uid: 76505	nprocs: 128	runtime: 80 seconds
-----------------	------------	-------------	---------------------

I/O performance *estimate* (at the MPI-IO layer): transferred **3335 MiB** at **5181.71 MiB/s**






Most Common Access Sizes  
(POSIX or MPI-IO)

	access size	count
POSIX	33554432	10232
	4232	6
	33550200	6
	2184	2
MPI-IO ‡	335544320	1024
	272	8
	328	2
	120	2

‡ NOTE: MPI-IO accesses are given in terms of aggregate datatype size.

File Count Summary  
(estimated by POSIX I/O access offsets)

type	number of files	avg. size	max size
total opened	3	93	276
read-only files	0	0	0
write-only files	2	139	276
read/write files	0	0	0
created files	2	139	276




Average I/O per process (POSIX and STDIO)

	Cumulative time spent in I/O functions (seconds)	Amount of I/O (MB)
Independent reads	0	0
Independent writes	9.94609384375	2560.00005846471
Independent metadata	0.0009274765625	N/A
Shared reads	0	0
Shared writes	0	0
Shared metadata	0	N/A

Data Transfer Per Filesystem (POSIX and STDIO)

File System	Write		Read	
	MiB	Ratio	MiB	Ratio
/global/cscratch1	327680.00430	1.00000	0.00000	0.00000
UNKNOWN	0.00318	0.00000	0.00000	0.00000



*sequential*: An I/O op issued at an offset greater than where the previous I/O op ended.  
*consecutive*: An I/O op issued at the offset immediately following the end of the previous I/O op.

Variance in Shared Files (POSIX and STDIO)

File Suffix	Processes	Fastest			Slowest			$\sigma$	
		Rank	Time	Bytes	Rank	Time	Bytes	Time	Bytes