


jobid: 11563216	uid: 76535	nprocs: 1024	runtime: 70 seconds
-----------------	------------	--------------	---------------------

I/O performance *estimate* (at the MPI-IO layer): transferred **960113 MiB** at **1662.80 MiB/s**
I/O performance *estimate* (at the STDIO layer): transferred **0.9 MiB** at **2.97 MiB/s**




Most Common Access Sizes
(POSIX or MPI-IO)

	access size	count
POSIX	33554432	3416
	40	8
	272	7
	544	7
MPI-IO ‡	1886592	999
	6660096	100
	5678592	94
	6475392	76

‡ NOTE: MPI-IO accesses are given in terms of aggregate datatype size.

File Count Summary
(estimated by POSIX I/O access offsets)

type	number of files	avg. size	max size
total opened	8	5.0K	8.7K
read-only files	1	899	899
write-only files	7	5.6K	8.7K
read/write files	0	0	0
created files	7	5.6K	8.7K




Average I/O per process (POSIX and STDIO)

	Cumulative time spent in I/O functions (seconds)	Amount of I/O (MB)
Independent reads	1.18750000000001e-06	0.000857353210449219
Independent writes	-1.40879725976563	106.855879389681
Independent metadata	0.0092845791015625	N/A
Shared reads	0	0
Shared writes	0	0
Shared metadata	0	N/A

Data Transfer Per Filesystem (POSIX and STDIO)

File System	Write		Read	
	MiB	Ratio	MiB	Ratio
UNKNOWN	0.00290	0.00000	0.00000	0.00000
/global/cscratch1	109420.41759	1.00000	0.87793	1.00000



sequential: An I/O op issued at an offset greater than where the previous I/O op ended.
consecutive: An I/O op issued at the offset immediately following the end of the previous I/O op.

Variance in Shared Files (POSIX and STDIO)

File Suffix	Processes	Fastest			Slowest			σ	
		Rank	Time	Bytes	Rank	Time	Bytes	Time	Bytes