



jobid: 11543437 uid: 76535 nprocs: 512 runtime: 23 seconds

I/O performance *estimate* (at the MPI-IO layer): transferred 482466 MiB at 16745.15 MiB/s I/O performance *estimate* (at the STDIO layer): transferred 0.5 MiB at 12.16 MiB/s










Most Common Access Sizes (POSIX or MPI-IO)

-				
	access size			
POSIX	33554432	5905		
	40	8		
	272	7		
	544	7		
MPI-IO ‡	5659776	319		
	7546368	192		
	21875712	31		
	21446400	24		

NOTE: MPI-IO accesses are given in terms of aggregate datatype size.


File Count Summary (estimated by POSIX I/O access offsets)

type	number of files	avg. size	max size	
total opened	6	3.8K	8.7K	
read-only files	1	899	899	
write-only files	5	4.4K	8.7K	
read/write files	0	0	0	
created files	5	4.4K	8.7K	



Data Transfer Per Filesystem (POSIX and STDIO)

File System	Write	Read		
The System	MiB	Ratio	MiB	Ratio
UNKNOWN	0.00290	0.00000	0.00000	0.00000
/global/cscratch1	189078.42839	1.00000	0.43896	1.00000



 ${\it sequential:} \ \, \text{An I/O op issued at an offset greater than where the previous I/O op ended.} \\ {\it consecutive:} \ \, \text{An I/O op issued at the offset immediately following the end of the previous I/O op.} \\$

Variance in Shared Files (POSIX and STDIO)

File	Processes	Fastest		Slowest			σ		
Suffix		Rank	Time	Bytes	Rank	Time	Bytes	Time	Bytes