CSV to RDF via OpenRefine with RDF extension

OPENREFINE AND RDF EXTENSION

- Download and install OpenRefine
- Install the RDF extension for OpenRefine
- Start OpenRefine



Now, once you've starded OpenRefine, you can create a new project choosing your starting file from different places: I've got mine on my computer, so I select «This Computer»

OpenRefine

127.0.0.1:3333

OpenRefine
A power tool for working with messy data.

Create Project
Open Project
Import Project
Language Settings

Create a project by importing data. What kinds of data files can I import?

TSV, CSV, *SV, Excel (.xls and .xlsx), JSON, XML, RDF as XML, and Google Data documents are all supported. Support for other formats can be added with OpenRefine extensions.

Get data from
This Computer
Web Addresses (URLs)
Clipboard
Google Data

Locate one or more files on your computer to upload:

Sfoglia... Nessun file selezionato.

Next »



Select your CSV (or another format) file

Version 2.7-rc.2 [TRUNK]

Help
About


OpenRefine
127.0.0.1:3333
90%
Cerca
OpenRefine
A power tool for working with messy data.
Create Project
Open Project
Import Project
Language Settings
Create a project by importing data. What kinds of data files can I import?
TSV, CSV, *SV, Excel (.xls and .xlsx), JSON, XML, RDF as XML, and Google Data documents are all supported. Support for other formats can be added with OpenRefine extensions.
Get data from
This Computer
Web Addresses (URLs)
Clipboard
Google Data
Locate one or more files on your computer to upload:
Sfoglia...
ASVe_content_correct.csv
Next »
Load the file and click «Next»
to have a preview of your project
Version 2.7-rc.2 [TRUNK]
Help
About



In the «upper area» you'll have the preview of your data;

In the «lower area» you'll have some parameters you can set

When set you can «Create Project» in the upper right corner

ASVe_content_correct csv - C

127.0.0.1:3333/project?project=2212503747810

OpenRefine ASVe_content_correct csv Permalink

Open... Export Help

Facet / Filter | Undo / Redo 0

Using facets and filters

Use facets and filters to select subsets of your data to act on. Choose facet and filter methods from the menus at the top of each data column.

Not sure how to get started? Watch these screencasts

14272 rows

Extensions: RDF

Show as: rows records Show: 5 10 25 50 rows

« first ‹ previous 1 - 50 next › last »

All	n	document_type	id	title	url	notes	Column
1.	3074	fondo	IT:ASVe:0005.	Cancelleria inferiore, Doge, 1364 - 1797	http://213.136.75.178/siasve/cgi-bin/pagina.pl?Tipo=fondo&Chiave=9		
2.	7322	serie	IT:ASVe:0005.001.	Lettere	http://213.136.75.178/siasve/cgi-bin/pagina.pl?Tipo=fondo&Chiave=1500		
3.	1966	serie	IT:ASVe:0005.002.	Atti			
4.	9862	serie	IT:ASVe:0005.003.	Promissioni			
5.	12569	serie non originaria	IT:ASVe:0005.004.	Varia	http://213.136.75.178/siasve/cgi-bin/pagina.pl?Tipo=fondo&Chiave=15004		
6.	5365	sotto serie	IT:ASVe:0005.004.001.	DignitÃ , dogaresse, gastaldi ducali e cancelleria inferiore, Capitani e comandadori, regali ducali, banchetti sec. XV - sec. XVIII	http://213.136.75.178/siasve/cgi-bin/pagina.pl?Tipo=fondo&Chiave=15023		
7.	9119	sotto serie	IT:ASVe:0005.004.002.	Palazzo ducale. Processi, 1597 - 1793			
8.	5635	sotto serie	IT:ASVe:0005.004.003.	Elezioni di cariche, 1718 - 1797			
9.	3636	sotto serie	IT:ASVe:0005.004.004.	Cavalieri di San Marco. Privilegi, 1551 - 1678	http://213.136.75.178/siasve/cgi-bin/pagina.pl?Tipo=fondo&Chiave=15026		
10.	6428	serie	IT:ASVe:0005.005.	Giurisdizioni			
11.	11407	sotto serie	IT:ASVe:0005.005.001.	San Marco			
12.	9703	sotto serie	IT:ASVe:0005.005.002.	Primicerio, sec. XVI - sec. XVIII			
13.	3750	sotto serie	IT:ASVe:0005.005.003.	Chiese annesse a quella di San Marco, sec. XVII - sec. XVIII	http://213.136.75.178/siasve/cgi-bin/pagina.pl?Tipo=fondo&Chiave=15008		
14.	8627	sotto serie	IT:ASVe:0005.005.004.	Monasteri, sec. XVI - sec. XVIII			
15.	9038	sotto serie	IT:ASVe:0005.005.005.	Ospedali e luoghi pii, sec. XVI - sec. XVIII			
16.	3002	sotto serie	IT:ASVe:0005.005.006.	Ca' di Dio, sec. XVI - sec. XVIII			
17.	7373	sotto serie	IT:ASVe:0005.005.007.	Lettere dei rettori circa i patrimoni dei preti	http://213.136.75.178/siasve/cgi-bin/pagina.pl?Tipo=fondo&Chiave=15012		
18.	11544	sotto serie	IT:ASVe:0005.005.008.	Scritture in causa, 1749 - 1796	http://213.136.75.178/siasve/cgi-bin/pagina.pl?Tipo=fondo&Chiave=15013		
19.	7423	sotto serie	IT:ASVe:0005.005.009.	Lettere trasmesse per esame ai cancellieri, 1718 - 1797	http://213.136.75.178/siasve/cgi-bin/pagina.pl?Tipo=fondo&Chiave=15014		
20.	12580	sotto serie	IT:ASVe:0005.005.010.	Veglia, sec. XVII - sec. XVIII	http://213.136.75.178/siasve/cgi-bin/pagina.pl?Tipo=fondo&Chiave=15015		
21.	14258	sotto serie	IT:ASVe:0005.005.011.	Â«DiversorumÂ», sec. XVII - sec. XVIII	http://213.136.75.178/siasve/cgi-bin/pagina.pl?Tipo=fondo&Chiave=15016		
22.	8702	sotto serie	IT:ASVe:0005.005.012.	Multorum, sec. XVII - sec. XVIII	http://213.136.75.178/siasve/cgi-bin/pagina.pl?Tipo=fondo&Chiave=15017		
23.	8628	sotto serie	IT:ASVe:0005.005.013.	Monastero di Santa Giulia in Brescia, sec. XV - sec. XVIII	http://213.136.75.178/siasve/cgi-bin/pagina.pl?Tipo=fondo&Chiave=15018		
24.	10843	sotto serie	IT:ASVe:0005.005.014.	Riferte dei comandadori, 1691 - 1797	http://213.136.75.178/siasve/cgi-bin/pagina.pl?Tipo=fondo&Chiave=15019		
25.	3752	sotto serie	IT:ASVe:0005.005.015.	Chiese e luoghi pii di giuspatronato dogale, Amministrazione, CÃ di Dio, sec. XV - sec. XVIII	http://213.136.75.178/siasve/cgi-bin/pagina.pl?Tipo=fondo&Chiave=15020		
26.	12568	sotto serie	IT:ASVe:0005.005.016.	Varia, 1514 - 1798	http://213.136.75.178/siasve/cgi-bin/pagina.pl?Tipo=fondo&Chiave=15021		
27.	8184	fondo	IT:ASVe:0010.	Maggior Consiglio, sec. XIII - 1797	http://213.136.75.178/siasve/cgi-bin/pagina.pl?Tipo=fondo&Chiave=9915		
28.	5261	serie	IT:ASVe:0010.001.	Deliberazioni, 1283 - 1793	http://213.136.75.178/siasve/cgi-bin/pagina.pl?Tipo=fondo&Chiave=9916		
29.	5962	sotto serie	IT:ASVe:0010.001.001.	Filze, 1503 - 1797	http://213.136.75.178/siasve/cgi-bin/pagina.pl?Tipo=fondo&Chiave=9917		
30.	10484	sotto serie	IT:ASVe:0010.001.002.	Registri, 1232 - 1384	http://213.136.75.178/siasve/cgi-bin/pagina.pl?Tipo=fondo&Chiave=9918		
31.	10943	serie	IT:ASVe:0010.001.003.	Rubriche, 1232 - 1657	http://213.136.75.178/siasve/cgi-bin/pagina.pl?Tipo=fondo&Chiave=9919		
32.	7298	serie	IT:ASVe:0010.003.	Leggi, 1244 - 1739	http://213.136.75.178/siasve/cgi-bin/pagina.pl?Tipo=fondo&Chiave=10032		
33.	6796	serie	IT:ASVe:0010.004.	Indici dei libri Roano, Verde e Oro, sec. XVIII	http://213.136.75.178/siasve/cgi-bin/pagina.pl?Tipo=fondo&Chiave=10033		
34.	4700	serie	IT:ASVe:0010.005.	Copie dei libri Roano, Verde e Oro	http://213.136.75.178/siasve/cgi-bin/pagina.pl?Tipo=fondo&Chiave=10034		
35.	6812	serie	IT:ASVe:0010.006.	Indici e repertori generali delle leggi contenute nei libri Roano, Verde e Oro	http://213.136.75.178/siasve/cgi-bin/pagina.pl?Tipo=fondo&Chiave=10035		
36.	10933	serie	IT:ASVe:0010.007.	Rubrica di tutte le parti componenti il libro d'Oro, 1232 - 1747	http://213.136.75.178/siasve/cgi-bin/pagina.pl?Tipo=fondo&Chiave=10036		
37.	7514	serie	IT:ASVe:0010.009.	Libro d'Oro vecchio, sec. XIII - 1628	http://213.136.75.178/siasve/cgi-bin/pagina.pl?Tipo=fondo&Chiave=10038		
38.	7513	serie	IT:ASVe:0010.010.	Libro d'Oro novo, 1599 - 1657	http://213.136.75.178/siasve/cgi-bin/pagina.pl?Tipo=fondo&Chiave=10039		
39.	7512	serie	IT:ASVe:0010.011.	Libro d'Oro, 1232 - 1747	http://213.136.75.178/siasve/cgi-bin/pagina.pl?Tipo=fondo&Chiave=10040		
40.	7530	serie	IT:ASVe:0010.012.	Libro Roano, 1259 - 1740	http://213.136.75.178/siasve/cgi-bin/pagina.pl?Tipo=fondo&Chiave=10041		
41.	7534	serie	IT:ASVe:0010.013.	Libro Verde, 1252 - 1742	http://213.136.75.178/siasve/cgi-bin/pagina.pl?Tipo=fondo&Chiave=10042		
42.	10378	serie	IT:ASVe:0010.014.	Raccolta delle leggi statutarie estratte dai libri del Maggior Consiglio, 1232 - 1745	http://213.136.75.178/siasve/cgi-bin/pagina.pl?Tipo=fondo&Chiave=10043		
43.	8564	serie	IT:ASVe:0010.015.	Miscellanea di indici e minute	http://213.136.75.178/siasve/cgi-bin/pagina.pl?Tipo=fondo&Chiave=10044		
44.	9847	complesso di archivi	IT:ASVe:0015.	Procuratori di San Marco, sec. XI - sec. XIX	http://213.136.75.178/siasve/cgi-bin/pagina.pl?Tipo=fondo&Chiave=8988		
45.	9851	fondo	IT:ASVe:0015.001.	Procuratori Â«de supraÂ», sec. XI - sec. XIX	http://213.136.75.178/siasve/cgi-bin/pagina.pl?Tipo=fondo&Chiave=8989		

Once you've created the project, you can start working on the RDF part: choose the upper right corner menu «RDF»


ASVe_content_correct csv
127.0.0.1:3333/project?project=2212503747810
ASVe_content_correct csv
Permalink
Open...
Export
Help
Facet / Filter
Undo / Redo
14272 rows
Extensions: RDF
Edit RDF Skeleton...
Reset RDF Skeleton...
Add reconciliation service
Show as: rows records
Show: 5 10 25 50 rows
Using facets and filters
Use facets and filters to select subsets of your data to act on. Choose facet and filter methods from the menus at the top of each data column.
Not sure how to get started?
Watch these screencasts
Then select «edit RDF skeleton» to start working on the RDF structure of your data.


RDF Schema Alignment
The RDF schema alignment skeleton below specifies how the RDF data that will get generated from your grid-shaped data. The cells in each record of your data will get placed into nodes within the skeleton. Configure the skeleton by specifying which column to substitute into which node.
Base URI: edit
RDF Skeleton
RDF Preview
Available Prefixes:
add prefix
manage prefixes
(row index) URI
add rdf:type
n cell
property?
document_type cell
property?
id cell
property?
title cell
property?
url cell
property?
notes cell
property?
Column cell
property?
add property
Add another root node
Save
This is a sample Turtle representation of (up-to) the first 10 rows
Now a pop-up tab lets you choose the main parameters: you've to edit in the first place the base URI of your data
OK
Cancel


ASVe_content_correct csv
127.0.0.1:3333/project?project=2212503747810
ASVe_content_correct csv
Permalink
Open...
Export
Help
Facet / Filter
Undo / Redo
14272 rows
Extensions: RDF
Using facets and filters
Use facets and filters to select subsets of your data to act on. Choose facet and filter methods from the menus at the top of each data column.
Not sure how to get started?
Watch these screencasts
RDF Schema Alignment
The RDF schema alignment skeleton below specifies how the RDF data that will get generated from your grid-shaped data. The cells in each record of your data will get placed into nodes within the skeleton. Configure the skeleton by specifying which column to substitute into which node.
Base URI: edit
http://data.dhlab.epfl.ch/asve/
Apply
Cancel
RDF Skeleto
Available Prefixes:
add prefix
manage prefixes
(row index) URI
add rdf:type
n cell
property?
document_type cell
property?
id cell
property?
title cell
property?
url cell
property?
notes cell
property?
Column cell
property?
add property
Add another root node
Save
This is a sample Turtle representation of (up-to) the first 10 rows
Once applied the «base URI» you can select which column of your data can be the unique ID for the URI
OK
Cancel



For our data I've selected the «ID» column «as a URI», but to avoid possible problems I've also used a «custom expression»

Using a «custom expression» in GREL (Google Refine Expression Language) allows you to give the exact shape you want for your URIs: in my case (because the «automatic base Uri method» wasn't working) I've made an expression with the base URI and the cells' value. You can see the preview just below





Now you can set the prefixes of the ontologies you're going to use with your data selecting «add prefix» from the main pop-up tab.



We've used RDF, RDFS and an unofficial version from ICA's «Record in Context Conceptual Model Draft»


RDF Schema Alignment
The RDF schema alignment skeleton below specifies how the RDF data that will get generated from your grid-shaped data. The cells in each record of your data will get placed into nodes within the skeleton. Configure the skeleton by specifying which column to substitute into which node.
Base URI: http://data.dhlab.epfl.ch/asve/ edit
RDF Skeleton
RDF Preview
Available Prefixes:
rdf rdfs
add prefix
manage prefixes
id URI
add rdf:type
n cell
property?
document_type cell
property?
id cell
property?
New Prefix
prefix: ric
URI: http://vocab.dhlab.epfl.ch/RiC#
OK
Cancel
Advanced...
property?
add property
Add another root node
Save
This is a sample Turtle representation of (up-to) the first 10 rows
OK
Cancel
You can see the various prefixes appear when you've set them



Now, you can start to set the properties of your data, choosing from the ontologies you've set before, just typing «prefix:property»

ASVe_content_correct csv - C

127.0.0.1:3333/project?project=1671473863182

ASVe_content_correct csv Permalink

Facet / Filter | Undo / Redo 0

14272 rows

Show as: rows records Show: 5 10

Using facets and filters

Use facets and filters to select subsets of your data to act on. Choose facet and filter methods from the menus at the top of each data column.

Not sure how to get started?
Watch these screencasts

Open... | Export | Help

Extensions: RDF

« first ‹ previous 1 - 10 next › last »

All	n	document_type	notes	Column
1.	3074	fondo		
2.	7322	serie		
3.	1966	serie		
4.	9862	serie		
5.	12569	serie non originaria		
6.	5365	sotto serie		
7.	9119	sotto serie		
8.	5635	sotto serie		
9.	3636	sotto serie		
10.	6428	serie		

RDF Schema Alignment

The RDF schema alignment skeleton below specifies how the RDF data that will get generated from your grid-shaped data. The cells in each record of your data will get placed into nodes within the skeleton. Configure the skeleton by specifying which column to substitute into which node.

Base URI: http://data.dhlab.epfl.ch/asve/ edit

RDF Skeleton | RDF Preview

Available Prefixes: rdf rdfs ric add prefix manage prefixes

id URI
ric:RiC-E3_Record_Set
add rdf:type

property? Search for property: ric:RiC-P02_Local_Identifier
property?
property?
property?
add property

Select an item from the list:
ric:RiC-P02_Local_Identifier http://vocab.dhlab.epfl.ch
Your item not in the list?
Add it (Shift+Enter)

http://vocab.dhlab.epfl.ch/RiC#RiC-P02_Local_Identifier
label:
description: Not in the imported vocabulary definition

Add another root node Save

This is a sample Turtle representation of (up-to) the *first 10* rows

OK Cancel


ASVe_content_correct csv
127.0.0.1:3333/project?project=1671473863182
ASVe_content_correct csv
Permalink
Open...
Export
Help
Facet / Filter
Undo / Redo
14272 rows
Extensions: RDF
Using facets and filters
Use facets and filters to select subsets of your data to act on. Choose facet and filter methods from the menus at the top of each data column.
Not sure how to get started?
Watch these screencasts
RDF Schema Alignment
The RDF schema alignment skeleton below specifies how the RDF data that will get generated from your grid-shaped data. The cells in each record of your data will get placed into nodes within the skeleton. Configure the skeleton by specifying which column to substitute into which node.
Base URI: http://data.dhlab.epfl.ch/asve/ edit
RDF Skeleton
RDF Preview
Available Prefixes: rdf rdfs ric add prefix manage prefixes
id URI
ric:RiC-E3_Record_Set
add rdf:type
ric:RiC-
P02_Local_Identifier
property?
property?
property?
add property
Search for property:
ric:RiC-P23_Type
Select an item from the list:
ric:RiC-P23_Type
http://vocab.dhlab.epfl.ch/
Your item not in the list?
Add it
(Shift+Enter)
http://vocab.dhlab.epfl.ch/RiC#RiC-P23_Type
label:
description: Not in the imported vocabulary definition
Add another root node
Save
This is a sample Turtle representation of (up-to) the first 10 rows
OK
Cancel

ASVe_content_correct csv - C

127.0.0.1:3333/project?project=1671473863182

OpenRefine ASVe_content_correct csv Permalink

Open... Export Help

Facet / Filter Undo / Redo 0

14272 rows

Extensions: RDF

Show as: rows records Show: 5 10

« first ‹ previous 1 - 10 next › last »

Using facets and filters

Use facets and filters to select subsets of your data to act on. Choose facet and filter methods from the menus at the top of each data column.

Not sure how to get started? Watch these screencasts

All	n	document_type	notes	Column
1.	3074	fondo		
2.	7322	serie		
3.	1966	serie		
4.	9862	serie		
5.	12569	serie non originaria		
6.	5365	sotto serie		
7.	9119	sotto serie		
8.	5635	sotto serie		
9.	3636	sotto serie		
10.	6428	serie		

RDF Schema Alignment

The RDF schema alignment skeleton below specifies how the RDF data that will get generated from your grid-shaped data. The cells in each record of your data will get placed into nodes within the skeleton. Configure the skeleton by specifying which column to substitute into which node.

Base URI: http://data.dhlab.epfl.ch/asve/ edit

RDF Skeleton | RDF Preview

Available Prefixes: rdf rdfs ric add prefix manage prefixes

id URI
ric:RiC-E3_Record_Set
add rdf:type

ric:RiC-P02_Local_Identifier → n cell

ric:RiC-P23_Type → document_type cell

property?

property?

add property

Search for property:
ric:RiC-P03_Name

Select an item from the list:
ric:RiC-P03_Name http://vocab.dhlab.epfl.ch/

Your item not in the list?
Add it (Shift+Enter)

http://vocab.dhlab.epfl.ch/RiC#RiC-P03_Name
label:
description: Not in the imported vocabulary definition

Add another root node Save

This is a sample Turtle representation of (up-to) the *first 10* rows

OK Cancel


RDF Schema Alignment
The RDF schema alignment skeleton below specifies how the RDF data that will get generated from your grid-shaped data. The cells in each record of your data will get placed into nodes within the skeleton. Configure the skeleton by specifying which column to substitute into which node.
Base URI: http://data.dhlab.epfl.ch/asve/ edit
RDF Skeleton
RDF Preview
Available Prefixes: rdf rdfs ric add prefix manage prefixes
id URI
ric:RiC-E3_Record_Set
add rdf:type
ric:RiC- n cell
P02_Local_Identifier
ric:RiC- document_type cell
P23_Type
ric:RiC- title cell
P03_Name
property
add property
Search for property:
rdfs:seeAlso
Select an item from the list:
rdfs:seeAlso http://www.w3.org/2000/01.
Your item not in the list?
Add it (Shift+Enter)
http://www.w3.org/2000/01/rdf-schema#seeAlso
description: Not in the imported vocabulary definition
Add another root node
Save
This is a sample Turtle representation of (up-to) the first 10 rows
You can set the one or more properties for each column of you data
OK
Cancel



All	n	document_type	id	title	url
1.	3074	fondo	IT:ASVe:0005.	Cancelleria inferiore, Doge, 1364 - 1797	http://213.136.75.178/siasve/cgi-bin/pagina.pl?Tipo=fondo&Chiave=9
2.	7322	serie	IT:ASVe:0005.001.	Lettere	http://213.136.75.178/siasve/cgi-bin/pagina.pl?Tipo=fondo&Chiave=15001
3.	1966	serie	IT:ASVe:0005.002.	Atti	http://213.136.75.178/siasve/cgi-bin/pagina.pl?Tipo=fondo&Chiave=15002
4.	9862	serie	IT:ASVe:0005.003.	Promissioni	http://213.136.75.178/siasve/cgi-bin/pagina.pl?Tipo=fondo&Chiave=15003
5.	12569	serie non originaria	IT:ASVe:0005.004.	Varia	http://213.136.75.178/siasve/cgi-bin/pagina.pl?Tipo=fondo&Chiave=15004
6.	5365	sotto serie	IT:ASVe:0005.004.001.	DignitÃ , dogaresse, gastaldi ducali e cancelleria inferiore, Capitani e comandadori, regalie ducali, banchetti, sec. XV - sec. XVIII	http://213.136.75.178/siasve/cgi-bin/pagina.pl?Tipo=fondo&Chiave=15023
7.	9119	sotto serie	IT:ASVe:0005.004.002.	Palazzo ducale. Processi, 1597 - 1793	http://213.136.75.178/siasve/cgi-bin/pagina.pl?Tipo=fondo&Chiave=15024
8.	5635	sotto serie	IT:ASVe:0005.004.003.	Elezioni di cariche, 1718 - 1797	http://213.136.75.178/siasve/cgi-bin/pagina.pl?Tipo=fondo&Chiave=15025
9.	3636	sotto serie	IT:ASVe:0005.004.004.	Cavalieri di San Marco. Privilegi, 1551 - 1678	http://213.136.75.178/siasve/cgi-bin/pagina.pl?Tipo=fondo&Chiave=15026
10.	6428	serie	IT:ASVe:0005.005.	Giurisdizioni	http://213.136.75.178/siasve/cgi-bin/pagina.pl?Tipo=fondo&Chiave=15005

Once you've finished with the RDF skeleton for you data you can give the «ok» and select the export for you data in various format

Finally you've got your RDF-TURTLE

Data with OpenRefine with RDF extension

ASVe_content_correct-csv - Blocco note

File Modifica Formato Visualizza ?

```
@prefix rdf: <http://www.w3.org/1999/02/22-rdf-syntax-ns#> .
@prefix rdfs: <http://www.w3.org/2000/01/rdf-schema#> .
@prefix ric: <http://vocab.dhlab.epfl.ch/RiC#> .


<http://data.dhlab.epfl.ch/asve/IT:ASVe:0005.> a ric:RiC-E3_Record_Set ;
        ric:RiC-P02_Local_Identifier "3074" ;
        ric:RiC-P23_Type "fondo" ;
        ric:RiC-P03_Name "Cancelleria inferiore, Doge, 1364 - 1797" ;
        rdfs:seeAlso "http://213.136.75.178/siasve/cgi-bin/pagina.pl?Tipo=fondo&Chiave=9" .

<http://data.dhlab.epfl.ch/asve/IT:ASVe:0005.001.> a ric:RiC-E3_Record_Set ;
        ric:RiC-P02_Local_Identifier "7322" ;
        ric:RiC-P23_Type "serie" ;
        ric:RiC-P03_Name "Lettere" ;
        rdfs:seeAlso "http://213.136.75.178/siasve/cgi-bin/pagina.pl?Tipo=fondo&Chiave=15001" .

<http://data.dhlab.epfl.ch/asve/IT:ASVe:0005.002.> a ric:RiC-E3_Record_Set ;
        ric:RiC-P02_Local_Identifier "1966" ;
        ric:RiC-P23_Type "serie" ;
        ric:RiC-P03_Name "Atti" ;
        rdfs:seeAlso "http://213.136.75.178/siasve/cgi-bin/pagina.pl?Tipo=fondo&Chiave=15002" .

<http://data.dhlab.epfl.ch/asve/IT:ASVe:0005.003.> a ric:RiC-E3_Record_Set ;
        ric:RiC-P02_Local_Identifier "9862" ;
        ric:RiC-P23_Type "serie" ;
        ric:RiC-P03_Name "Promissioni" ;
        rdfs:seeAlso "http://213.136.75.178/siasve/cgi-bin/pagina.pl?Tipo=fondo&Chiave=15003" .

<http://data.dhlab.epfl.ch/asve/IT:ASVe:0005.004.> a ric:RiC-E3_Record_Set ;
        ric:RiC-P02_Local_Identifier "12569" ;
        ric:RiC-P23_Type "serie non originaria" ;
        ric:RiC-P03_Name "Varia" ;
        rdfs:seeAlso "http://213.136.75.178/siasve/cgi-bin/pagina.pl?Tipo=fondo&Chiave=15004" .

<http://data.dhlab.epfl.ch/asve/IT:ASVe:0005.004.001.> a ric:RiC-E3_Record_Set ;
        ric:RiC-P02_Local_Identifier "5365" ;
        ric:RiC-P23_Type "sotto serie" ;
        ric:RiC-P03_Name "DignitÀ , dogaresse, gastaldi ducali e cancelleria inferiore, Capitani e comandadori, regalie ducali,
banchetti, sec. XV - sec. XVIII" ;
        rdfs:seeAlso "http://213.136.75.178/siasve/cgi-bin/pagina.pl?Tipo=fondo&Chiave=15023" .

<http://data.dhlab.epfl.ch/asve/IT:ASVe:0005.004.002.> a ric:RiC-E3_Record_Set ;
        ric:RiC-P02_Local_Identifier "9119" ;
        ric:RiC-P23_Type "sotto serie" ;
        ric:RiC-P03_Name "Palazzo ducale. Processi, 1597 - 1793" ;
        rdfs:seeAlso "http://213.136.75.178/siasve/cgi-bin/pagina.pl?Tipo=fondo&Chiave=15024" .

<http://data.dhlab.epfl.ch/asve/IT:ASVe:0005.004.003.> a ric:RiC-E3_Record_Set ;
        ric:RiC-P02_Local_Identifier "5635" ;
        ric:RiC-P23_Type "sotto serie" ;
        ric:RiC-P03_Name "Elezioni di cariche, 1718 - 1797" ;
        rdfs:seeAlso "http://213.136.75.178/siasve/cgi-bin/pagina.pl?Tipo=fondo&Chiave=15025" .

<http://data.dhlab.epfl.ch/asve/IT:ASVe:0005.004.004.> a ric:RiC-E3_Record_Set ;
        ric:RiC-P02_Local_Identifier "3636" ;
        ric:RiC-P23_Type "sotto serie" ;
        ric:RiC-P03_Name "Cavalieri di San Marco. Privilegi, 1551 - 1678" ;
        rdfs:seeAlso "http://213.136.75.178/siasve/cgi-bin/pagina.pl?Tipo=fondo&Chiave=15026" .

<http://data.dhlab.epfl.ch/asve/IT:ASVe:0005.005.> a ric:RiC-E3_Record_Set ;
        ric:RiC-P02_Local_Identifier "6428" ;
        ric:RiC-P23_Type "serie" ;
        ric:RiC-P03_Name "Giurisdizioni" ;
        rdfs:seeAlso "http://213.136.75.178/siasve/cgi-bin/pagina.pl?Tipo=fondo&Chiave=15005" .
```