## FORMULA SHEET

• Constants:

$$g = 9.8 \text{m/s}^2$$

• Vectors:

$$\vec{A} \cdot \vec{B} = AB \cos \theta$$

$$= A_x B_x + A_y B_y + A_z B_z$$

$$|\vec{A} \times \vec{B}| = AB \sin \theta$$

• Kinematics:

$$\Delta x = v_0 t + \frac{1}{2}at^2$$

$$v = v_0 + at$$

$$v^2 = v_0^2 + 2a\Delta x$$

• Forces:

$$\sum \vec{F} = m\vec{a}$$

$$W = mg$$

$$f_{s,max} = \mu_s N$$

$$f_k = \mu_k N$$

• Work & Energy:

$$\begin{split} W &= \vec{F} \cdot \Delta \vec{x} \\ W_{tot} &= \Delta K \\ W_{cons} &= -\Delta U \\ K &= \frac{1}{2} m v^2 \\ U_g &= mgy \\ K_i + U_i + W_{nc} &= K_f + U_f \end{split}$$

• Momentum & Collisions:

$$\begin{split} \vec{p} &= m \vec{v} \\ \sum \vec{F} &= \frac{\Delta \vec{p}}{\Delta t} \\ m_1 \vec{v}_{1i} + m_2 \vec{v}_{2i} &= m_1 \vec{v}_{1f} + m_2 \vec{v}_{2f} \\ \vec{v}_{1i} - \vec{v}_{2i} &= \vec{v}_{2f} - \vec{v}_{1f} \end{split}$$

### • Rotational Mechanics

$$\Delta\theta = \omega_0 t + \frac{1}{2}\alpha t^2$$

$$\omega = \omega_0 + \alpha t$$

$$\omega^2 = \omega_0^2 + 2\alpha\Delta\theta$$

$$s=r\theta$$

$$v = r\omega$$

$$a=r\alpha$$

$$\tau = rF\sin\theta$$


$$\sum \tau = I\alpha$$
 or  $\sum \tau = \frac{\Delta L}{\Delta t}$ 

$$K_{rot} = \frac{1}{2}I\omega^2$$

$$L = I\omega$$
 or  $L = rp$ 

$$I_{new} = I_{cm} + md^2$$

### Solid sphere




$$I = \frac{2}{5}MR^2$$

#### Hollow sphere




$$I = \frac{2}{3}MR^2$$

## Solid cylinder




$$I = \frac{1}{2}MR^2$$

# Thin rod (axis in center)



 $I = \frac{1}{12}ML^2$ 

# Thin rod (axis at end)



$$I = \frac{1}{3}ML$$

#### Hoop



$$I = MR^2$$

• Gravity:

$$G = 6.67 \times 10^{-11} \frac{Nm^2}{kg^2}$$

$$F_G = G \frac{mM}{r^2}$$

$$a_G = G \frac{M}{r^2}$$

$$U_G = -G \frac{mM}{r}$$

$$v_{esc} = \sqrt{\frac{2GM}{R}}$$

$$v_{orb} = r\omega_{orb} = \frac{2\pi r}{T_{orb}}$$

• Oscillations:

$$F_{sp} = kx$$

$$U_{sp} = \frac{1}{2}kx^{2}$$

$$\omega_{sp} = \sqrt{\frac{k}{m}}$$

$$\omega_{pend} = \sqrt{\frac{g}{l}}$$

$$f = 1/T$$

$$\omega = 2\pi f$$

• Waves:

$$v = \lambda f$$
$$f_{beat} = |f_1 - f_2|$$

• Heat, Ideal Gases, and Thermodynamics:

$$PV = Nk_BT$$
 
$$k_B = 1.38 \times 10^{-23} \text{ J/K}$$
 
$$R = 8.314 \text{ J/molK}$$
 
$$T_K = T_{^{\circ}C} + 273$$
 
$$K_{av} = \frac{3}{2}k_BT$$