

1886. Determine Whether Matrix Can Be Obtained By Rotation

Difficulty: Easy


Link: <https://leetcode.com/problems/determine-whether-matrix-can-be-obtained-by-rotation/?envType=daily-question&envId=2026-03-22>

Generated at: 2026-03-22 11:18:47

Problem:

Given two $n \times n$ binary matrices `mat` and `target`, return `true` if it is possible to make `mat` equal to `target` by rotating `mat` in 90-degree increments, or `false` otherwise.

Example 1:



Input: `mat = [[0,1],[1,0]]`, `target = [[1,0],[0,1]]`

Output: `true`

Explanation: We can rotate `mat` 90 degrees clockwise to make `mat` equal `target`.

Example 2:

0	1
1	1

1	0
0	1

Input: mat = [[0,1],[1,1]], target = [[1,0],[0,1]]

Output: false

Explanation: It is impossible to make mat equal to target by rotating mat.

Example 3:

0	0	0
0	1	0
1	1	1



1	0	0
1	1	0
1	0	0



1	1	1
0	1	0
0	0	0

Input: mat = [[0,0,0],[0,1,0],[1,1,1]], target = [[1,1,1],[0,1,0],[0,0,0]]

Output: true

Explanation: We can rotate mat 90 degrees clockwise two times to make mat equal target.

Constraints:

- `n == mat.length == target.length`
- `n == mat[i].length == target[i].length`
- `1 <= n <= 10`
- `mat[i][j]` and `target[i][j]` are either `0` or `1`.