

## 1582. Special Positions in a Binary Matrix

Difficulty: Easy

Link: <https://leetcode.com/problems/special-positions-in-a-binary-matrix/?envType=daily-question&envId=2026-03-04>

Generated at: 2026-03-04 11:43:44

---

### Problem:

Given an  $m \times n$  binary matrix `mat`, return *the number of special positions in* `mat`.

A position  $(i, j)$  is called **special** if `mat[i][j] == 1` and all other elements in row `i` and column `j` are `0` (rows and columns are **0-indexed**).

### Example 1:

|   |   |   |
|---|---|---|
| 1 | 0 | 0 |
| 0 | 0 | 1 |
| 1 | 0 | 0 |

Input: `mat = [[1,0,0],[0,0,1],[1,0,0]]`

Output: 1

Explanation: (1, 2) is a special position because `mat[1][2] == 1` and all other elements in row 1 and column 2 are 0.

**Example 2:**

|   |   |   |
|---|---|---|
| 1 | 0 | 0 |
| 0 | 1 | 0 |
| 0 | 0 | 1 |

Input: `mat = [[1,0,0],[0,1,0],[0,0,1]]`

Output: 3

Explanation: (0, 0), (1, 1) and (2, 2) are special positions.

### Constraints:

- `m == mat.length`
- `n == mat[i].length`
- `1 <= m, n <= 100`
- `mat[i][j]` is either 0 or 1.