08 - Data Model

Generated 2026-10-14 from 08-DATA-MODEL.md - information only, not medical advice.

Contents

Vector store (langchain-postgres PGVector)

Application tables

Redis keys (all with TTL)

Retention and deletion

All application tables live in Supabase Postgres (schema created by `backend/scripts/db_init.py`, verified live on 2026-10-14: pgvector 0.8.2, tables below, `tsv` column present). Redis holds only expiring data. All bundled data is SYNTHETIC.

Vector store (langchain-postgres PGVector)

Table	Key columns	Notes
`langchain_pg_collection`	uuid, name	Two collections per embedding model: `medinfo_trusted__euri_text_embedding_3_small_1536`, `medinfo_user__...` (models never mixed: a new model means new collections + re-ingest)
`langchain_pg_embedding`	id (UUID from content hash), collection_id, embedding vector(1536), document, cmetadata JSONB, **tsv** tsvector (generated, GIN)	`cmetadata`: doc_id, source, collection, trusted, owner_id, title, publisher, publication_date, version, evidence_level, jurisdiction, licence, doc_type, source_url, series, page/sheet/slide/section, ocr, injection_flagged, kind, parent_id, chunk_hash

Application tables

Table	Columns	Purpose
`medinfo_ingest_registry`	doc_id PK, collection, filename, file_hash, chunk_hashes JSONB, provenance JSONB, trusted, owner_id, updated_at	Incremental upsert, document lists, ownership
`medinfo_parent_chunks`	parent_id PK, doc_id FK, text	Parent-child chunking context
`medinfo_conversations`	id, user_id, title_enc, created_at, updated_at	Owner-scoped; title encrypted (Fernet)
`medinfo_messages`	id, conversation_id FK, role, text_enc, meta JSONB, created_at	Redacted + encrypted text; meta = kind, scope, citation provenance, limitations, warnings
`medinfo_review_items`	id, created_at, source, question, answer_json, status, verdict, notes, reviewer_id, reviewed_at	Clinician review (redacted content)
`medinfo_eval_runs`	id, created_at, label, params JSONB, metrics JSONB	Evaluation history shown to admins

Redis keys (all with TTL)

Key	Content
`medinfo:answer:<sha256>`	Cached clean `ChatAnswer` JSON
`medinfo:llm:<sha256>`	Prompt-cache entries: plain AI text only
`medinfo:conv:<id>:turns`	Recent turns (redacted)
`medinfo:rl:<bucket>:<user>`	Fixed-window rate-limit counters
`medinfo:corpus_version`, `medinfo:user_docs_version:<user>`	Cache invalidation counters

Retention and deletion

Conversations older than `CONVERSATION_RETENTION_DAYS` (30) are purged (`MemoryService.purge_expired` , to be scheduled as a job). Users can delete one or all conversations and their own uploads; admins delete trusted documents (chunks, parents and registry rows).