




Step 1: Open PowerShell as Administrator

1. Press **Windows**.
2. Search for **PowerShell**.



3. Right-click **Windows PowerShell**.





```
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

PS C:\windows\system32> wsl --install
```

Step 3: Restart Your Computer

After installation, restart your PC when prompted.

Step 4: Complete Ubuntu Setup

After restarting:

1. Ubuntu opens automatically (or search for **Ubuntu** in the Start menu).
2. Wait for the installation to finish.
3. Create a Linux username.

Example:

Enter new UNIX username: anusha


Step 5: Create a Password

You'll then be prompted to create a password.

New password: ****

Retype new password:****

Step 6: Update Ubuntu



```
sri_dhruthi@Dhruthi:~$ sudo apt update
[sudo: authenticate] Password:
0% [Connecting to archive.ubuntu.com (185.125.190.82)] [Connecting to securi
Hit:1 http://archive.ubuntu.com/ubuntu resolute InRelease
Hit:2 http://security.ubuntu.com/ubuntu resolute-security InRelease
Hit:3 http://archive.ubuntu.com/ubuntu resolute-updates InRelease
Hit:4 http://archive.ubuntu.com/ubuntu resolute-backports InRelease
117 packages can be upgraded. Run 'apt list --upgradable' to see them.
sri_dhruthi@Dhruthi:~$ |
```

Step 7: Install GCC (C Compiler)

```
sri_dhruthi@Dhruthi:~$ sudo apt install build-essential
build-essential is already the newest version (12.12ubuntu2.26.04.2).
Summary:
  Upgrading: 0, Installing: 0, Removing: 0, Not Upgrading: 117
```

Step 8: Verify the Installation

```
sri_dhruthi@Dhruthi:~$ gcc --version
gcc (Ubuntu 15.2.0-16ubuntu1) 15.2.0
Copyright (C) 2025 Free Software Foundation, Inc.
This is free software; see the source for copying conditions. There is NO
warranty; not even for MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
```

Step 9: Create Your C Program

Example: nano process.c

Step 10: Compile the Program

```
GNU nano 8.7.1 processid.c
#include <stdio.h>
#include <unistd.h>

int main()
{
    printf("My Process ID (PID) = %d\n", getpid());

    return 0;
}
```

```
sri_dhruthi@Dhruthi:~$ nano processid.c
sri_dhruthi@Dhruthi:~$ gcc processid.c -o processid
sri_dhruthi@Dhruthi:~$ ./processid
My Process ID (PID) = 940
sri_dhruthi@Dhruthi:~$ |
```

← → ↻ github.com/dhruthi0708/2520030490-Dhruthi-OSSP-programs

dhrruthi0708 / 2520030490-Dhruthi-OSSP-programs

Code Issues Pull requests Agents Actions Projects Wiki Security and quality More

Watch 0 Fork 0

0 stars 0 forks 0 watching 1 branch 0 tags Activity

Public repository

main

Go to file + Code

dhrruthi0708 Add files via upload efca752 · now

OS Practical	Rename 2520030490 WEEK 1.pdf to 25200...	3 weeks ago
OS Skill	Add files via upload	now

README

Fork() :

```
sri_dhruthi@Dhruthi: ~  
GNU nano 8.7.1  
#include <stdio.h>  
#include <unistd.h>  
  
int main()  
{  
    fork();  
  
    printf("Hello\n");  
  
    return 0;  
}
```

```
sri_dhruthi@Dhruthi:~$ nano fork.c  
sri_dhruthi@Dhruthi:~$ gcc fork.c -o fork  
sri_dhruthi@Dhruthi:~$ ./fork  
Hello  
Hello
```

```
sri_dhruthi@Dhruthi: ~  
GNU nano 8.7.1 parentchi  
#include <stdio.h>  
#include <unistd.h>  
  
int main()  
{  
    pid_t pid;  
  
    pid = fork();  
  
    if (pid == 0)  
    {  
        printf("I am Child Process\n");  
    }  
    else  
    {  
        printf("I am Parent Process\n");  
    }  
  
    return 0;  
}
```

```
sri_dhruthi@Dhruthi:~$ nano parentchild.c  
sri_dhruthi@Dhruthi:~$ gcc parentchild.c -o parentchild  
sri_dhruthi@Dhruthi:~$ ./parentchild  
I am Parent Process  
I am Child Process
```