

Windows Server Backup – Practical

Task 1: Perform a One-Time Full Backup of C: Drive

Question:

Open Windows Server Backup on your training VM and perform a one-time full backup of the C: drive. Take a screenshot of the confirmation screen after completion.

Steps:

1. Log in to **Windows Server** as Administrator.
 2. Open **Server Manager**.
 3. Click **Tools** → **Windows Server Backup**.
 4. In the Windows Server Backup console, click **Backup Once**.
 5. Select **Different options** and click **Next**.
 6. Select **Full server** or **Custom**, depending on the requirement.
 7. If **Custom** is selected, click **Add Items** and select the **C:** drive.
 8. Select the backup destination, such as another disk or external drive.
 9. Click **Backup** to start the backup.
 10. Wait until the backup operation is completed successfully.
 11. Verify the status as **Completed successfully**.
 12. Take a screenshot of the confirmation/completion screen.
-

Task 2: Configure a Daily Scheduled Backup

Question:

Configure a scheduled backup to run daily at **8:00 PM** for the folder containing music or video files, such as D:\Media.

Steps:

1. Open **Windows Server Backup** from **Server Manager** → **Tools**.
2. Click **Backup Schedule**.
3. Select **Custom** and click **Next**.
4. Click **Add Items**.
5. Select the folder **D:\Media**.
6. Click **Next**.
7. Set the backup schedule to **Daily**.
8. Set the backup time to **8:00 PM**.
9. Select the backup destination disk.
10. Configure the destination according to the available storage.
11. Click **Finish**.
12. Confirm that the scheduled backup was created successfully.
13. Document the following settings:
 - **Backup folder:** D:\Media
 - **Backup frequency:** Daily
 - **Backup time:** 8:00 PM
 - **Backup type:** Incremental changes are handled automatically by Windows Server Backup for scheduled backups.

14. Take a screenshot of the schedule configuration for the report.

15. Task 3: Compare Full, Incremental, and Differential Backups

16. Question:

Create a comparison table showing the differences between full, incremental, and differential backups. Assume a **10 GB folder** is backed up daily and **1 GB changes each day**.

17. Backup Calculation

Backup Type	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Total Storage
Full	10 GB	10 GB	10 GB	10 GB	10 GB	10 GB	10 GB	70 GB
Incremental	10 GB	1 GB	1 GB	1 GB	1 GB	1 GB	1 GB	16 GB
Differential	10 GB	1 GB	2 GB	3 GB	4 GB	5 GB	6 GB	31 GB

Explanation

- **Full Backup:** Copies all 10 GB every day. It uses the most storage and takes the most time, but restoration is simple because only one backup is required.
- **Incremental Backup:** The first backup contains 10 GB. Each following backup contains only the 1 GB of data changed since the previous backup. It uses the least storage and usually takes the least time.

- **Differential Backup:** The first backup contains 10 GB. Each following backup contains all changes made since the first full backup. Therefore, the backup size increases by approximately 1 GB each day.

Conclusion:

For daily backups, incremental backup saves the most storage and backup time, while full backup provides the simplest restoration process.

Task 4: Backup Best Practices for a Flipkart-Style E-Commerce Website

Question:

List three backup best practices for Windows Server that are important for a Flipkart-style e-commerce website and explain why each is critical.

1. Follow the 3-2-1 Backup Rule

Maintain at least **3 copies of data**, on **2 different types of storage**, with **1 copy stored off-site**.

Why it is important:

If the main server fails or becomes infected with ransomware, an off-site backup can be used to recover the website and customer data.

2. Schedule Automatic and Regular Backups

Configure automatic backups for important databases, website files, configurations, and transaction data.

Why it is important:

E-commerce websites process orders and payments continuously. Regular backups reduce data loss and help restore the latest available data after a failure.

3. Test Backups and Perform Restore Tests

Regularly verify that backups are completed successfully and perform test restores.

Why it is important:

A backup is useful only if it can actually be restored. Testing helps ensure that the website and business data can be recovered quickly, reducing downtime and preventing permanent data loss.