


Tasks

1.

Create a new directory called InstaPhotos in your home folder and add a file named selfie.jpg inside it. Set the permissions so only you (the owner) can read and write the file, but no one else can access it.

>




```
redhatt - VMware Workstation
File Edit View VM Tabs Help
Library
Type here to search
My Computer
  Ubuntu 64-bit
  Ubuntu 64-bit
  vm
  Red Hat Enterp
  vm2
  Tops Practice
  Linux administrator
  redhatt
[root@localhost ~]# mkdir ~/InstaPhotos
[root@localhost ~]# touch ~/InstaPhotos/selfie.jpg
[root@localhost ~]# chmod 600 ~/InstaPhotos/selfie.jpg
[root@localhost ~]# ls -l ~/InstaPhotos/selfie.jpg
-rw-----. 1 root root 0 Sep 24 21:46 /root/InstaPhotos/selfie.jpg
[root@localhost ~]#
```

2.

Simulate a shared Zomato recipe folder: create a directory called ZomatoRecipes and add a file recipe.txt inside it. Change the permissions so that everyone can read and write the file, but only you can delete it. Hint: Use the chmod command for permissions and the sticky bit for delete protection.

>




A terminal window titled 'redhantt' showing a series of commands to create a directory and a file. The commands are: `mkdir ~/ZomatoRecipes`, `touch ~/ZomatoRecipes/recipe.txt`, `chmod 666 ~/ZomatoRecipes/recipe.txt`, and `chmod 1777 ~/ZomatoRecipes`. The output of `ls -ld ~/ZomatoRecipes` shows `drwxrwxrwt. 2 root root 24 Sep 24 21:47 /root/ZomatoRecipes`. The output of `ls -l ~/ZomatoRecipes/recipe.txt` shows `-rw-rw-rw-. 1 root root 0 Sep 24 21:47 /root/ZomatoRecipes/recipe.txt`.

```
[root@localhost ~]# mkdir ~/ZomatoRecipes
[root@localhost ~]# touch ~/ZomatoRecipes/recipe.txt
[root@localhost ~]# chmod 666 ~/ZomatoRecipes/recipe.txt
[root@localhost ~]# chmod 1777 ~/ZomatoRecipes
[root@localhost ~]# ls -ld ~/ZomatoRecipes
drwxrwxrwt. 2 root root 24 Sep 24 21:47 /root/ZomatoRecipes
[root@localhost ~]# ls -l ~/ZomatoRecipes/recipe.txt
-rw-rw-rw-. 1 root root 0 Sep 24 21:47 /root/ZomatoRecipes/recipe.txt
[root@localhost ~]#
```

3.

Change the group ownership of a file named playlist.txt (in your current directory) to a group called musiclovers, so that all group members can collaborate on editing a Spotify-style playlist.

>




A terminal window titled 'redhantt' showing a series of commands to create a file and change its group ownership. The commands are: `touch playlist.txt`, `ls -l playlist.txt`, `chown :musiclovers playlist.txt`, and `chmod 664 playlist.txt`. The output of `ls -l playlist.txt` shows `-rw-r--r--. 1 root root 0 Sep 24 21:49 playlist.txt`. The output of `ls -l playlist.txt` after the `chown` command shows `-rw-rw-r--. 1 root musiclovers 0 Sep 24 21:49 playlist.txt`.

```
[root@localhost ~]# touch playlist.txt
[root@localhost ~]# ls -l playlist.txt
-rw-r--r--. 1 root root 0 Sep 24 21:49 playlist.txt
[root@localhost ~]# chown :musiclovers playlist.txt
[root@localhost ~]# chmod 664 playlist.txt
[root@localhost ~]# ls -l playlist.txt
-rw-rw-r--. 1 root musiclovers 0 Sep 24 21:49 playlist.txt
[root@localhost ~]#
```

4.

Use the chmod command to make a script file called paytm_pay.sh executable by everyone, but only editable by you. Then verify the permissions using the ls -l command.

>



The screenshot shows a VMware Workstation window titled 'redhatt - VMware Workstation'. The interface includes a menu bar (File, Edit, View, VM, Tabs, Help), a toolbar, and a sidebar with a 'Library' section. The main area is a terminal window for the 'redhatt' VM. The terminal output shows the following commands and results:


```
[root@localhost ~]# chmod 755 paytm_pay.sh
chmod: cannot access 'paytm_pay.sh': No such file or directory
[root@localhost ~]# touch paytm_pay.sh
[root@localhost ~]# chmod 755 paytm_pay.sh
[root@localhost ~]# ls -l paytm_pay.sh
-rwxr-xr-x. 1 root root 0 Sep 24 21:51 paytm_pay.sh
[root@localhost ~]#
```

5.

A friend sent you a folder called MyntraOffers with files inside, but you can't open any of them. Use the chmod and chown commands to fix the permissions and ownership so that you (and only you) can access and modify all files in the folder.

Hint: Use the -R flag to apply changes recursively.

>



The screenshot shows a VMware Workstation window titled "redhatt - VMware Workstation". The interface includes a menu bar (File, Edit, View, VM, Tabs, Help), a toolbar, and a sidebar with a "Library" section. The "Library" section lists several virtual machines: "Ubuntu 64-bit", "Ubuntu 64-bit", "vm", "Red Hat Enterp" (marked with a star), "vm2", "Tops Practice", "Linux administrator", and "redhatt" (marked with a star). The main window displays a terminal window titled "redhatt" with the following commands and output:

```
[root@localhost ~]# mkdir MyntraOffers
[root@localhost ~]# touch MyntraOffers/shirt.txt
touch MyntraOffers/shoes.txt
touch MyntraOffers/offer.txt
[root@localhost ~]# ls -l MyntraOffers
total 0
-rw-r--r--. 1 root root 0 Sep 24 21:54 offer.txt
-rw-r--r--. 1 root root 0 Sep 24 21:54 shirt.txt
-rw-r--r--. 1 root root 0 Sep 24 21:54 shoes.txt
[root@localhost ~]# chmod -R 700 MyntraOffers
[root@localhost ~]# ls -ld MyntraOffers
drwx-----. 2 root root 57 Sep 24 21:54 MyntraOffers
[root@localhost ~]# ls -lR MyntraOffers
MyntraOffers:
total 0
-rwx-----. 1 root root 0 Sep 24 21:54 offer.txt
-rwx-----. 1 root root 0 Sep 24 21:54 shirt.txt
-rwx-----. 1 root root 0 Sep 24 21:54 shoes.txt
[root@localhost ~]#
```