


Task: 1

1.

Open the terminal on your system and run the command 'uname -a' to display your Linux kernel version and system information. Take a screenshot of the output.

A screenshot of a terminal window titled 'Yops Practice'. The terminal shows the command '[root@localhost ~]# uname -a' and its output: 'Linux localhost.localdomain 5.14.0-70.13.1.el9_0.x86_64 #1 SMP PREEMPT Thu Apr 14 12:42:38 EDT 2022 x86_64 x86_64 x86_64 GNU/Linux'. The prompt '[root@localhost ~]#' is shown again on the next line.

2.

Research and list three key differences between Ubuntu, CentOS, and Debian Linux distributions, focusing on package management tools, default desktop environments, and typical use cases.

Hint: Look for terms like apt, yum, GNOME, KDE, server vs desktop usage.

>

Distribution	Package Management	Desktop Environment	Typical Use Cases
Ubuntu	Uses APT (apt) and DEB packages.	GNOME is commonly used in Ubuntu Desktop.	Desktop computing, software development, cloud and server environments.
CentOS	Uses RPM packages with DNF/YUM-based package management.	GNOME is commonly available; desktop environments can vary.	Traditionally popular for servers and enterprise environments. CentOS Stream is used as a continuously developed enterprise Linux platform.
Debian	Uses APT (apt) and DEB packages.	GNOME is commonly used in Debian, but several desktop	Stable servers, desktops, development, and general-purpose Linux systems.

Distribution	Package Management	Desktop Environment	Typical Use Cases
		environments are available.	

3.

Switch between the CLI (terminal) and GUI (desktop environment) on your Linux system. Create a text file named 'my_linux_journey.txt' using both methods: first with the 'touch' command in CLI, then by right-clicking and creating a new text file in the GUI. Note which method you found faster and why.


>

I created the file my_linux_journey.txt using both the CLI and GUI methods.

CLI Method: I used the touch my_linux_journey.txt command in the terminal to create the text file.

GUI Method: I opened the file manager, created a new text file, and named it my_linux_journey.txt.

Faster Method: I found the CLI method faster because the touch command creates a file immediately with a single command, while the GUI method requires several clicks and steps.



4.

Imagine you are helping a friend who only uses GUI apps like Spotify and Zomato on their phone. Write a short guide (5-6 lines) explaining why learning the Linux CLI can be powerful for tasks like installing software, managing files, or troubleshooting issues.

>

The Linux CLI allows users to control the system by typing commands instead of using only graphical applications.

It can be used to install and update software quickly using package management commands.

The CLI makes it easy to create, copy, move, rename, and delete files and directories.

It is also very useful for checking system information and troubleshooting problems.

Many servers do not have a graphical interface, so administrators manage them mainly through the CLI.

Learning the CLI gives users more control and helps them work efficiently with Linux systems.