Question 1:

Install Apache or Nginx on your Linux server and verify the installation by accessing the default web page via your browser.

Answer:

- **Step 1: Install and start the web server (Apache example):**
    - Update package list: sudo apt update
    - Install Apache: sudo apt install apache2 -y
    - Start and enable service: sudo systemctl start apache2 && sudo systemctl enable apache2
- **Step 2: Verification:**
    - Open a browser and visit http://localhost (or http://<SERVER_IP>).
    - The default Apache Ubuntu landing page confirms successful installation and operation.

Question 2:

Create a folder named myflipkart in your web server's root directory and place an index.html file inside it that displays 'Welcome to MyFlipkart Deals!'.

Answer:

- **Step 1: Create directory inside document root:**
    - sudo mkdir -p /var/www/html/myflipkart
- **Step 2: Create and populate index.html:**
    - Run the command:

Bash

echo "<h1>Welcome to MyFlipkart Deals!</h1>" | sudo tee /var/www/html/myflipkart/index.html

- **Step 3: Set appropriate permissions:**
    - sudo chmod -R 755 /var/www/html/myflipkart

Question 3:

Update your web server configuration so that visiting http://localhost/myflipkart shows your custom index.html page instead of the default server page.

Hint: For Apache, use the Alias directive; for Nginx, use a new location block.

Answer:

- **For Apache:**
    1. Open the default virtual host configuration: sudo nano /etc/apache2/sites-available/000-default.conf
    2. Add the Alias and Directory configuration inside the <VirtualHost *:80> block:

Apache

```
Alias /myflipkart /var/www/html/myflipkart


<Directory /var/www/html/myflipkart>
  Options Indexes FollowSymLinks
  AllowOverride All
  Require all granted
</Directory>
```

    3. Test configuration syntax: sudo apache2ctl configtest
    4. Reload Apache: sudo systemctl reload apache2
    5. Verify by visiting: http://localhost/myflipkart
- **For Nginx:**
    1. Open server block: sudo nano /etc/nginx/sites-available/default
    2. Add location block:

Nginx

```
location /myflipkart {
  alias /var/www/html/myflipkart/;
  index index.html;
}
```

3. Test and reload: sudo nginx -t && sudo systemctl reload nginx

Question 4:

Add a favicon to your static site by placing a favicon.ico file in the correct location and updating your HTML to reference it.

Constraint: Use any small image and rename it to favicon.ico for this exercise.

Answer:

- **Step 1: Place the favicon file:**
    - Move and rename the icon image into the site folder: sudo cp /path/to/any_small_image.png /var/www/html/myflipkart/favicon.ico
- **Step 2: Update index.html to reference the icon:**
    - Edit /var/www/html/myflipkart/index.html to include the <link> tag in the <head>:

HTML

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>MyFlipkart Deals</title>
  <link rel="icon" type="image/x-icon" href="/myflipkart/favicon.ico">
</head>
<body>
  <h1>Welcome to MyFlipkart Deals!</h1>
</body>
</html>
```

- **Step 3: Verification:**
    - Reload http://localhost/myflipkart in your browser (use Ctrl + F5 to bypass cache) and verify the favicon renders on the browser tab.