

```

#include using namespace std; class Matrix { int Element[3][3]; public: Matrix(){}; Matrix(int
TempMatrix[3][3]) { for (int i=0;i<3;i++) for (int j=0;j<3;j++) Element[i][j] = TempMatrix[i][j]; } void
Read() { for (int i=0;i<3;i++) for (int j=0;j<3;j++) cin >> Element[i][j]; } void Display() { for (int
i=0;i<3;i++) { for (int j=0;j<3;j++) { cout << Element[i][j] << " "; } cout << "\n"; } } friend Matrix
operator *(Matrix , int); friend Matrix operator *(int, Matrix); }; Matrix operator *(Matrix
TempMatrix, int Multiplier) { for (int i=0;i<3;i++) for (int j=0;j<3;j++) TempMatrix.Element[i][j] =
Multiplier * TempMatrix.Element[i][j]; return Matrix(TempMatrix.Element); } Matrix operator *(int
Multiplier,Matrix TempMatrix ) { for (int i=0;i<3;i++) for (int j=0;j<3;j++) TempMatrix.Element[i][j] =
Multiplier * TempMatrix.Element[i][j]; return Matrix(TempMatrix.Element); } int main() { int
ArrayOfInt1[][3]={1,2,3,4,5,6,7,8,9}; int ArrayOfInt2[][3]={4,5,6,7,8,9,1,2,3}; Matrix
M1(ArrayOfInt1); Matrix M2(ArrayOfInt2); Matrix M3, M4; M1.Display(); M3 = M1 * 5;
M3.Display(); M2.Display(); M4 = 5 * M2; M4.Display(); return 0; }

```