

ANNANYA'S

4 WEEK WORKOUT PLAN

Beginner home strength + conditioning program

Profile	Primary goals
20 years Female 155 cm 50 kg Very lean True beginner	Build strength and muscle Improve appearance Increase stamina and endurance Fat loss as a secondary outcome
Equipment	Training setup
1 kg dumbbell pair 3 kg dumbbell pair Yoga mat Study chair	4 days/week Up to 60 min/session Evening training Home-based

Plan philosophy: The first month is about building a sustainable training habit, learning good movement patterns, and getting stronger. Because you are already very lean, this is **not** an aggressive weight-loss plan. Eat enough to recover and use resistance training to improve body composition.

Important ankle note: You reported a previous ankle ligament tear. This plan avoids jumping and high-impact cardio. Stop an exercise if the ankle becomes painful, swollen, unstable, or starts giving way. Persistent or recurrent symptoms should be assessed by a qualified clinician or physiotherapist.

How to Use This Plan

Your schedule stays consistent each week while the difficulty increases gradually. You should finish most sets feeling that you could still perform about **2-3 clean repetitions**. Technique matters more than exhaustion.

Day	Workout	Focus
Monday	Workout A	Glutes + chest + full body
Tuesday	Workout B	Back + legs + arms
Wednesday	Recovery	Walking + mobility
Thursday	Workout C	Glutes + chest + arms
Friday	Recovery	Walking + mobility
Saturday	Workout D	Legs + back + conditioning
Sunday	Rest	Full recovery

Warm-up before every workout (6-8 minutes)

1 minute easy marching in place; 8 shoulder rolls each direction; 8 arm circles each direction; 8 hip hinges; 8 slow bodyweight squats to a comfortable depth; 10 glute bridges; and 8 gentle ankle circles each direction per ankle. Keep the ankle movements pain-free.

Cooldown (5 minutes)

Walk slowly around the room for 1-2 minutes, then use gentle chest, back, quadriceps, hamstring and glute stretches for about 20-30 seconds each. Stretching should feel mild, not painful.

Progression rules

Week 1 - Learn: 2 sets for most exercises. **Week 2 - Build:** move to 3 sets where shown. **Week 3 - Progress:** add repetitions and slower lowering. **Week 4 - Challenge:** use the top of the rep range, pauses, and harder variations while keeping clean technique. Never add difficulty at the expense of ankle comfort.

For exercises using the 3 kg pair, start lighter or use one dumbbell if two are too difficult. When 3 kg becomes easy, make the movement harder by taking **3 seconds to lower**, pausing for 1-2 seconds at the hardest point, or adding repetitions.

Workout A

Glutes + Chest + Full Body

Exercise	Reps & Sets	Time	Key cues / modifications
Chair squat / goblet squat	See weekly progression	60-75 sec	Sit back toward chair. Week 1: bodyweight if needed; progress to one 3 kg dumbbell at chest.
Dumbbell floor press	See weekly progression	60 sec	Use 1-3 kg pair. Elbows about 30-45 degrees from torso.
Glute bridge	See weekly progression	45-60 sec	Drive through whole foot; squeeze glutes at top. Add 3 kg dumbbell over hips when ready.
One-arm dumbbell row	See weekly progression	45 sec/side	Support free hand on chair; keep back neutral; use 3 kg.
Dumbbell Romanian deadlift	See weekly progression	60 sec	Use 3 kg pair; push hips backward, soft knees, keep weights close to legs.
Dead bug	See weekly progression	45 sec	Keep lower back gently pressed into mat; move slowly.

Workout B

Back + Legs + Arms

Exercise	Reps & Sets	Time	Key cues / modifications
Supported split squat	See weekly progression	60 sec	Hold chair lightly. Use bodyweight first. Shorten range if ankle is uncomfortable.
One-arm dumbbell row	See weekly progression	45 sec/side	3 kg; pull elbow toward hip and pause.
Seated dumbbell shoulder press	See weekly progression	60 sec	Sit tall; begin with 1 kg pair, progress as control improves.
Dumbbell biceps curl	See weekly progression	45 sec	1-3 kg; keep elbows close to body.
Dumbbell triceps kickback	See weekly progression	45 sec	1-3 kg; upper arm stays still.
Bird dog	See weekly progression	45 sec	Reach opposite arm and leg without rotating hips.

Workout C

Glutes + Chest + Arms

Exercise	Reps & Rest	Time	Key cues / modifications
Dumbbell sumo squat	See weekly progression	60-75 sec	Hold one 3 kg dumbbell vertically; comfortable stance, knees track over toes.
Dumbbell floor press	See weekly progression	60 sec	Controlled lowering; do not bounce upper arms off floor.
Single-leg assisted glute bridge	See weekly progression	45 sec/side	If too difficult, use standard two-leg bridge.
Dumbbell lateral raise	See weekly progression	45 sec	Use 1 kg pair; raise only to comfortable shoulder height.
Hammer curl	See weekly progression	45 sec	Neutral grip; use 1-3 kg.
Knee plank / full plank	See weekly progression	45 sec	Brace abdomen and glutes; choose version that keeps a straight body line.

Workout D

Legs + Back + Conditioning

Exercise	Reps & Rest	Time	Key cues / modifications
Chair squat / goblet squat	See weekly progression	60 sec	Controlled tempo; use chair as depth guide.
Dumbbell Romanian deadlift	See weekly progression	60 sec	3 kg pair; feel hamstrings and glutes, not lower back.
One-arm dumbbell row	See weekly progression	45 sec/side	3 kg; slow lowering.
Standing dumbbell chest squeeze	See weekly progression	45 sec	Press dumbbells together at chest and maintain inward pressure.
Calf raise with chair support	See weekly progression	45 sec	Only if pain-free and ankle feels stable; slow up and down.
Low-impact conditioning circuit	See weekly progression	As prescribed	March in place + sit-to-stand + light shadow boxing; no jumping.

4-Week Exercise Progression

Week	Strength progression	Conditioning	Walking target
1	2 sets x 8-10 reps for most exercises. Core: 15-20 sec or 6 reps/side.	Workout D: 2 rounds - 30 sec march, 8 sit-to-stands, 30 sec light shadow boxing. Rest 60 sec.	3,000-4,000 steps/day average
2	3 sets x 8-12 reps. Core: 20-25 sec or 8 reps/side.	Workout D: 3 rounds - 40 sec march, 10 sit-to-stands, 40 sec shadow boxing. Rest 60 sec.	4,000-5,000 steps/day average
3	3 sets x 10-15 reps. Lower each rep for ~3 seconds where safe. Core: 25-35 sec or 10 reps/side.	Workout D: 3 rounds - 45 sec march, 12 sit-to-stands, 45 sec shadow boxing. Rest 45-60 sec.	5,000-6,000 steps/day average
4	3 sets x 12-15 reps. Add a 1-2 sec pause at the hardest point on selected exercises. Core: 30-45 sec or 10-12 reps/side.	Workout D: 4 rounds - 45 sec march, 12 sit-to-stands, 45 sec shadow boxing. Rest 45 sec.	Around 6,000+ steps/day if ankle tolerates it

Effort guide: End most sets with 2-3 repetitions still possible. If you cannot reach the bottom of the rep range with good form, use lighter dumbbells or bodyweight. If you can easily exceed the top of the range, slow the lowering phase or add a pause.

Ankle-friendly substitutions

If split squats bother the ankle, replace them with chair squats. If calf raises cause pain or instability, skip them and perform an extra set of glute bridges. For conditioning, replace marching with seated fast punches if weight-bearing becomes uncomfortable.

30-Day Calendar

The calendar assumes Day 1 is a Monday. If you start on another day, keep the same sequence rather than trying to match calendar weekdays.

Day	Plan	Day	Plan
Day 1	Workout A - W1	Day 2	Workout B - W1
Day 3	Recovery + steps	Day 4	Workout C - W1
Day 5	Recovery + steps	Day 6	Workout D - W1
Day 7	Full rest	Day 8	Workout A - W2
Day 9	Workout B - W2	Day 10	Recovery + steps
Day 11	Workout C - W2	Day 12	Recovery + steps
Day 13	Workout D - W2	Day 14	Full rest
Day 15	Workout A - W3	Day 16	Workout B - W3
Day 17	Recovery + steps	Day 18	Workout C - W3
Day 19	Recovery + steps	Day 20	Workout D - W3
Day 21	Full rest	Day 22	Workout A - W4
Day 23	Workout B - W4	Day 24	Recovery + steps
Day 25	Workout C - W4	Day 26	Recovery + steps
Day 27	Workout D - W4	Day 28	Full rest
Day 29	Progress check + easy walk	Day 30	Mobility + reflection

Day 29 progress check

Repeat simple benchmarks without pushing to failure: maximum comfortable chair squats in 60 seconds, maximum clean knee or standard push-ups, plank hold time, and how long you can briskly walk before feeling noticeably winded. Also note energy, confidence, sleep, ankle comfort and how your clothes fit. The scale is optional.

Day 30 recovery

Take an easy walk, repeat the warm-up mobility sequence, and spend 10-15 minutes stretching gently. Write down which exercises became easier and what you want to improve in the next training block.

Vegetarian Nutrition Plan

Your nutrition goal is to support training, recovery and gradual body recomposition - not to aggressively reduce food. You do not need to count calories. Instead, use a simple plate structure and make protein a deliberate part of each main meal.

Simple plate rule: At lunch and dinner, aim for roughly **1/4 plate protein-rich food + 1/4 plate roti/rice or other carbohydrate + 1/2 plate vegetables/salad**. Add curd or milk when convenient. Portions should respond to hunger, training and recovery.

Protein without tracking

Try to include a clear protein source at **2-3 eating occasions every day**: dal, rajma, chole, lobia, soy chunks, tofu, paneer, curd, Greek-style yogurt, milk, sprouts, or a combination. You do not have to calculate grams; consistency matters more for this first month.

Meal	What to eat	Notes
Breakfast	Vegetable poha/upma + curd; OR oats made with milk + fruit; OR 2 besan/moong chillas + curd; OR paneer/tofu sandwich.	Add milk/curd or a small serving of paneer/tofu if the meal is mostly carbohydrate.
Lunch	2-3 rotis + sabzi + dal; OR roti + rajma/chole + salad; OR rice + dal + vegetables + curd.	Do not let roti + sabzi be the entire meal - add dal/beans/curd/paneer/tofu.
Pre-workout, 60-120 min before	Banana + curd; OR fruit + milk; OR small poha/upma; OR 1 roti with a light sabzi if it fits your schedule.	Keep it comfortable and not overly heavy.
Post-workout / dinner	Roti + sabzi + dal; OR paneer/tofu bhurji + roti + vegetables; OR soy-chunk curry + roti/rice; OR khichdi + curd + vegetables.	Prioritize a protein-rich item after training.
Optional snack	Fruit; roasted chana; curd; milk; sprouts chaat; small handful of nuts.	Use when genuinely hungry or when meals are far apart.

Hydration & practical rules

Drink water regularly through the day and have water before and after training. A simple indicator is pale-yellow urine most of the time. There is no need for sports drinks for these sessions. Keep sweets, fried snacks and sugary drinks as occasional foods rather than trying to ban them completely.

If appetite is low

Because you are lean and trying to build strength, repeatedly skipping meals can make training and recovery harder. On busy placement-preparation days, keep convenient options available: milk, curd, fruit, roasted chana, paneer/tofu sandwiches, sprouts, or leftovers from a protein-rich meal.

7-Day Vegetarian Meal Rotation

Repeat this rotation across the four weeks, swapping vegetables, dals and fruits based on availability. It is a framework, not a rigid menu.

Day	Breakfast	Lunch	Pre-workout / Snack	Dinner
Mon	Besan chilla + curd	Roti + sabzi + dal	Banana + curd	Paneer bhurji + roti + salad
Tue	Oats + milk + fruit	Rice + rajma + salad	Fruit + milk	Roti + mixed veg + dal
Wed	Poha + curd	Roti + chole + vegetables	Roasted chana + fruit	Khichdi + curd + vegetables
Thu	Moong chilla + curd	Roti + sabzi + dal	Banana + milk	Tofu/paneer curry + roti
Fri	Upma + curd	Rice + dal + vegetables + curd	Fruit + curd	Roti + soy-chunk curry + salad
Sat	Paneer/tofu sandwich + fruit	Roti + rajma/chole + salad	Banana + curd	Dal + roti/rice + vegetables
Sun	Oats/poha + milk or curd	Family meal: keep a protein source + vegetables	Optional if hungry	Simple roti + sabzi + dal/curd

Do not chase rapid weight loss. If your energy, sleep, concentration, mood, menstrual cycle, or workout performance noticeably worsens, that is a sign to review whether you are eating and recovering adequately and to seek appropriate medical/nutrition advice when needed.

Recovery, Technique & Success Rules

1. **Consistency beats intensity.** Completing four manageable sessions each week is more valuable than one exhausting session followed by several missed workouts.
2. **Muscle soreness is not the goal.** Mild soreness is normal when starting. Sharp pain, joint pain, ankle instability, or worsening pain is not something to push through.
3. **Protect sleep.** Your current 7-8 hours is a strong foundation. Keep evening workouts early enough that they do not repeatedly interfere with sleep.
4. **Use clean repetitions.** Stop a set when form deteriorates even if the written target has not been reached.
5. **Progress gradually.** Increase only one variable at a time: reps, tempo, pause, range of motion, or weight.
6. **Keep placement preparation sustainable.** On an unusually demanding day, a shortened workout is better than abandoning the plan. Perform the first four exercises for two sets each, then return to the normal schedule next session.

Weekly check-in

Check	Week 1	Week 2	Week 3	Week 4
4 workouts completed	____ / 4	____ / 4	____ / 4	____ / 4
Average daily steps	_____	_____	_____	_____
Energy (1-5)	____	____	____	____
Strength feels	_____	_____	_____	_____
Ankle comfort (1-5)	____	____	____	____
Notes	_____	_____	_____	_____

At the end of 30 days: success is not defined only by body weight. Look for better exercise technique, more repetitions, improved walking tolerance, better stamina, more stable routines, increased confidence, and a clearer sense of what your body can do.

Health note: This is a general fitness plan based on the information you provided, not medical care. A prior ligament injury can have different long-term effects. Seek professional assessment before or during the plan if you have current pain, swelling, recurrent instability, or other concerning symptoms.