

Readme.md

Polaris Space Agency - Website Project

This is a static, front-end web project, It is designed to be simple, fast, and responsive.

How It Is Built

The website is a collection of static HTML pages linked together. It uses a clean, dark-themed space aesthetic. The codebase was built with a strict focus on minimalism and simplicity, keeping the HTML, CSS, and JavaScript files short and easily readable.

Where and How Technologies Are Used:

HTML: Provides the structure for all pages. Each page has a consistent layout (Navbar -> Content -> Footer).

Bootstrap 4.2.1: Used extensively for responsive design, layout (Grids), typography, and pre-built UI components like the Navigation Bar, Buttons, and Forms. This allowed us to keep our custom CSS extremely short. Located locally in `bootstrap4.2.1/`.

Custom CSS (style.css): Used only for specific custom branding that Bootstrap doesn't provide out-of-the-box. This includes the dark space-themed backgrounds (`.calc-widget`), golden accent colors, and the hero section background image overlay.

JavaScript (main.js): Used exclusively for client-side form validation. The JS logic relies entirely on native browser features (like `alert()`, `indexOf()`, and `document.getElementById()`) to validate user inputs on the Registration, Sign In, and Contact forms before submission.

Website Map

index.html- Home: The landing page featuring a hero image, quick links to missions, and CTA buttons for logging in and registering.

about.html - About Us: Information about the agency's history, vision, and leadership.

missions.html - Missions: Details on current and past space missions (rockets, rovers, etc.).

research.html - Research: Highlights of scientific research and astronomical discoveries.

careers.html- Careers: Job portal listing open positions with an application form.

contact.html - Contact: A contact form for users to send messages to the agency.

register.html - Create Account: A sign-up form with JS validation for new users.

login.html - Sign In: A login form with JS validation for returning users.

index.html- home page

```
"<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>Polaris Space Agency</title>

  <link rel="stylesheet" href="bootstrap4.2.1/bootstrap4.2.1/css/bootstrap.min.css">

  <link rel="stylesheet" href="assets/css/style.css">

</head>

<body>

  <nav class="navbar navbar-expand-lg navbar-dark navbar-polaris sticky-top">

    <div class="container">

      <a class="navbar-brand font-weight-bold" href="index.html">POLARIS</a>

      <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#nav">

        <span class="navbar-toggler-icon"></span>

      </button>

      <div class="collapse navbar-collapse" id="nav">

        <ul class="navbar-nav ml-auto">

          <li class="nav-item active"><a class="nav-link" href="index.html">Home</a></li>

          <li class="nav-item"><a class="nav-link" href="about.html">About</a></li>

          <li class="nav-item"><a class="nav-link" href="missions.html">Missions</a></li>

          <li class="nav-item"><a class="nav-link" href="research.html">Research</a></li>

          <li class="nav-item"><a class="nav-link" href="careers.html">Careers</a></li>

          <li class="nav-item"><a class="nav-link" href="contact.html">Contact</a></li>

        </ul>

        <div class="ml-lg-3">
```

```
<a href="login.html" class="btn btn-sm btn-outline-light mr-2">Sign In</a>

<a href="register.html" class="btn btn-sm btn-primary">Register</a>

</div>

</div>

</div>

</nav>

<section class="hero-section">

  

  <div class="hero-overlay"></div>

  <div class="container hero-content">

    <div class="col-lg-7">

      <span class="small font-weight-bold text-warning text-uppercase">India's Space Agency</span>

      <h1 class="hero-title text-white mt-2 mb-3">Exploring Space for Everyone</h1>

      <p class="lead text-white mb-4">We build rockets, send rovers to the Moon and Mars, and study
distant
      stars.</p>

      <a href="missions.html" class="btn btn-primary mr-2">Our Missions</a>

      <a href="about.html" class="btn btn-outline-light">About Us</a>

    </div>

  </div>

</section>

<div class="py-4 border-bottom border-secondary text-center">

  <div class="container">

    <p class="text-muted mb-2">Join Polaris — access mission updates and research reports.</p>

    <a href="register.html" class="btn btn-primary mr-2">Create Account</a>

    <a href="login.html" class="btn btn-outline-light">Sign In</a>

  </div>

</div>

<section class="py-5">
```

```
<div class="container">

  <div class="text-center mb-4">

    <span class="small text-warning font-weight-bold text-uppercase">What We Do</span>

    <h2 class="h3 font-weight-bold text-white mt-1">Our Three Main Goals</h2>

  </div>

  <div class="row">

    <div class="col-md-4 mb-3">

      <div class="facility-card text-center">

        <h4 class="h5 font-weight-bold text-white">1. Rocket Launches</h4>

        <p class="small text-muted mb-0">Launching satellites safely into Earth orbit.</p>

      </div>

    </div>

    <div class="col-md-4 mb-3">

      <div class="facility-card text-center">

        <h4 class="h5 font-weight-bold text-white">2. Moon & Mars Rovers</h4>

        <p class="small text-muted mb-0">Sending robotic explorers to new worlds.</p>

      </div>

    </div>

    <div class="col-md-4 mb-3">

      <div class="facility-card text-center">

        <h4 class="h5 font-weight-bold text-white">3. Space Telescopes</h4>

        <p class="small text-muted mb-0">Watching stars and distant galaxies.</p>

      </div>

    </div>

  </div>

</div>

</section>

<footer class="footer-polaris text-center">

  <div class="container small text-muted">
```

```
<p class="font-weight-bold text-white mb-1">POLARIS SPACE AGENCY</p>
<p class="mb-0">&copy; 2026 Polaris Space Agency. All rights reserved.</p>
</div>
</footer>
<script src="bootstrap4.2.1/jquery-3.7.1.min.js"></script>
<script src="bootstrap4.2.1/bootstrap4.2.1/js/bootstrap.bundle.min.js"></script>
<script src="assets/js/main.js"></script>
</body>

</html>
"
```

About.html – About uss.

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>About Polaris — Space Frontier Agency</title>

  <link rel="stylesheet" href="bootstrap4.2.1/bootstrap4.2.1/css/bootstrap.min.css">

  <link rel="stylesheet" href="assets/css/style.css">

</head>

<body>

  <nav class="navbar navbar-expand-lg navbar-dark navbar-polaris sticky-top">

    <div class="container">

      <a class="navbar-brand font-weight-bold" href="index.html">POLARIS</a>

      <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#nav">

        <span class="navbar-toggler-icon"></span>

      </button>

      <div class="collapse navbar-collapse" id="nav">

        <ul class="navbar-nav ml-auto">

          <li class="nav-item"><a class="nav-link" href="index.html">Home</a></li>

          <li class="nav-item active"><a class="nav-link" href="about.html">About</a></li>

          <li class="nav-item"><a class="nav-link" href="missions.html">Missions</a></li>

          <li class="nav-item"><a class="nav-link" href="research.html">Research</a></li>

          <li class="nav-item"><a class="nav-link" href="careers.html">Careers</a></li>

          <li class="nav-item"><a class="nav-link" href="contact.html">Contact</a></li>

        </ul>

      </div>

    </div>

  </nav>
```

```
<div class="py-4 border-bottom border-secondary">

  <div class="container">

    <h1 class="h3 font-weight-bold text-white mb-1">About Polaris</h1>

    <p class="text-muted mb-0">Pioneering cryogenic aerospace engineering from Indian soil since
2018.</p>

  </div>

</div>

<section class="py-5">

  <div class="container">

    <span class="small font-weight-bold text-uppercase" style="color:goldenrod">Our Philosophy</span>

    <h2 class="h4 font-weight-bold text-white mt-1 mb-2">Science First. Always.</h2>

    <p class="text-muted mb-4">Polaris expands humanity's horizon into deep space through indigenous
cryogenic propulsion, robotic rovers, and optical astronomy.</p>

    <h2 class="h4 font-weight-bold text-white mb-3">Strategic Facilities</h2>

    <div class="row">

      <div class="col-md-4 mb-3">

        <div class="facility-card">

          <span class="small font-weight-bold text-uppercase" style="color:goldenrod">Launch
Operations</span>

          <h4 class="h5 font-weight-bold text-white mt-1">Satish Dhawan Complex</h4>

          <p class="small text-muted mb-0">Sriharikota, AP · Main launch pad for polar and geostationary
orbits.</p>

        </div>

      </div>

      <div class="col-md-4 mb-3">

        <div class="facility-card">

          <span class="small font-weight-bold text-uppercase" style="color:goldenrod">Vehicle
Engineering</span>

          <h4 class="h5 font-weight-bold text-white mt-1">Engineering HQ</h4>

          <p class="small text-muted mb-0">Bengaluru, KA · Core campus for propulsion, robotics, and
telemetry.</p>

        </div>

      </div>

    </div>

  </div>

</section>
```

```
</div>

</div>

<div class="col-md-4 mb-3">

  <div class="facility-card">

    <span class="small font-weight-bold text-uppercase" style="color:goldenrod">Astrophysics
Array</span>

    <h4 class="h5 font-weight-bold text-white mt-1">Ladakh Observatory</h4>

    <p class="small text-muted mb-0">Hanle, Ladakh · 4,500m high-altitude optical telescope array.</p>

  </div>

</div>

</div>

</div>

</section>

<footer class="footer-polaris text-center">

  <div class="container small text-muted">

    <p class="font-weight-bold text-white mb-1">POLARIS SPACE AGENCY</p>

    <p class="mb-0">&copy; 2026 Polaris Space Agency. All rights reserved.</p>

  </div>

</footer>

<script src="bootstrap4.2.1/jquery-3.7.1.min.js"></script>

<script src="bootstrap4.2.1/bootstrap4.2.1/js/bootstrap.bundle.min.js"></script>

<script src="assets/js/main.js"></script>

</body>

</html>

“
```

Mission.html - Mission

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>Missions — Polaris Space Agency</title>

  <link rel="stylesheet" href="bootstrap4.2.1/bootstrap4.2.1/css/bootstrap.min.css">

  <link rel="stylesheet" href="assets/css/style.css">

</head>

<body>

  <nav class="navbar navbar-expand-lg navbar-dark navbar-polaris sticky-top">

    <div class="container">

      <a class="navbar-brand font-weight-bold" href="index.html">POLARIS</a>

      <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#nav">

        <span class="navbar-toggler-icon"></span>

      </button>

      <div class="collapse navbar-collapse" id="nav">

        <ul class="navbar-nav ml-auto">

          <li class="nav-item"><a class="nav-link" href="index.html">Home</a></li>

          <li class="nav-item"><a class="nav-link" href="about.html">About</a></li>

          <li class="nav-item active"><a class="nav-link" href="missions.html">Missions</a></li>

          <li class="nav-item"><a class="nav-link" href="research.html">Research</a></li>

          <li class="nav-item"><a class="nav-link" href="careers.html">Careers</a></li>

          <li class="nav-item"><a class="nav-link" href="contact.html">Contact</a></li>

        </ul>

      </div>

    </div>

  </nav>
```

```
<div class="py-4 border-bottom border-secondary">

  <div class="container">

    <h1 class="h3 font-weight-bold text-white mb-1">Active Missions</h1>

    <p class="text-muted mb-0">Exploring planetary bodies and deep-space corridors from Indian soil.</p>

  </div>

</div>

<section class="py-5">

  <div class="container">

    <div class="row">

      <div class="col-md-4 mb-3">

        <div class="news-card">

          <span class="small font-weight-bold text-uppercase" style="color:goldenrod">Lunar Program ·
2022</span>

          <h3 class="h5 font-weight-bold text-white mt-1">LUNA-1 Polar Rover</h3>

          <p class="small text-muted mb-0">Mapped water ice signatures and thermal cycles at the Moon's
South Pole.</p>

        </div>

      </div>

      <div class="col-md-4 mb-3">

        <div class="news-card">

          <span class="small font-weight-bold text-uppercase" style="color:goldenrod">Mars Program ·
2025</span>

          <h3 class="h5 font-weight-bold text-white mt-1">ARES-1 Explorer</h3>

          <p class="small text-muted mb-0">Active explorer gathering atmospheric dust and seismic telemetry
on Mars.</p>

        </div>

      </div>

      <div class="col-md-4 mb-3">

        <div class="news-card">
```

```
<span class="small font-weight-bold text-uppercase" style="color:goldenrod">Deep Space ·
2023</span>

<h3 class="h5 font-weight-bold text-white mt-1">ZEUS-1 Jupiter Probe</h3>

<p class="small text-muted mb-0">Orbiter surveying Jovian radiation belts and plasma waves.</p>
</div>
</div>
</div>
</div>
</section>
<footer class="footer-polaris text-center">
  <div class="container small text-muted">
    <p class="font-weight-bold text-white mb-1">POLARIS SPACE AGENCY</p>
    <p class="mb-0">&copy; 2026 Polaris Space Agency. All rights reserved.</p>
  </div>
</footer>
<script src="bootstrap4.2.1/jquery-3.7.1.min.js"></script>
<script src="bootstrap4.2.1/bootstrap4.2.1/js/bootstrap.bundle.min.js"></script>
<script src="assets/js/main.js"></script>
</body>
</html>
“
```

Research.html - Research

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>Research — Polaris Space Agency</title>

  <link rel="stylesheet" href="bootstrap4.2.1/bootstrap4.2.1/css/bootstrap.min.css">

  <link rel="stylesheet" href="assets/css/style.css">

</head>

<body>

  <nav class="navbar navbar-expand-lg navbar-dark navbar-polaris sticky-top">

    <div class="container">

      <a class="navbar-brand font-weight-bold" href="index.html">POLARIS</a>

      <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#nav">

        <span class="navbar-toggler-icon"></span>

      </button>

      <div class="collapse navbar-collapse" id="nav">

        <ul class="navbar-nav ml-auto">

          <li class="nav-item"><a class="nav-link" href="index.html">Home</a></li>

          <li class="nav-item"><a class="nav-link" href="about.html">About</a></li>

          <li class="nav-item"><a class="nav-link" href="missions.html">Missions</a></li>

          <li class="nav-item active"><a class="nav-link" href="research.html">Research</a></li>

          <li class="nav-item"><a class="nav-link" href="careers.html">Careers</a></li>

          <li class="nav-item"><a class="nav-link" href="contact.html">Contact</a></li>

        </ul>

      </div>

    </div>

  </nav>
```

```
<div class="py-4 border-bottom border-secondary">

  <div class="container">

    <h1 class="h3 font-weight-bold text-white mb-1">Scientific Research</h1>

    <p class="text-muted mb-0">Pushing the boundaries of aerospace engineering and deep-space
astronomy.</p>

  </div>

</div>

<section class="py-5">

  <div class="container">

    <div class="row align-items-center mb-5">

      <div class="col-md-5 mb-3 mb-md-0">

        

      </div>

      <div class="col-md-7">

        <span class="small font-weight-bold text-uppercase" style="color:goldenrod">Deep Sky Array</span>

        <h2 class="h4 font-weight-bold text-white mt-1 mb-3">Hanle Optical Observatory</h2>

        <p class="text-muted">Located at 4,500m altitude in Ladakh, our telescope surveys deep-sky
nebulae, galactic clusters, and solar flares in zero-light-pollution conditions.</p>

      </div>

    </div>

    <h2 class="h4 font-weight-bold text-white mb-4">Active Research Domains</h2>

    <div class="row">

      <div class="col-md-4 mb-3">

        <div class="facility-card">

          <span class="small font-weight-bold text-uppercase" style="color:goldenrod">Propulsion</span>

          <h4 class="h5 font-weight-bold text-white mt-1">Cryogenic Engines</h4>

          <p class="small text-muted mb-0">LOX/LH2 staged-combustion upper stages for orbital
missions.</p>

        </div>

      </div>

    </div>

  </div>

</section>
```

```
<div class="col-md-4 mb-3">

  <div class="facility-card">

    <span class="small font-weight-bold text-uppercase" style="color:goldenrod">Planetary
Science</span>

    <h4 class="h5 font-weight-bold text-white mt-1">Astrobiology & Regolith</h4>

    <p class="small text-muted mb-0">Spectroscopic soil analysis from lunar south pole samples.</p>

  </div>

</div>

<div class="col-md-4 mb-3">

  <div class="facility-card">

    <span class="small font-weight-bold text-uppercase" style="color:goldenrod">Earth Sciences</span>

    <h4 class="h5 font-weight-bold text-white mt-1">Orbital Telemetry</h4>

    <p class="small text-muted mb-0">Multi-spectral payloads for agriculture and glacier tracking.</p>

  </div>

</div>

</div>

</div>

</div>

</section>

<footer class="footer-polaris text-center">

  <div class="container small text-muted">

    <p class="font-weight-bold text-white mb-1">POLARIS SPACE AGENCY</p>

    <p class="mb-0">&copy; 2026 Polaris Space Agency. All rights reserved.</p>

  </div>

</footer>

<script src="bootstrap4.2.1/jquery-3.7.1.min.js"></script>

<script src="bootstrap4.2.1/bootstrap4.2.1/js/bootstrap.bundle.min.js"></script>

<script src="assets/js/main.js"></script>

</body>

</html>
```

Careers.html - Careers

```
<!DOCTYPE html>

<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Careers — Polaris Space Agency</title>
  <link rel="stylesheet" href="bootstrap4.2.1/bootstrap4.2.1/css/bootstrap.min.css">
  <link rel="stylesheet" href="assets/css/style.css">
</head>

<body>
  <nav class="navbar navbar-expand-lg navbar-dark navbar-polaris sticky-top">
    <div class="container">
      <a class="navbar-brand font-weight-bold" href="index.html">POLARIS</a>
      <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#nav">
        <span class="navbar-toggler-icon"></span>
      </button>
      <div class="collapse navbar-collapse" id="nav">
        <ul class="navbar-nav ml-auto">
          <li class="nav-item"><a class="nav-link" href="index.html">Home</a></li>
          <li class="nav-item"><a class="nav-link" href="about.html">About</a></li>
          <li class="nav-item"><a class="nav-link" href="missions.html">Missions</a></li>
          <li class="nav-item"><a class="nav-link" href="research.html">Research</a></li>
          <li class="nav-item active"><a class="nav-link" href="careers.html">Careers</a></li>
          <li class="nav-item"><a class="nav-link" href="contact.html">Contact</a></li>
        </ul>
      </div>
    </div>
  </nav>
```

```

    </div>

</nav>

<div class="py-4 border-bottom border-secondary">

    <div class="container">

        <h1 class="h3 font-weight-bold text-white mb-1">Careers at Polaris</h1>

        <p class="text-muted mb-0">Join our engineering and research teams in Bengaluru and
Sriharikota.</p>

    </div>

</div>

<section class="py-5">

    <div class="container">

        <div class="row">

            <div class="col-lg-5 mb-4">

                <h2 class="h5 font-weight-bold text-white mb-3">Open Positions</h2>

                <div class="job-card">

                    <span class="small font-weight-bold text-uppercase"
style="color:goldenrod">Engineering</span>

                    <h4 class="h6 font-weight-bold text-white mt-1">Senior Propulsion Engineer</h4>

                    <p class="small text-muted mb-0">Bengaluru · Cryogenic LOX/LH2 Stage Development</p>

                </div>

            </div>

            <div class="col-lg-7">

                <div class="calc-widget">

                    <h2 class="h5 font-weight-bold text-white mb-3">Submit Application</h2>

                    <form>

                        <div class="form-group">

                            <label for="apply-fname" class="small text-muted font-weight-bold">First Name
*</label>

                            <input type="text" id="apply-fname" class="form-control" placeholder="First Name"
required>


```

```
</div>

<div class="form-group">
  <label for="apply-lname" class="small text-muted font-weight-bold">Last Name *</label>
  <input type="text" id="apply-lname" class="form-control" placeholder="Last Name"
    required>
</div>

<div class="form-group">
  <label for="apply-email" class="small text-muted font-weight-bold">Email Address
    *</label>
  <input type="email" id="apply-email" class="form-control"
placeholder="name@example.com"
    required>
</div>

<div class="form-group">
  <label for="apply-role" class="small text-muted font-weight-bold">Position *</label>
  <select id="apply-role" class="form-control" required>
    <option value="">— Select a Role —</option>
    <option>Senior Propulsion Engineer</option>
    <option>Flight Software Engineer</option>
  </select>
</div>

<button type="submit" class="btn btn-primary">Submit Application</button>
</form>
</div>
</div>
</div>
</div>
</section>

<footer class="footer-polaris text-center">
```

```
<div class="container small text-muted">  
  <p class="font-weight-bold text-white mb-1">POLARIS SPACE AGENCY</p>  
  <p class="mb-0">&copy; 2026 Polaris Space Agency. All rights reserved.</p>  
</div>  
</footer>  
<script src="bootstrap4.2.1/jquery-3.7.1.min.js"></script>  
<script src="bootstrap4.2.1/bootstrap4.2.1/js/bootstrap.bundle.min.js"></script>  
<script src="assets/js/main.js"></script>  
</body>  
  
</html>  
"
```

Contact.html – Contact us.

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>Contact — Polaris Space Agency</title>

  <link rel="stylesheet" href="bootstrap4.2.1/bootstrap4.2.1/css/bootstrap.min.css">

  <link rel="stylesheet" href="assets/css/style.css">

</head>

<body>

  <nav class="navbar navbar-expand-lg navbar-dark navbar-polaris sticky-top">

    <div class="container">

      <a class="navbar-brand font-weight-bold" href="index.html">POLARIS</a>

      <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#nav">

        <span class="navbar-toggler-icon"></span>

      </button>

      <div class="collapse navbar-collapse" id="nav">

        <ul class="navbar-nav ml-auto">

          <li class="nav-item"><a class="nav-link" href="index.html">Home</a></li>

          <li class="nav-item"><a class="nav-link" href="about.html">About</a></li>

          <li class="nav-item"><a class="nav-link" href="missions.html">Missions</a></li>

          <li class="nav-item"><a class="nav-link" href="research.html">Research</a></li>

          <li class="nav-item"><a class="nav-link" href="careers.html">Careers</a></li>

          <li class="nav-item active"><a class="nav-link" href="contact.html">Contact</a></li>

        </ul>

      </div>

    </div>

  </nav>
```

```

<div class="py-4 border-bottom border-secondary">

  <div class="container">

    <h1 class="h3 font-weight-bold text-white mb-1">Get in Touch</h1>

    <p class="text-muted mb-0">For partnerships, launch services, and research inquiries.</p>

  </div>

</div>

<section class="py-5">

  <div class="container">

    <div class="row">

      <div class="col-lg-7 mb-4">

        <div class="calc-widgit">

          <h2 class="h5 font-weight-bold text-white mb-3">Send a Message</h2>

          <div id="con-alert" class="alert d-none"></div>

          <form onsubmit="return validateForm2()">

            <div class="form-group">

              <label for="con-fname" class="small text-muted font-weight-bold">First Name *</label>

              <input type="text" id="con-fname" class="form-control" placeholder="First Name">

              <div class="invalid-feedback">First Name is required.</div>

            </div>

            <div class="form-group">

              <label for="con-email" class="small text-muted font-weight-bold">Email Address *</label>

              <input type="email" id="con-email" class="form-control"
placeholder="name@example.com">

              <div class="invalid-feedback">Enter a valid email address.</div>

            </div>

            <div class="form-group">

              <label for="con-phone" class="small text-muted font-weight-bold">Contact Number
*</label>

              <input type="text" id="con-phone" class="form-control" placeholder="10 Digits">

```

```

    <div class="invalid-feedback">Phone must be exactly 10 digits.</div>

</div>

<div class="form-group">

    <label for="con-msg" class="small text-muted font-weight-bold">Message *</label>

    <textarea id="con-msg" class="form-control" rows="3" placeholder="How can we help
you?"></textarea>

    <div class="invalid-feedback">Please enter your message.</div>

</div>

<button type="submit" class="btn btn-primary">Send Message</button>

</form>

</div>

</div>

<div class="col-lg-5">

    <div class="facility-card">

        <h3 class="h6 font-weight-bold text-white mb-3">Direct Channels</h3>

        <p class="small text-muted mb-2"><strong class="text-white">General:</strong>
contact@polaris.space.in</p>

        <p class="small text-muted mb-3"><strong class="text-white">Press:</strong>
press@polaris.space.in</p>

        <p class="small text-muted mb-0">Polaris Aerospace Park, Whitefield, Bengaluru 560066</p>

    </div>

</div>

</div>

</div>

</section>

<footer class="footer-polaris text-center">

    <div class="container small text-muted">

        <p class="font-weight-bold text-white mb-1">POLARIS SPACE AGENCY</p>

        <p class="mb-0">&copy; 2026 Polaris Space Agency. All rights reserved.</p>

    </div>

```

```
</footer>

<script src="bootstrap4.2.1/jquery-3.7.1.min.js"></script>

<script src="bootstrap4.2.1/bootstrap4.2.1/js/bootstrap.bundle.min.js"></script>

<script src="assets/js/main.js"></script>

</body>

</html>

“
```

Register.html – Create a Account

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>Create Account — Polaris Space Agency</title>

  <link rel="stylesheet" href="bootstrap4.2.1/bootstrap4.2.1/css/bootstrap.min.css">

  <link rel="stylesheet" href="assets/css/style.css">

</head>

<body>

  <nav class="navbar navbar-expand-lg navbar-dark navbar-polaris sticky-top">

    <div class="container">

      <a class="navbar-brand font-weight-bold" href="index.html">POLARIS</a>

      <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#nav">

        <span class="navbar-toggler-icon"></span>

      </button>

      <div class="collapse navbar-collapse" id="nav">

        <ul class="navbar-nav ml-auto">

          <li class="nav-item"><a class="nav-link" href="index.html">Home</a></li>

          <li class="nav-item"><a class="nav-link" href="about.html">About</a></li>

          <li class="nav-item"><a class="nav-link" href="missions.html">Missions</a></li>

          <li class="nav-item"><a class="nav-link" href="research.html">Research</a></li>

          <li class="nav-item"><a class="nav-link" href="careers.html">Careers</a></li>

          <li class="nav-item"><a class="nav-link" href="contact.html">Contact</a></li>

        </ul>

      </div>

    </div>

  </nav>
```

```
<div class="container py-5">

  <div class="row justify-content-center">

    <div class="col-md-7 col-lg-6">

      <div class="calc-widget">

        <h1 class="h4 font-weight-bold text-white mb-3 text-center">Create an Account</h1>

        <div id="reg-alert" class="alert d-none"></div>

        <form onsubmit="return validateForm1()">

          <div class="form-group">

            <label for="reg-fname" class="small text-muted font-weight-bold">First Name *</label>

            <input type="text" id="reg-fname" class="form-control" placeholder="First Name">

            <div class="invalid-feedback">First name is required.</div>

          </div>

          <div class="form-group">

            <label for="reg-lname" class="small text-muted font-weight-bold">Last Name *</label>

            <input type="text" id="reg-lname" class="form-control" placeholder="Last Name">

            <div class="invalid-feedback">Last name is required.</div>

          </div>

          <div class="form-group">

            <label for="reg-email" class="small text-muted font-weight-bold">Email Address *</label>

            <input type="email" id="reg-email" class="form-control" placeholder="name@example.com">

            <div class="invalid-feedback">Enter a valid email address.</div>

          </div>

          <div class="form-group">

            <label for="reg-password" class="small text-muted font-weight-bold">Password *</label>

            <input type="password" id="reg-password" class="form-control" placeholder="Min 8 characters">

            <div class="invalid-feedback">Password must be at least 8 characters.</div>

          </div>

          <div class="form-group">

            <label for="reg-confirm" class="small text-muted font-weight-bold">Confirm Password *</label>
```

SASCMA BCA COLLEGE, SURAT

```
<script src="bootstrap4.2.1/jquery-3.7.1.min.js"></script>  
<script src="bootstrap4.2.1/bootstrap4.2.1/js/bootstrap.bundle.min.js"></script>  
<script src="assets/js/main.js"></script>  
</body>  
</html>  
“
```

Login.html – Sign in

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>Sign In — Polaris Space Agency</title>

  <link rel="stylesheet" href="bootstrap4.2.1/bootstrap4.2.1/css/bootstrap.min.css">

  <link rel="stylesheet" href="assets/css/style.css">

</head>

<body>

  <nav class="navbar navbar-expand-lg navbar-dark navbar-polaris sticky-top">

    <div class="container">

      <a class="navbar-brand font-weight-bold" href="index.html">POLARIS</a>

      <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#nav">

        <span class="navbar-toggler-icon"></span>

      </button>

      <div class="collapse navbar-collapse" id="nav">

        <ul class="navbar-nav ml-auto">

          <li class="nav-item"><a class="nav-link" href="index.html">Home</a></li>

          <li class="nav-item"><a class="nav-link" href="about.html">About</a></li>

          <li class="nav-item"><a class="nav-link" href="missions.html">Missions</a></li>

          <li class="nav-item"><a class="nav-link" href="research.html">Research</a></li>

          <li class="nav-item"><a class="nav-link" href="careers.html">Careers</a></li>

          <li class="nav-item"><a class="nav-link" href="contact.html">Contact</a></li>

        </ul>

      </div>

    </div>

  </nav>
```

```
<div class="container py-5">

  <div class="row justify-content-center">

    <div class="col-md-6 col-lg-5">

      <div class="calc-widget">

        <h1 class="h4 font-weight-bold text-white mb-3 text-center">Sign In</h1>

        <form id="login-form" onsubmit="return validateForm3()" novalidate>

          <div class="form-group">

            <label class="small text-muted font-weight-bold">Email Address *</label>

            <input type="email" id="login-email" class="form-control" placeholder="you@example.com">

          </div>

          <div class="form-group">

            <label class="small text-muted font-weight-bold">Password *</label>

            <input type="password" id="login-password" class="form-control" placeholder="●●●●●●●">

          </div>

          <button type="submit" class="btn btn-primary btn-block py-2">Sign In</button>

        </form>

        <p class="text-center mt-3 text-muted small mb-0">

          No account? <a href="register.html">Create one</a>

        </p>

      </div>

    </div>

  </div>

</div>

<footer class="footer-polaris text-center">

  <div class="container small text-muted">

    <p class="font-weight-bold text-white mb-1">POLARIS SPACE AGENCY</p>

    <p class="mb-0">&copy; 2026 Polaris Space Agency. All rights reserved.</p>

  </div>

</footer>
```

```
<script src="bootstrap4.2.1/jquery-3.7.1.min.js"></script>  
<script src="bootstrap4.2.1/bootstrap4.2.1/js/bootstrap.bundle.min.js"></script>  
<script src="assets/js/main.js"></script>  
</body>  
</html>  
“
```

Stylesheet.css – Global CSS

“/ Polaris Space Agency — custom overrides only. Bootstrap handles the rest. */*

/ Base */*

```
body { background:#000; color:#fff; overflow-x:hidden }
```

```
a { color:#daa520 }
```

```
a:hover { color:#ffd700; text-decoration:none }
```

/ Navbar */*

```
.navbar-polaris { background:#000 }
```

```
.navbar-brand { letter-spacing:.15em }
```

```
.nav-link { text-transform:uppercase; font-size:.85rem; font-weight:600 }
```

```
.nav-item.active .nav-link, .nav-link:hover { color:#ffd700 !important }
```

```
@media(max-width:767.98px){ .navbar-collapse { background:#000; padding:12px 0 } }
```

/ Hero */*

```
.hero-section { position:relative; min-height:85vh; display:flex; align-items:center; overflow:hidden; padding:70px 0 }
```

```
.hero-bg { position:absolute; inset:0; width:100%; height:100%; object-fit:cover; opacity:.55; z-index:1 }
```

```
.hero-overlay { position:absolute; inset:0; background:linear-gradient(to top,#000 0,transparent 70%),linear-gradient(to bottom,#000 0,transparent 40%); z-index:2 }
```

```
.hero-content { position:relative; z-index:3 }
```

```
.hero-title { font-size:2.4rem; font-weight:800 }
```

```
@media(min-width:768px){ .hero-title { font-size:3.6rem } }
```

/ Dark cards (Bootstrap cards are white by default) */*

```
.calc-widget, .facility-card, .job-card, .news-card {
```

```
background:#0f0f0f; border:none; border-radius:8px; padding:24px; margin-bottom:24px; transition:.25s }
```

```
.facility-card:hover, .job-card:hover, .news-card:hover { background:#1a1a1a; transform:translateY(-4px) }
```

```
/* Research image */
```

```
.research-img { width:100%; height:220px; object-fit:cover; border-radius:8px }
```

```
/* Override Bootstrap primary (blue → gold) */
```

```
.btn-primary { background:#daa520 !important; border:none !important; color:#000 !important; font-weight:700 }
```

```
.btn-primary:hover { background:#ffd700 !important; transform:translateY(-2px) }
```

```
/* Dark form controls (Bootstrap defaults are white) */
```

```
.form-control { background:#121212; border:1px solid #2a2a2a; color:#fff }
```

```
.form-control:focus { border-color:#daa520; box-shadow:none }
```

```
/* Footer */
```

```
.footer-polaris { background:#000; padding:40px 0; color:gray }
```

```
“
```

Main.js – Global JS

“// Polaris Space Agency - main.js

// Register Form Validation

```
function validateForm1() {  
    var name = document.getElementById("reg-fname").value;  
    var email = document.getElementById("reg-email").value;  
    var password = document.getElementById("reg-password").value;  
  
    if (name == "") {  
        alert("name is required");  
        return false;  
    }  
  
    if (password == "") {  
        alert("please enter password");  
        return false;  
    }  
  
    var at_position = email.indexOf("@");  
    var dot_position = email.lastIndexOf(".");  
    if ((at_position < 1) || ((dot_position - at_position) < 2)) {  
        alert("Please enter correct email ID");  
        return false;  
    }  
  
    alert("Account created successfully!");  
    return true;  
}
```

// Contact Form Validation

```
function validateForm2() {  
  
    var name = document.getElementById("con-fname").value;  
    var email = document.getElementById("con-email").value;  
    var mobile_no = document.getElementById("con-phone").value;  
  
    if (name == "") {  
        alert("name is required");  
        return false;  
    }  
  
    var at_position = email.indexOf("@");  
    var dot_position = email.lastIndexOf(".");  
    if ((at_position < 1) || ((dot_position - at_position) < 2)) {  
        alert("Please enter correct email ID");  
        return false;  
    }  
  
    var mobile_no_format = /^d{10}$/;  
    if (!mobile_no.match(mobile_no_format)) {  
        alert("Input is not a valid 10-digit number");  
        return false;  
    }  
  
    alert("Message sent successfully!");  
    return true;  
}
```

// Sign In Form Validation

```
function validateForm3() {  
  
    var email = document.getElementById("login-email").value;  
  
    var password = document.getElementById("login-password").value;  
  
  
    if (email == "") {  
        alert("email is required");  
  
        return false;  
    }  
  
  
    var at_position = email.indexOf("@");  
    var dot_position = email.lastIndexOf(".");  
    if ((at_position < 1) || ((dot_position - at_position) < 2)) {  
        alert("Please enter correct email ID");  
  
        return false;  
    }  
  
  
    if (password == "") {  
        alert("please enter password");  
  
        return false;  
    }  
  
  
    alert("Sign In successful!");  
  
    return true;  
}  
“
```

The END
THANK YOU