

Css tags:--

Other tags :

With the use of “!important ” you can fix anything which not able to change again

Ex:

```
.important{  
    color: red !important ;    //here text will remain red .  
    color:green;  
}
```

1.background work:

```
color:yellow; //change the text color  
background-color: blueviolet; //change the background color  
height:200px; //use to set height of div  
width:300px; //use to set width of div  
border:1px solid black; use to set border of div  
background-image: url(./cricket.avif);  
background-size:300px 200px;  
background-repeat: no-repeat;  
background-repeat:repeat-x ;  
background-repeat: repeat-y;  
background-position: right top;  
background-position: left top;  
background-position: bottom right;  
background-position: center;  
background-size:300px 200px;    //width:300 height:200
```

2.Border work tags :

border:5px solid black ;

border-style:solid;

border-image: url(/logo.webp) 1% round; //1% round will create frame.

& it will work with style.

border-style:dotted;

border-style:double;

border-style:groove;

border-style:ridge;

border-left-style:solid;

border-color:black;

border-width:5px;

/* border-radius:20px; */

border-top-left-radius:40px;

3. margin work:

/* margin:20px; */

margin:20px 30px;

/* margin:20px 30px 40px; */

/* margin:20px 30px 40px 50px; */

margin-right:10px;

margin-bottom: 10px;

/*20:top,,40:right,,60:bottom ,,90:left*/

4.padding work:

padding:20px;

/*padding:20px 30px; */

/* padding:20px 40px 60px;*/

```

/*20:top&right,,40:left,,60:bottom */
/* padding:20px 40px 60px 90px; */
/*20:top,,40:right,,60:bottom ,,90:left*/

```

5.minimum height ,width,& max height , work:

```

.minimumHeightWork{
    height:100px; /*here you can not set less than 100 becouse the min-height is 100.*/
    width:200px;
    border: 2px solid red;
    background-color: aqua;

    /* here minimum height: is set to 100, which means you can change height: "grater than
    100 "

    but not less than 100px in above code.*/
    min-height: 100px;
}

```

=====

```

minimumWidthWork{
    height:200px;
    width:200px; /*here you can not set less than 200 because the min-width is 200.*/
    border: 2px solid red;
    background-color: aqua;
    min-width: 200px;
}

```

=====

```

.MAXwork{
    height:400px;/*here you can not set height grater than 400px because the max height is
    400px*/
    width:200px;
    border: 2px solid red;
    background-color: aqua;
}

```

```
max-height: 400px;}
```

5.outline work: box model

```
/* outline-style:solid;  
    outline-width:2px;  
    outline-offset: 8px; */  
outline:12px solid black;  
outline-offset: 8px;
```

6.text work:

Clip & ellipsis work with “overflow:hidden”

```
/* text-overflow: clip; */  
text-overflow: ellipsis;  
writing-mode: vertical-lr;
```

```
text-align: center;
```

```
/* text-align: right;
```

```
text-align: left; */
```

```
/* text-align: right; */
```

```
/*last line of paragraph shift to right corner*/
```

```
text-align-last: right ;
```

```
/* justify will take hole space of box */
```

```
text-align: justify ;
```

```
* text-decoration: overline;*/ /*create line above the text */
```

```
/* text-decoration: underline; */
```

```
/* text-decoration: line-through;
```

```
text-decoration: underline overline line-through;
```

```
text-decoration-line:line-through ;
```

```

text-decoration-color:red ;
text-decoration-thickness:2px ;
/* text-decoration-style:dotted ; */
text-decoration-style:dashed ;
text-transform: uppercase;
/* text indent create space in starteing of para */
/* text-indent: 90px; */
/* letter-spacing:5px; */
/* line-height:30px; */
/* word-spacing: 30px; */
/* white space create para in single line */
white-space: nowrap;
/* text-shadow: 20px 12px; */
/* text-shadow: 20px 12px red; */
/* here below 20px create space from right,
12px from top ,2px is for visiblity,
red is collor to shadow*/
text-shadow: 20px 12px 2px red;

```

7.table work:

```
border-collapse: collapse;
```

ex;-

```

.tableWork3, .tableWork3 th, .tableWork3 td{
    border:1px solid red;
    border-collapse: collapse;
}
.tableWork3 th{

```

```
height:70px;
width:70px;
background-color: aqua;
}
```

```
.tableWork3 tr:hover{
background-color: blueviolet;
color: white;
cursor:pointer; }
```

=====

```
.tableWork4, .tableWork4 th, .tableWork4 td{
border:1px solid red;
border-collapse: collapse;
}
```

```
.tableWork4 th{
height:70px;
width:70px;
background-color: aqua;
}
```

```
.tableWork4 tr:nth-child(even){
background-color: blueviolet;
color: white;
cursor:pointer; }
```

8.display work:

```
.displaywork2 ul li{
```

```
/* display flex not work in case of list items so,  
we use inline */  
/* display:flex; */  
/* display:inline ; */  
/* block will remove list-style-type; */  
display:block ;  
}  
.displaywork3{  
/* display: none; */ it will remove the div  
visibility:hidden; it will not remove the div but, it make not visible.  
}
```

7. over flow work:

Work on div overflow content.

```
/* overflow: hidden; */  
/* overflow: auto; */  
/* overflow: scroll; */  
/* overflow-x: hidden; */  
/* overflow-y: hidden; */  
overflow: visible;
```

8.opacity work :

It work for img visibilty

```
opacity:0.5;
```

9.font work:

```
font-family: 'Courier New', Courier, monospace;  
font-size:xx-large;  
font-weight: 600;
```

10.list work:

```
/* list-style-type: circle; */  
    /* list-style-type:square; */  
    /* list-style-type: lower-roman; */  
    /* list-style-type: lower-alpha; */  
    list-style-image: url(./badge.webp);  
/* it will display list-style-type inside the border */  
    list-style-position: inside;  
    /* list-style-position: outside; */
```

11.zindex

/* The z-index property in HTML (via CSS) controls the stacking order of elements on a web page.

It determines which elements appear in front of or behind others when they overlap. */

```
.zindex img{  
    opacity: 0.3;  
    background-color:palevioletred;  
    left:0px;  
    top:0px;  
    position: absolute;  
    Z-index:0.3;  
}
```

12.positon work:

```
position: static;  
position: relative;  
position: fixed;  
position: absolute;
```


ex: _

/* in html position of text by default remain static */

```
.positionwork{
    left:50px;
    position: static;
}
.positionWork2{
    left:50px;
    position: relative;

}
.positionWork3{
    background-color: brown;
    height: 100px;
    width: 600px;
    border: 1px solid red;
    right: 400px;
    bottom: 360px;
    TOP: 40px;
    position: fixed;
}
```

/* to perform desired movements of child div inside parent div

we use position: relative; in parent div and

position: absolute; in child div.

with the use of position: relative; in parent div it indicates

the child div with

position: absolute; that to work inside parent div only */

```
.positionWork4{  
height:400px;  
width:400px;  
border:1px solid red;  
background-color: yellow;  
    position: relative;  
}
```

```
.positionWork44{  
    height:100px;  
    width:100px;  
    border:1px solid green;  
    background-color:brown;  
    right:200px;  
    top: 200px;  
    position: absolute;  
}
```

```
.positionWork5{  
    width:100%;  
    background-color:blue;  
    color: white;  
    text-align:center;  
    padding:20px;  
    top:0px;  
  
}
```

```
.positionWork6{
```

```

display: flex;
width:100%;
background-color:rgb(21, 108, 142);
color: white;
text-align:center;
padding:10px;
bottom:0;
position: fixed;
}
.positionWork6 div{
padding-left: 10px;

}

```

```

.floatWork img{
float:left;
padding:10px;
}

```

13. display inline ,block,inline-block

```

/* my default span is a display:inline */
.dipalyInline span{
background-color: yellow;
border: 1px solid red;
display: inline;
}
.dipalyBlock span{
height:100px;

```

```
width:100px;
background-color: yellow;
border: 1px solid red;
display: block;
}
```

```
.displayInlineBlock span{
height:100px;
width:100px;
background-color: yellow;
border: 1px solid red;
display: inline-block;
}
```

14.layout work:

```
/*
```

```
to make img /div appear on the center of web page */
```

```
.layoutWork2 img{
height: 100px;
margin-left : auto;
margin-right : auto;
display: block;
```

```
/* float: right; */
```

```
}
```

```
/* to shift the div to right */
```

```
.layoutWork3 {
height: 100px;
width:100px;
right:0;
border:1px solid red;
```

```
position: absolute;
/* float: right; */
}

.layoutClearWork{

    border:1px solid red;
    content: " ";
    clear:both;
    display: table;
}

.layoutClearWork img{
    float:right;
    height:100px;
}

.layoutWork5{
    /* height:200px; */
    line-height: 100px;
    width: 50%;
    border:1px solid red;
    text-align: center;
}

.layoutWork6{
    border:1px solid red;
    height:200px;
    line-height: 100px;
```

```
    color: red;
    text-align: center;
}

.layoutWork6 p{
    display: inline-block;
    vertical-align: middle;
    line-height:2;
}

.layoutWork7{
    border:1px solid red;
    height: 200px;
    color:red;
    position: relative;
}

.layoutWork7 p{
    margin: 0;
    position: absolute;
    top:50%;
    left: 50%;
    -ms-transform: translate(-50%,-50%);
    transform: translate(-50%,-50%);
}

.layoutWork8{
    border:1px solid red;
    height:200px;
    color:red;
    display: flex;
    align-items: center;
```

```
justify-content: center;
}
```

15. combinators;

1.DECENDENT COMBINATORS: denoted by space

```
.combinatorWork1 p{
    color: red;
    background-color: aqua;
}
```

2.child comibinator:

denoted by > ,it will give style to its own content

ex;-

```
.combinatorWork2 > p{
    color: red;
    background-color: aqua;
}
```

3.nextSibling combinator:

Denoted by + ,it will give style to first accuring sibling/<p> after the div.

```
.combinatorWork3 + p{
    color: red;
    background-color: aqua;
}
```

3.SubSwquential combinator:

Denoted by ~ ,it will give style to all accuring sibling/<p> after the div.

```
.combinatorWork4~ p{
    color: red;
```

```
background-color: aqua;
}
```

16. psedo:

```
.psedoClassWork a:link{
color: red;
}
.psedoClassWork a:visited{
color: blue;
}
.psedoClassWork a:hover{
background-color:goldenrod;
cursor:pointer;
}
.psedoClassWork a:active{
color: skyblue;
}
```

Here first child refer to first line of para

```
.psedoClassWork2 p:first-child{
color: green;
}
```

```
.psedoElementWork1::first-letter{
color: goldenrod;
font-size: x-large;
}
```

```
.psedoElementWork2::first-line{
color: goldenrod;
```



```
font-size: x-large;
}
.pseudoElementWork3::before{
content:url(/badge.webp);
}
.pseudoElementWork3::after{
content:url(/badge.webp);
}
```

17 box shadow:

```
box-shadow:12px 12px 9px brown;
/
```

18.round work

```
border-top-left-radius:140px ;
border-top-right-radius:140px ;
border-bottom-left-radius:140px ;
border-bottom-right-radius:140px ; */
border-radius: 140px;
```

19. use full tags for effect

1. for the link like <a href >

```
a[target="_blank"]
{background-color: aqua;}
```

```
a[title~="url"]
{background-color: aqua;}
```

2.on class name:

```
/* [class]="top" */ //it will work were class name staring top ex; top class, top-class
{background-color: blueviolet;} */
```

/* in this it

only colors the class name starteing with top word separately . Ex: top class, */

```
/* [class^="top"]
```

```
{background-color: blueviolet;} */
```

```
/*
```

```
//it will work were class name contain top ex; top class, top-class ,classtop,
```

```
[class*="top"]
```

```
{background-color: blueviolet;} */
```

```
input[type="text"]
```

```
{background-color: red;}
```

```
input[type="number"]
```

```
{background-color: red;}
```

20. object fit work:

```
.objectFitWork img{
```

```
width:200px;
```

```
height: 200px;
```

```
border: 5px solid red;
```

```
/* object-fit: contain; */
```

```
/* object-fit: fill; */
```

```
object-fit: cover;
```

```
/* object-fit:none; */
```

```
}  
object-position: 70% 90%;  
clip-path:circle(50%) ;
```

21. gradient

```
background-image:linear-gradient(orange,white,green );  
/* background-image:linear-gradient(to right, orange,white,green ); */  
/* background-image:linear-gradient(to bottom right, orange,white,green ); */  
/* background-image:linear-gradient(140deg, orange,white,green ); */  
/* background-image:repeating-linear-gradient( orange,white 20% ,green 30%); */  
background-image:radial-gradient(closest-side at 50% 60% ,orange ,blue ,green ); */  
/* background-image:radial-gradient(farthest-side at 50% 60% ,orange ,blue ,green );  
*/  
/* background-image:repeating-radial-gradient(closest-side at 50% 60% ,red  
,yellow ,green ); */  
/* background-image:conic-gradient(red 30deg,blue 30deg ,green 30deg,skyblue ); */  
/* background-image:conic-gradient(from 80deg,red,yellow,green ,skyblue ); */  
/* background-image:repeating-conic-gradient(red,yellow 10%,green 20%); */
```

22. Transform:

```
/* 100 from left and 140 from top shifted */  
transform: translate(100px,140px);  
/* transform: rotate(30deg); */  
/* transform: scale(1,4); */ i.e 1*width,4*height  
/* transform: scaleX(4); */ increase width  
/* transform: scaleY(4); */  
/* transform: skew(10deg,10deg); */  
transform: skewX(30deg);  
/* transform: skewY(10deg); */
```

```
/* transform: skew(10deg,10deg); */  
transform: skewX(30deg);  
/* transform: skewY(10deg); */  
/* 1:scaleX,,2.skewY,,3.skewx,,4.scaleY,,5.translateX,,,6.translateY */  
transform: matrix(1,2,3,4,5,6);  
/* transform: rotate(20deg); */  
/* transform: rotateX(20deg); */  
/* transform: rotateY(120deg); */  
transform: rotateZ(20deg);
```

23.transition

```
.TRANSITION1{  
    background-color: aqua;  
    border:1px solid red;  
    height: 200px;  
    width: 200px;  
transition: width 2s, height 3s;  
}  
  
.TRANSITION1:hover{  
    width:350px;  
    height:350px;  
    background-color: yellowgreen;  
    border-radius: 50%;  
}  
  
.TRANSITION2{  
    background-color: aqua;  
    border:1px solid red;  
    height: 200px;  
    width: 200px;
```

```
transition: width 2s;
}

.TRANSITION2:hover{
    width:550px;
    background-color: yellowgreen;
    /* transition-timing-function:linear ; */
    /* transition-timing-function:ease; */
    /* transition-timing-function:ease-in ; */
    /* transition-timing-function:ease-out ; */
    /* transition-timing-function:ease-in-out ; */
}

.TRANSITIONandTransform{
    background-color: aqua;
    border:1px solid red;
    height: 100px;
    width: 100px;
    transition: width 2s, height 2s, transform 2s;
}

.TRANSITIONandTransform:hover{
    width:200px;
    height:200px;
    transform:rotate(180deg);
}
```

24.filter

```
/* filter:blur(2px); */
/* filter:brightness(150%); */
/* filter:contrast(150px); */
/* filter:drop-shadow(2px 10px 20px red); */
```

filter:invert(40%);

25. animation

.animationWork{

background-color: aqua;

border:1px solid red;

height: 100px;

width: 100px;

animation-name: student;

animation-duration: 7s;

}

@keyframes student{

from{background-color: yellow;}

to{background-color: green;}

}

.animationWork2{

background-color: aqua;

border:1px solid red;

height: 100px;

width: 100px;

animation-name: student2;

animation-duration: 17s;

}

@keyframes student2{

0%{background-color: red;}

25%{background-color: blue;}

40%{background-color: green;}

65%{background-color: orangered;}

}

```

.animationWork3{
  height:100px;
  width:100px;
  border:1px solid red;
  background-color: yellow;
  position: relative;
  border-radius: 60%;
  animation-name: circulate;
  animation-duration: 7s;
  /* animation-delay:4s; */
  /* animation-iteration-count:4; */
  /* animation-iteration-count:infinite; */
  /* animation-direction:alternate; */
  animation-direction:alternate-reverse;
}

/* takke diffrence simmilar like we take diff of 25 below */
@keyframes circulate{
0%{background-color: red;top:0px; left:0px;}
25%{background-color: blue;top:0px;left:300px;}
50%{background-color: green;top:300px;left:300px;}
70%{background-color: orangered;top:300px;left:0px;}
  100%{background-color: blue;top:0px;left:0px;}
}

```

