Schneider Electric



Price List

Final Distribution, Wiring Devices and Lighting Control Products

With effect from August 15th, 2026

se.com/in

Advancing Energy Tech

Contents

Acti 9 Distribution System 4

Miniature Circuit Breakers (MCBs) 8
Residual Current Devices (RCDs) 11
Arc fault Detection Device (AFDD) 14
Auxiliaries and Accessories for MCBs / RCDs 15
Surge Protection Devices 17
Control and Command Products 19
ComReady Control and Command Products 21
Isobar Distribution System 22
Acti 9 Isobar Pan Assembly 24
Acti 9 Distribution Boards 25
Acti 9 Modular Distribution Boards - Metallic 29

Timers & Time Switches 36

Kaedra Enclosures 38

Weather Proof 38

PratiKa 40

Plugs and Sockets - IP44 / IP67 40
Electra 44
Metal Clad Plugs & Sockets 44

56 Series 45

Plugs and Sockets - IP56 / IP66 46

Wiring Devices 48

LIVIA - Switch to the extra-ordinary 49
Miluz Lara 51
Opale - Switches with Satin Finish 55
Unica Pure - Irresistibly Beautiful 57
Unica Pure+ 62
ZENcelo India - The Revolutionary Full-Flat Switch 68
AvatarOn - It's also a Switch 72
Unica X - Feel the luxury 79
Kavacha - Weather Protected Series 85
Metal Boxes 85

Smart Home Energy Management System 86

Wiser™ 90
Surface and Flush Mount Occupancy Sensors 91
Dimmable Sensors with Light Regulation 91
Wall Mount Sensors 92
Hotel - ELV Dual Motion Sensor 92

Acti 9 | Advanced Communication Technology that Inspires

> Protection devices

- Miniature circuit breakers
- Residual current circuit breakers
- Vigi™ residual current devices
- Surge Protection Devices

> Protection monitoring and supervision

- Indication and tripping auxiliaries
- Remote control auxiliaries
- Automatic reclosure auxiliaries



Innovative

Protection monitoring Total control and Metering @ DB level

Efficient

Manage loads, reduce operating and project costs, and accurately plan maintenance

> Control and monitoring

- Contactors
- Impulse relays
- Integrated control circuit breakers
- Light indicators
- Push-buttons and selector switches
- Communication Architecture

> Installation system

- IP20B terminals
- Splitter blocks
- Full range of mounting and wiring accessories



Reliable

100 percent MCB and RCD coordination, easy ordering and design, error free fast connections

Acti 9 | Advanced Communication Technology that Inspires.....

> Innovative

- Centralized control system including energy metering
- Large and variable data reading and computing through universal Modbus protocol

> Efficient

- One-click, prefabricated wiring for comprehensive communication between your distribution board or panel and any facility management system

> Reliable

- Error proof connection leading to reduction in downtime
- EMC tested for immunity, radiated and conducted safety

7 input/output channels

Exclusively From Schneider Electric



Protection monitoring

> Status Monitoring - ON / OFF / TRIP
> Trip Alarm Indication
> Load Monitoring - No. of tripping cycles, Running Hours


Load co

> Switiching Action - ON / OF
> Monitoring - No. of Switchi running hours

Meets the challenge of all your applications

Detailed load control, reduced downtime and accurately planned maintenance

Ready to connect to any facility management solution



ontrol switching

- F
- ng Cycles, Load

Energy metering

- > Electricity / Power metering
- > Power / Energy Consumption
- > Flow / Gas Measurement

Environmental data program

REACh, RoHS, PEP, EOLI compliant

Miniature Circuit Breakers (MCBs)
for circuit protection against Overload and Short Circuit Current Fault

AC Miniature Circuit Breakers - xC60 - IS/IEC 60898-1



ComReady

- Breaking Capacity as per IEC 60898 and IS/IEC 60898-1, Icn = 10kA
- Can be used for DC application upto 60V per pole
- Higher Installation Life: Energy Limitation Class 3, Fast Closure Mechanism
- Ease, Speed and Flexibility of installation - Biconnect, Line-Load Reversible
- Field-fittable auxiliaries for advance protection and monitoring
- Positive Contact Indication for assurance of disconnection

[In] Rated Current (A)	1 Pole Reference	Unit MRP [₹]	2 Pole Reference	Unit MRP [₹]	3 Pole Reference	Unit MRP [₹]	4 Pole Reference	Unit MRP [₹]
Module Width**	**1 mod**		**2 mod**		**3 mod**		**4 mod**	
MOQ	**12 Nos.**		**6 Nos.**		**4 Nos.**		**3 Nos.**	
B curve								
6	A9N1P06BGN ☑	589	A9N2P06BGN ☑	1857	A9N3P06BGN ☑	3080	A9N4P06BGN	4276
10	A9N1P10BGN ☑	589	A9N2P10BGN ☑	1857	A9N3P10BGN ☑	3080	-	-
16	A9N1P16BGN ☑	589	A9N2P16BGN ☑	1857	A9N3P16BGN ☑	3080	A9N4P16BGN	4276
20	A9N1P20BGN ☑	589	A9N2P20BGN ☑	1857	A9N3P20BGN	3348	-	-
25	A9N1P25BGN ☑	589	A9N2P25BGN	2019	A9N3P25BGN ☑	3080	-	-
32	A9N1P32BGN ☑	589	A9N2P32BGN	2019	A9N3P32BGN ☑	3080	A9N4P32BGN	3934
40	A9N1P40BGN ☑	1277	A9N2P40BGN	4383	A9N3P40BGN	4569	A9N4P40BGN	5974
50	A9N1P50BGN	1393	-	-	A9N3P50BGN	4569	-	-
63	A9N1P63BGN ☑	1295	-	-	A9N3P63BGN ☑	4731	A9N4P63BGN	6029
C curve								
1	A9N1P01CGN ☑	902	A9N2P01CGN ☑	2570	A9N3P01CGN ☑	4057	A9N4P01CGN ☑	5106
2	A9N1P02CGN ☑	902	A9N2P02CGN	2570	A9N3P02CGN ☑	4057	A9N4P02CGN ☑	5106
3	A9N1P03CGN ☑	902	A9N2P03CGN ☑	2570	A9N3P03CGN ☑	4057	-	-
4	A9N1P04CGN ☑	902	A9N2P04CGN ☑	2570	A9N3P04CGN ☑	4057	A9N4P04CGN ☑	5106
6	A9N1P06CGN ☑	535	A9N2P06CGN ☑	1857	A9N3P06CGN ☑	3080	A9N4P06CGN ☑	4150
10	A9N1P10CGN ☑	535	A9N2P10CGN ☑	1857	A9N3P10CGN ☑	3080	A9N4P10CGN ☑	4150
16	A9N1P16CGN ☑	535	A9N2P16CGN ☑	1857	A9N3P16CGN ☑	3080	A9N4P16CGN ☑	4150
20	A9N1P20CGN ☑	535	A9N2P20CGN ☑	1857	A9N3P20CGN ☑	3080	A9N4P20CGN ☑	4150
25	A9N1P25CGN ☑	535	A9N2P25CGN ☑	1857	A9N3P25CGN ☑	3080	A9N4P25CGN ☑	4150
32	A9N1P32CGN ☑	535	A9N2P32CGN ☑	1857	A9N3P32CGN ☑	3080	A9N4P32CGN ☑	4150
40	A9N1P40CGN ☑	1277	A9N2P40CGN ☑	2989	A9N3P40CGN ☑	4691	A9N4P40CGN ☑	6029
50	A9N1P50CGN	1277	A9N2P50CGN	2989	A9N3P50CGN	4691	A9N4P50CGN	6029
63	A9N1P63CGN ☑	1295	A9N2P63CGN ☑	3014	A9N3P63CGN ☑	4846	A9N4P63CGN ☑	6279
D curve								
2	A9N1P02DGN ☑	911	A9N2P02DGN ☑	2598	-	-	-	-
3	A9N1P03DGN ☑	911	A9N2P03DGN	2824	A9N3P03DGN ☑	4119	-	-
4	A9N1P04DGN ☑	911	A9N2P04DGN ☑	2598	A9N3P04DGN ☑	4119	-	-
6	A9N1P06DGN ☑	768	A9N2P06DGN ☑	1946	A9N3P06DGN ☑	3244	-	-
10	A9N1P10DGN ☑	768	A9N2P10DGN ☑	1946	A9N3P10DGN ☑	3244	-	-
16	A9N1P16DGN ☑	768	A9N2P16DGN ☑	1946	A9N3P16DGN ☑	3244	A9N4P16DGN ☑	4303
20	A9N1P20DGN ☑	768	A9N2P20DGN ☑	1946	A9N3P20DGN ☑	3244	A9N4P20DGN ☑	4303
25	A9N1P25DGN ☑	768	A9N2P25DGN ☑	1946	A9N3P25DGN ☑	3244	A9N4P25DGN ☑	4303
32	A9N1P32DGN ☑	768	A9N2P32DGN ☑	1946	A9N3P32DGN ☑	3244	A9N4P32DGN ☑	4303
40	A9N1P40DGN ☑	1379	A9N2P40DGN ☑	3159	A9N3P40DGN ☑	4970	A9N4P40DGN ☑	6232
50	-	-	-	-	A9N3P50DGN	-	-	-
63	A9N1P63DGN ☑	1395	A9N2P63DGN ☑	3197	A9N3P63DGN ☑	5014	A9N4P63DGN ☑	6296

Please contact Customer Care Center for Stockable and Non stockable status of references.

☑ NORMAL STOCK ITEMS

W.E.F. August 15th, 2026

Miniature Circuit Breakers (MCBs)
for circuit protection against Overload and Short Circuit Current Fault

AC Miniature Circuit Breakers - XC60 - IEC - 60947-2



ComReady

- Breaking Capacity as per IEC 60947-2
  - Icu 15kA - B, C & D Curve: - 1A to 40A
  - Icu 10kA - B & C Curve: - 50 & 63A
  - Icu 6kA - D Curve: - 50 & 63A
- Can be used for DC application upto 60V per pole
- Higher system performance with optimized cost: Cascading*
- Increased System Continuity: Discrimination*
- Higher Installation Life: Energy Limitation Class 3, Fast Closure Mechanism
- Ease, Speed and Flexibility of installation - Biconnect, Line-Load Reversible
- Field-fittable auxiliaries for advance protection and monitoring
- Positive Contact Indication for assurance of disconnection

[In] Rated Current (A)	1 Pole Reference	Unit MRP [₹]	2 Pole Reference	Unit MRP [₹]	3 Pole Reference	Unit MRP [₹]	4 Pole Reference	Unit MRP [₹]
Module Width**	**1 mod**		**2 mod**		**3 mod**		**4 mod**	
MOQ	**12 Nos.**		**6 Nos.**		**4 Nos.**		**3 Nos.**	
B curve								
6	A9N1P06BIN ☑	661	A9N2P06BIN ☑	2078	A9N3P06BIN ☑	3449	-	-
10	A9N1P10BIN ☑	661	A9N2P10BIN ☑	2078	A9N3P10BIN ☑	3449	-	-
16	A9N1P16BIN ☑	661	A9N2P16BIN ☑	2078	A9N3P16BIN ☑	3449	-	-
20	A9N1P20BIN ☑	661	A9N2P20BIN ☑	2078	-	-	-	-
25	A9N1P25BIN ☑	661	-	-	A9N3P25BIN ☑	3449	-	-
32	A9N1P32BIN ☑	661	-	-	A9N3P32BIN ☑	3449	A9N4P32BIN ☑	4648
40	A9N1P40BIN ☑	1435	-	-	-	-	A9N4P40BIN ☑	6689
63	A9N1P63BIN ☑	1454	-	-	A9N3P63BIN ☑	5298	A9N4P63BIN ☑	6751
C curve								
1	A9N1P01CIN ☑	1014	A9N2P01CIN ☑	2879	A9N3P01CIN ☑	4543	A9N4P01CIN ☑	5716
2	A9N1P02CIN ☑	1014	A9N2P02CIN ☑	2879	A9N3P02CIN ☑	4543	A9N4P02CIN ☑	5716
3	A9N1P03CIN ☑	1014	A9N2P03CIN ☑	2879	A9N3P03CIN ☑	4543	-	-
4	A9N1P04CIN ☑	1014	A9N2P04CIN ☑	2879	A9N3P04CIN ☑	4543	A9N4P04CIN ☑	5716
6	A9N1P06CIN ☑	601	A9N2P06CIN ☑	2078	A9N3P06CIN ☑	3449	A9N4P06CIN ☑	4648
10	A9N1P10CIN ☑	601	A9N2P10CIN ☑	2078	A9N3P10CIN ☑	3449	A9N4P10CIN ☑	4648
16	A9N1P16CIN ☑	601	A9N2P16CIN ☑	2078	A9N3P16CIN ☑	3449	A9N4P16CIN ☑	4648
20	A9N1P20CIN ☑	601	A9N2P20CIN ☑	2078	A9N3P20CIN ☑	3449	A9N4P20CIN ☑	4648
25	A9N1P25CIN ☑	601	A9N2P25CIN ☑	2078	A9N3P25CIN ☑	3449	A9N4P25CIN ☑	4648
32	A9N1P32CIN ☑	601	A9N2P32CIN ☑	2078	A9N3P32CIN ☑	3449	A9N4P32CIN ☑	4648
40	A9N1P40CIN ☑	1435	A9N2P40CIN ☑	3346	A9N3P40CIN ☑	5251	A9N4P40CIN ☑	6751
50	A9N1P50CIN	1435	A9N2P50CIN	3346	A9N3P50CIN	5251	A9N4P50CIN	6751
63	A9N1P63CIN ☑	1454	A9N2P63CIN ☑	3378	A9N3P63CIN ☑	5426	A9N4P63CIN ☑	7031
D curve								
2	A9N1P02DIN ☑	1022	A9N2P02DIN ☑	2909	-	-	-	-
3	A9N1P03DIN ☑	1022	-	-	A9N3P03DIN ☑	4613	-	-
4	A9N1P04DIN ☑	1022	A9N2P04DIN ☑	2909	A9N3P04DIN ☑	4613	-	-
6	A9N1P06DIN ☑	863	A9N2P06DIN ☑	2180	A9N3P06DIN ☑	3634	-	-
10	A9N1P10DIN ☑	863	A9N2P10DIN ☑	2180	A9N3P10DIN ☑	3634	-	-
16	A9N1P16DIN ☑	863	A9N2P16DIN ☑	2180	A9N3P16DIN ☑	3634	A9N4P16DIN ☑	4819
20	A9N1P20DIN ☑	863	A9N2P20DIN ☑	2180	A9N3P20DIN ☑	3634	A9N4P20DIN ☑	4819
25	A9N1P25DIN ☑	863	A9N2P25DIN ☑	2180	A9N3P25DIN ☑	3634	A9N4P25DIN ☑	4819
32	A9N1P32DIN ☑	863	A9N2P32DIN ☑	2180	A9N3P32DIN ☑	3634	A9N4P32DIN ☑	4819
40	A9N1P40DIN ☑	1550	A9N2P40DIN ☑	3538	A9N3P40DIN ☑	5565	A9N4P40DIN ☑	6979
50	-	-	-	-	A9N3P50DIN	5565	A9N4P50DIN	6979
63	A9N1P63DIN	1567	A9N2P63DIN ☑	3580	A9N3P63DIN ☑	5614	A9N4P63DIN ☑	7049

Please contact Customer Care Center for Stockable and Non stockable status of references.

☑ NORMAL STOCK ITEMS

W.E.F. August 15th, 2026

Miniature Circuit Breakers (MCBs)
for circuit protection against Overload and Short Circuit Current Fault

DC Miniature Circuit Breakers - C60H



Suitable for ComReady Auxiliary

- Specially designed MCB for enhanced protection in DC installation
- Magnetic Arc Chutes to quick break DC current in event of fault
- Breaking capacity 6kA as per IEC 60947-2
- Voltage Rating: 1P - 250 V DC & 2P - 500 V DC
- Impulse Voltage: 6 kV
- Higher Installation Life: Energy Limiting Class: 3

[In] Rated Current (A)	Module Width 18mm/ module	1 Pole Reference	Unit MRP [₹]	Module Width 18mm/ module	2 Pole Reference	Unit MRP [₹]
MOQ		**12 Nos.**			**6 Nos.**	
C60H-DC						
0.5	1	A9N61500	2420	2	A9N61520	5313
1	1	A9N61501 ☑	1765	2	A9N61521 ☑	3642
2	1	A9N61502 ☑	1765	2	A9N61522 ☑	3642
3	1	A9N61503 ☑	1765	2	A9N61523 ☑	3642
4	1	A9N61504 ☑	1765	2	A9N61524 ☑	3642
5	1	A9N61505	1765	2	A9N61525	3642
6	1	A9N61506 ☑	1449	2	A9N61526 ☑	2964
10	1	A9N61508 ☑	1449	2	A9N61528 ☑	2964
16	1	A9N61511 ☑	1449	2	A9N61531 ☑	2964
20	1	A9N61512 ☑	1449	2	A9N61532 ☑	2964
25	1	A9N61513 ☑	1449	2	A9N61533 ☑	2964
32	1	A9N61515 ☑	1671	2	A9N61535 ☑	2964
40	1	A9N61517 ☑	1987	2	A9N61537 ☑	4369
50	1	A9N61518 ☑	1987	2	A9N61538 ☑	4369
63	1	A9N61519 ☑	1987	2	A9N61539 ☑	4369

Special application MCBs







Solar Application – PV DC
• DC MCB for multi string PV installations
• Operating Voltage: 800V DC
• Current Rating up to 25A
• Complies to IEC / EN 60947-2

Rail Application* (including Rolling Stock)
• Shock & vibration resistant (IEC 61373) – Cat 1, Class B
• Complies to EN 45545 HL2
• Complies to IEC / EN 60947-2

UL MCB
• Type: UL1077, UL489
• Breaking Capacity of 10kA
• Complies to IEC 60947-2 / UL1077 / UL489 / CSA

Note:
Please contact nearest Schneider Electric sales office or Customer Care for Reference and prices of Application Specific MCBs
*Rail Application RCDs are also available on demand **18mm/module

Please contact Customer Care Center for Stockable and Non stockable status of references.

☑ NORMAL STOCK ITEMS

W.E.F. August 15th, 2026

Residual Current Devices (RCDs) - For Human and Fire Protection



30 mA

Use of **30mA RCDs** is now **mandatory** for all **domestic intallations** in India (NEC 2023)

Vit

Schneider Electric provides voltage independent RCDs which work on current sensing technology and provide protection from residual current even at extra low voltages (down to zero volts) and in case of break of neutral.

SI Type

Schneider Electric offers SI RCD built to operate in electrically polluted or installation in aggressive environments:

- Flourescent / Variable lighting with Electronic ballast
- Powerful IT / Telecom equipment / Air conditioning
- Severe Atmosphere - High lighting risk / Swimming pools

* for Measures relating to Safety and Electric supply

W.E.F. August 15th, 2026

Residual Current Devices

for protection against Risk of Shock / Electrocution and Risk of Fire in case of Earth Leakage Current.

AC Residual Current Circuit Breakers - xID



Suitable for ComReady Auxiliary

- Complies to IEC/EN 61008-1 and IS 12640
- AC Type
- Selective range available for time based discrimination
- Easy Monitoring: Earth fault indication and Test Button on front face
- Mandatory to use OF-S auxiliary to add any indication or tripping auxiliary

[In] Rated Current (A)	Earth-Leakage Sensitivity (mA)	Module Width 18mm/module	2 Pole Reference	Unit MRP [₹]	Module Width 18mm/module	4 Pole Reference	Unit MRP [₹]
25	30	2	A9N16201	6964	4	A9N16251	9774
	100	2	A9N16203	7729	4	A9N16253	10388
	300	2	A9N16202	7964	4	A9N16252	10694
40	30	2	A9N16204	8198	4	A9N16254	9621
	100	2	A9N16205	8838	4	A9N16255	10445
	300	2	A9N16206	9269	4	A9N16256	10848
63	30	2	A9N16208	9871	4	A9N16258	11141
	100	2	A9N16209	10615	4	A9N16259	12340
	300	2	A9N16210	10829	4	A9N16260	12398
80	30	2	A9N16212	16593	4	A9N16261	19654
	100	2	A9N16213	16870	4	A9N16262	19970
	300	2	-	-	4	A9N16263	20078

AC Residual Current Circuit Breakers (RCCBs) - iID



- Complies to IEC 61008-1
- AC Type
- Degree of pollution: 3 (suitable for industrial environment)
- Electrical ON/OFF indication by using OFSP auxiliary

Poles Description	[In] Rated Current (A)	Earth-Leakage Sensitivity (mA)	Module Width 18mm/module	Reference	Unit MRP [₹]
4P	100	30	4	**A9R11491	On Request
		100	4	**A9R12491	On Request
	125	30	4	A9R11492	On Request
		100	4	A9R12492	On Request
		300	4	A9R14492	On Request

Note: **For 100A RCCB Auxiliary kindly contact Customer Care

AC Residual Current Breaker Overload (RCBO) - DPN N Vigi



Suitable for ComReady Auxiliary

- Complies to IEC/EN 61009
- AC Type Tripping characteristics - C curve
- Overvoltage category (IEC 60364): IV
- Suitable for indication & tripping auxiliaries

Poles Description	[In] Rated Current (A)	Earth-Leakage Sensitivity (mA)	Module Width 18mm/module	Reference	Unit MRP [₹]
1P+N	6	30	2	A9N19661	10751
		300	2	A9N19681	10920
	10	30	2	A9N19663	10751
		300	2	A9N19683	10920
	16	30	2	A9N19665	10751
		300	2	A9N19685	10920
	20	30	2	A9N19666	10751
		300	2	A9N19686	10920
	25	30	2	A9N19667	10751
		300	2	A9N19687	10920
	32	30	2	A9N19668	10751
		300	2	A9N19688	10920
	40	30	2	A9N19669	13603
		300	2	A9N19689	13839

Note: Application specific RCDs also available with 10mA, 500mA and 1000mA sensitivities
Please contact nearest Schneider Electric Sales Office or Customer Care Center for Reference and Prices
Please contact Customer Care Center for Stockable and Non stockable status of references.

☑ NORMAL STOCK ITEMS

W.E.F. August 15th, 2026

Residual Current Devices

for protection against Risk of Shock / Electrocution and Risk of Fire in case of Earth Leakage Current.

SI Type Residual Current Circuit Breakers (RCCBs) - xID SI



- Complies to IEC/EN 61008-1
- SI RCDs offer enhanced immunity against Electrical Disturbances; Polluted and Corrosive environments - Guaranteed performance in harsh operating conditions
- Ensures continuity of supply in networks with:
  - Transient overvoltages
  - Loads generating HF leakage current i.e. harmonics
  - Loads generating continuous leakage current
- Ensures tripping on genuine earth fault in networks with:
  - Pulsating DC components
  - HF applications which “Blinds” (non-tripping) the conventional RCDs

[In] Rated Current (A)	Earth-Leakage Sensitivity (mA)	Module Width 18mm/module	2 Pole Reference	Unit MRP [₹]	Module Width 18mm/module	4 Pole Reference	Unit MRP [₹]
25	30	2	A9N16234	15552	4	A9N16321	17333
40	30	2	A9N16237	16334	4	A9N16324	17880
63	30	2	A9N16240	16804	4	A9N16327	18358
63	300	2	A9N16246	16931	4	-	-

Vigi Block for xC60 (Add-on RCD Module, 2 & 4 Pole)



- Flexibility to use MCB of any tripping curve to suit applications, ensuring best 3 in 1 protection
- No auxiliary supply required
- AC Class protection
- Degree of pollution: 3 (suitable for industrial environment)
- Immune to nuisance tripping due to transient over voltages

[In] Rated Current (A)	Earth-Leakage Sensitivity (mA)	Module Width 18mm/module	2 Pole Reference	Unit MRP [₹]	Module Width 18mm/module	4 Pole Reference	Unit MRP [₹]
25	30	1.5	A9N26581	12873	3	A9N26595	16244
	100	1.5	A9N26582	14169	3	A9N26596	14425
	300	1.5	A9N26583	14980	3	A9N26597	15525
63	30	2	A9N26611	15574	3.5	A9N26643	15631
	100	2	A9N26612	16493	3.5	A9N26644	16386
	300	2	-	-	3.5	A9N26645	16988

Note: Vigi Block for High Rating up to 125A (C120) and High Breaking Capacity (NG125) available on demand

SI Type Residual Current Breaker Overload (RCBO) - DPN N Vigi SI



- Complies to IEC/EN 61009
- Ensures continuity of supply in networks with:
  - Transient overvoltages
  - Loads generating HF leakage current i.e. harmonics
  - Loads generating continuous leakage current
- Ensures tripping on genuine earth fault in networks with :
  - Pulsating DC components
  - HF applications which “Blinds” (non-tripping) the conventional RCDs

Poles Description	[In] Rated Current (A)	Earth-Leakage Sensitivity (mA)	Module Width 18mm/module	Reference	Unit MRP [₹]
1P+N	6	30	2	A9N19631	22260
	10	30	2	A9N19632	22260
	16	30	2	A9N19634	22260
		300	2	A9N19644	22260
	25	30	2	A9N19636	22260
	32	30	2	A9N19637	22260
	40	30	2	A9N19638	26358
		300	2	A9N19648	29331

*For Prices, please contact nearest Schneider Electric Sales Office or Customer Care Center are Center for Reference and Prices

Please contact Customer Care Center for Stockable and Non stockable status of references.

☑ NORMAL STOCK ITEMS

W.E.F. August 15th, 2026

Acti 9 Active AFDD

Make active safety your new standard

- Integrated arc fault protection for prevention against electrically ignited fires
- AFDD complies to IEC/EN 62606
- RCD complies to IEC/EN 61009-2-1
- Protection Against Series & Parallel Arc

Acti9 iCV40N VigiARC Active, 30 mA, A-SI type



- Ensures tripping on genuine earth fault in networks with :
  - Pulsating DC components
  - HF applications which “Blinds” (non-tripping) the conventional RCDs
- Available in C Curve Configuration

Poles Description	[In] Rated Current (A)	Earth-Leakage Sensitivity (mA)	Module Width 18mm/ module	Reference	Unit LP [₹]
1P+N	6	30	2	A9TDNC606	On Request
	10	30	2	A9TDNC610	On Request
	16	30	2	A9TDNC616	On Request
	25	30	2	A9TDNC625	On Request
	32	30	2	A9TDNC632	On Request
	40	30	2	A9TDNC640	On Request

Acti9 iCV40H VigiARC Active, 30 mA, A-SI type




- Ensures tripping on genuine earth fault in networks with :
  - Pulsating DC components
  - HF applications which “Blinds” (non-tripping) the conventional RCDs
- Available in C Curve Configuration
- Seamless connectivity with Wiser 2.0 & ecostruxre through Panel server

Poles Description	[In] Rated Current (A)	Earth-Leakage Sensitivity (mA)	Module Width 18mm/ module	Reference	Unit LP [₹]
1P+N	6	30	2	A9TDND606	On Request
	10	30	2	A9TDND610	On Request
	16	30	2	A9TDND616	On Request
	20	30	2	A9TDND620	On Request
	25	30	2	A9TDND625	On Request
	32	30	2	A9TDND632	On Request

Auxiliaries and Accessories for MCBs / RCDs

Common Auxiliaries for xC60 / RCDs Range

- Field-fittable auxiliaries (clip fitted) mounted on left side with maximum width of 54mm
- Order: Tripping Auxiliaries (MN first) followed by Indication Auxiliaries (SD first)



Type	Module Width 18mm/module	Reference	Unit MRP [₹]
Indication Auxiliaries			
Acti9 A9N iOF bottom wiring 0.1-6A aux	0.5	A9N26904	1659
Acti9 A9N SD bottom wiring 0.1-6A aux	0.5	A9N26907	2184
Acti9 A9N OF/SD+OF top/bt wir 0.1-6A aux	0.5	A9N26909	2649
Acti9 A9A iOF bottom wiring 0.1-6A aux	0.5	A9A26904	1653
Acti9 A9A iOF/SD+OF t&b wire 0.1-6A aux	0.5	A9A26909	2814
OF+SD24 auxiliary contact (ComReady)	0.5	A9N26899	4755
Protection Auxiliaries – Trip Indication on front face			
MN Under-voltage Release 220-240V AC	1	A9N26960	7867
MSU Over-voltage Release 275V AC	1	A9N26500	8871
Tripping Auxiliaries – Trip Indication on front face			
MX + OF Shunt Release 110-415V AC: for Remote tripping of Circuit Breaker	1	A9N26946	4873
MX + OF Shunt Release 12-24V AC/DC: for Remote tripping of Circuit Breaker	1	A9N26948	4873
Auxiliary Switch for RCCBs – Mandatory for use of Auxiliaries with RCCBs			
Auxiliary switch for RCCB up to 80A (OF-S)	0.5	A9N26923	11201
Auxiliary switch for RCCBs 125A (OFSP)	0.5	A9N16940	4595

Accessories



Type	Description	Reference	Unit MRP [₹]
Rotary Handle*	Breaker Switching Sub-Assembly	27046	8627
Rotary Handle*	Extended, Disconnectable handle	27047	4356
Padlock** (bag of 2)		26970	1759
Aluminum cable terminal**		27060	1035
Spacer		A9N27062	410

* for xC60, C120, DPN N Vigi, C60H-DC, xSW - Multi poles only

Note:
For all above Reference MOQ = 1
Please contact Customer Care Center for Stockable and Non stockable status of references.

☑ NORMAL STOCK ITEMS

W.E.F. August 15th, 2026

Protection Against Lightning Strikes And Switching Surges



For all low voltage switchboards and electrical enclosures:

Comprehensive range

- To ensure the protection of equipment connected to:
- Low voltage networks,
- Telecommunications networks,
- Computer networks.
- Easy to implement and use.
- Compatibility with all earthing systems (TT, TNS, TNC, IT).
- Technical and aesthetic consistency

Continuity of service and certified safety

Schneider Electric certified coordination between the surge arrester and its disconnection circuit breaker.

Compliance with standards: IEC/EN 61643-11.

More and more electrical equipment today is sensitive to overvoltages caused by lightning.







90%

of power outlets supply equipment incorporating electronic devices.



iQuick PRD "built-in" technology surge arresters, a Schneider Electric innovation, incorporate their own disconnection circuit breaker: easy to choose and simple to install for greater effectiveness.

Up to 30% of installation time saved.

Surge Protection Devices

for protection of equipment against Lightning and Switching surges

- Complies to EN/IEC 61643 -11
- Withdraw able type: Easy Replacement
- Inbuilt SPD health Indicator: Also available with remote signaling
- For protection against Direct lighting surge, Indirect lighting surge, Switching surge
- Iimp up to 25kA & Imax upto 40kA
- **Always use a Back-up MCB with your SPD**
- Maximum Operating Voltage [Uc]: 350V

Surge Arresters - Type 1

Type	Pole Description	Module Width 18mm/module	Reference	Unit MRP [₹]
PRD1 Master	1P	2	16360	-
	1P + N	4	16361	-
	3P + N	8	16363	64107

Surge Arresters - Type 1+ 2



Type	Pole Description	Module Width 18mm/module	Reference	Unit MRP [₹]
PRD1 25r	1P	2	16329	26716
	1P + N	4	16330	47016
	3P	6	16331	75511
	3P + N	8	16332	93819

Surge Arresters iPRD - Type 2 (Withdrawable type) (TT, TN-S, TN-C Systems)



- Complies to IEC 61643-11/2011 T2 and EN 61643-11
- For protection against Indirect lightning surge and Switching surge
- Inbuilt health Indicator
- Response time < 25ns
- Imax (8/20 s): 65/40/15/8kA
- Maximum Operating Voltage [Uc]: 340V
- Level of protection, Up: 1.0 - 2.0 kV
- Remote indication contact with 8r/20r/40r/65r
- **Always use a Back-up MCB with your SPD**

Type	Rated Voltage (V)	Pole Description	Module Width 18mm/module	Reference	Unit MRP [₹]
iPRD8	230	1P	1	A9L08100	6545
	230	1P+N	2	A9L08500	12484
	230/400	3P	3	A9L08300	16849
	230/400	3P+N	4	A9L08600	25432
iPRD8r	230	1P+N	2	A9L08501	14966
	230/400	3P+N	4	A9L08601	30519
iPRD20	230	1P	1	A9L20100	7335
	230	1P+N	2	A9L20500	15692
	230/400	3P	3	A9L20300	20088
	230/400	3P+N	4	A9L20600	28401
iPRD20r	230	1P+N	2	A9L20501	18385
	230/400	3P+N	4	A9L20601	34728
iPRD40	230	1P	1	A9L40100	9107
	230	1P+N	2	A9L40500	18074
	230/400	3P	3	A9L40300	25943
	230/400	3P+N	4	A9L40600	36176
iPRD40r	230	1P	1	A9L40101	10196
	230	1P+N	2	A9L40501	23300
	230/400	3P	3	A9L40301	34913
	230/400	3P+N	4	A9L40601	43418
iPRD65r	230	1P	1	A9L65101	13631
	230	1P+N	2	A9L65501	29696
	230/400	3P	3	A9L65301	38751
	230/400	3P+N	4	A9L65601	50282

Surge Protection Devices
for protection of equipment against Lightning and Switching surges

Spare Cartridges for iPRD



- Spare Cartridges for iPRD8r, iPRD20r, iPRD40r and iPRD65r
- End of life indication available on front face
- These Cartridges are not compatible with Old SPD range (A9L16...)**

Type	Spare Cartridges for	Reference	Unit MRP [₹]
iPRD 65-350	iPRD65r	A9L65102	8533
iPRD 40-350	iPRD40, iPRD40r	A9L40102	6894
iPRD 20-350	iPRD20, iPRD20r	A9L20102	5262
iPRD Neutral	All products (1P+N, 3P+N)	A9L00002	7046
C1 Master-350	PRD1 Master	16314	-
C1 25-350	PRD1	16315	9471
C1 Neutral-350	PRD1 25r, PRD1 Master	16317	11377

iQuick PRD - Type 2 with inbuilt MCB



- Compact SPD with in-built back up MCB - saving on space, MCB selection, wiring time
- Compiles to EN/IEC 61643-11
- Withdrawable Type - Cost Efficient - Allows damaged Cartridges to be replaced without having to replace entire SPD
- Inbuilt SPD Health Indicator on front face of device; Remote signaling functionality also available
- Incoming Protection: iQuick PRD 40r (High Risk level) and iQuick PRD 20r (Moderate Risk level)
- Secondary Protection: iQuick PRD 8r is cascade mounted with incoming surge arresters

Type	Pole Description	Module Width 18mm/module	Reference	Unit MRP [₹]
iQuick PRD 8r	1P+N	4	A9L16298	18798
	3P	6.5	A9L16299	30401
	3P+N	7.5	A9L16300	37828
iQuick PRD 20r	1P+N	4	A9L16295	23178
	3P	6.5	A9L16296	36495
	3P+N	7.5	A9L16297	45395
Quick PRD 40r	1P+N	4	A9L16292	28990
	3P	6.5	A9L16293	43432
	3P+N	7.5	A9L16294	53977

Note: Spare / Replacement Cartridges available - For Reference and prices contact nearest sales office or customer care

Photovoltaic Surge Arresters



- Protection for photovoltaic panels and the DC input to the inverter from overvoltages due to a lightning strike
- Type 2 surge arresters
- Should be installed in switchboard inside the building. If switchboard is located outside, it must be weatherproof
- Withdrawable surge arrester allows damaged Cartridges to be replaced quickly
- Inbuilt SPD Health Indicator on front face of device; Remote signaling functionality also available

Type	U (cpv) Maximum Operating Voltage (V)	Module Width 18mm/module	Reference	Unit MRP [₹]
iPRD 40r	800	3	A9L40271	14294
	1000	3	A9L40281	17496

Note: Spare / Replacement Cartridges available - For Reference and prices contact nearest sales office or customer care

Note:
For all above Reference MOQ = 1
Please contact Customer Care Center for Stockable and Non stockable status of references.

☑ NORMAL STOCK ITEMS

W.E.F. August 15th, 2026

Surge Arresters for Communication Networks



- Analogue telephone line protection: iPRC surge arrester wired in series to the private installation input, protects the telephones, the modems (including ADSL) etc
- Protection for 2 low-current lines without common potential or 4 lines with common reference potential
- iPRI protects measuring instrument and PLC sensor inputs and the DC power supply inputs up to 53 V and AC power supply inputs up to 37 V

Type	[Ue] Operational Voltage (V)	Module Width 18mm/module	Reference	Unit MRP [₹]
PRI	48 V DC	1	A9L16339	25494
PRC	130 V AC	1	A9L16337	15284

Isolator - xSW



- Complies to IEC/EN 60947-3
- Switching duty: AC - 22A
- Impulse Voltage
  - Upto 80 - 4kV
  - 100 & 125A - 6kV

Poles Description	[In] Rated Current (A)	Module Width 18mm/module	MOQ	Reference	Unit MRP [₹]
2	40	2	6	A9S2P040	1457
	63	2	6	A9S2P063	1925
3	40	3	4	A9S3P040	2545
	63	3	4	A9S3P063	2981
4	40	4	3	A9S4P040	3221
	63	4	3	A9S4P063	3507
	100	4	3	A9S4P100	5868
	125	4	3	A9S4P125	6485

Selector Switch - iSSW



- Complies to IEC 60947-5-1 and IEC 60669-1
- Rating 20A, 250V AC
- Electrical life (AC22): 30,000 cycles
- Connection: tunnel terminals cables up to 10 sq. mm

No. of positions	Poles Description	Contacts	Module Width 18mm/module	MOQ	Reference	Unit MRP [₹]
2	1	1 C/O	1	12	A9E18070	2539
	2	2 C/O	2	6	A9E18071	3490
	2	1NO + 1NC	1	12	A9E18072	2035
3	1	1 C/O	1	12	A9E18073	2330
	2	2 C/O	2	6	A9E18074	4212

iRO Buzzers



- Audible indication in housing and the tertiary sector
- Sound level of 70dBA at a distance of 60cm

Voltage	Module Width 18mm/module	Reference	Unit MRP [₹]
230V AC	1	A9A15322	2995

Please contact Customer Care Center for Stockable and Non stockable status of references.

☑ NORMAL STOCK ITEMS

W.E.F. August 15th, 2026

iCT Contactors



Suitable for ComReady Auxiliary

- Complies to IEC 1095, E N 61095
- 4 operating modes switch on front face :
  - Automatic mode
  - Temporary “ON” mode
  - Permanent “ON” mode
  - Shutdown
- Mechanical contact position Indicator
- Safe installation maintainance: lock the contactor in ON position
- Silent operation (20dB) for entire range

Type	Rating (A)	No. of Contacts	Module Width 18mm/module	Reference	Unit MRP [₹]
1P	25	1NO	1	A9C20731	3588
2P	16	2NO	1	A9C22712	3692
	25	2NO	1	A9C20732	4498
	40	2NO	2	A9C20842	9507
	63	2NO	2	A9C20862	9652
3P	25	3NO	2	A9C20833	5689
	40	3NO	2	A9C20843	12629
	63	3NO	3	A9C20863	13726
4P	25	4NO	2	A9C20834	5957
	40	4NO	2	A9C20844	14711
	63	4NO	3	A9C20864	15520
	63	2NO + 2NC	3	A9C20868	17940

Note: 100A Contactor in 2P / 4P - available on request

iTL Impulse Relays



Suitable for ComReady Auxiliary

- Complies to IEC/EN 60669-2-2
- Safe maintenance: disconnection of remote control by selector switch
- Manual Controls on front face: 0-I toggle
- Mechanical contact position Indicator
- Maximum 5 operations/min. and 100 switching operations/day
- Degree of pollution: 3 (suitable for industrial environment)

Type	Rating (A)	Control Voltage	No. of Contacts	Module Width	Reference	Unit MRP [₹]
1P	16	230-240 VAC	1NO	1	A9C30811	2414
	32	230-240 VAC	1NO	1	A9C30831	3039
2P	16	230-240 VAC	2NO	1	A9C30812	3815
4P	16	230-240 VAC	4NO	2	A9C30814	7374

iIL Indicator Lights



- Complies to IEC 60947-5-1
- Indicator light with LED technology
- Service life 100,000 hours with constant luminous efficiency

Type	Colour	Module Width 18mm/module	Reference	Unit MRP [₹]
Single Indicator light	Red	1	A9E18320	2520
	Green	1	A9E18321	2520
	Blue	1	A9E18323	2520
	Orange	1	A9E18324	2520
3 phase voltage presence light	Red/Red/Red	1	A9E18327	7416
Single Push Button (1 NO+ 1NC)	Grey	1	A9E18033	3362

Note: For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

☑ NORMAL STOCK ITEMS

W.E.F. August 15th, 2026

ComReady Control and Command Products

Communication Auxiliaries



Auxiliary for Protection Devices (OF+SD24)



Auxiliary for Contactors (iACT24)



Auxiliary for Impulse Relays (iATL24)

Description	Module Width	Reference	Unit MRP [₹]
OF+SD24	0.5	A9N26899	4755
iACT24	1	A9C15924	31654
iATL24	1	A9C15424	23712

Reflex iC60 - Integrated Control & Overcurrent Protection Device





- All in One Solution: MCB + Contactor + Impulse Relay + Auxiliary
- 10kA Breaking capacity as per IEC/EN 60947-2
- Ti24 interface: Connection to PLC, Smartlink
- 3 operating modes to cater to a variety of applications
- Safe lock down with Integrated Padlocking
- Simplified maintenance: Front face Indicator allows better reliability

[In] Rated Current (A)	2 Pole Reference	Unit MRP [₹]	3 Pole Reference	Unit MRP [₹]	4 Pole Reference	Unit MRP [₹]
Module Width **	**4.5 mod**		**5.5 mod**		**6.5 mod**	
B Curve						
10	A9C61210	76697	-	-	-	-
C Curve						
10	A9C62210	81436	A9C62310	87220	-	-
16	A9C62216	81436	A9C62316	84206	A9C62416	87625
25	A9C62225	77548	A9C62325	82547	-	-
40	A9C62240	81676	-	-	A9C62440	95796
63	-	-	-	-	A9C62463	98290

Note: **18mm/module


Please contact Customer Care Center for Stockable and Non stockable status of references.

☑ NORMAL STOCK ITEMS

W.E.F. August 15th, 2026

EcoStruxure™
Innovation At Every Level

From sensors to services, our Innovation At Every Level approach improves energy and operational efficiency by tapping the true business value of IoT advancements. We've made mobility, sensing, cloud, analytics, and cyber security technologies meaningful to customers, helping them compete in our IoT economy.



of decision-makers see the business value of IoT*

**Schneider Electric IoT 2020 Business Report*

Connected Products:


The Internet of Things starts with the best things. Our IoT-enabled best-in-class connected products include breakers, drives, UPSs, relays, sensors, and more. Devices with embedded intelligence drive better decision-making throughout operations.

Edge Control:

Mission-critical scenarios can be unpredictable, so control of devices at the edge of the IoT network is a must. This essential capability provides real-time solutions that enable local control at the edge, protecting safety and uptime.

Applications, Analytics, and Services:

Interoperability is imperative to supporting the diverse hardware and systems in building, data center, industry, and grid end markets. EcoStruxure™ enables a breadth of agnostic applications, analytics, and services for seamless enterprise integration.



Connectivity built in

Acti9 Isobar harnesses the connectivity of the Acti9 range enabling distribution boards to become smart and connected.



1. **Enable asset management** on all outgoing ways with **Powertag**



2. **Smartlink SiD** for wireless data concentration



3. **Enable further asset and energy management** through PowerTag for Compact NSX




4. **Monitor and control** your assets with SiB Smartlink



5. See the power and optimise the use of your assets with Facility Expert our **simple on-line services platform**



Acti 9
Isobar Pan Assembly



- Fully type tested conditional short circuit rating of 25kA to BS EN 61439-3
- 250A busbar rating
- Range of incomers: switch disconnectors, residual current devices, terminal blocks, MCCB
- Full range of device accessories and auxiliaries
- Shrouded Neutral
- Isobar disconnection conforms to BS/EN 60947-3 ensuring complete isolation for unused poles Option to switch any outgoings to neutral using distributed neutral kit

Description	Double Door Metal (IP43) Reference	Unit LP [₹]
Acti9 Isobar B - pan assembly - 16 ways TP + earth + neutral	SEA9BN16PEV	On Request
Acti9 Isobar B - pan assembly - 18 ways TP + earth + neutral	SEA9BN18PEV	On Request
Acti9 Isobar B - pan assembly - 24 ways TP + earth + neutral	SEA9BN24PEV	On Request
Acti 9 - 1P blank terminal block (no electrical connection)	SEA9BP	On Request
Isobar B - neutral bar - 1N - for distribution board - 16 ways	SEA9NB16	On Request
Isobar B - neutral bar - 1N - for distribution board - 18 ways	SEA9NB18	On Request
Isobar B - neutral bar - 1N - for distribution board - 24 ways	SEA9NB24	On Request
Isobar A - neutral bar - 1N - for distribution board - 4 ways SP+N	SEA9NKIT	On Request
Acti 9 - terminal block - 250A	SEA9NPB250TB	On Request
Acti 9 Isobar B - MCCB/Interpact connection kit	SEA9BINCKIT	On Request

*Price on Request
Please contact Schneider Electric Customer Care Center for Prices

Acti 9
Distribution Boards

Spectacular Design


Blends seamlessly with interiors



Unique Rounded Corners | Color - RAL 9003 white | Designer Rotary Knob

Maximized Wiring Space


Convenient and Safe wiring



15% more wiring area | Reduced U-box Collar | Removable Frame, Centre plate & Gland plate

Adaptable

Total Flexibility for ease of installation and usage



Surface and Flush installation | Field fittable key lock provision | Reversible Door

Robust Architecture

Perfect blend of Strength & Weight

IK tested

IK-08 Single Door
IK-09 Double Door


Green Product

4X Rust Resistance

High Strength-to-Weight ratio | RoHS and REACH Compliance – ideal solution for GREEN Buildings

Base Material used - Galvanized Iron

4X Rust Resistance



1.Powder Coating
2.Galvanized Iron
3.Base Iron

Galvanized Iron | Gives 4X rust resistance
No Rusting | Even if the powder coating is scratched
No Propagation Of Rust | Even If base material is chipped off
No Hassle | of repainting due to rusting

Technically Proven

Safety Guaranteed

Designed and Manufactured as per **IS 8623 - 1 & 3** | IP and IK test by ERDA & CPRI | Glow wire tested

Type Tested as per IEC 61439 - 1 & 3



IEC 61439 - 3* Fully Compliant

*Tested at **NABL** and **ASTA** accredited testing facility


PASSED




Salt Spray | IP43 | IK09 | Reliable Door | Earthing | Temp@ Max Curr

Mechanical Tests | Electrical Tests

Acti 9
Distribution Boards





W.E.F. August 15th, 2026

Modular Distribution Boards - Metallic

Metal Enclosures



- Metal Enclosure to mount individual Modular Device feeding directly to the load or final distribution board

Description	Total Module Cutout	Single Door (IP30) Reference	Unit MRP [₹]
2 way	1 / 2	A9HMES02 ☑	1356
4 way	3 / 4	A9HMES04 ☑	1356

SPN DBs





- SPN DB for distribution of Single Phase Neutral supply to respective load MCBs
- Incomer - DP RCCB/RCBO/Isolator/MCB
- Outgoing - SP MCBs

Description	Total Module Cutout (Incomer + Outgoing)	Single Door (IP30) Reference	Unit MRP [₹]	Double Door Metal (IP43) Reference	Unit MRP [₹]
6 way	6	A9HSNS06	2626	A9HSND06 ☑	3772
8 way	8	A9HSNS08 ☑	3114	A9HSND08 ☑	4112
12 way	12	A9HSNS12	3685	A9HSND12 ☑	4945
18 way	18	-	-	A9HSND18 ☑	6624

TPN DBs





- Standard TPN DBs for distribution of Three Phase and Neutral supply
- Incomer - FP RCCB/RCBO/Isolator/MCB
- Outgoing - SP MCBs

Description	Total Module Cutout (Incomer + Outgoing)	Single Door (IP30) Reference	Unit MRP [₹]	Double Door Metal (IP43) Reference	Unit MRP [₹]
4 way eco	4 + 12	-	-	A9HTND04E ☑	9842
4 way	8 + 12	-	-	A9HTND04 ☑	9926
6 way	8 + 18	-	-	A9HTND06 ☑	10075
8 way	8 + 24	-	-	A9HTND08 ☑	12423
12 way	8 + 36	-	-	A9HTND12 ☑	18966

Flexi Tier DBs



- Flexi DBs give total flexibility to mount any type and size of Modular devices as per load requirement
- Provided with N-Bar and E-Bar
- Flexi Tier DBs can be converted to PPI DB using 'PPI Kit' provided on next page

Description	Total Module Cutout (Incomer + Outgoing)	Single Door (IP30) Reference	Unit MRP [₹]	Double Door Metal (IP43) Reference	Unit MRP [₹]
2 Tier 24 Modules	2 x 12	-	-	A9HFD224	10638
3 Tier 36 Modules	3 x 12	-	-	A9HFD336	12777
4 Tier 40 Modules	4 x 10	-	-	A9HFD440 ☑	13498
4 Tier 56 Modules	4 x 14	-	-	A9HFD456 ☑	14108


Note:
For all above Reference MOQ = 1
Please contact Customer Care Center for Stockable and Non stockable status of references.

☑ NORMAL STOCK ITEMS

W.E.F. August 15th, 2026

Acti 9
Distribution Boards

New Phase Segregated DBs



Key highlights

1. New compact design
2. Robust architecture
3. Type-tested system
4. 4 piece construction
5. Built-in 8th segment
6. Split door for all variants
7. Clean alignment of doors, centerplates
8. Improved door locking
9. High rust resistance with GI
10. Increased incomer DIN space

W.E.F. August 15th, 2026

Per Phase Isolation DBs

- PPI DBs to mount DP Residual Current Device (RCD) at an individual phase level to isolate the faulty phase in case of earth leakage and ensure continuity of supply to other healthy phases
- Incomer - Modular (FP MCB/Isolator) MCCB100A (TP/FP Compact NSX or EasyPact CVS)
- Sub-Incomer - DP RCCB/RCBO
- Outgoing - SP MCBs

PPI TPN DB



Description	Total Module Cutout (no. of rows x No. of modules per row)	Double Door Metal (IP43)	No of Ways	Unit MRP [₹]
6 Way TPN PPI DB	8 + 2 x 3 + 4 x 3	A9HTPI06	6 Ways	13102
8 Way TPN PPI DB	8 + 2 x 3 + 6 x 3	A9HTPI08	8 Ways	15198
12 Way TPN PPI DB	8 + 2 x 3 + 10 x 3	A9HTPI12	12 Ways	20908

PPI Flexi Tier DB

Description	Total Module Cutout (no. of rows x No. of modules per row)	Double Door Metal (IP43)	No of Ways	Unit MRP [₹]
4T40M Flexi PPI DB	4 x 10	A9HFPI10	10	20290
4T56M Flexi PPI DB	4 x 14	A9HFPI14	14	22845

Phase Segregated DBs



- Phase Segregated DBs to provide total safety for installer and maintenance personnel, by compartmentalizing each Phase and separating Incomer, Sub-Incomer and Outgoing
- Offers better continuity of supply in case of faults during maintenance at DB level.
- Incomer - Modular (FP MCB/Isolator) / MCCB 100A (TP/FP during maintenance Compact NSX or EasyPact CVS)
- Sub-Incomer - DP RCCB/RCBO
- Outgoing - SP MCBs
- GI sheet ensures improved rust resistance
- Type-tested system conforming IEC 61439-3
- Built-in 8th segment (for modular incomer only)
- Increased incomer DIN space of 12M for 6 ways to 12 ways
- Split door for all variants
- New design ensures clean alignment of doors, centerplates
- 4 piece architecture with removable frame
- Improved, intuitive door lock design with clear indication of lock and unlock positions

Description	Total Module Cutout (Additional segment + Incomer + Sub-incomer + Outgoing)	Double Door Metal (IP43) Reference	Unit MRP [₹]
4 way	4 + 8 + (3*4) + (3*4)	A9HPSG04	19760
6 way	4 + 12 + (3*4) + (3*6)	A9HPSG06	22095
8 way	4 + 12 + (3*4) + (3*8)	A9HPSG08	24671
12 way	4 + 12 + (3*4) + (3*12)	A9HPSG12	30969
12 way with MCCB I/c	0 + 100A MCCB + (3*4) + (3*12)	A9HPSG12M	41789

Note:
For all above Reference MOQ = 1
Please contact Customer Care Center for Stockable and Non stockable status of references.

Modular Distribution Boards - Metallic

VTPN DBs for Modular Incomer



- Ideal solution to distribute power supply to both 3 Phase and 1 Phase loads in the same DB
- Incomer - FP RCCB / RCBO / Isolator / MCB
- Outgoing - SP MCBs / TP MCBs
- 65% more Incomer Wiring Space.
- New Compact Fishbone with better Thermal Performance
- Short Circuit Withstand – 17 kA for 250mS (100 A)/ 25 kA (250 A) for 500mS
- Secure Connections with Fixed Spreader links
- IP 2X protection at Incomer with new shrouds
- Type tested as per IEC 61439 – 3 in NABL accredited Lab
- Knockout size for Incomer increased to 50mm (to accommodate Aluminium Cable)

Description	Total Module Cutout (Incomer + Outgoing)	Double Door Metal (IP43) Reference	No of Ways	Unit MRP [₹]
Acti9 VTPN DB 4 Ways Modular i-c 63A	12 + 12	A9HVM04	4 Ways	19228
Acti9 VTPN DB 8 Ways Modular i-c 63A	12 + 24	A9HVM08	8 Ways	24468
Acti9 VTPN DB 12 Ways Modular i-c 63A	12 + 36	A9HVM12	12 Ways	32734

VTPN DBs for MCCB Incomer



- DBs for higher incoming current distribution up to 250A
- Incomer - TP/FP Compact NSX or EasyPact CVS MCCB up to 250A
- Outgoing - SP MCBs / TP MCBs
- 65% more Incomer Wiring Space.
- New Compact Fishbone with better Thermal Performance
- Short Circuit Withstand – 17 kA for 250mS (100 A)/ 25 kA (250 A) for 500mS
- Secure Connections with Fixed Spreader links
- IP 2X protection at Incomer with new shrouds
- Type tested as per IEC 61439 – 3 in NABL accredited Lab
- Knockout size for Incomer increased to 50mm (to accommodate Aluminium Cable)

Description	Total Module Cutout (Incomer + Outgoing)	Double Door Metal (IP43) Reference	No of Ways	Unit MRP [₹]
Acti9 VTPN DB 4 Ways MCCB i-c 100A	100 A MCCB + 12	A9HVN04L	4 Ways	21055
Acti9 VTPN DB 4 Ways MCCB i-c 160A	160 A MCCB + 12	A9HVN04M	4 Ways	23181
Acti9 VTPN DB 8 Ways MCCB i-c 100A	100 A MCCB + 24	A9HVN08L	8 Ways	26686
Acti9 VTPN DB 8 Ways MCCB i-c 160A	160 A MCCB + 24	A9HVN08M	8 Ways	28877
Acti9 VTPN DB 8 Ways MCCB i-c 250A	250 A MCCB + 24	A9HVN08H	8 Ways	37021
Acti9 VTPN DB 12 Ways MCCB i-c 100A	100 A MCCB + 36	A9HVN12L	12 Ways	35475
Acti9 VTPN DB 12 Ways MCCB i-c 160A	160 A MCCB + 36	A9HVN12M	12 Ways	38537
Acti9 VTPN DB 12 Ways MCCB i-c 250A	250 A MCCB + 36	A9HVN12H	12 Ways	43792

Mivan Compatible DB

SPN DBs

Description	Total Module Cutout (Incomer + Outgoing)	Double Door Metal (IP43) Reference	No of Ways	Unit MRP [₹]
Acti9 DB 6 way SPN DD 1.6mm	2 + 4	A9HSND06Z	6 Ways	On Request
Acti9 DB 8 way SPN DD 1.6mm	2 + 6	A9HSND08Z	8 Ways	On Request
Acti9 DB 12 way SPN DD 1.6mm	2 + 10	A9HSND12Z	12 Ways	On Request
Acti9 DB 18 way SPN DD 1.6mm	2 + 16	A9HSND18Z	18 Ways	On Request

TPN DBs

Description	Total Module Cutout (Incomer + Outgoing)	Double Door Metal (IP43) Reference	No of Ways	Unit MRP [₹]
Acti9 DB 4 way TPN DD 1.6mm	8 + 4 x 3	A9HTND04Z	4 Ways	On Request
Acti9 DB 6 way TPN DD 1.6mm	8 + 6 x 3	A9HTND06Z	6 Ways	On Request
Acti9 DB 8 way TPN DD 1.6mm	8 + 8 x 3	A9HTND08Z	8 Ways	On Request
Acti9 DB 12 way TPN DD 1.6mm	8 + 12 x 3	A9HTND12Z	12 Ways	On Request

Please contact Customer Care Center for Stockable and Non stockable status of references.

☑ NORMAL STOCK ITEMS

W.E.F. August 15th, 2026

Phase Segregated DBs (Mivan Compatible)

Description	Total Module Cutout (Additional segment + Incomer + Sub-incomer + Outgoing)	Double Door Metal (IP43) Reference	No of Ways	Unit MRP [₹]
Acti9 DB 4 way PSG DD 1.6mm	4 + 8 + (3*4) + (3*4)	A9HPSG04Z	4 ways	On Request
Acti9 DB 6 way PSG DD 1.6mm	4 + 12 + (3*4) + (3*6)	A9HPSG06Z	6 ways	On Request
Acti9 DB 8 way PSG DD 1.6mm	4 + 12 + (3*4) + (3*8)	A9HPSG08Z	8 ways	On Request
Acti9 DB 12 way PSG DD 1.6mm	4 + 12 + (3*4) + (3*12)	A9HPSG12Z	12 ways	On Request

Flexi Tier DBs (Mivan Compatible)

Description	Total Module Cutout (no. of rows x No. of modules per row)	Double Door Metal (IP43) Reference	No of Modules Per Row	Unit MRP [₹]
4 Tier 40 Modules	4 x 10	A9HFD440Z	10	On Request
4 Tier 56 Modules	4 x 14	A9HFD456Z	14	On Request

TV TEL DB

Description	Double Door Metal (IP30) Reference	Unit MRP [₹]
Acti9 DB TVTEL BOX 1mm IP30	A9HTVTEL	On Request
Acti9 DB TVTEL & ONT BOX 1.2MM IP30	A9HOTVTEL	On Request

Note: For all above Reference MOQ = 1

Metal Clad P&S Units



- Plug & Socket Unit with Electra Plug & Socket and provision to mount modular protection devices to feed the end load directly

Description	Total Module Cutout	Single Door (IP30) Reference	Unit MRP [₹]
10A 1P+N+E P&S	2	A9HMS210	3451
20A 1P+N+E P&S	2	A9HMS220	3693
30A 3P+E P&S	3	A9HMS330	8084

Please contact Customer Care Center for Stockable and Non stockable status of references.

☑ NORMAL STOCK ITEMS

W.E.F. August 15th, 2026

Industrial P&S Units (provision to mount PratiKa Sockets)



- Plug & Socket Unit with provision to mount PratiKa straight / angled* socket and modular protection devices to feed the end load directly

Description	Total Module Cutout	Single Door (IP30) Reference	Unit MRP [₹]
16A 3P PK P&S	2	A9HKS316	3191
32A 3P PK P&S	2	A9HKS332	5270
32A 5P PK P&S	4	A9HKS532	6241
63A 5P PK P&S	4	A9HKS563	12604

Locks for Acti 9 DBs

Key Lock*





Description	Reference	Unit MRP [₹]
New Rotary Lock**	A9HRL901	1027
New Key Lock**	A9HRL902	957

Note: **Use New Rotary lock reference A9HRL901 for:
Acti9 DBs manufactured September 2020 onwards
Acti9 DBs with lock & unlock symbol on door.

Please contact Customer Care Center for Stockable and Non stockable status of references.

☑ NORMAL STOCK ITEMS

W.E.F. August 15th, 2026

Accessories for Distribution Boards

Wire Way Box for Double Door IP43 DBs

Description	Reference	Unit MRP [₹]
Wire way box for A9HSND06	A9HSND06WB	2540
Wire way box for A9HSND08	A9HSND08WB	3070
Wire way box for A9HSND12	A9HSND12WB	3423
Wire way box for A9HSND18	A9HSND18WB	4888
Wire way BOX FOR A9HTND04E	A9HTND04EWB	3528
Wire way box for A9HTND04	A9HTND04WB	3901
Wire way box for A9HTND06	A9HTND06WB	4136
Wire way box for A9HTND08	A9HTND08WB	4888
Wire way box for A9HTND12	A9HTND12WB	5710
Wire way BOX FOR A9HFD224	A9HFD224WB	3637
Wire way BOX FOR A9HFD336	A9HFD336WB	3600
Wire way BOX FOR A9HFD440	A9HFD440WB	3480
Wire way BOX FOR A9HFD456	A9HFD456WB	3901
WWB Acti9 PSG DB 8 Seg 4 Ways MCB i/c	A9HPSG04WWB	5031
WWB Acti9 PSG DB 8 Seg 6 Ways MCB i/c	A9HPSG06WWB	5887
WWB Acti9 PSG DB 8 Seg 8 Ways MCB i/c	A9HPSG08WWB	6587
WWB Acti9 PSG DB 8 Seg 12 Ways MCB i/c	A9HPSG12WWB	8537
WWB Acti9 PSG DB 7 Seg 12 Ways MCCB i/c	A9HPSG12MWWB	9118
WWB for Std VTPN DB MCB i/c	A9HVMXXWB	3700
WWB for Std VTPN DB MCCB i/c	A9HVNXXWB	3939

Busbars & Accessories

Description	Reference	Unit MRP [₹]
Busbars		
Fork Busbar 1P 12MOD. 63A	R9XFH112	1618
Fork Busbar 1P 57MOD. 63A	R9XFH157	3600
Fork Busbar 2P 12MOD. 63A	R9XFH212	1864
Fork Busbar 2P 57MOD. 63A	R9XFH257	6904
Fork Busbar 3P 12MOD. 63A	R9XFH312	4207
Fork Busbar 3P 57MOD. 63A	R9XFH357	15058
Fork Busbar 4P 12MOD. 63A	R9XFH412	3880
Fork Busbar 4P 57MOD. 63A	R9XFH457	16205
Busbar Accessories		
Set of 10 End Caps 1P	R9XE110	*
Set of 10 End Caps 2P	R9XE210	*
Set of 10 End Caps 3P	R9XE310	*
Set of 10 End Caps 4P	R9XE410	*
Set of 20 Tooth Caps	R9XT20	*
Blanking Plate	13229B	73

Note: Blanking Plate MOQ = 10, All other MOQ = 1

Customized Distribution Boards to Suit Your Need - Available on Request*

- TV/Telephone DBs
- Pre-Wired DBs
- 8 Segment DBs
- Acrylic Door DBs
- IP54 DBs
- DBs with Phase Indication Lamps

*upto 32A socket only

*Please contact nearest Schneider Electric Sales Office or Customer Care Center for coordination chart

Please contact Customer Care Center for Stockable and Non stockable status of references.

☑ NORMAL STOCK ITEMS

W.E.F. August 15th, 2026

Timers & Time Switches

Analog Time Switches



- 24H, 7D Programmable switch Voltage Rating: 230V AC +10%, -15%
- Memory: Upto 56 Switching Operations
- Back up of program: Operating reserve for 100, 200 Hours
- Overall dimensions: 5 modules
- Minimum time between two switching operations: 15, 30 min
- Accuracy: ≤ ±1 s/day at +20°C

Description	Module Width 18mm/module	Reference	Unit MRP [₹]
IH 24H 16 A 15 mts interval 1 channel	1	15336	7187
IH 24H 16 A 30 mts interval 1 channel	1	CCT15365	7839
IH 7 day 16 A 1 channel- Max 21 On and 21 Off cycles	3	CCT15367	11222
IH 24H 16 A 30 mts 1 channel without reserve	3	CCT16364	6367

Digital Time Switches



- 7D, 24H Programmable switch .Voltage Rating: 230V AC +10%, -15%
- Consumption: 1 channel - max. 4VA; 2 channels - max. 7VA
- Memory: Upto 56 Switching Operations
- Back up of program & time by lithium battery: Operating reserve: 6 Years
- Overall dimensions: 5 modules
- Cable length: 100m
- Minimum time between two switching operations: 1 min

Description	Module Width 18mm/module	Reference	Unit MRP [₹]
IHP 1C w (24h/7d) programmable time switch	2.5	CCT15441	15448
IHP+ 1C (24h/7d) SMARTw programmable time switch	2.5	CCT15551	19056
IHP 2C w (24h/7d) programmable time switch	2.5	CCT15443	19927
IHP DCF (24h/7d) SMART programmable time switch	2.5	CCT15858	31369
IHP+ 2C (24h/7d) SMARTw programmable time switch	2.5	CCT15553	22046

Timers



- Switching capacity 16 A, max
- Delay range from 30 sec to 20 min
- Capacity for lighted pushbutton 150 mA
- Electric distribution busbar compatibility
- Output power capacity CCT15232-2300W
- Output power capacity CCT15223-3600W

Description	Module Width 18mm/module	Reference	Unit MRP [₹]
MINs - electronic timer - 0.5 to 20 min	1	CCT15232	8727
MINs - electronic timer - 0.5 to 20 min with switch Off Warning	1	CCT15233	11205
MINs - electronic timer - 0.5 to 20 min with switch Off Warning and Impulse relay function	1	CCT15234	10533

Please contact Customer Care Center for Stockable and Non stockable status of references.

W.E.F. August 15th, 2026

Twilight switch



- Includes wall mounted cell
- Adjustable brightness threshold 2 to 2000 Lux
- 2 LEDs to signal the sensor status and the output status
- Test button: To check the product and load cabling
- Switching capacity: 16Amp
- Screwless Terminals compatible with rigid and flexible wires
- Consumption 6 VA
- Size 45mm

Description	Module Width 18mm/module	Reference	Unit MRP [₹]
IC2000 outdoor (2 - 2000 lux) twilight switch	1	CCT15369	18403
Analogue indoor light sensor cell	-	CCT15262	9081
Wall mounted Analogue outdoor light sensor cell	-	CCT15263	14076
IC100 (2 - 100 lux) twilight switch	1	CCT15482	15481
IC2000 indoor (2 - 2000 lux) twilight switch	1	CCT15285	13797
IC2000p+ (2 - 2000 lux) programmable twilight switch	2.5	CCT15483	31978
IC100kp+ 1C (1 - 99000 lux) SMART programmable twilight switch	2.5	CCT15494	38676
IC100kp+ 2C (1 - 99000 lux) SMART programmable twilight switch	2.5	CCT15495	47613
IC Astro 2C SMART programmable twilight switch	2.5	CCT15245	33426
IC Astro 1C SMART programmable twilight switch	2.5	CCT15225	28126

Time switch accessories

Description	Module Width 18mm/module	Reference	Unit MRP [₹]
Programming kit for IHP / IC	1	CCT15860	14713

Thermostat

Description	Module Width 18mm/module	Reference	Unit MRP [₹]
THP1+ 1C (24h/7d) programmable thermostat	2.5	CCT15834	33468

Please contact Customer Care Center for Stockable and Non stockable status of references.

W.E.F. August 15th, 2026

Kaedra enclosures for PratiKa industrial sockets are part of a complete system of Watertight enclosures from 16A to 125A providing solutions for protection, control and electrical distribution for tertiary and industrial applications



- Degree of protection - IP65
- Impact strength - IK09
- Resistant to chemical and atmospheric agents, UVs etc.
- Self extinguishing class 2 insulating material
- Flame and abnormal heat resistance: 650°C
- Reversible front face for opening of door to left/right
- Combining of enclosures horizontally/vertically while still maintaining IP
- DIN channel can be positioned in 2 depths & 2 heights for cabling purpose

Mini Enclosures for modular devices



Description	Reference	Unit MRP [₹]
4 module	13441 ☑	5233
6 module	13442	5956
8 module	13443	7013
12 module	13444	11269

Enclosures for modular devices (with terminal blocks)



Description	Reference	Unit MRP [₹]
1 row 12 module	13431	12436
1 row 18 module	13432	16391
2 row 24 module	13433	18613
2 row 36 module	13434	23563
3 row 36 module	13435	24570
4 row 72 module	13437	46894

Mini Enclosure (suitable to mount modular devices and PratiKa 16A socket)



Description	Reference	Unit MRP [₹]
4 module 1 vertical opening	13175 ☑	2497
4 module 2 horizontal opening	13176	3080
4 module 3 horizontal opening	13177	3877

Note: For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

☑ NORMAL STOCK ITEMS

W.E.F. August 15th, 2026

Enclosure (suitable to mount modular devices and PratiKa 16A / 32A sockets)



Description	Reference	Unit MRP [₹]
5 module 2 opening	13178 ☑	6008
8 module 4 horizontal opening	13179	8202
13 module 3 opening	13180	10837
13 module 6 opening	13181	11913
19 module 8 opening	13182	15353

Functional Plaques



Description	Reference	Unit MRP [₹]
Blank - marked for 1 socket 50x50	13135	777
Blank - marked for 1 socket 65x65 or 75x75	13137	777
Intermediate with 65x85 opening	13136	947
Intermediate with one opening for 65x85 & 90x100	13142	1572

Note: For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

☑ NORMAL STOCK ITEMS

W.E.F. August 15th, 2026

Wander Plugs


PKE16M423


PKE16M723


81383

- Conforms to IEC 60309-1 & IEC 60309-2
- PK PratiKa Screw Connect: same orientation of clamp's screws
- External impact strength: IK08
- Glow wire test: 850°C

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
PratiKa Screw				
IP44				
16	200...250	2P + E	PKE16M423 ☑	725
		2P + E	**PKX16M423** ●	1480
	380...415	3P + E	PKE16M434 ☑	927
		3P + N + E	PKE16M435 ☑	966
32	200...250	2P + E	PKE32M423 ☑	1141
	380...415	3P + E	PKE32M434	1338
IP67				
16	200...250	2P + E	PKE16M723 ☑	1585
		2P + E	**PKX16M723** ●	2355
	380...415	3P + E	PKE16M734	1807
		3P + N + E	PKE16M735	1931
32	200...250	2P + E	PKE32M723	2264
	380...415	3P + E	PKE32M734 ☑	2442
		3P + N + E	PKE32M735 ☑	2437
PK (63A & 125A available in IP67 only)				
63	200...250	2P + E	81378	6418
	380...415	3P + E	81382 ☑	6117
		3P + N + E	81383 ☑	6069
125	380...415	3P + E	**81394**	18715
		3P + N + E	81395	18715

Note: * Fast Connection

Small Wall Mounted Sockets


PKF16W423


PKF16W723


PKF32W735

- Conforms to IEC 60309-1 & IEC 60309-2
- External impact strength: IK08
- Glow wire test: 850°C

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
IP44				
16	200...250	2P + E	PKF16W423	1282
	380...415	3P + E	PKF16W434	1487
		3P + N + E	PKF16W435	1624
32	200...250	2P + E	PKF32W423	1676
	380...415	3P + E	**PKF32W434**	2011
		3P + N + E	PKF32W435	2124
IP67				
16	200...250	2P + E	**PKF16W723**	2036
	380...415	3P + E	**PKF16W734**	2558
		3P + N + E	**PKF16W735**	2645
32	200...250	2P + E	PKF32W723	2549
	380...415	3P + E	**PKF32W734**	3721
		3P + N + E	**PKF32W735**	4936

Note: For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.
*Bold references are MTO reference.

W.E.F. August 15th, 2026

Wall Mounted Sockets



81178



81183

- Conforms to IEC 60309-1 & IEC 60309-2
- Rated operational voltage upto 415V
- Rated operational current upto 125A
- External impact strength: IK08
- Glow wire test: 850°C
- Available only in IP67

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
63	200...250	2P + E	**81178**	7905
	380...415	3P + E	**81182** ●	8709
		3P + N + E	81183	8254
125	380...415	3P + E	**81194**	28512
		3P + N + E	**81195**	28651

Wander Sockets



PKF16M423



81483



PKF32M735

- PK PratiKa Screw Connect: same orientation of clamp's screws.
- PK PratiKa: 16A & 32A; IP44 & IP67
- External impact strength: IK08
- Glow wire test: 850 °C
- Conforms to IEC 60309-1 & IEC 60309-2

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
PratiKa Screw				
IP44				
16	200...250	2P + E	PKF16M423 ☑	1014
		2P + E	**PKY16M423**	1117
	380...415	3P + E	PKF16M434	1170
		3P + N + E	PKF16M435	1277
32	200...250	2P + E	PKF32M423 ☑	1394
	380...415	3P + E	**PKF32M434**	1693
		3P + N + E	PKF32M435 ☑	1703
IP67				
16	200...250	2P + E	PKF16M723	1878
		2P + E	**PKY16M723** ●	2284
	380...415	3P + E	**PKF16M734**	2355
		3P + N + E	PKF16M735	2460
32	380...415	2P + E	PKF32M723	2582
		3P + E	**PKF32M734**	2857
		3P + N + E	PKF32M735	2884
PK (63A & 125A available in IP67 only)				
63	200...250	2P + E	81478	6990
		3P + N + E	81483	7097
125	380...415	3P + E	**81494**	22066
		3P + N + E	81495	22498

Also Available on Request:

- Patented FAST connect Plugs & Sockets - innovative cabling system that enables connection without stripping the conductor and with absolutely no screws required
- Extra Low Voltage Plugs & Sockets down to 50V

Please contact nearest Schneider Electric Sales Office or Customer Care for Reference and Prices

Note: For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.
*Bold references are MTO reference.

W.E.F. August 15th, 2026

Panel Mounted Sockets - Angled


PKF16F423


PKF32F723


81283

- PK PratiKa Screw Connect: same orientation of clamp's screws
- External impact strength: IK08
- Glow wire test: 850°C
- Conforms to IEC 60309-1 & IEC309-2

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
PratiKa Screw				
IP44				
16	200...250	2P + E	PKF16F423 ☑	831
		2P + E	**PKY16F423** ●	846
	380...415	3P + E	PKF16F434	1170
		3P + N + E	PKF16F435 ☑	1248
32	200...250	2P + E	PKF32F423 ☑	1380
	380...415	3P + E	PKF32F434	1618
		3P + N + E	PKF32F435	1595
IP67				
16	200...250	2P + E	PKF16F723 ☑	1464
	380...415	2P + E	**PKY16F723** ●	1790
		3P + E	PKF16F734	1683
32	200...250	3P + N + E	PKF16F735 ☑	1703
	380...415	2P + E	PKF32F723	1924
		3P + E	PKF32F734	2248
		3P + N + E	PKF32F735	2263
PK (63A & 125A available in IP67 only)				
63	200...250	2P + E	81278	6311
	380...415	3P + E	81282 ☑	6322
		3P + N + E	81283 ☑	6385
125	380...415	3P + E	**81294**	21292
		3P + N + E	81295	21191

Panel Mounted Sockets - Straight


PKF16G423


PKF16G723


81683

- PK PratiKa Screw Connect: same orientation of clamp's screws
- External impact strength: IK08
- Glow wire test: 850°C
- Conforms to IEC 60309-1 & IEC309-2

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
PratiKa Screw				
IP44				
16	200...250	2P + E	PKF16G423	889
	380...415	2P + E	**PKY16G423**	1317
		3P + E	**PKF16G434**	1549
		3P + N + E	**PKF16G435**	1338
32	200...250	2P + E	PKF32G423	1410
	380...415	3P + E	**PKF32G434**	1624
		3P + N + E	PKF32G435	1760
IP67				
16	200...250	2P + E	PKF16G723	1487
		2P + E	**PKY16G723** ●	1676
	380...415	3P + E	**PKF16G734**	2046
		3P + N + E	**PKF16G735**	1703
32	200...250	2P + E	**PKF32G723**	1897
	380...415	3P + E	**PKF32G734**	2134
		3P + N + E	**PKF32G735**	2214
PK (63A & 125A available in IP67 only)				
63	380...415	3P + E	**81682**	6384
		3P + N + E	81683	6384
125		3P + N + E	**81695**	21395

*Fast Connection

Note: For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

*Bold references are MTO reference.

W.E.F. August 15th, 2026

Sockets with Interlock Switches - for guaranteed safety of operation

- Allows closure of main switch only when the plug is fully inserted in socket - when complete mechanical & electrical connection has occurred
- Plug removal is possible only when the switch is in “off” position

Wall Mounted Sockets with Interlock Switch Unika (w/o protection)


83047


83081

- Switch designed for use in AC 22A class applications
- Conforms to IEC 60309-1 & IEC 60309-2
- Rated operational voltage upto 415V
- Rated operational current upto 32A
- External impact strength: IK08
- Available in IP44 / IP65 versions
- Glow wire test: 750°C

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
IP44				
16	200...250	2P + E	83031	10668
	380...415	3P + N + E	**83036**	15057
32	200...250	2P + E	83042 ☑	13717
	380...415	3P + E	**83046**	22417
		3P + N + E	83047	16164
IP65				
16	200...250	2P + E	83081	11037
	380...415	3P + E	**83085**	15200
		3P + N + E	**83086**	15509
32	200...250	2P + E	**83092**	14465
	380...415	3P + N + E	83097	17368

Socket with Interlock Switch & DIN Rail Isoblock (4.5 modules)


82754


83796

- Switch designed for use in AC- 22A class applications
- Conforms to IEC 60309-1 & IEC 60309-2
- Provision to DIN mount 4.5 module device
- External impact strength: IK10
- Available in IP65 version
- Glow wire test: 850°C

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
16	200...250	2P + E	82754 ☑	13099
	380...415	3P + N + E	**82759**	20223
32	200...250	2P + E	83791 ☑	15509
	380...415	3P + E	83795	22516
		3P + N + E	83796	18476

Socket with Interlock Switch & DIN Rail Isoblock (6 modules)


82766

- Switch designed for use in AC-22A class applications
- Conforms to IEC 60309-1 & IEC 60309-2
- Provision to DIN mount 6 module device
- External impact strength: IK10
- Available in IP65 version
- Glow wire test: 850°C

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
32	200...250	2P + E	**82766**	20655
63	380...415	3P + E	**82782**	27832
		3P + N + E	82783	27654

Please contact Customer Care Center for Stockable and Non stockable status of references.
*Bold references are MTO reference.

W.E.F. August 15th, 2026

ELECTRA Metal Clad Plugs & Sockets are specially designed incorporating the latest safety, quality and user friendly features.

Construction

- The casting is made from non-corroding die-cast aluminum alloy combining exceptional compactness with high strength
- The design/construction eliminates the possibility of mismatch in fitting of plugs in corresponding sockets
- The floating contacts in the sockets are self aligning and facilitates smooth plugging in without undue pressure (These can be easily removed for wiring)
- A provision for pilot pin facilitates mechanical interlocking in case of 63A ratings

Human Safety

Specially designed shroud to avoid accidental finger contact with plug-pins while inserting/removing the plug
Similarly, the contact tubes in sockets are deeply recessed to avoid human contact

- The earthing pins ensure that earth connection is made first and broken last, being longer than conducting pins
- The visible earth terminals facilitate easy checking of earth connection
- The cable grip to the plug is made very strong by providing a compression gland and by protecting it at the point of entry by a strong rubber guard

Applications

Industrial, Commercial & Domestic portable equipments like Hand/Power Tools, Industrial Ovens, Welding Sets, Mobile Generators, Furnaces, Ships, Office Machines, Refrigerators, Coolers, Air-Conditioners, Overhead Cranes, Chilling Cabinets, Tile Polishers and Sewing Machines

Plug



Rating (A)	Poles Description	Voltage (V)	MOQ	Reference	Unit MRP [₹]
10	2P	250	30	AP10 ☑	338
20	2P	250	30	AP20 ☑	356
20	3P	440	30	BP20 ☑	474
30	3P	440	20	BP30 ☑	862
63	3P+N+E	440	4	CP63 ☑	3899

Socket



Rating (A)	Poles Description	Voltage (V)	MOQ	Reference	Unit MRP [₹]
10	2P	250	30	AS10 ☑	356
20	2P	250	30	AS20 ☑	380
20	3P	440	30	BS20 ☑	532
30	3P	440	20	BS30 ☑	913
63	3P+N+E	440	4	CS63 ☑	4368

Please contact Customer Care Center for Stockable and Non stockable status of references.
*Bold references are MTO reference.

Complete range of switches & sockets suitable for both indoor & outdoor applications like Kitchens, Swimming Pools, Landscape Gardens, Exterior Walls and Other Environmentally Challenged Locations.



56SW116LE-GY


56SW216LE-GY



56SW332LE-GY

Description	IP Rating	Reference	Unit MRP [₹]
Surface Switches			
Single Pole Switches Less Enclosure			
1 Pole 250V 10A	IP66	**56SW110LE-GY**	5213
1 Pole 250V 16A	IP66	56SW116LE-GY	4837
1 Pole 250V 20A	IP66	56SW120LE-GY	7324
1 Pole 250V 32A	IP66	56SW132LE-GY	8734
Double Pole Switches Less Enclosure			
2 Pole 500V 16A	IP66	**56SW216LE-GY**	8438
2 Pole 500V 20A	IP66	**56SW220LE-GY**	8438
2 Pole 500V 32A	IP66	**56SW232LE-GY**	11197
2 Pole 500V 50A	IP66	**56SW250LE-GY**	13077
Triple Pole Switches Less Enclosure			
3 Pole 500V 10A	IP66	**56SW310LE-GY**	7804
3 Pole 500V 16A	IP66	56SW316LE-GY	8141
3 Pole 500V 20A	IP66	56SW320LE-GY	8570
3 Pole 500V 32A	IP66	56SW332LE-GY	9899
3 Pole 500V 50A	IP66	56SW350LE-GY	11530
3 Pole 500V 63A	IP66	56SW363LE-GY	13384
Four Pole Switches Less Enclosure			
4 Pole 500V 20A	IP66	**56SW420LE-GY**	12440



56SW132-GY


56SW110GY



56SW350-GY

New

Description	IP Rating	Reference	Unit MRP [₹]
Surface Switches			
Single Pole Switches with Enclosure			
1 Pole 250V 10A	IP66	56SW110-GY	5539
1 Pole 250V 15A	IP66	56SW115-GY	4283
1 Pole 250V 20A	IP66	56SW120-GY	6485
1 Pole 250V 32A	IP66	56SW132-GY	9280
Double Pole Switches with Enclosure			
2 Pole 500V 20A	IP66	56SW220-GY	8965
2 Pole 500V 32A	IP66	56SW232-GY	11897
2 Pole 500V 50A	IP66	56SW263-GY	13894
Triple Pole Switches with Enclosure			
3 Pole 500V 10A	IP66	56SW310-GY	8292
3 Pole 500V 20A	IP66	56SW320-GY	8650
3 Pole 500V 32A	IP66	56SW332-GY	10517
3 Pole 500V 50A	IP66	56SW350-GY	12249
3 Pole 500V 63A	IP66	56SW363-GY	14219
Four Pole Switches with Enclosure			
4 Pole 500V 20A	IP66	56SW420-GY	12023

The switches will come integrated with the enclosures

Please contact Customer Care Center for Stockable and Non stockable status of references.
*Bold references are MTO reference.

W.E.F. August 15th, 2026



66CV563-RG



66P563-EO

Description	IP Rating	Reference	Unit MRP [₹]
IP66 Industrial Combination Switch Sockets with Enclosure			
Single Pole Switches Less Enclosure			
500V, 63A with 4 pole switch and 63A 5 Pin Socket	IP66	**66CV563-RG**	151682
Plug Top 5 Pin 500V 63A	IP66	**66P563-EO**	45528



56SO316RP-LE-GY-EX



56SO432LE-GY



56SO532LE-GY

Description	IP Rating	Reference	Unit MRP [₹]
Surface Socket Outlets			
3 Pin Sockets Less Enclosure			
3 Pin 250V 16A Indian Standard	IP66	56SO316RP-LE-GY-EX	4870
3 Pin 250V 20A Round Pin	IP66	56SO320LE-GY	7068
3 Pin 250V 32A Round Pin	IP66	56SO332LE-GY	7873
4 Pin Sockets Less Enclosure			
4 Pin 500V 20A Round Pin	IP66	**56SO420LE-GY**	10559
4 Pin 500V 32A Round Pin	IP66	**56SO432LE-GY**	12624
4 Pin 500V 50A Round Pin	IP66	**56SO450LE-GY**	19424
5 Pin Sockets Less Enclosure			
5 Pin 500V 10A Round Pin	IP66	**56SO510LE-GY**	11408
5 Pin 500V 20A Round Pin	IP66	56SO520LE-GY	11301
5 Pin 500V 32A Round Pin	IP66	56SO532LE-GY	13419
5 Pin 500V 40A Round Pin	IP66	56SO540LE-GY	19548
5 Pin 500V 50A Round Pin	IP66	56SO550LE-GY	20069



56SO320-GY



56SO520-GY

New

Description	IP Rating	Reference	Unit MRP [₹]
Surface Socket Outlets			
3 Pin Sockets with Enclosure			
3 Pin 250V 20A Round Pin	IP66	56SO320-GY	7510
3 Pin 250V 32A Round Pin	IP66	56SO332-GY	8365
4 Pin Sockets with Enclosure			
4 Pin 500V 20A Round Pin	IP66	56SO420-GY	11218
4 Pin 500V 32A Round Pin	IP66	56SO432-GY	13413
4 Pin 500V 50A Round Pin	IP66	56SO450-GY	24078
5 Pin Sockets with Enclosure			
5 Pin 500V 10A Round Pin	IP66	56SO510-GY	12121
5 Pin 500V 20A Round Pin	IP66	56SO520-GY	12007
5 Pin 500V 32A Round Pin	IP66	56SO532-GY	14258
5 Pin 500V 40A Round Pin	IP66	56SO540-GY	24232
5 Pin 500V 50A Round Pin	IP66	56SO550-GY	24877

The socket will come integrated with the enclosures

Please contact Customer Care Center for Stockable and Non stockable status of references.
*Bold references are MTO reference.

W.E.F. August 15th, 2026

56 Series


56PA420-EO


56PA532-EO


56CVI520-GY

Description	IP Rating	Reference	Unit MRP [₹]
Plugs			
3 Pin Angle Plugs			
3 pin 250V 16A Round Pin	IP66	56PA316RP-GY-EX	3663
3 Pin 250V 20A Round Pin	IP66	56PA320-EO	7324
3 Pin 250V 32A Round Pin	IP66	56PA332-EO	8462
4 Pin Angle Plugs			
4 Pin 500V 20A Round Pin	IP66	**56PA420-EO**	9011
4 Pin 500V 32A Round Pin	IP66	**56PA432-EO**	9381
4 Pin 500V 40A Round Pin	IP66	**56PA440-EO**	15602
4 Pin 500V 50A Round Pin	IP66	56PA450-EO	11131
5 Pin Angle Plugs			
5 Pin 500V 10A Round Pin	IP66	**56PA510-EO**	8857
5 Pin 500V 20A Round Pin	IP66	56PA520-EO	8857
5 Pin 500V 32A Round Pin	IP66	56PA532-EO	10136
5 Pin 500V 40A Round Pin	IP66	56PA540-EO	10823
5 Pin 500V 50A Round Pin	IP66	56PA550-EO	11080
Combination Switch Socket Outlet			
IP66 Interlocked Switch Socket with Enclosure			
4 Pin 500V 20A Round Pin	IP66	**56CVI420-GY**	38717
5 Pin 500V 20A Round Pin	IP66	**56CVI520-GY**	35028
5 Pin 500V 32A Round Pin	IP66	**56CVI532-GY**	35347

Description	Module Width	Reference	Unit MRP [₹]
Switchgear Cover Assembly			
For 1,2,3 Pole MCB with 4 Pole RCD (max. 4M Width)	4	56CB4N-GY	8027


56FA2-GY


56E2-GY


56E1-GY

Description	No. of Gangs	Reference	Unit MRP [₹]
Flush Surrounds			
Flush Surround	2	**56FA2-GY**	3955
Flush Surround	3	**56FA3-GY**	6227
Mounting Enclosures (Back Boxes)			
101X101X63mm	1	56E1-GY	1709
198X101X63mm	2	56E2-GY	4385

* Mounting Enclosures are temporarily Blocked

Please contact Customer Care Center for Stockable and Non stockable status of references.
*Bold references are MTO reference.

W.E.F. August 15th, 2026

SWITCH TO STYLE




Perfect solutions for the perfect you



LIVIA
Life. Style.



Miluz Lara



Opale



Unica Pure



Unica Pure+



ZENcelo




Avatar On



Unica X

LIVIA - Switch to the extra-ordinary





- **Sleek Design** - 2.7mm thin plate with curved body to minimize dust accumulation
- **Stylish Looks** - Soft white texture with glossy finish
- **Robust & Strong** - Innovative honeycomb designed grid plate for extra rigidity
- **Reliable** - High grade heat-resistant polycarbonate and laser marked wiring diagrams.
- **Easy to Install** - Snap-In / Snap-Out front loading modules and Bigger terminal holes
- **Green & Eco Friendly** - RoHS compliant range



P1001_N



P1001_PG_N



P1081



P1002_PG_N



P1120_N



P1132_PG_N



P1005_N



P1086_PG_N



P2005NS_N



P2106_N



P3200_N



P3004_PG_N



P4011_N



P4500_PG_N



P5001_N



P4550_PG_N



P0001_N



P8010_N



P8010_PG_N

Description	Reference for White	Unit MRP [₹]	Reference for Pristine Grey	Unit MRP [₹]
Switches 10AX / 16AX				
10AX 1 way switch	P1001_NP	167	P1001_PG_NP	237
10AX 1 way switch with Indicator lamp	**P1081_NP**	357	**P1081_PG_NP**	472
10AX 2 way switch	P1002_NP	276	P1002_PG_NP	342
16AX 1 way switch	P1101_NP	302	P1101_PG_NP	369
16AX 1 way switch with Indicator lamp	P1181_NP	419	P1181_PG_NP	498
16AX 1 way switch (2M)	**P1121_NP**	464	**P1121_PG_NP**	614
16AX 2 way switch	P1102_NP	415	**P1102_PG_NP**	536
Switches 20A / 32A				
20A 1 way switch (1M) with indicator lamp	P11201_N	390	P11201_PG_N	447
20A DP switch with Indicator lamp	P1120_N	712	**P1120_PG_N**	928
32A DP switch with Indicator lamp	P1132_N	1010	P1132_PG_N	1246
Bell Push				
10A Bell Push switch	P1005_NP	309	P1005_PG_NP	405
10A Bell Push switch (2M)	P1025_NP	465	**P1025_PG_NP**	552
10A bell push switch with Indicator	P1085_NP	381	**P1085_PG_NP**	505
10A bell push switch with Indicator (2M)	**P1086_NP**	494	**P1086_PG_NP**	627
Sockets				
6A 3Pin socket Outlet with shutter (BIS)	P2005NS_NP	318	P2005NS_PG_NP	390
10A/16A 3-pin Socket Outlet with Shutter	P2106_NP	476	P2106_PG_NP	578
Fan Regulators & Dimmers				
Step type fan regulator (1M)	P3100_N	992	P3100_PG_N	1207
Step type fan regulator (2M)	P3200_N	1131	P3200_PG_N	1412
Dimmer 400W (1M)	**P3004_N**	1889	**P3004_PG_N**	2396
Dimmer 1000W (2M)	**P3012**	2722	**P3012_PG_N**	2984
USB Charger				
USB Charger	P7002_N	2472	P7002_PG_N	2874
Livia - A+C Type USB Charger (1M)	P7004_N	3727	P7004_PG_N	3976
Accessories				
RJ 11 Telephone outlet with shutter	P4011_N	278	P4011_PG_N	366
RJ 45 Cat 5e Data outlet with shutter	P4045_N	943	P4045_PG_N	1131
RJ 45 Cat6 Data outlet with shutter	P4046_N	1050	P4046_PG_N	1338
TV socket	P4500_N	265	P4500_PG_N	353
Blank off unit (1M)	P0001_N	73	P0001_PG_N	97
Foot Lamp with LED	P7001_N	1168	P7001_PG_N	1391
Cord Outlet	-	-	**P4550_PG_N**	386
LED Phase Indicator	P5001_N	456	-	-
Mini MCB				
10A Mini MCB	P8010_N	663	P8010_PG_N	778
16A Mini MCB	P8016_N	663	P8016_PG_N	778
20A Mini MCB	P8020_N	663	P8020_PG_N	778
25A Mini MCB	P8025_N	663	P8025_PG_N	778
32A Mini MCB	P8032_N	663	P8032_PG_N	778

* Available till stocks lasts

Please contact Customer Care Center for Stockable and Non stockable status of references.
*Bold references are MTO reference.

W.E.F. August 15th, 2026



P1186MS_N



P6002_N



P6004_N

Description	Reference for White	Unit MRP [₹]	Reference for Pristine Grey	Unit MRP [₹]
Motor Starter Switch				
25A Motor Starter switch	P1186MS_N	1721	**P1186MS_PG_N**	2162
Hotel Series				
DND Switch	**P6002_N**	393	**P6002_PG_N**	425
MMR Switch	**P6004_N**	361	**P6004_PG_N**	425
DND & MMR Indicator	**P6013**	1149	**P6013_PG_N**	1373
20A Key Card Switch - Electronic (3M)	**P6005_N**	6303	**P6005_PG_N**	8252

P0703_N

P0704_N



P0706_PG_N

Description	Reference for White	Unit MRP [₹]	Reference for Pristine Grey	Unit MRP [₹]
Cover Plates				
1-2 M Grid & 1 M Cover Frame	P0701_N	190	P0701_PG_N	222
1-2 M Grid & 2 M Cover Frame	P0702_N	190	P0702_PG_N	225
3 M Grid & 3 M Cover Frame	P0703_N	239	P0703_PG_N	264
4 M Grid & 4 M Cover Frame	P0704_N	276	P0704_PG_N	327
6 M Grid & 6 M Cover Frame	P0706_N	354	P0706_PG_N	429
8 M Grid & 8 M Cover Frame - Horizontal	P0708_N	465	P0708_PG_N	539
8 M Grid & 8 M Cover Frame - Square	P0709_N	560	P0709_PG_N	654
9 M Grid & 9M Cover Frame	**P07010_N**	534	**P07010_PG_N**	927
12 M Grid & 12 M Cover Frame	P0712_N	650	P0712_PG_N	818
16 M Grid & 16M Cover Frame	P07016_N	796	**P07016_PG_N**	1264
18 M Grid & 18 M Cover Frame	P0718_N	996	**P0718_PG_N**	1142



P0706_AB



P0704_FS



P0706_CM

Description	Antique Bronze	Unit MRP [₹]	Frosted Silver	Unit MRP [₹]	Champagne Mist	Unit MRP [₹]
Cover Frame						
1-2M grid & 1M cover frame	P0701_AB	241	P0701_FS	241	P0701_CM	241
1-2M grid & 2M cover frame	P0702_AB	225	P0702_FS	225	P0702_CM	225
3M grid & 3M cover frame	P0703_AB	264	P0703_FS	264	P0703_CM	264
4M grid & 4M cover frame	P0704_AB	327	P0704_FS	327	P0704_CM	327
6M grid & 6M cover frame	P0706_AB	429	P0706_FS	429	P0706_CM	429
8M grid & 8M cover frame - linear	P0708_AB	539	P0708_FS	539	P0708_CM	539
8M grid & 8M cover frame - square	P0709_AB	732	P0709_FS	732	P0709_CM	732
9 M Grid & Cover Plate	P07010_AB	679	P07010_FS	679	P07010_CM	679
12M Grid & Cover Plate	P0712_AB	782	P0712_FS	782	P0712_CM	782
16M Grid & cover frame	P07016_AB	924	P07016_FS	924	P07016_CM	924
18M Grid and cover Plate	P0718_AB	1276	P0718_FS	1276	P0718_CM	1276

New

Please contact Customer Care Center for Stockable and Non stockable status of references.
*Bold references are MTO reference.

W.E.F. August 15th, 2026

Miluz Lara





A fusion of beauty and functionality:
- Dew-drop-inspired design prevents dust and dirt accumulation.
- The 'volcanic' curve ensures ample room for wiring, for a seamless user experience.

Ideal for Mivan and modern construction methods:
- Seamlessly fits into newer (40 mm.) and conventional (50 mm.) metal boxes.

Durability and Safety:
- Prevents accidental shocks with no single-pin insertion in sockets.
- Durable copper contact for an enhanced life span (lasts up to 2 lakh clicks, or 30 years, at 15 clicks/day)

Effortless Installation:
- Clear markings for ideal wire strip length for accurate and safe installation
- Front-loading components and double-sided wire entry in sockets for greater ease.

Seamless Connectivity:
- Wiser™ is designed to optimize energy usage and is fully compatible with Miluz Lara switches and sockets.

Now Miluz Lara comes with the 10 years of warranty

MLSW161M1W_WH



MLSWI322MDP_AN



MLMOTSTR2M_WH



MLSWI101M1W_WH

MLBP1M_WH



MLBPI2M_AN



MLSO62M3P_WH



MLSO6162M3P_AN



MLDMR1M_WH



MLFR5STP2M_AN



MLUSBA1M_WH



MLUSBAC2MPDH_AN



MLAQI2M_WH



MLVSP1M_AN

Description	Reference for White	Unit MRP [₹]	Pack	Reference for Anthracite	Unit MRP [₹]	Pack
Switches						
10 A 1-way Switch (1M)	MLSW101M1W_WH	144	20	MLSW101M1W_AN	166	20
10 A 1-way Switch with Indicator (1M)	MLSWI101M1W_WH	400	20	**MLSWI101M1W_AN**	429	20
10 A 1-way Switch (2M)	**MLSW102M1W_WH**	394	10	**MLSW102M1W_AN**	445	10
10 A 1-way Switch with Indicator (2M)	**MLSWI102M1W_WH**	453	10	**MLSWI102M1W_AN**	452	10
10 A 2-way Switch (1M)	MLSW101M2W_WH	285	20	MLSW101M2W_AN	328	20
16 A 1-way Switch (1M)	MLSW161M1W_WH	305	20	MLSW161M1W_AN	351	20
16 A 1-way Switch with Indicator (1M)	MLSWI161M1W_WH	430	20	MLSWI161M1W_AN	494	20
16 A 1-way Switch (2M)	**MLSW162M1W_WH**	524	10	**MLSW162M1W_AN**	603	10
16 A 1-way Switch with Indicator (2M)	MLSWI162M1W_WH	565	10	**MLSWI162M1W_AN**	651	10
16 A 2-way Switch (1M)	**MLSW161M2W_WH**	461	20	**MLSW161M2W_AN**	542	20
20 A DP Switch with Indicator (2M)	MLSWI202MDP_WH	1067	10	MLSWI202MDP_AN	1069	10
32 A DP Switch with Indicator (2M)	MLSWI322MDP_WH	1462	10	MLSWI322MDP_AN	1538	10
Motor Starter Switch						
25 A Motor Starter Switch (2M)	MLMOTSTR2M_WH	3011	10	MLMOTSTR2M_AN	3362	10
Bell Push Switch						
6 A Bell Push (1M)	MLBP1M_WH	398	20	MLBP1M_AN	480	20
6 A Bell Push with Indicator (1M)	MLBPI1M_WH	432	20	MLBPI1M_AN	509	20
6 A Bell Push (2M)	MLBP2M_WH	447	10	**MLBP2M_AN**	594	10
6 A Bell Push with Indicator (2M)	MLBPI2M_WH	534	10	**MLBPI2M_AN**	646	10
Sockets						
6 A 3 Pin Socket with Shutter (2M)	MLSO62M3P_WH	282	10	MLSO62M3P_AN	325	10
6 A/16 A 3P Socket with Shutter (2M)	MLSO6162M3P_WH	452	10	MLSO6162M3P_AN	520	10
Fan Regulators and Dimmers						
4-Step Fan Regulator (1M)	MLFR4STP1M_WH	985	20	MLFR4STP1M_AN	1133	20
5-Step Fan Regulator (2M)	MLFR5STP2M_WH	1244	10	MLFR5STP2M_AN	1431	10
400 W Dimmer (1M)	**MLDMR1M_WH***	1731	10	**MLDMR1M_AN***	1992	10
USB Charger						
2.1 A USB Charger (1M)	**MLUSBA1M_WH**	2274	10	**MLUSBA1M_AN**	2489	10
1M 12 W Type A+C USB Charger (1M)	MLUSBAC1M_WH	3395	20	MLUSBAC1M_AN	3904	20
USB A+C 21W PD Horizontal	MLUSBAC2MPDH_WH	4674	10	MLUSBAC2MPDH_AN	5608	10
Air Quality Indicator						
Air Quality Indicator (2M)	**MLAQI2M_WH***	26515	-	**MLAQI2M_AN***	27109	-
Voltage Surge Protector						
Voltage Surge Protector 230 V (1M)	**MLVSP1M_WH**	2917	10	**MLVSP1M_AN**	3354	10

*Prices will be shared on request

Please contact Customer Care Center for Stockable and Non stockable status of references.
*Bold references are MTO reference.

W.E.F. August 15th, 2026


MLDRCHM2M_WH


MLFTLMP2M_WH


MLTV1M_WH


MLRJ111M_AN


MLMM161P_WH


MLHDMI1M_AN


MLCCSW2M_WH


MLCCSW2M_AN


MLKECRDSW2M_WH


MLKECRDSW2M_AN


MLSHVRSO3M_WH


MLSHVRSO3M_AN

MLCP1M_WH


MLCP3MU_AN


MLCP4M_WH


MLCP8MH_WH

Description	Reference for White	Unit MRP [₹]	Pack	Reference for Anthracite	Unit MRP [₹]	Pack
Accessories						
TV Socket (1M)	MLTV1M_WH	269	10	MLTV1M_AN	350	10
RJ11 Tel. Outlet with Shutter (1M)	MLRJ111M_WH	280	10	MLRJ111M_AN	367	10
RJ45 Cat. 6 Data Outlet Shuttered (1M)	MLRJ451M_WH	1017	10	MLRJ451M_AN	1244	10
Preterminated HDMI socket (1M)	**MLHDMI1M_WH**	1697	10	**MLHDMI1M_AN**	1952	10
LED Footlamp (2M)	MLFTLMP2M_WH	1075	10	MLFTLMP2M_AN	1188	10
Door Chime (2M)	**MLDRCHM2M_WH***	1357	-	**MLDRCHM2M_AN***	1561	-
Blank Off Unit (1M)	MLBLANK1M_WH	69	20	MLBLANK1M_AN	90	20
Socket Adaptor (2M)	**MLSA2M_NC**	159	10	-		-
LED Phase Indicator (Red) (1M)	MLPHSIND1M_RD	452	10	-		-
MCB						
16A MCB SP 1M C curve	**MLMM161P_WH**	906	10	**MLMM161P_AN**	962	10
20A MCB SP 1M C curve	MLMM201P_WH	906	10	**MLMM201P_AN**	962	10
32A MCB SP 1M C curve	MLMM321P_WH	906	10	MLMM321P_AN	962	10
Hospitality						
Curtain Control Switch	MLCCSW2M_WH	979	10	MLCCSW2M_AN	1125	10
DND MMR Switch	MLDMSW2M_WH	962	10	MLDMSW2M_AN	1102	10
DND MMR Indicator, ANTHRACITE	MLDMI1M_NA	736	10	-	-	-
Electronic Keycard Switch	MLKECRDSW2M_WH	5571	10	MLKECRDSW2M_AN	5658	10
115V Shaver Socket Horizontal	MLSHVRSO3M_WH	4526	10	MLSHVRSO3M_AN	5720	10
USB A+C 21W PD Horizontal	MLUSBAC2MPDH_WH	4674		MLUSBAC2MPDH_AN	5608	-
6A Switched Socket 2M	MLSWSO62M_WH	555		MLSWSO62M_AN	593	-
Cover Plates						
1M or 2M Grid and 1M Cover Frame	MLCP1M_WH	201	15	MLCP1M_AN	261	15
1M or 2M Grid and 2M Cover Frame	MLCP2M_WH	201	15	MLCP2M_AN	261	15
3M Grid and 3M Cover Frame	MLCP3M_WH	258	10	MLCP3M_AN	336	10
3M Uni Grid and 3M Cover Frame	MLCP3MU_WH	282	10	MLCP3MU_AN	366	10
4M Grid and 4M Cover Frame	MLCP4M_WH	297	8	MLCP4M_AN	386	8
6M Grid and 6M Cover Frame	MLCP6M_WH	375	5	MLCP6M_AN	486	5
8M Grid and 8M Cover Frame, Horizontal	MLCP8MH_WH	494	5	MLCP8MH_AN	642	5
8M Grid and 8M Cover Frame, Square	MLCP8MS_WH	648	5	MLCP8MS_AN	843	5
9M Cover Frame + 8M Grid	MLCP9M_WH	609	5	**MLCP9M_AN**	792	5
12M Grid and 12M Cover Frame	MLCP12M_WH	785	5	MLCP12M_AN	1021	5
16M Cover Frame and Grid	MLCP16M_WH	934	5	MLCP16M_AN	1215	5
18M Grid and 18M Cover Frame	**MLCP18M_WH**	1129	5	**MLCP18M_AN**	1468	5

Please contact Customer Care Center for Stockable and Non stockable status of references.
*Bold references are MTO reference.


W.E.F. August 15th, 2026

Wiring Diagram Miluz Lara




> Air Quality Indicator

MLAQI2M_WH, MLAQI2M_AN



> LED Footlamp


MLFTLMP2M_WH, MLFTLMP2M_AN



> Door Chime

MLDRCHM2M_WH, MLDRCHM2M_AN

12 W Type A+C USB Charger



> USB Chargers

MLUSBAC1M_WH, MLUSBAC1M_AN

10 Years Warranty T&C

- Schneider Electric shall, at its sole discretion, repair or replace switches upto 16A (without LED indicator/lamp) and or 6A &16A sockets in white color only if the Product is found to be having manufacturing defect (means defects solely as a result of faulty material and/or workmanship during manufacturing of Product) within 10 years from the date of manufacture of Product or from the date of invoice of Product, whichever is earlier.
- For all other wiring accessories, the warranty shall be 18 months starting from the date of delivery or 24 months from the date of manufacturing, whichever is earlier
- The warranty defines Schneider Electric's overall sole liability which does not include any other liability whatsoever including without limitation consequential losses or damages or re-installation costs arising from or in relation to the defective products.
- Schneider Electric reserves the right to change and/or improve the design of its Products without prior notice
- In any event whatsoever, if same Product with a similar design is not available, the Product will be replaced with an equivalent model available at that time at sole discretion of Schneider Electric.
- ***This warranty for the above products shall be rendered null & void in case of the following:***
  a. If the original Schneider Electric mounting boxes have not been used to mount the plates & accessories.
  b. If any attempt has been made to rectify, dismantle, tamper, or alter the product by any third party or by the customer himself.
  c. If any damage resulting from the use of any cleaning chemicals on the Product which can adversely affect the product material (Like Acetone, Thinner, turpentine Oil etc.)
  d. If the products are not installed as per the appropriate design specifications
- Warranty facilitations as per the standard process where customer to contact Customer Care Center (Email, Toll Free, chat) with relevant details & Log the complaint.

Opale - Switches with Satin Finish





- **Patented Smooth Satin Finish** - Scratch Resistant, Easy to Clean & Prevents light reflection off surface
- **Safe to Use** - High grade flame retardant polycarbonate material & Child Proof sockets with unique shutter design
- **Hassle Free Operation** - 'Soft sound' switches with Gold plated Data Socket contacts for better connection
- **Easy to Install** - Snap-In / Snap-Out front loading modules and terminals with indented screws
- **Green & Eco Friendly** - RoHS compliant range



X1001WH



X1286WH



X1186WH



X1005WH



X1085WH



X2005WHNS



X2106WH



X3200WHCM



X3104WH



X7003WH



X5001

Description	Reference for White	Unit MRP [₹]	Pack	Reference for Coke Grey	Unit MRP [₹]	Pack
Switches						
6AX 1 way switch	X1001WH	327	20	AAKY1001	415	20
6AX 1 way switch with Indicator lamp	**X1081WH**	614	20	-	-	-
6AX 2 way switch	X1002WH	458	20	-	-	-
16AX 1 way switch	X1101WH	524	20	AAKY1101	663	20
16AX 1 way switch with Indicator lamp	X1181WH	750	20	AAKY1181	876	20
16AX 2 way switch	X1102WH	707	20	-	-	-
20A DP switch with Indicator (2M)	X1286WH	1239	10	-		-
32A DP switch (2M)	AAKX1232	1929	10	-	-	-
Motor Starter Switch						
25A Motor Starter switch	X1186WH	3634	10	-	-	-
Bell Push						
6A Bell Push	X1005WH	513	20	-	-	-
6A Bell Push (2M)	X1025WH	734	10	-	-	-
6A Bell Push with Indicator	X1085WH	1024	20	-	-	-
Sockets						
6A 3-Pin Socket Outlet with Shutter (BIS)	X2005WHNS	559	10	AAXY2005NS	674	10
6A/16A 3-Pin Socket Outlet with Shutter	X2106WH	862	10	-	-	-
Fan Regulators & Dimmers						
Step Fan Regulator (1M)	X3100CMWH	1509	10	-	-	-
Step Type Fan Regulator (2M)	X3200WHCM	2054	5	-	-	-
Dimmer 400W (1M)	X3104WH	1903	10	-	-	-
Dimmer 400W (2M)	X3004WH	2961	5	-	-	-
USB Chargers						
2 Gang USB Charger - 2.1A (2M)	**X7003WH**	5622	15	-	-	-
Accessories						
RJ11 Telephone outlet with shutter	X4011WH	469	10	-	-	-
RJ45 Data Outlet with shutter	X4045WH	1558	20	-	-	-
TV Socket	X4500WH	423	10	-	-	-
RJ45 Cover for Key Stone Type	**X4050WH**	627	10	-	-	-
Buzzer	**X3300WH**	2096	2	-	-	-
Blank off unit (1M)	X0001WH	121	10	-	-	-
Neon Phase Indicator (Red)	X5001	743	20	-	-	-

Please contact Customer Care Center for Stockable and Non stockable status of references.
*Bold references are MTO reference.

W.E.F. August 15th, 2026

Opale - Switches with Satin Finish



AAKX6006



AAKX6005

Description	Reference	Unit MRP [₹]	Pack
Hotel Series*			
Key Tag Switch (Mechanical Type 20 A)	AAKX6005	2897	1
Shaver Socket	**AAKX6006**	12779	1

*Available in white colour only



X0703



X0704



X0708

Description	Reference for White	Unit MRP [₹]	Pack	Reference for Coke Grey	Unit MRP [₹]	Pack
Cover Plates						
1-2 M Grid & 1 M Cover Frame	X0701	297	10	AAKY0801	392	10
1-2 M Grid & 2 M Cover Frame	X0702	315	10	-	-	-
3 M Grid & 3 M Cover Frame	X0703	372	10	AAKY0803	454	10
4 M Grid & 4 M Cover Frame	X0704	437	10	-	-	-
6 M Grid & 6 M Cover Frame	X0706	609	5	AAKY0806	729	5
8 M Grid & 8 M Cover Frame - Horizontal	X0708	791	5	-	-	-
8 M Grid & 8 M Cover Frame - Square	X0709	945	5	-	-	-
12 M Grid &12 M Cover Frame	X0712	1122	5	AAKY0812	1513	5
18 M Grid &18 M Cover Frame	AAKX0718	1463	5	-	-	-

Please contact Customer Care Center for Stockable and Non stockable status of references.
*Bold references are MTO reference.

W.E.F. August 15th, 2026

Unica Pure - Irresistibly Beautiful



Wood



Glass



Metal Rhodium Black



Sandy Beige



Polar White



Volcanic Grey



Pearl Black



Pewter Grey



Oak

Irresistibly Beautiful
- Authentic finishes - developed from the high quality natural material
- Ingenious Design - Demarcated dolly depicting clear on/off mode of the switch
- Modish Colors - perfectly gel with neutral, accent wall colors and blends perfectly with any decor

Irresistibly Safe & Sturdy
- Self Piercing Terminal - ensuring completely safe, robust and fast installation
- Facile & Guarded Technology - reduces tension in the switch rocker & increases the longevity of the switch
- Plated metal with Plastic over molded Gridplate - Robust, rigid & shock proof gridplate, ensuring durable installation on the metal box

Irresistibly Easy
- Key Hole Feature - Angular and linear adjustments of the gridplate can be easily achieved
- Revolutionary Ease of Mounting with Indicators & Markings

Irresistibly Sustainable
- Green Premium - Complies to HIGHEST INTERNATIONAL STANDARD of Green
- Certification for manufactured products (RoHS, REACH, PEP, EoLI) and is 100% Recyclable

Irresistibly Innovative
- Future Ready - Features of Voice & Mobile control to fit with smart homes

Irresistibly Versatile
- One Stop Shop - Extensive range covering residential, office, commercial or hospitality
- **Intermediate switches to control multiple 2way switches**

Unica Pure switches with six patented technologies


PATENTED PATENTED



Life Guarded Sockets

Eliminate possibility of Single Pin Insertion making it extra safe for children


PATENTED



Facile & Guarded Technology

Reduces tension in the switch rocker & increases the longevity of the switch

PATENTED



Key Hole Feature

Angular and linear adjustments of the gridplate can be easily achieved


PATENTED



Adjoining (V) Feature Technology

Ensuring perfect alignment of switches

PATENTED



Self-piercing Terminal

Ensuring completely safe, robust and fast installation

Unica Pure - Irresistibly Beautiful


UNS61SW1M_WE


UNS161SWL1M_WE


UNS162MSWL1M_WE


UNS10SW1M_WE


UNS162SW2M_WE


UNSMTSTART2M_WE


UNS616SK2M_WE


UNSSWSO62M_GY


UNSUSBAC2MPDH_WE


UNSACUSB1P1M_WE


UNS5STFAN2M_WE


UNSHDMI_WE


UNSCPTVDIG1M_WE

Description	Reference for Polar White	Unit MRP [₹]	Pack	Reference for Volcanic Grey	Unit MRP [₹]	Pack
6A Switches						
6AX 1 Way Switch	UNS61SW1M_WE	263	20	UNS61SW1M_GY	308	20
6AX 1 Way Switch With Indicator	UNS61SWL1M_WE	479	20	UNS61SWL1M_GY	550	20
6AX 2 Way Switch	UNS62SW1M_WE	385	10	UNS62SW1M_GY	431	10
10A Intermediate Switches						
10AX Intermediate Switch	UNS10SW1M_WE	1825	1	UNS10SW1M_GY	2201	1
16AX Switches						
16AX 1 Way Switch	UNS161SW1M_WE	441	20	UNS161SW1M_GY	514	20
16AX 1 Way Switch With Indicator	UNS161SWL1M_WE	527	20	UNS161SWL1M_GY	613	20
16AX 2 Way Switch, Polar White	UNS162SW1M_WE	594	10	UNS162SW1M_GY	699	10
16A Master Switch, 2 Way, With Locator & Label	**UNS162MSWL1M_WE**	1379	20	**UNS162MSWL1M_GY**	1630	1
16Ax 2 Way 2M Switch	UNS162SW2M_WE	606	10	UNS162SW2M_GY	720	10
16AX~20A 1Way switch with Neon indicator	UNS201SWL1M_WE	532	10	UNS201SWL1M_GY	629	10
Double Pole Switches						
20A Double Pole Switch With Indicator	UNS20DP2M_WE	1067	10	UNS20DP2M_GY	1257	1
32A Double Pole Switch With Indicator	UNS32DP2M_WE	1572	10	UNS32DP2M_GY	1883	10
Motor Starter Switch						
Motor Starter	UNSMTSTART2M_WE	2432	10	UNSMTSTART2M_GY	2875	10
Bell Switches						
6A Bellpress, 1M	UNS6BP1M_WE	387	20	UNS6BP1M_GY	453	20
6A Bellpress With Indicator, 1M	UNS6BPL1M_WE	534	20	UNS6BPL1M_GY	639	1
6A Bellpress, 2M, Polar White	UNS6BP2M_WE	539	10	UNS6BP2M_GY	634	1
6A Bellpress With Indicator, 2M	UNS6BPL2M_WE	665	10	UNS6BPL2M_GY	781	1
6A Sockets						
6A 3PIN Sockets outlet with Shutter (BIS)	UNS6SK3P2MNS_WE	553	10	UNS6SK3P2MNS_GY	616	10
6A Switched Socket 2M	UNSSWSO62M_WE	781	10	UNSSWSO62M_GY	830	10
6/16A Sockets						
6/16A Socket	UNS616SK2M_WE	656	10	UNS616SK2M_GY	814	10
USB Chargers						
2.1A 5V USB Charger, 2 Module	UNS21USB2P2M_WE	4127	10	UNS21USB2P2M_GY	4878	1
2.1A 5V USB Charger, 1 Module	UNS21USB1P1M_WE	2837	20	UNS21USB1P1M_GY	3365	20
2.4A 5V A+C USB Charger, 1 Module	UNSACUSB1P1M_WE	4370	10	UNSACUSB1P1M_GY	4914	10
USB A+C 21W PDH 2M WE	UNSUSBAC2MPDH_WE	6262	10	UNSUSBAC2MPDH_GY	6917	10
Blank Plates						
Single Module Blank Plate	UNSBLANK1M_WE	95	20	UNSBLANK1M_GY	106	20
Fan Regulators						
4 Steps 360 Deg Fan Regulator, 1M	UNS4STFAN1M_WE	1155	20	UNS4STFAN1M_GY	1337	20
5 Steps 360 Deg Fan Regulator, 2M	UNS5STFAN2M_WE	1855	10	UNS5STFAN2M_GY	2094	10
Emergency Light Indicator						
Emergency Light Module*	**UNSEMERGENCY2M_WE**	16022	1	-	-	-
Network, Connectivity & Media Series						
RJ 11 (WITH Shutter)	UNSRJ11_1M_WE	378	20	UNSRJ11_1M_GY	446	20
RJ 45 (WITH Shutter), Cat 6	UNSRJ45_1M_WE	1379	20	UNSRJ45_1M_GY	1597	20
TV Socket Coaxial	UNSTVCOAX1M_WE	397	20	UNSTVCOAX1M_GY	470	20
Volume Control	**UNSVOLCTRL2M_WE**	3260	10	**UNSVOLCTRL2M_GY**	3888	10
HDMI	**UNSHDMI_WE**	2820	20	UNSHDMI_GY	3181	20
TV Socket Digital (F-Connector)	**UNSCPTVDIG1M_WE**	450	1	-	-	-
PIR Motion Sensor*	UNSPIR_WE	13155	4	-	-	-

Please contact Customer Care Center for Stockable and Non stockable status of references.
*Bold references are MTO reference.

W.E.F. August 15th, 2026

Unica Pure - Irresistibly Beautiful



UNSEKCSW_WE



UNSCURTAINSW2M_WE



UNSSHAVER_WE



UNSPIR_WE



UNSSKTLT2M_WE



UNFLVPB1M1G_WE



UNFLVPB1M2G_WE

Description	Reference for Polar White	Unit MRP [₹]	Pack	Reference for Volcanic Grey	Unit MRP [₹]	Pack
Hotel Series*						
Cord Outlet	**UNSCORD1M_WE**	548	20	**UNSCORD1M_GY**	609	20
DND / MMR Indicator*	**UNSDM1M**	17167	20	-	-	-
DND/MMR Indicator v.2	**UNSDM1M_WE**	2178	-	UNSDM1M_GY	2489	-
DND Switch	UNSDNDSW1M_WE	737	10	UNSDNDSW1M_GY	899	10
MMR Switch	UNSMMRSW1M_WE	737	10	UNSMMRSW1M_GY	899	10
SW DND MMR with interlock	UNSDNDMMRSW2M_WE	1228	10	UNSDNDMMRSW2M_GY	1472	10
Electronic Keycard Switch, White	UNSEKCSW_WE	9803	5	UNSEKCSW_GY	11331	5
Electronic Keycard Switch, Sandy Beige	**UNSEKCSW_CL**	10241	5	**UNSEKCSW_CD**	10104	5
Curtain Control Switch	**UNSCURTAINSW2M_WE**	1385	10	**UNSCURTAINSW2M_GY**	1606	10
Shaver Socket	UNSSHAVER_WE	10234	1	UNSSHAVER_GY	11162	1
Skirt Light with LED, 2M	UNSSKTLT2M_WE	1829	10	UNSSKTLT2M_GY	2141	10
Door Chime 230V AC 2M	UNSICHIME2M_WE	1824	-	UNSICHIME2M_GY	2000	-
Modular ELV Push Button						
1 Gang ELV Switch	UNFLVPB1M1G_WE	1490	-	UNFLVPB1M1G_GY	1490	-
2 Gang ELV Switch	UNFLVPB1M2G_WE	2601	-	UNFLVPB1M2G_GY	2601	-

* Fully compatible with Miluz & Unica Pure



UNSPHASEG1M



UNSPHASER1M

Description	Reference	Unit MRP [₹]	Pack
LED Phase Indicator			
LED Phase Indicator, Red	UNSPHASER1M	672	20
LED Phase Indicator, Green	UNSPHASEG1M	672	20
LED Phase Indicator, Yellow	**UNSPHASEY1M**	672	20

Please contact Customer Care Center for Stockable and Non stockable status of references.
*Bold references are MTO reference.

W.E.F. August 15th, 2026

Unica Pure - Irresistibly Beautiful



UNPGP2M



UNPGP6M

Description	Reference for Gridplate	Unit MRP [₹]	Pack
Cover Plates			
2 Module Gridplate (Fixing Frame) Only	UNPGP2M	222	4
3 Module Gridplate (Fixing Frame) Only	UNPGP3M	271	9
4 Module Gridplate (Fixing Frame) Only	UNPGP4M	312	8
6 Module Gridplate (Fixing Frame) Only	UNPGP6M	425	9
8 Module Gridplate (Fixing Frame) Only, Linear	UNPGP8ML	438	9
8 Module Gridplate (Fixing Frame) Only, Square	UNPGP8MSQ	560	6
9 Module Gridplate (Fixing Frame) Only	UNPGP9M	583	6
12 Module Gridplate (Fixing Frame) Only	UNPGP12M	654	6
16 Module Gridplate (Fixing Frame) Only	UNPGP16M	795	6
18 Module Gridplate (Fixing Frame) Only	UNPGP18M	901	6



UNPSP2M_WD



UNPSP6M_WD


Description	Reference for Oak Wood	Unit MRP [₹]	Pack
Cover Plates			
1 Module Wood Cover Frame Only	UNPSP1M_WD	3253	6
2 Module Wood Cover Frame Only	UNPSP2M_WD	3457	6
3 Module Wood Cover Frame Only	UNPSP3M_WD	4279	6
4 Module Wood Cover Frame Only	UNPSP4M_WD	4952	6
6 Module Woodl Cover Frame Only	UNPSP6M_WD	7066	3
8 Module Wood Cover Frame Only, Linear	UNPSP8ML_WD	8587	3
8 Module Wood Cover Frame Only, Suare	**UNPSP8MSQ_WD**	10243	6
12 Module Wood Cover Frame Only	UNPSP12M_WD	13695	6



UNPSP2M_GW



UNPSP6M_GW



UNPSP2M_GB



UNPSP6M_GB

Description	Reference for Aqua Glass	Unit MRP [₹]	Pack	Reference for Pearl Black Glass	Unit MRP [₹]	Pack
Cover Plates						
1 Module Aqua Glass Cover Frame Only	UNPSP1M_GW	1798	6	UNPSP1M_GB	2129	6
2 Module Aqua Glass Cover Frame Only	UNPSP2M_GW	2023	6	UNPSP2M_GB	2395	6
3 Module Aqua Glass Cover Frame Only	UNPSP3M_GW	2278	6	UNPSP3M_GB	2603	6
4 Module Aqua Glass Cover Frame Only	UNPSP4M_GW	2381	6	UNPSP4M_GB	2822	6
6 Module Aqua Glass Cover Frame Only	UNPSP6M_GW	4301	3	UNPSP6M_GB	4933	3
8M Aqua Glass Cover Frame Only, Linear	UNPSP8ML_GW	4887	3	UNPSP8ML_GB	5757	3
8M Aqua Glass Cover Frame Only, Suare	UNPSP8MSQ_GW	6190	6	UNPSP8MSQ_GB	7295	6
12 Module Aqua Glass Cover Frame Only	UNPSP12M_GW	7714	6	UNPSP12M_GB	9078	6

Please contact Customer Care Center for Stockable and Non stockable status of references.
*Bold references are MTO reference.

W.E.F. August 15th, 2026


Unica Pure - Irresistibly Beautiful



UNPSP2M_ML



UNPSP6M_ML



UNPSP2M_MD



UNPSP6M_MD

Description	Reference for Pewter Grey Metal	Unit MRP [₹]	Pack	Reference for Black Metal	Unit MRP [₹]	Pack
Cover Plates						
1 Module Pw Grey Metal Cover Frame Only	**UNPSP1M_ML**	3213	6	UNPSP1M_MD	3213	6
2 Module Pw Grey Metal Cover Frame Only	UNPSP2M_ML	3566	6	UNPSP2M_MD	3566	6
3 Module Pw Grey Metal Cover Frame Only	UNPSP3M_ML	4060	6	UNPSP3M_MD	4060	6
4 Module Pw Grey Metal Cover Frame Only	UNPSP4M_ML	4267	6	UNPSP4M_MD	4267	6
6 Module Pw Grey Metal Cover Frame Only	UNPSP6M_ML	7557	3	UNPSP6M_MD	7557	3
8Module Pw Grey Metal CF Only, Linear	UNPSP8ML_ML	8514	3	UNPSP8ML_MD	8514	3
8 Module Pw Grey Metal CF Only, Suare	UNPSP8MSQ_ML	10814	6	UNPSP8MSQ_MD	10814	6
12Module Pw Grey Metal Cover Frame Only	UNPSP12M_ML	13415	6	UNPSP12M_MD	13415	6



UNSCP2M_WE



UNSCP6M_WE



UNSCP2M_GY



UNSCP6M_GY



UNSCP2M_CD



UNSCP6M_CD



UNSCP2M_CL



UNSCP6M_CL

Description	Reference for Molded Polar White	Unit MRP [₹]	Pack	Reference for Molded Volcanic Grey	Unit MRP [₹]	Pack	Reference for Painted Mocha Brown	Unit MRP [₹]	Pack	Reference for Painted Sandy Biege	Unit MRP [₹]	Pack
Cover Plates												
1 Module Plastic Surround and Gridplate	UNSCP1M_WE	309	20	UNSCP1M_GY	439	20	**UNSCP1M_CD**	592	20	UNSCP1M_CL	603	20
2 Module Plastic Surround and Gridplate	UNSCP2M_WE	345	20	UNSCP2M_GY	492	20	UNSCP2M_CD	661	20	UNSCP2M_CL	683	20
3 Module Plastic Surround and Gridplate	UNSCP3M_WE	394	10	UNSCP3M_GY	560	10	UNSCP3M_CD	769	10	UNSCP3M_CL	767	10
4 Module Plastic Surround and Gridplate	UNSCP4M_WE	416	14	UNSCP4M_GY	599	14	UNSCP4M_CD	804	14	UNSCP4M_CL	804	14
6 Module Plastic Surround and Gridplate	UNSCP6M_WE	725	5	UNSCP6M_GY	1035	5	UNSCP6M_CD	1384	5	UNSCP6M_CL	1432	5
8 Module Plastic Surround and Gridplate, Linear	UNSCP8ML_WE	816	5	UNSCP8ML_GY	1155	5	UNSCP8ML_CD	1562	5	UNSCP8ML_CL	1591	5
8 Module Plastic Surround and Gridplate, Square	UNSCP8MSQ_WE	1056	10	UNSCP8MSQ_GY	1601	10	UNSCP8MSQ_CD	1976	10	UNSCP8MSQ_CL	1976	5
9 Module Plastic Surround and Gridplate	UNSCP9M_WE	1326	5	UNSCP9M_GY	2069	5	-	-	-	-	-	-
12 Module Plastic Surround and Gridplate	UNSCP12M_WE	1476	5	UNSCP12M_GY	2596	5	UNSCP12M_CD	2498	5	UNSCP12M_CL	2494	5
16 Module Plastic Surround and Gridplate	UNSCP16M_WE	1816	5	UNSCP16M_GY	3134	5	UNSCP16M_CD	3381	5	UNSCP16M_CL	3381	5
18 Module Plastic Surround and Gridplate	UNSCP18M_WE	1883	1	UNSCP18M_GY	3345	1	UNSCP18M_CD	3624	1	UNSCP18M_CL	3624	1

Please contact Customer Care Center for Stockable and Non stockable status of references.
*Bold references are MTO reference.

W.E.F. August 15th, 2026

Unica Pure+ New

The Full Flat Face of Unica

A Full-Flat Experience, Refined to Perfection



Unica Pure+ builds on an iconic full-flat design that complements modern Indian aesthetics, clean, refined, and elegantly minimal.

Ideal for luxury residences, boutique hotels, and premium workspaces, Unica Pure+ elevates every environment with subtle sophistication.

Built on Strength, Designed for Safety, Made to Last

Robust Unica Platform
Engineered with modular grids and genuine, long-lasting components.

Safety You Can Trust
Child-safe shutters, guarded mechanics, and durability proven through rigorous testing.

Soft, Smooth Interaction
Low-noise, soft-touch switches that bring calmness and ease to every use.




Compact Flat Switch
Optimized Flat Switch Terminal Assembly with Enhanced Wiring Accessibility

Unica Pure+ Cover Frames

The new Unica Pure+ cover frames blend effortlessly with any wall, creating a pure, uninterrupted plane that elevates contemporary interiors.

Key Features that Elevate Every Space
> Complete One-Stop Solution
> New Cover Frames
> Switches with LED ON/OFF Indicators
> Precision-Aligned Switching

Key Benefits
> Designed for modern Indian interiors
> Future-ready ecosystem built to evolve with your needs
> Consistent design DNA across any project size
> A timeless blend of functionality and elegance



Note:
Mix and match Unica Pure+ switches or cover frames with the Unica Pure range to create a seamless look that perfectly complements your interior style.

Introducing Unica Pure+ Switches

The latest extension of the Unica Pure series

UN6FSW1W1M_WE


UN6FSW2W1M_WE

UN16FSW1W1M_WE

UN6FSW2W2M_WE


UN6FB2M_WE


UN32FDPSW2M_WE


UNFDMIL2M_WE


UNFCUR2M_WE


NUPCEKCSW_WE

Description	Reference for Polar White	Unit MRP [₹]	Pack	Reference for Volcanic Grey	Unit MRP [₹]	Pack
6A Switches						
6AX 1 Way Switch With Indicator	UN6FSW1W1M_WE	407	20	UN6FSW1W1M_GY	468	20
6AX 2 Way Switch, 1M	UN6FSW2W1M_WE	578	20	UN6FSW2W1M_GY	647	20
6AX 2 Way Switch, 2M	UN6FSW2W2M_WE	693	10	UN6FSW2W2M_GY	776	10
16A Switches						
16AX 1 Way Switch With Indicator	UN16FSW1W1M_WE	764	20	UN16FSW1W1M_GY	889	20
16AX 2 Way Switch, 1M	UN16FSW2W1M_WE	861	20	UN16FSW2W1M_GY	1014	20
16AX 2 Way Switch, 2M	UN16FSW2W2M_WE	879	10	UN16FSW2W2M_GY	1044	10
Double Pole Switches						
20A Double Pole Switch With Indicator	UN20FDPSW2M_WE	1494	10	UN20FDPSW2M_GY	1760	10
32A Double Pole Switch With Indicator	UN32FDPSW2M_WE	2201	10	UN32FDPSW2M_GY	2636	10
Bell Switches						
6A Bellpress With Indicator, 1M	UN6FB1M_WE	774	20	UN6FB1M_GY	927	20
6A Bellpress With Indicator, 2M	UN6FB2M_WE	964	10	UN6FB2M_GY	1132	10
Hotel Series						
DND Switch	UNFDND1M_WE	1106	10	UNFDND1M_GY	1349	10
MMR Switch	UNFMMR1M_WE	1106	10	UNFMMR1M_GY	1349	10
SW DND MMR With Interlock	UNFDMIL2M_WE	1781	10	UNFDMIL2M_GY	2208	10
Curtain Controll Switch	UNFCUR2M_WE	2078	10	UNFCUR2M_GY	2409	10
Electronic Keycard Switch	NUPCEKCSW_WE	14705	4	NUPCEKCSW_GY	15354	4
Electronic Keycard Switch, Warm Grey & Silver Bronze	NUPCEKCSW_WG	15355	4	NUPCEKCSW_SZ	15355	4

Note:
All mechanisms other than the switches mentioned above can be used from the Unica Pure range only, as they are common across the series

Please contact Customer Care Center for Stockable and Non stockable status of references.
*Bold references are MTO reference.


W.E.F. August 15th, 2026

Unica Pure

NUPC3M_WE



NUPC3M_GY



NUPC3M_SZ




NUPC3M_WG

Description	Reference for Polar White	Unit MRP [₹]	Pack	Reference for Volcanic Grey	Unit MRP [₹]	Pack	Reference for Silver Bronze	Unit MRP [₹]	Pack	Reference for Warm Grey	Unit MRP [₹]	Pack
Cover Plates												
1 Module Plastic Surround and Plate	NUPC1M_WE	94	20	NUPC1M_GY	228	20	NUPC1M_SZ	296	20	NUPC1M_WG	296	20
2 Module Plastic Surround and Plate	NUPC2M_WE	116	20	NUPC2M_GY	270	20	NUPC2M_SZ	351	20	NUPC2M_WG	351	20
3 Module Plastic Surround and Plate	NUPC3M_WE	128	10	NUPC3M_GY	304	10	NUPC3M_SZ	399	10	NUPC3M_WG	399	10
4 Module Plastic Surround and Plate	NUPC4M_WE	132	14	NUPC4M_GY	330	14	NUPC4M_SZ	418	14	NUPC4M_WG	418	14
6 Module Plastic Surround and Plate	NUPC6M_WE	256	5	NUPC6M_GY	488	5	NUPC6M_SZ	700	5	NUPC6M_WG	700	5
8 Module Plastic Surround and Plate, Linear	NUPC8ML_WE	322	5	NUPC8ML_GY	574	5	NUPC8ML_SZ	800	5	NUPC8ML_WG	800	5
8 Module Plastic Surround and Plate, Square	NUPC8MSQ_WE	422	5	NUPC8MSQ_GY	750	5	NUPC8MSQ_SZ	850	5	NUPC8MSQ_WG	850	5
9 Module Plastic Surround and Plate	NUPC9M_WE	521	5	NUPC9M_GY	1100	5	-	-	-	-	-	-
12 Module Plastic Surround and Plate	NUPC12M_WE	576	5	NUPC12M_GY	1400	5	NUPC12M_SZ	1500	5	NUPC12M_WG	1500	5
16 Module Plastic Surround and Plate	NUPC16M_WE	716	5	NUPC16M_GY	1700	5	NUPC16M_SZ	1850	5	NUPC16M_WG	1850	5
18 Module Plastic Surround and Plate	NUPC18M_WE	787	5	NUPC18M_GY	1850	5	NUPC18M_SZ	2000	5	NUPC18M_WG	2000	5


Note:
Cover plate does not include the grid plate. Please refer to the **Unica Pure Grid Plate**

Wiring Diagram Unica Pure




> 10AX Intermediate Switch

UNS10SW1M_WE, UNS10SW1M_GY



> 20A Double Pole Switch With Indicator


UNS20DP2M_WE, UNS20DP2M_GY



> 32A Double Pole Switch With Indicator

UNS32DP2M_WE, UNS32DP2M_GY


Wiring Diagram Unica Pure



> Curtain Control Switch

UNSCURTAINSW2M_WE


1. Normal Operation



> PIR Motion Sensor*

UNSPIR_WE


2. Two sensors control one load



> PIR Motion Sensor*

UNSPIR_WE


3. One sensors control staircase timer (set time knob to 1s)



> PIR Motion Sensor*


UNSPIR_WE

Wiring Diagram Unica Pure




> DND/MMR Indicator v.2 > Do Not Disturb Switch
> Make My Room Switch > DND Switch
> MMR Switch

UNSDM1M_WE, UNSDM1M_GY, UNSDNDSW1M_WE, UNSDNDSW1M_GY, UNSMMRSW1M_WE, UNSMMRSW1M_GY



> Unica Pure Key Card

UNSEKCSW_WE, UNSEKCSW_GY, UNSEKCSW_CL, UNSEKCSW_CD



> SW DNDMMR with interlock

UNSDNDMMRSW2M_WE & UNSDNDMMRSW2M_GY

ZENcelo India - The Revolutionary Full-Flat Switch





- **World's First and only Full**-Flat Mechanical Switch
- **Patented Iso**-Motion Technology - Ensures switch stays in the same position whether On or Off
- **Robust & Strong** - Made of corrosion-resistant, heat-resistant and impact-resistant polycarbonate
- **Safe to Use** - Electric arc encapsulated switches and Data Sockets with patented integrated shutter
- **Designed to Last** - Switches tested to 80,000 times; Sockets tested to 15,000 cycles.
- **Green & Eco Friendly** - RoHS compliant range
- **Dust Proof Cover**
- **All Dark Grey references covered with electrostatic protective film**
- **Intermediate switches to control multiple 2way switches**
- **16AX~20A 1 Way 2G Switch (1M) - IN8444/16: Single: switch to control two loads**



IN8401



IN8401/16



IN8444/16



IN8486/20



IN8405



IN8425



IN84SFR



IN8404D



IN8426/16



IN8425MS



IN8431RJS4



IN8431AC21USB_BZ



INH8451




INH8454

Description	Reference for White	Unit MRP [₹]	Pack	Reference for Dark Grey	Unit MRP [₹]	Pack
Switches						
6AX 1 Way switch	IN8401	552	10	IN8401(BZ)	691	10
6AX 1 Way switch (2M)	**IN8421**	991	10	**IN8421(BZ)**	1173	10
6AX 2 Way switch	IN8402	691	10	IN8402(BZ)	831	10
6AX 1 Way switch with Neon	IN8481	887	10	IN8481(BZ)	1061	10
16AX~20A 1 Way switch	IN8401/16	843	10	IN8401/16(BZ)	1026	10
16AX~20A 1 Way switch (2M)	IN8421/16	1311	10	-	-	-
16AX~20A 1 Way switch with Neon	IN8481/16	1209	10	IN8481/16(BZ)	1433	10
16AX~20A 1 Way switch with Neon (2M)	**IN8482/16**	1549	10	**IN8482/16(BZ)**	1840	10
16AX~20A 2 Way switch	IN8402/16	1196	10	IN8402/16(BZ)	1551	10
16AX~20A 2 Way switch (2M)	IN8422/16	1433	10	IN8422/16(BZ)	1848	10
16AX~20A 1 Way 2G switch (1M)	IN8444/16	1377	10	IN8444/16(BZ)	1677	10
10AX Intermediate switch	IN8430/IM	2326	10	-	-	-
6A Momentary Switch	**IN8487**	1149	10	**IN8487_BZ**	1357	-
20A DP Switch with Neon (2M)	IN8486/20	1845	5	IN8486/20(BZ)	2550	5
32A DP Switch with Neon (2M)	IN8486/32	2871	5	IN8486/32(BZ)	3642	5
Motor Starter Switch						
25A Motor Starter switch (2M)	IN8425MS	4986	10	IN8425MS(BZ)	5331	10
Bell Push						
6A Bell Push switch	IN8405	784	10	IN8405(BZ)	1005	10
6A Bell Push switch (2M)	IN8425	1274	10	**IN8425(BZ)**	1600	10
6A Bell Push switch with Neon	IN8485	1151	10	IN8485(BZ)	1356	10
6A Bell Push switch with Neon (2M)	IN8486	1347	10	IN8486(BZ)	1761	10
Sockets						
6A 3 PIN Socket Outlet with Shutter (BIS)	IN8426UNS	911	10	IN8426UNS_BZ	1104	10
6A/16A 3 Pin Socket with Shutter	IN8426/16	1356	10	IN8426/16(BZ)	1661	10
Fan Regulators & Dimmers						
Fan Control (5 Speeds)	IN84SFR	3438	5	IN84SFR(BZ)	4127	5
Full Flat 500W Dimmer Module (1 Gang)	IN8404D	3123	10	IN8404D(BZ)	3700	10
USB Chargers						
1 Gang USB Charger - 2.1A (1M)	IN8431USB_WE	5254	10	IN8431USB_BZ	6029	10
2.4A 5V A+C USB Charger (1M)	IN8431AC21USB_WE	5222	10	IN8431AC21USB_BZ	5985	10
Accessories						
RJ11 Telephone Outlet with shutter (1 Gang)	IN8431RJS4	825	10	IN8431RJS4(BZ)	1015	10
RJ45 Cat6 Data Outlet with shutter	IN8431RJ6	2912	10	IN8431RJ6(BZ)	3557	10
TV Socket	IN8431TV	630	10	IN8431TV(BZ)	810	10
Foot Lamp with White LED (2M)	IN8490FLW	6622	10	-	-	-
Foot Lamp with Yellow LED (2M)	IN8490FLY	6458	10	-	-	-
Blank off unit (1M)	IN8430X	206	10	IN8430X(BZ)	254	10
Door Chime 230VAC 2M	INCHIME8488	3196	-	INCHIME8488_BZ	3575	-
Hotel Series						
Do Not Disturb Panel	**INH8451**	5204	10	INH8451(BZ)	5882	10
Make My Room Panel	**INH8454**	4864	10	INH8454(BZ)	5428	10
Do Not Disturb Switch	**INH8452**	2583	10	INH8452(BZ)	2851	10
Do Not Disturb Switch (2M)	-	-	-	**INH8453(BZ)**	3197	10
Make My Room Switch	**INH8455**	2524	10	INH8455(BZ)	3006	10


Please contact Customer Care Center for Stockable and Non stockable status of references.
*Bold references are MTO reference.

W.E.F. August 15th, 2026

ZENcelo India - The Revolutionary Full-Flat Switch




IN8403C




IN8406C



IN8402C(BZ)



IN8404C(SZ)




IN84012C(SA)

Description	Reference for White	Unit MRP [₹]	Pack	Reference for Dark Grey	Unit MRP [₹]	Pack	Reference for Silver Bronze	Unit MRP [₹]	Pack	Reference for Satin Silver	Unit MRP [₹]	Pack
Cover Plates												
1M Grid & 1M Cover Frame	IN8401C	553	10	IN8401C(BZ)	698	10	IN8401C(SZ)	1641	10	**IN8401C(SA)**	1801	10
2M Grid & 2M Cover Frame	IN8402C	580	10	IN8402C(BZ)	733	10	IN8402C(SZ)	1625	10	IN8402C(SA)	1782	10
3M Grid & 3M Cover Frame	IN8403C	682	10	IN8403C(BZ)	864	10	IN8403C(SZ)	1997	10	IN8403C(SA)	2191	10
4M Grid & 4M Cover Frame	IN8404C	744	10	IN8404C(BZ)	1015	10	IN8404C(SZ)	2400	10	IN8404C(SA)	2635	10
6M Grid & 6M Cover Frame	IN8406C	1135	5	IN8406C(BZ)	1442	5	IN8406C(SZ)	3295	5	IN8406C(SA)	3650	5
8M Grid & 8M Cover Frame - Horizontal	IN8408HC	1361	5	IN8408HC(BZ)	1724	5	IN8408HC(SZ)	4494	5	IN8408HC(SA)	4932	5
8M Grid & 8M Cover Frame - Square	IN8408SC	1815	5	IN8408SC(BZ)	2659	5	-	-	-	**IN8408SC(SA)**	5987	5
9M Grid & 9M Cover Frame	**IN8409C**	2499	5	-	-	-	**IN8409C(SZ)**	7544	5	-	-	-
12M Grid & 12M Cover Frame	IN84012C	3011	5	IN84012C(BZ)	3927	5	IN84012C(SZ)	10145	5	**IN84012C(SA)**	11134	5
18M Grid & 18M Cover Frame	IN84018C	4247	5	IN84018C(BZ)	5812	5	IN84018C(SZ)	13428	5	**IN84018C(SA)**	14739	5

Please contact Customer Care Center for Stockable and Non stockable status of references.
*Bold references are MTO reference.


W.E.F. August 15th, 2026

Wiring Diagram ZENcelo




> 10AX Intermediate Switch

IN8430/IM, IN8430/IM (BZ)



> 16AX~20A 1 Way 2G Switch (1M)


IN8444/16, IN8444/16 (BZ)



> 20A DP Switch with Neon (2M)


IN8486/20, IN8486/20 (BZ)

Wiring Diagram ZENcelo




> 32A DP Switch with Neon (2M)

IN8486/32, IN8486/32 (BZ)



> Do Not Disturb Panel > Make My Room Panel
> Do Not Distrub Switch > Make My Room Switch

INH8451,INH8451 (BZ), INH8454, INH8454 (BZ),
INH8452, INH8452 (BZ), INH8455, INH8455 (BZ)



> Do Not Disturb Panel > Make My Room Panel
> Do Not Disturb Switch (2M) > Make My Room Switch

INH8451, INH8451 (BZ), INH8454, INH8454 (BZ)
INH8453 (BZ), INH8455, INH8455 (BZ)

AvatarOn - It's also a Switch

White (WE)


Wine Gold (WG)


Dark Grey (DG)


Dark Wood (WD)


Gold Hairline (GH)


Light Wood (LW)

Award-winning Designs: In 2017, AvatarOn gained international recognition for its innovative design and quality excellence and was awarded the iF Design Award

Ingenious Beauty

- The ground-breaking AvatarOn series is a true marriage of aesthetics and practicality, making it a perfect choice for all home or office designs.

Safe and Reliable

- Our patented "Slim Rocker, Sure Click" SS technology not only gives AvatarOn a greater thinness overall, but also a near-zero contact jitter that reduces sparks, thus ensuring a safe and reliable use.

Customisable Covers for True Adaptability

- AvatarOn switches are available in an array of replaceable covers for full customisation and integration into any home decor. The customised pattern covers of AvatarOn provides you with an extra canvas to showcase your creativity in a subtle yet apparent way.

Modern Look

- The stylish and streamlined design of AvatarOn switch covers are finished in white, soft wood, dark wood and gold hairline materials for a classic look and universal elegance.

Tech-chic Design that Shines

- The AvatarOn soft LED locators merges seamlessly with its sleek giant dolly, creating a stylish and streamlined design and glow with a soft luminescent in the dark, indicating the exact location of each switch at night.

Multifunctional Accessories for Every Day Conveniences

E8331L1_WE_G8


E8331L1_WD_G8

E8331L1LED_WE_G8


E8331L1LED_WD_G8

E8331L2_WE_G8


E8331L2_WD_G8


E8332L1_WE_G8


E8332L1_WD_G8

E8332L2_WE_G8


E8332L2_WD_G8

Product Description	Color	Product Ref. No.	Unit MRP [₹]	Pack
16A Switches (Base + Cover Plate)				
16AX 250V 1 Gang 1 Way Switch	White	E8331L1_WE_G8	770	1
	Wine Gold	E8331L1_WG_G8	1156	10
	Dark Grey	E8331L1_DG_G8	1156	1
	Metal Gold Hairline	E8331L1_GH_G8	1161	10
	Light Wood	**E8331L1_LW_G8**	1252	10
	Dark Wood	E8331L1_WD_G8	1161	10
16AX 250V 1 Gang 1 Way Switch with LED Indicator	White	E8331L1LED_WE_G8	1156	1
	Wine Gold	**E8331L1LED_WG_G8**	1729	10
	Dark Grey	**E8331L1LED_DG_G8**	1729	1
	Metal Gold Hairline	**E8331L1LED_GH_G8**	1737	10
	Light Wood	**E8331L1LED_LW_G8**	2042	10
	Dark Wood	**E8331L1LED_WD_G8**	1737	10
16AX 250V 1 Gang 2 Way Switch	White	E8331L2_WE_G8	795	1
	Wine Gold	E8331L2_WG_G8	1234	10
	Dark Grey	E8331L2_DG_G8	1234	1
	Metal Gold Hairline	**E8331L2_GH_G8**	1239	10
	Light Wood	**E8331L2_LW_G8**	1336	10
	Dark Wood	E8331L2_WD_G8	1239	10
16AX 250V 1 Gang 2 Way Switch with LED Indicator	White	**E8331L2LED_WE_G8**	1234	10
	Wine Gold	**E8331L2LED_WG_G8**	1852	10
	Dark Grey	**E8331L2LED_DG_G8**	1852	1
	Metal Gold Hairline	**E8331L2LED_GH_G8**	1861	10
	Light Wood	**E8331L2LED_LW_G8**	2188	10
	Dark Wood	**E8331L2LED_WD_G8**	2106	10
16AX 250V 2 Gang 1 Way Switch	White	E8332L1_WE_G8	1200	1
	Wine Gold	E8332L1_WG_G8	1801	10
	Dark Grey	E8332L1_DG_G8	1801	1
	Metal Gold Hairline	E8332L1_GH_G8	1818	10
	Light Wood	**E8332L1_LW_G8**	1896	10
	Dark Wood	E8332L1_WD_G8	1818	10
16AX 250V 2 Gang 1 Way Switch with LED Indicator	White	E8332L1LED_WE_G8	1801	1
	Wine Gold	**E8332L1LED_WG_G8**	2703	10
	Dark Grey	**E8332L1LED_DG_G8**	2703	1
	Metal Gold Hairline	**E8332L1LED_GH_G8**	2730	10
	Light Wood	**E8332L1LED_LW_G8**	3221	10
	Dark Wood	**E8332L1LED_WD_G8**	2730	10
16AX 250V 2 Gang 2 Way Switch	White	E8332L2_WE_G8	1461	1
	Wine Gold	E8332L2_WG_G8	2191	10
	Dark Grey	E8332L2_DG_G8	2191	1
	Metal Gold Hairline	E8332L2_GH_G8	2211	10
	Light Wood	**E8332L2_LW_G8**	2611	10
	Dark Wood	E8332L2_WD_G8	2211	10

Please contact Customer Care Center for Stockable and Non stockable status of references.
*Bold references are MTO reference.

W.E.F. August 15th, 2026

AvatarOn - It's also a Switch

E8332L2LED_WE_G8


E8332L2LED_WD_G8

E8333L1LED_WE_G8


E8333L1LED_WD_G8

E8333L2_WE_G8


E8333L2_WD_G8

E8333L2LED_WE_G8


E8333L2LED_WD_G8

E8334L1_WE_G8


E8334L1_WD_G8

E8334L1LED_WE_G8


E8334L1LED_WD_G8

E8334L2_WE_G8


E8334L2_WD_G8

E8334L2LED_WE_G8

Product Description	Color	Product Ref. No.	Unit MRP [₹]	Pack
16A Switches (Base + Cover Plate)				
16AX 250V 2 Gang 2 Way Switch with LED Indicator	White	**E8332L2LED_WE_G8**	2191	10
	Wine Gold	**E8332L2LED_WG_G8**	3288	10
	Dark Grey	**E8332L2LED_DG_G8**	3288	1
	Dark Wood	**E8332L2LED_WD_G8**	3320	10
16AX 250V 3 gang 1 Way Switch	White	E8333L1_WE_G8	1979	1
	Wine Gold	E8333L1_WG_G8	2969	10
	Dark Grey	E8333L1_DG_G8	3025	1
	Metal Gold Hairline	E8333L1_GH_G8	3011	10
	Light Wood	**E8333L1_LW_G8**	3111	10
	Dark Wood	E8333L1_WD_G8	3011	10
16AX 250V 3 gang 1 Way Switch with LED Indicator	White	**E8333L1LED_WE_G8**	2969	10
	Wine Gold	**E8333L1LED_WG_G8**	4451	10
	Dark Grey	**E8333L1LED_DG_G8**	4451	1
	Metal Gold Hairline	**E8333L1LED_GH_G8**	4515	10
	Light Wood	**E8333L1LED_LW_G8**	5280	10
	Dark Wood	**E8333L1LED_WD_G8**	4515	10
16AX 250V 3 gang 2 Way Switch	White	E8333L2_WE_G8	2130	1
	Wine Gold	E8333L2_WG_G8	3196	10
	Dark Grey	E8333L2_DG_G8	3196	1
	Metal Gold Hairline	E8333L2_GH_G8	3243	10
	Dark Wood	E8333L2_WD_G8	3243	10
16AX 250V 3 gang 2 Way Switch with LED Indicator	White	**E8333L2LED_WE_G8**	3196	10
	Wine Gold	**E8333L2LED_WG_G8**	4793	10
	Dark Grey	**E8333L2LED_DG_G8**	4793	1
	Metal Gold Hairline	**E8333L2LED_GH_G8**	4862	10
	Light Wood	**E8333L2LED_LW_G8**	5426	10
	Dark Wood	**E8333L2LED_WD_G8**	4862	10
16AX 250V 4 Gang 1 Way Switch	White	E8334L1_WE_G8	2846	1
	Wine Gold	E8334L1_WG_G8	4272	10
	Dark Grey	E8334L1_DG_G8	4272	1
	Metal Gold Hairline	E8334L1_GH_G8	4331	10
	Light Wood	**E8334L1_LW_G8**	4475	10
	Dark Wood	E8334L1_WD_G8	4331	10
16AX 250V 4 Gang 1 Way Switch with LED Indicator	White	E8334L1LED_WE_G8	4272	10
	Wine Gold	**E8334L1LED_WG_G8**	6405	10
	Dark Grey	**E8334L1LED_DG_G8**	6405	1
	Metal Gold Hairline	**E8334L1LED_GH_G8**	6497	10
	Light Wood	**E8334L1LED_LW_G8**	7597	10
	Dark Wood	**E8334L1LED_WD_G8**	6497	10
16AX 250V 4 Gang 2 Way Switch	White	E8334L2_WE_G8	3274	1
	Wine Gold	E8334L2_WG_G8	4909	10
	Dark Grey	E8334L2_DG_G8	5003	1
	Metal Gold Hairline	E8334L2_GH_G8	4981	10
	Dark Wood	E8334L2_WD_G8	4981	10
16AX 250V 4 Gang 2 Way Switch with LED Indicator	White	**E8334L2LED_WE_G8**	4909	10
	Wine Gold	**E8334L2LED_WG_G8**	7366	10
	Dark Grey	**E8334L2LED_DG_G8**	7366	1
	Metal Gold Hairline	**E8334L2LED_GH_G8**	7471	10

Please contact Customer Care Center for Stockable and Non stockable status of references.
*Bold references are MTO reference.

W.E.F. August 15th, 2026

AvatarOn - It's also a Switch

E8331M_WE_G8


E8331PRL1_WD_G8

E8332PRL1_WE_G8


E8332PRL1_WD_G8


E8331D20N_WE_G8


E8331D20N_WD_G8


E8331D32N_WE_G8


E8332D20N_WD_G8


E8331D32N_WD_G8


E8331D45N_WD_G8

Product Description	Color	Product Ref. No.	Unit MRP [₹]	Pack
16A Intermediate Switches				
16AX 250V 1 Gang Intermediate Switch	White	**E8331M_WE_G8**	2647	1
	Wine Gold	**E8331M_WG_G8**	3971	1
	Dark Grey	**E8331M_DG_G8**	3971	1
10A Momentary Switches				
10A 250V 1 Gang Momentary Switch	Dark Wood	**E8331PRL1_WD_G8**	1415	10
10A 250V 2 Gang Momentary Switch	White	**E8332PRL1_WE_G8**	1188	10
	Wine Gold	**E8332PRL1_WG_G8**	1779	10
	Dark Grey	**E8332PRL1_DG_G8**	1779	1
	Metal Gold Hairline	**E8332PRL1_GH_G8**	1779	10
	Dark Wood	**E8332PRL1_WD_G8**	1779	10
Double Pole Switches				
20A 250V 1 Gang Double Pole Switch with LED Indicator	White	E8331D20N_WE_G8	2037	10
	Wine Gold	E8331D20N_WG_G8	3051	10
	Dark Grey	E8331D20N_DG_G8	3051	1
	Metal Gold Hairline	E8331D20N_GH_G8	3080	10
	Light Wood	**E8331D20N_LW_G8**	2997	10
	Dark Wood	E8331D20N_WD_G8	3080	10
20A 250V 2 Gang Double Pole Switch with LED Indicator	White	E8332D20N_WE_G8	2593	10
	Wine Gold	E8332D20N_WG_G8	3662	10
	Dark Grey	E8332D20N_DG_G8	3662	1
	Metal Gold Hairline	E8332D20N_GH_G8	3872	10
	Dark Wood	E8332D20N_WD_G8	3697	10
32A 250V 1 Gang Double Pole Switch with LED Indicator	White	E8331D32N_WE_G8	2702	10
	Wine Gold	E8331D32N_WG_G8	4051	10
	Dark Grey	E8331D32N_DG_G8	4051	1
	Metal Gold Hairline	E8331D32N_GH_G8	4089	10
	Light Wood	E8331D32N_LW_G8	4089	10
	Dark Wood	E8331D32N_WD_G8	4089	10
45A 250V 1 Gang Double Pole Switch with LED Indicator	Wine Gold	E8331D45N_WG_G8	5066	10
	Dark Grey	E8331D45N_DG_G8	5157	1
	Metal Gold Hairline	E8331D45N_GH_G8	5207	10
	Dark Wood	E8331D45N_WD_G8	4880	10

Please contact Customer Care Center for Stockable and Non stockable status of references.
*Bold references are MTO reference.

W.E.F. August 15th, 2026

AvatarOn - It's also a Switch

E8331BPL1_WE_G8


E8331BPL1_WD_G8


E8315_6_NS_WE


E8315_6_NS_WD


E8331FR350_WE_G8


E8331FR350_WD_G8

E8331_WE


E8331_WD

E8331KH_WE


E8332_WD

E8332_WE

E8333_WE

Product Description	Color	Product Ref. No.	Unit MRP [₹]	Pack
Bell Push Switch				
10A 250V Door Bell Push Switch	White	E8331BPL1_WE_G8	862	1
	Wine Gold	E8331BPL1_WG_G8	1296	10
	Dark Grey	E8331BPL1_DG_G8	1290	1
	Metal Gold Hairline	E8331BPL1_GH_G8	1309	10
	Light Wood	**E8331BPL1_LW_G8**	1321	10
	Dark Wood	E8331BPL1_WD_G8	1309	10
Sockets				
6A 2/3 Pin Switched Socket	White	E8315_6_NS_WE	1716	8
	Wine Gold	E8315_6_NS_WG	2223	8
	Dark Grey	E8315_6_NS_DG	2181	1
	Metal Gold Hairline	E8315_6_NS_GH	2203	8
	Light Wood	E8315_6_NS_LW	2286	8
	Dark Wood	E8315_6_NS_WD	2203	8
6/16A Switched Socket	White	E8315_16_WE	2153	8
	Wine Gold	E8315_16_WG	2738	8
	Dark Grey	E8315_16_DG	2738	1
	Metal Gold Hairline	E8315_16_GH	2816	8
	Light Wood	**E8315_16_LW**	2869	8
	Dark Wood	E8315_16_WD	2764	8
Fan Regulators				
5 Steps 360 Deg Fan Regulator	White	E8331FR350_WE_G8	4088	1
	Wine Gold	E8331FR350_WG_G8	5389	1
	Dark Grey	E8331FR350_DG_G8	5389	1
	Metal Gold Hairline	E8331FR350_GH_G8	5389	1
	Light Wood	**E8331FR350_LW_G8**	5751	1
	Dark Wood	E8331FR350_WD_G8	5389	1
Switch & Socket Covers (Additional)				
1 Gang Switch Cover	White	**E8331_WE**	234	1
	Wine Gold	**E8331_WG**	648	1
	Metal Gold Hairline	**E8331_GH**	943	1
	Dark Wood	**E8331_WD**	648	1
1 Gang Switch Cover with Keyholder	White	**E8331KH_WE**	558	1
2 Gang Switch Cover	White	**E8332_WE**	353	1
	Wine Gold	**E8332_WG**	884	1
	Metal Gold Hairline	**E8332_GH**	884	1
	Light Wood	**E8332_LW**	908	1
	Dark Wood	**E8332_WD**	884	1
3 Gang Switch Cover	White	**E8333_WE**	546	1
	Wine Gold	**E8333_WG**	1300	1
	Metal Gold Hairline	**E8333_GH**	1300	1
	Light Wood	**E8333_LW**	1275	1

Please contact Customer Care Center for Stockable and Non stockable status of references.
*Bold references are MTO reference.

W.E.F. August 15th, 2026

AvatarOn - It's also a Switch

E8334_WE



E8334_WD



E8315C_6_NC_WE



E8315C_6_NC_WD



E8332USB_WE_G8



E8315C_16_WD



E8332ACQUSB_WE



E8332USB_WD_G8

E8331_26_WE

E8331_36_WE

E8331_46_WE

E8330TX_WE

Product Description	Color	Product Ref. No.	Unit MRP [₹]	Pack
4G Switch Cover	White	**E8334_WE**	853	1
	Wine Gold	**E8334_WG**	1594	1
	Dark Grey	**E8334_DG**	1523	1
	Metal Gold Hairline	**E8334_GH**	1771	1
	Light Wood	**E8334_LW**	1741	1
	Dark Wood	**E8334_WD**	1594	1
6A 2/3 Pin Switched Socket Cover	White	E8315C_6_NC_WE	610	12
	Wine Gold	E8315C_6_NC_WG	1032	12
	Dark Grey	E8315C_6_NC_DG	1032	1
	Metal Gold Hairline	E8315C_6_NC_GH	1032	12
	Light Wood	E8315C_6_NC_LW	1193	12
	Dark Wood	E8315C_6_NC_WD	1032	12
16A 2/3 Pin Switched Socket Cover	Wine Gold	**E8315C_16_WG**	1080	12
	Dark Grey	**E8315C_16_DG**	1080	1
	Metal Gold Hairline	**E8315C_16_GH**	1199	12
	Light Wood	**E8315C_16_LW**	1189	12
	Dark Wood	**E8315C_16_WD**	1199	12
USB Chargers				
2 x 2.1A USB Charger with Mobile Holder (2.1A with 2 outputs used simultaneously)	White	**E8332USB_WE_G8**	10250	1
	Wine Gold	**E8332USB_WG_G8**	15377	1
	Dark Grey	E8332USB_DG_G8	15377	1
	Metal Gold Hairline	**E8332USB_GH_G8**	15377	1
	Light Wood	**E8332USB_LW_G8**	18225	1
	Dark Wood	**E8332USB_WD_G8**	15377	1
21W Type A+C, PD+QC3.0 USB Charger	Metal Gold Hairline	E8332ACQUSB_GH	9330	-
	Light Wood	**E8332ACQUSB_LW**	10000	-
	Dark Wood	E8332ACQUSB_WD	9330	-
	White	E8332ACQUSB_WE	7542	-
	Wine Gold	E8332ACQUSB_WG	9330	-
Blacket/Frame (to ensure allignment of switches on 2/3/4 Gang metal box)				
2 Gang Blacket/Frame	White	E8331_26_WE	387	1
	Wine Gold	E8331_26_WG	507	1
	Dark Grey	E8331_26_DG	482	1
3 Gang Blacket/Frame	White	E8331_36_WE	426	1
	Wine Gold	E8331_36_WG	597	1
	Dark Grey	E8331_36_DG	569	1
4 Gang Blacket/ Frame	White	E8331_46_WE	455	1
	Wine Gold	E8331_46_WG	640	1
	Dark Grey	E8331_46_DG	611	1
Blank Plates				
1 Gang Blank Plate	White	E8330X_WE	519	1
	Wine Gold	E8330X_WG	781	1
	Dark Grey	E8330X_DG	781	1
	Metal Gold Hairline	E8330X_GH	817	1
	Dark Wood	E8330X_WD	817	1
2 Gang Blank Plate	White	**E8330TX_WE**	726	1
	Wine Gold	**E8330TX_WG**	1127	1
	Dark Grey	**E8330TX_DG**	1127	1
	Metal Gold Hairline	**E8330TX_GH**	3124	1

Please contact Customer Care Center for Stockable and Non stockable status of references.
*Bold references are MTO reference.

W.E.F. August 15th, 2026

AvatarOn - It's also a Switch



E8331BPDMW_WE_G8



E8331KPB_WE



E8332C_WE_G8



E8332C_WD_G8



E83T727V_WE



E83T727V_WD



E8331RJS4_WE



E8331RJS4_WD

Product Description	Color	Product Ref. No.	Unit MRP [₹]	Pack
Hotel Series				
DND, PCU, PW Indicator with Bell Switch (Do Not Disturb, Please Clean Up, Please Wait)	White	**E8331BPDMW_WE_G8**	7465	1
	Wine Gold	**E8331BPDMW_WG_G8**	11196	10
	Dark Grey	**E8331BPDMW_DG_G8**	11196	1
16AX 3 Gang Switch with PCU, DND, PW Sym (Do Not Disturb, Please Clean Up, Please Wait)	White	**E8333DMWS_WE_G8**	7104	1
	Wine Gold	**E8333DMWS_WG_G8**	10366	10
	Dark Grey	**E8333DMWS_DG_G8**	10859	1
	Dark Wood	**E8333DMWS_WD_G8**	11061	10
250V 16A Electronic Keycard Switch	White	E8331EKT_WE	13288	1
	Wine Gold	E8331EKT_WG	19934	1
	Dark Grey	E8331EKT_DG	19933	1
	Dark Wood	**E8331EKT_WD**	20882	1
Panic Button with Key Reset	White	**E8331KPB_WE**	2493	1
	Wine Gold	**E8331KPB_WG**	3663	1
	Dark Grey	**E8331KPB_DG**	3149	1
10A 2 Gang Mechanical Curtain Switch	White	E8332C_WE_G8	1547	1
	Wine Gold	**E8332C_WG_G8**	2320	10
	Dark Grey	E8332C_DG_G8	2320	1
	Metal Gold Hairline	**E8332C_GH_G8**	2320	10
	Light Wood	**E8332C_LW_G8**	2579	10
	Dark Wood	**E8332C_WD_G8**	2320	10
115/240V 20VA Universal Version Shaver	White	**E83T727V_WE**	7375	1
	Wine Gold	**E83T727V_WG**	11945	1
	Dark Grey	**E83T727V_DG**	12516	1
	Metal Gold Hairline	**E83T727V_GH**	12516	1
	Dark Wood	**E83T727V_WD**	13112	1
Connection Units				
13A 250V 1 Gang Fused Connection with DP Switch and Neon	Wine Gold	**E8331DFSGN_WG**	6719	10
25A 250V 1 Gang Connection Unit	Metal Gold Hairline	**E8331TB_GH**	2908	10
Telecom, Network, Connectivity & Media Series				
1 Gang Telephone Socket, Shuttered Wallplate	White	E8331RJS4_WE	1149	1
	Wine Gold	E8331RJS4_WG	1916	1
	Dark Grey	E8331RJS4_DG	1916	1
	Metal Gold Hairline Light Wood	E8331RJS4_GH	1916	1
	Dark Wood	E8331RJS4_WD	1916	1

Please contact Customer Care Center for Stockable and Non stockable status of references.
*Bold references are MTO reference.

W.E.F. August 15th, 2026

AvatarOn - It's also a Switch


E8332RJS4_WE


E8331RJS5_WE


E8332RJS5_WE


E8331RJS6_WE


E8332RJS6_WE


E8331TV_WE


E8331TVSF_WE


E8332TDRJS5_WE


E8332TVRJS5_WE


E8332HDUSB_WE


E8332HDHD_WE


E8331RJS_WE


E8332RJS_WE

Product Description	Color	Product Ref. No.	Unit MRP [₹]	Pack
2G Tel Socket, Shuttered Wallplate	White	**E8332RJS4_WE**	2821	1
	Wine Gold	**E8332RJS4_WG**	4236	1
1 Gang RJ45 Data Cat5E, Shuttered	White	E8331RJS5_WE	1797	1
	Wine Gold	E8331RJS5_WG	3134	1
	Dark Grey	**E8331RJS5_DG**	2991	1
	Metal Gold Hairline	E8331RJS5_GH	2991	1
	Dark Wood	**E8331RJS5_WD**	3134	1
2 Gang RJ45 Data Cat5E, Shuttered	White	**E8332RJS5_WE**	3285	1
	Wine Gold	**E8332RJS5_WG**	5478	1
	Dark Grey	**E8332RJS5_DG**	5180	1
	Metal Gold Hairline	**E8332RJS5_GH**	5229	10
1 Gang RJ45 Data Cat6, Shuttered	White	E8331RJS6_WE	2148	1
	Wine Gold	E8331RJS6_WG	3219	1
	Dark Grey	E8331RJS6_DG	3219	1
2 Gang RJ45 Data Cat6, Shuttered	White	**E8332RJS6_WE**	4023	1
	Wine Gold	**E8332RJS6_WG**	6036	1
	Dark Grey	**E8332RJS6_DG**	6036	1
1 Gang TV Socket, 75Ω, Through-Connect	White	E8331TV_WE	906	1
	Wine Gold	**E8331TV_WG**	1509	1
	Dark Grey	**E8331TV_DG**	1509	1
	Metal Gold Hairline	**E8331TV_GH**	1509	10
	Dark Wood	**E8331TV_WD**	1509	1
1 Gang TV Socket, Slave 5-1000	White	**E8331TVSF_WE**	1002	10
	Wine Gold	**E8331TVSF_WG**	1678	1
	Dark Grey	**E8331TVSF_DG**	1598	1
1 Gang Tel + RJ45 Data Cat5E, Shuttered	White	E8332TDRJS5_WE	2821	1
	Wine Gold	E8332TDRJS5_WG	4703	1
	Dark Grey	E8332TDRJS5_DG	4490	1
	Metal Gold Hairline	**E8332TDRJS5_GH**	4490	1
	Dark Wood	**E8332TDRJS5_WD**	4703	1
1 Gang TV+ RJ45 Data Cat5E, Shuttered	White	**E8332TVRJS5_WE**	3498	1
	Wine Gold	**E8332TVRJS5_WG**	5837	1
	Dark Grey	**E8332TVRJS5_DG**	5570	1
	Metal Gold Hairline	**E8332TVRJS5_GH**	5570	1
	Dark Wood	**E8332TVRJS5_WD**	6485	1
1 Gang TV+ RJ45 Data Cat6, Shuttered	White	**E8332TVRJS6_WE**	3498	1
	Wine Gold	**E8332TVRJS6_WG**	5837	1
	Dark Grey	**E8332TVRJS6_DG**	5570	1
HDMI + USB Socket	White	**E8332HDUSB_WE**	7455	1
	Wine Gold	**E8332HDUSB_WG**	12423	8
	Dark Grey	**E8332HDUSB_DG**	11858	1
2 Gang HDMI+HDMI, Keystone on Wallplate	White	**E8332HDHD_WE**	4088	1
Volume Control, 5W, 8Ohm	Wine Gold	**E8331VC_WG**	4648	10
	Dark Grey	**E8331VC_DG**	4924	1
1 Gang S Keystone Wallplate (w/o Mod)	White	**E8331RJS_WE**	906	10
	Wine Gold	**E8331RJS_WG**	1359	10
	Dark Grey	**E8331RJS_DG**	1395	1
2 Gang S Keystone Wallplate (w/o Mod)	White	**E8332RJS_WE**	1657	10
	Wine Gold	**E8332RJS_WG**	2484	10
	Dark Grey	**E8332RJS_DG**	2483	1

Please contact Customer Care Center for Stockable and Non stockable status of references.
*Bold references are MTO reference.

W.E.F. August 15th, 2026

Unica X - Feel the luxury New

Painted White



Stainless Steel



Jet Black



Dark Grey



Dark Bronze



Antique Brass

Unica X

Elevate the aesthetics and functionality of your living spaces with Unica X. Our all-new comprehensive range of ultra-slim and sophisticated switches and sockets features unique ergonomic designs, advanced connectivity features, and so much more. Unica X isn't just a switch – it's the epitome of excellence and luxury that is crafted to complement your unique style and sensibilities.

- **Architectural Slimness, Redefined**
  A precision-engineered 6.5 mm ultra-slim profile that integrates effortlessly into walls, creating a refined, near-invisible design statement.
- **Timeless Materials. Impeccable Finishes**
  Crafted from premium stainless steel and perfected through advanced finishing techniques, delivering understated luxury across a palette of exclusive finishes.
- **Intelligence, Seamlessly Integrated**
  Thoughtfully designed with sensor-led illumination and high-performance USB A+C charging, enhancing comfort through intuitive technology.
- **Designed as a Complete System**
  A cohesive portfolio of switches, sockets, and controls ensuring visual harmony and functional consistency across every environment.
- **Precision Engineering. Enduring Performance.**
  Manufactured with advanced processes and superior materials, offering lasting reliability with a distinctly premium tactile experience.



3° TILT ANGLE
Experience ultimate switch design (50% lower than standard)

2.5MM KEYSTROKE
Refined smooth operation experience

ULTRA-SLIM 6.5MM
2mm Metal cover plate
(Slimmest & Best in Industry)



Unica X - Feel the luxury




NUX31_1_SS


NUX31_1_DB


NUX31_1N_SS


NUX31_1N_DB


NUX31_2_SS


NUX31_2_DB


NUX31_2N_SS


NUX31_2N_DB


NUX32_1_SS


NUX32_1_DB


NUX32_1N_SS


NUX32_1N_DB


NUX32_2_SS


NUX32_2_DB


NUX32_2N_SS


NUX32_2N_DB

Product Description	Color	Product Ref. No.	Unit MRP [₹]	Pack
16A Switches (Base+Cover Plate)				
16AX 250V 1 Gang 1 Way Switch	Stainless Steel	NUX31_1_SS	2489	1
	Jet Black	NUX31_1_JB	2556	1
	Painted White	NUX31_1_PW	2889	1
	Dark Grey	NUX31_1_DG	2644	1
	Dark Bronze	NUX31_1_DB	2667	1
	Antique Brass	NUX31_1_AB	2689	1
16AX 250V 1 Gang 1 Way Switch with LED Indicator	Stainless Steel	NUX31_1N_SS	2889	1
	Jet Black	NUX31_1N_JB	2996	1
	Painted White	NUX31_1N_PW	3556	1
	Dark Grey	NUX31_1N_DG	3022	1
	Dark Bronze	NUX31_1N_DB	3044	1
	Antique Brass	NUX31_1N_AB	3067	1
16AX 250V 1 Gang 2 Way Switch	Stainless Steel	NUX31_2_SS	2756	1
	Jet Black	NUX31_2_JB	2844	1
	Painted White	NUX31_2_PW	3267	1
	Dark Grey	NUX31_2_DG	2856	1
	Dark Bronze	NUX31_2_DB	2889	1
	Antique Brass	NUX31_2_AB	2867	1
16AX 250V 1 Gang 2 Way Switch with LED Indicator	Stainless Steel	NUX31_2N_SS	2933	1
	Jet Black	NUX31_2N_JB	2978	1
	Painted White	NUX31_2N_PW	3778	1
	Dark Grey	NUX31_2N_DG	3111	1
	Dark Bronze	NUX31_2N_DB	2989	1
	Antique Brass	NUX31_2N_AB	3022	1
16AX 250V 2 Gang 1 Way Switch	Stainless Steel	NUX32_1_SS	3244	1
	Jet Black	NUX32_1_JB	3289	1
	Painted White	NUX32_1_PW	3778	1
	Dark Grey	NUX32_1_DG	3311	1
	Dark Bronze	NUX32_1_DB	3333	1
	Antique Brass	NUX32_1_AB	3356	1
16AX 250V 2 Gang 1 Way Switch with LED Indicator	Stainless Steel	NUX32_1N_SS	3556	1
	Jet Black	NUX32_1N_JB	3600	1
	Painted White	NUX32_1N_PW	3978	1
	Dark Grey	NUX32_1N_DG	3733	1
	Dark Bronze	NUX32_1N_DB	3749	1
	Antique Brass	NUX32_1N_AB	3756	1
16AX 250V 2 Gang 2 Way Switch	Stainless Steel	NUX32_2_SS	3711	1
	Jet Black	NUX32_2_JB	3733	1
	Painted White	NUX32_2_PW	4000	1
	Dark Grey	NUX32_2_DG	3767	1
	Dark Bronze	NUX32_2_DB	3778	1
	Antique Brass	NUX32_2_AB	3822	1
16AX 250V 2 Gang 2 Way Switch with LED Indicator	Stainless Steel	NUX32_2N_SS	4000	1
	Jet Black	NUX32_2N_JB	4111	1
	Painted White	NUX32_2N_PW	4133	1
	Dark Grey	NUX32_2N_DG	4156	1
	Dark Bronze	NUX32_2N_DB	4200	1
	Antique Brass	NUX32_2N_AB	4222	1

W.E.F. August 15th, 2026


NUX33_1_SS


NUX33_1_DB


NUX33_1N_SS


NUX33_1N_DB


NUX33_2_SS


NUX33_2_DB


NUX33_2N_SS


NUX33_2N_DB


NUX34_1_SS


NUX34_1_DB


NUX34_1N_SS


NUX34_1N_DB


NUX34_2_SS


NUX34_2_DB


NUX34_2N_SS


NUX34_2N_DB


NUX31_IM_SS


NUX31_IM_DB


NUX32_IM_SS


NUX32_IM_DB

Product Description	Color	Product Ref. No.	Unit MRP [₹]	Pack
16A Switches (Base+Cover Plate) Cont.				
16AX 250V 3 Gang 1 Way Switch	Stainless Steel	NUX33_1_SS	4667	1
	Jet Black	NUX33_1_JB	4778	1
	Painted White	NUX33_1_PW	5111	1
	Dark Grey	NUX33_1_DG	4844	1
	Dark Bronze	NUX33_1_DB	4867	1
	Antique Brass	NUX33_1_AB	4878	1
16AX 250V 3 Gang 1 Way Switch with LED Indicator	Stainless Steel	NUX33_1N_SS	5333	1
	Jet Black	NUX33_1N_JB	5356	1
	Painted White	NUX33_1N_PW	5778	1
	Dark Grey	NUX33_1N_DG	5467	1
	Dark Bronze	NUX33_1N_DB	5489	1
	Antique Brass	NUX33_1N_AB	5507	1
16AX 250V 3 Gang 2 Way Switch	Stainless Steel	NUX33_2_SS	5111	1
	Jet Black	NUX33_2_JB	5222	1
	Painted White	NUX33_2_PW	5444	1
	Dark Grey	NUX33_2_DG	5289	1
	Dark Bronze	NUX33_2_DB	5311	1
	Antique Brass	NUX33_2_AB	5322	1
16AX 250V 3 Gang 2 Way Switch with LED Indicator	Stainless Steel	NUX33_2N_SS	5556	1
	Jet Black	NUX33_2N_JB	5667	1
	Painted White	NUX33_2N_PW	6000	1
	Dark Grey	NUX33_2N_DG	5733	1
	Dark Bronze	NUX33_2N_DB	5756	1
	Antique Brass	NUX33_2N_AB	5767	1
16AX 250V 4 Gang 1 Way Switch	Stainless Steel	NUX34_1_SS	5889	1
	Jet Black	NUX34_1_JB	5956	1
	Painted White	NUX34_1_PW	6222	1
	Dark Grey	NUX34_1_DG	5989	1
	Dark Bronze	NUX34_1_DB	6000	1
	Antique Brass	NUX34_1_AB	6022	1
16AX 250V 4 Gang 1 Way Switch with LED Indicator	Stainless Steel	NUX34_1N_SS	6444	1
	Jet Black	NUX34_1N_JB	6556	1
	Painted White	NUX34_1N_PW	6889	1
	Dark Grey	NUX34_1N_DG	6644	1
	Dark Bronze	NUX34_1N_DB	6667	1
	Antique Brass	NUX34_1N_AB	7222	1
16AX 250V 4 Gang 2 Way Switch	Stainless Steel	NUX34_2_SS	7691	1
	Jet Black	NUX34_2_JB	7764	1
	Painted White	NUX34_2_PW	8222	1
	Dark Grey	NUX34_2_DG	7900	1
	Dark Bronze	NUX34_2_DB	7691	1
	Antique Brass	NUX34_2_AB	7764	1
16AX 250V 4 Gang 2 Way Switch with LED Indicator	Stainless Steel	NUX34_2N_SS	8163	1
	Jet Black	NUX34_2N_JB	8245	1
	Painted White	NUX34_2N_PW	8667	1
	Dark Grey	NUX34_2N_DG	8444	1
	Dark Bronze	NUX34_2N_DB	8556	1
	Antique Brass	NUX34_2N_AB	8622	1
16A Intermediate Switches				
16AX 250V 1 Gang Intermediate Switch	Stainless Steel	NUX31_IM_SS	4000	1
	Jet Black	NUX31_IM_JB	4111	1
	Painted White	NUX31_IM_PW	4444	1
	Dark Grey	NUX31_IM_DG	4178	1
	Dark Bronze	NUX31_IM_DB	4222	1
	Antique Brass	NUX31_IM_AB	4244	1
16AX 250V 2 Gang Intermediate Switch	Stainless Steel	NUX32_IM_SS	4444	1
	Jet Black	NUX32_IM_JB	4667	1
	Painted White	NUX32_IM_PW	5111	1
	Dark Grey	NUX32_IM_DG	5000	1
	Dark Bronze	NUX32_IM_DB	5111	1
	Antique Brass	NUX32_IM_AB	5244	1

W.E.F. August 15th, 2026

Unica X - Feel the luxury


NUX31_PR_SS


NUX31_PR_DB


NUX32_PR_SS


NUX32_PR_DB


NUX31D20N_SS


NUX31D20N_DB


NUX31D32N_SS


NUX31D32N_DB


NUX31_BP_SS


NUX31_BP_DB


NUX15_6_SS


NUX15_6_DB


NUX15_616_SS


NUX15_616_DB


NUX31FR350_SS


NUX31FR350_DB


NUX31RUD250_SS


NUX31RUD250_DB


NUX32RUD250_SS


NUX32RUD250_DB

Product Description	Color	Product Ref. No.	Unit MRP [₹]	Pack
10A Momentary Switches				
10A 250V 1 Gang Momentary Switch	Stainless Steel	NUX31_PR_SS	4000	1
	Jet Black	NUX31_PR_JB	4222	1
	Painted White	NUX31_PR_PW	4889	1
	Dark Grey	NUX31_PR_DG	4356	1
	Dark Bronze	NUX31_PR_DB	4400	1
	Antique Brass	NUX31_PR_AB	4411	1
10A 250V 2 Gang Momentary Switch	Stainless Steel	NUX32_PR_SS	4444	1
	Jet Black	NUX32_PR_JB	4667	1
	Painted White	NUX32_PR_PW	4889	1
	Dark Grey	NUX32_PR_DG	5111	1
	Dark Bronze	NUX32_PR_DB	5222	1
	Antique Brass	NUX32_PR_AB	5289	1
Double Pole Switches				
20A 250V 1 Gang Double Pole Switch with LED Indicator	Stainless Steel	NUX31D20N_SS	5556	1
	Jet Black	NUX31D20N_JB	5667	1
	Painted White	NUX31D20N_PW	6000	1
	Dark Grey	NUX31D20N_DG	5733	1
	Dark Bronze	NUX31D20N_DB	5756	1
	Antique Brass	NUX31D20N_AB	5778	1
32A 250V 1 Gang Double Pole Switch with LED Indicator	Stainless Steel	NUX31D32N_SS	6000	1
	Jet Black	NUX31D32N_JB	6111	1
	Painted White	NUX31D32N_PW	6667	1
	Dark Grey	NUX31D32N_DG	6200	1
	Dark Bronze	NUX31D32N_DB	6222	1
	Antique Brass	NUX31D32N_AB	6244	1
Bell Press Switch				
10A 250V 1 Gang Bell Press Switch	Stainless Steel	NUX31_BP_SS	2889	1
	Jet Black	NUX31_BP_JB	2978	1
	Painted White	NUX31_BP_PW	3333	1
	Dark Grey	NUX31_BP_DG	3022	1
	Dark Bronze	NUX31_BP_DB	3044	1
	Antique Brass	NUX31_BP_AB	3056	1
Sockets				
6A 250V 1 Gang 3 Pin Switched Socket	Stainless Steel	NUX15_6_SS	4531	1
	Jet Black	NUX15_6_JB	4573	1
	Painted White	NUX15_6_PW	6444	1
	Dark Grey	NUX15_6_DG	4649	1
	Dark Bronze	NUX15_6_DB	4531	1
	Antique Brass	NUX15_6_AB	4573	1
6/16A 250V 1 Gang 3 Pin Switched Socket	Stainless Steel	NUX15_616_SS	6428	1
	Jet Black	NUX15_616_JB	6487	1
	Painted White	NUX15_616_PW	8553	1
	Dark Grey	NUX15_616_DG	6594	1
	Dark Bronze	NUX15_616_DB	6428	1
	Antique Brass	NUX15_616_AB	6487	1
Fan Regulators				
5 Steps 360 Degree Fan Regulator	Stainless Steel	NUX31FR350_SS	6667	1
	Jet Black	NUX31FR350_JB	6590	1
	Painted White	NUX31FR350_PW	9333	1
	Dark Grey	NUX31FR350_DG	7111	1
	Dark Bronze	NUX31FR350_DB	6530	1
	Antique Brass	NUX31FR350_AB	6590	1
Dimmer				
1 Gang Universal Push Button Dimmers - 250 W	Stainless Steel	NUX31RUD250_SS	12444	1
	Jet Black	NUX31RUD250_JB	12667	1
	Painted White	NUX31RUD250_PW	12556	1
	Dark Grey	NUX31RUD250_DG	12889	1
	Dark Bronze	NUX31RUD250_DB	13111	1
	Antique Brass	NUX31RUD250_AB	13111	1
2 Gang Universal Push Button Dimmers - 250 W	Stainless Steel	NUX32RUD250_SS	18889	1
	Jet Black	NUX32RUD250_JB	19111	1
	Painted White	NUX32RUD250_PW	19222	1
	Dark Grey	NUX32RUD250_DG	19333	1
	Dark Bronze	NUX32RUD250_DB	19444	1
	Antique Brass	NUX32RUD250_AB	19556	1

W.E.F. August 15th, 2026

Unica X - Feel the luxury


NUX32ACQUSB_SS


NUX32ACQUSB_DB


NUX31BPDM_SS


NUX31BPDM_DB


NUX32DMS_SS


NUX32DMS_DB


NUXFLIR_SS


NUXFLIR_DB


NUX31EKT_SS


NUX31EKT_DB


NUXT727V_SS


NUXT727V_DB


NUX31KPB_SS


NUX31KPB_DB


NUX31RJ6_SS


NUX31RJ6_DB


NUX32TVRJ6_SS


NUX32TVRJ6_DB


NUX32TDRJ6_SS


NUX32TDRJ6_DB

Product Description	Color	Product Ref. No.	Unit MRP [₹]	Pack
USB Chargers				
2 Ports USB Charger, Type A+C 45W	Stainless Steel	NUX32ACQUSB_SS	10444	1
	Jet Black	NUX32ACQUSB_JB	10667	1
	Painted White	NUX32ACQUSB_PW	11556	1
	Dark Grey	NUX32ACQUSB_DG	10778	1
	Dark Bronze	NUX32ACQUSB_DB	11022	1
	Antique Brass	NUX32ACQUSB_AB	11044	1
Hotel Accessories				
DND, PCU Indicator with Bell Switch (Do Not Disturb, Please Clean Up)	Stainless Steel	NUX31BPDM_SS	11111	1
	Jet Black	NUX31BPDM_JB	11333	1
	Painted White	NUX31BPDM_PW	13333	1
	Dark Grey	NUX31BPDM_DG	12889	1
	Dark Bronze	NUX31BPDM_DB	13111	1
	Antique Brass	NUX31BPDM_AB	12667	1
16AX 2 Gang Switch with PCU, DND Sym (Please Clean Up,Do Not Disturb)	Stainless Steel	NUX32DMS_SS	8667	1
	Jet Black	NUX32DMS_JB	8778	1
	Painted White	NUX32DMS_PW	9556	1
	Dark Grey	NUX32DMS_DG	9333	1
	Dark Bronze	NUX32DMS_DB	9444	1
	Antique Brass	NUX32DMS_AB	9556	1
Night Foot Lamps with LED Indicator and PIR Sensor	Stainless Steel	NUXFLIR_SS	8444	1
	Jet Black	NUXFLIR_JB	8556	1
	Painted White	NUXFLIR_PW	8667	1
	Dark Grey	NUXFLIR_DG	8778	1
	Dark Bronze	NUXFLIR_DB	8889	1
	Antique Brass	NUXFLIR_AB	9111	1
16A 250V Electronic Key Card Switch	Stainless Steel	NUX31EKT_SS	50217	1
	Jet Black	NUX31EKT_JB	50679	1
	Painted White	NUX31EKT_PW	66826	8
	Dark Grey	NUX31EKT_DG	51520	1
	Dark Bronze	NUX31EKT_DB	50217	1
	Antique Brass	NUX31EKT_AB	50679	1
115/230V Shaver Socket (Vertical)	Stainless Steel	NUXT727V_SS	25770	1
	Jet Black	NUXT727V_JB	26007	1
	Painted White	NUXT727V_PW	34294	13
	Dark Grey	NUXT727V_DG	26439	1
	Dark Bronze	NUXT727V_DB	25770	1
	Antique Brass	NUXT727V_AB	26007	1
Panic Button with Key Reset	Stainless Steel	NUX31KPB_SS	5649	1
	Jet Black	NUX31KPB_JB	5700	10
	Painted White	NUX31KPB_PW	7517	10
	Dark Grey	NUX31KPB_DG	5795	10
	Dark Bronze	NUX31KPB_DB	5649	10
	Antique Brass	NUX31KPB_AB	5700	10
Telecom, Network, Connectivity & Media Series				
1 Gang RJ45 Data Cat6 Shuttered Socket	Stainless Steel	NUX31RJ6_SS	5565	1
	Jet Black	NUX31RJ6_JB	5616	1
	Painted White	NUX31RJ6_PW	7406	1
	Dark Grey	NUX31RJ6_DG	5710	1
	Dark Bronze	NUX31RJ6_DB	5565	1
	Antique Brass	NUX31RJ6_AB	5616	1
2 Gang TV+RJ45 Data Cat6 Shuttered Socket	Stainless Steel	NUX32TVRJ6_SS	8438	1
	Jet Black	NUX32TVRJ6_JB	8516	1
	Painted White	NUX32TVRJ6_PW	11229	10
	Dark Grey	NUX32TVRJ6_DG	8657	1
	Dark Bronze	NUX32TVRJ6_DB	8438	10
	Antique Brass	NUX32TVRJ6_AB	8516	10
2 Gang Telephone+RJ45 Data Cat6 Shuttered Socket	Stainless Steel	NUX32TDRJ6_SS	6743	1
	Jet Black	NUX32TDRJ6_JB	6805	1
	Painted White	NUX32TDRJ6_PW	8973	10
	Dark Grey	NUX32TDRJ6_DG	6918	10
	Dark Bronze	NUX32TDRJ6_DB	6743	10
	Antique Brass	NUX32TDRJ6_AB	6805	10

W.E.F. August 15th, 2026

Unica X - Feel the luxury


NUX31TV_SS


NUX31TV_DB


NUX31RJ4_SS


NUX31RJ4_DB


NUX30X_SS


NUX30X_DB


NUX30TX_SS


NUX30TX_DB


NUX_21_SS


NUX_21_DB


NUX_31_SS


NUX_31_DB


NUX_41_SS


NUX_41_DB

Product Description	Color	Product Ref. No.	Unit MRP [₹]	Pack
1 Gang TV Socket, 75Ω	Stainless Steel	NUX31TV_SS	4031	1
	Jet Black	NUX31TV_JB	4068	1
	Painted White	NUX31TV_PW	5365	1
	Dark Grey	NUX31TV_DG	4136	1
	Dark Bronze	NUX31TV_DB	4031	1
	Antique Brass	NUX31TV_AB	4068	1
1 Gang Telephone Socket, Shuttered Wallplate	Stainless Steel	NUX31RJ4_SS	4554	1
	Jet Black	NUX31RJ4_JB	4596	1
	Painted White	NUX31RJ4_PW	6060	1
	Dark Grey	NUX31RJ4_DG	4672	1
	Dark Bronze	NUX31RJ4_DB	4554	1
	Antique Brass	NUX31RJ4_AB	4596	1
Cover Frames and Accessories				
1 Gang Blank Plate	Stainless Steel	NUX30X_SS	2778	1
	Jet Black	NUX30X_JB	2444	1
	Painted White	NUX30X_PW	2889	1
	Dark Grey	NUX30X_DG	2667	1
	Dark Bronze	NUX30X_DB	2556	1
	Antique Brass	NUX30X_AB	2622	1
2 Gang Blank Plate	Stainless Steel	NUX30TX_SS	4000	1
	Jet Black	NUX30TX_JB	4333	1
	Painted White	NUX30TX_PW	4667	10
	Dark Grey	NUX30TX_DG	4222	1
	Dark Bronze	NUX30TX_DB	4111	1
	Antique Brass	NUX30TX_AB	4289	10
2 Gang Multi Surround Plate	Stainless Steel	NUX_21_SS	1367	1
	Jet Black	NUX_21_JB	1380	1
	Painted White	NUX_21_PW	1819	1
	Dark Grey	NUX_21_DG	1403	1
	Dark Bronze	NUX_21_DB	1367	1
	Antique Brass	NUX_21_AB	1380	1
3 Gang Multi Surround Plate	Stainless Steel	NUX_31_SS	1778	1
	Jet Black	NUX_31_JB	1794	1
	Painted White	NUX_31_PW	2365	70
	Dark Grey	NUX_31_DG	1824	1
	Dark Bronze	NUX_31_DB	1778	1
	Antique Brass	NUX_31_AB	1794	1
4 Gang Multi Surround Plate	Stainless Steel	NUX_41_SS	2235	1
	Jet Black	NUX_41_JB	2255	1
	Painted White	NUX_41_PW	2974	40
	Dark Grey	NUX_41_DG	2293	1
	Dark Bronze	NUX_41_DB	2235	1
	Antique Brass	NUX_41_AB	2255	40

Kavacha - Weather Protected Series



CSW110-GY-EX



A3031WBP_WE

- Pleasing looks with **IP56 protection**
- Large press switch
- Co-moulded sealing with no risk of gasket damage
- Chemical resistant & UV stabilised

Description	Reference	Unit MRP [₹]	Pack
Kavacha IP56 Surface Mount Combined Switched Socket Outlets			
Combination Switch Socket Outlets			
16A Single Pole Switched Socket Outlet	**CSC316RP_GY**	5778	1
Kavacha IP56 Surface Mount Socket Outlets			
16A Socket Outlet	CSO316RP-GY-EX	4082	1
Kavacha Full-Time Weatherproof Cover			
Full-Time Weatherproof Single Gang Socket Cover (Transparent) IP55	E223R_TR	1478	1
Weatherproof Bell Press Grey	A3031WBP_GY	2264	1
Weatherproof Bell Press White	A3031WBP_WE	1978	1

Metal Boxes



- **Weld free design** to minimize corrosion and rusting without compromising on strength
- Mounting clip and earth pin designed for **easier installation** and to **avoid loss during transportation**
- Removable side plates and optimized knock outs and for **easier wiring**
- Completely tested & validated as per **IS 14772**

Description	Reference	Unit MRP [₹]	Pack
Metal Boxes for Indian Format Ranges (Livia, Opale, Unica Pure & ZENcelo India)			
0.8 mm thickness			
Metal Box 1 & 2 modules	ME0102	124	20
Metal Box 3 modules	ME0103	162	20
Metal Box 4 modules	ME0104	186	20
1 mm thickness			
Metal Box 1 & 2 modules	MR1102	138	20
Metal Box 3 modules	MR1103	182	20
Metal Box 4 modules	MR1104	210	20
Metal Box 6 modules	MR1106	286	10
Metal Box 8 modules - Horizontal	MR1108	371	10
Metal Box 8 modules - Square	MR1109	371	10
Metal Box 12 module	MR1112	477	5
Metal Box 18 modules	MR1118	566	5

Description	Reference	Unit MRP [₹]	Pack
Metal Boxes for BS Format Ranges (AvatarON, Unica X) - New & Improved Design			
Use Blacket/Frame to ensure allignment of switches on 2/3/4 Gang Metal Box (refer to AvatarOn, Unica X section for refrences)			
1 mm thickness			
2 GANG GI Metal Boxes	MM1102	376	20
3 GANG GI Metal Boxes	MM1103	532	20
4 GANG GI Metal Boxes	MM1104	689	20

Please contact Customer Care Center for Stockable and Non stockable status of references.
*Bold references are MTO reference.


W.E.F. August 15th, 2026

Smart Home Energy Management System



The Future of Homes

It's Time to Get Wiser



Smart Home Energy Management System


With the rise of the Internet of Things (IoT), automation has simplified our lives and made our homes smarter. Smart homes, the foundation of smart cities, offer a more secure lifestyle by automating functions and providing greater control over living spaces.

Introducing **Wiser,** the next leap in Home Energy Management. Schneider Electric's vision for a sustainable, connected home of the future enables every device to be easily controlled and personalized through the Wiser Home Application.

Wiser offers an intuitive system with tools to control electricity usage and optimize energy needs without sacrificing comfort. It goes beyond convenience and security, empowering smarter, more sustainable living. Wiser homes focus on people, adding a new dimension to Stylish, Smart, Sustainable and Safe.

Together, we are creating the homes of the future by connecting electricity with digital solutions to help you achieve your sustainability goals.

Home Automation Possibilities



Semi Home Automation

- Lighting Control
- Fan Control
- HVAC Control
- Curtain Control
- Dimming – 10-100%
- Voice, App Control

Full Home Automation

- Mood Creation
- Geo-Fencing
- Digital Door-Lock Integration
- Sensor Based Automation
- Air Quality Management

Safety

- Appliance Protection
- Arc Fault Protection
- Thermal Protection

Home Energy Management

- Energy Monitoring
- Energy Efficiency Features
- Prosumer Management
- NEL Integration

AI / Machine Learning

- Lifestyle Recommendations
- Energy Saving Tips
- Appliance Management Tips

Wiser: One System. Infinite Control.

Make your home **Smart** and **Sustainable** with **Wiser**



SE Ref.	Description of reference	Unit MRP [₹]
CS16A1MSW_WE*	16A 1M Connected Switch, White	7490
CS16A1MSW_GY*	16A 1M Connected Switch, Grey	10210
CD4SFR2M_WE*	4 Step Connected Fan Regulator, White	7905
CD4SFR2M_GY*	4 Step Connected Fan Regulator, Grey	10590
CDWCRTC2M_WE*	Connected Curtain Controller 2M, White	On Request
CDWCRTC2M_GY*	Connected Curtain Controller 2M, Grey	On Request
ENMOD1P*	Energy Monitoring Device, Single Phase	On Request
ENMOD3P*	Energy Monitoring Device, Three Phase	On Request
CDWENMOD3P*	Energy Monitoring Device, Three Phase, 400A CTs	On Request
CCIRC1M*	IR Controller - Wi-Fi	On Request
CR2CHRLYPG*	5A 2 Channel Relay Puck - Wi-Fi	On Request
CDWRLY1CH16A*	16A 1 Channel Connected Relay Puck - Wi-Fi	On Request
B1GTEWY*	Multi-Protocol Gateway	On Request
IH100WFVDP*	Smart Doorbell	On Request
IH14000100*	4 Channel Automation Relay	On Request
IH1200010F*	Fan Speed Controller	On Request
IH12000020*	2 Channel Dimmer Controller	On Request
IH101ZW2IR*	ZW_IR Controller	On Request
IH11000200*	2 Channel Curtain Controller	On Request
IH101ZWIFI*	Automation Gateway	On Request

Please contact Customer Care Center for Stockable and Non stockable status of references.
*Bold references are MTO reference.

W.E.F. August 15th, 2026

Surface and Flush Mount Occupancy Sensors



PIR, Ultrasonic Sensors & High Frequency sensor suitable for both Surface & Flush Mount

Description	Reference	Unit MRP [₹]
Surface Mount Single-Load 360 degrees PIR	CSS54E_WE	4140
Flush/Surface Mount Single-Load 360 degrees PIR	SAE-UE-MS-CSAWE	5043
ARGUS Presence Dual-Tech PIR & Ultrasonic Sensor - 1ch	**CCT551011**	16588
ARGUS Presence Dual-Tech PIR & Ultrasonic Sensor - 2ch	**CCT551012**	17821
ARGUS IR Remote Controller Dual-Tech	**CCT556011**	23596
ARGUS Presence High Frequency High Bay Sensor - 2ch	**CCT551023**	19503
ARGUS IR Remote Controller HF	**CCT556023**	21631
ARGUS Presence Wide Sense - 2ch	**CCT551003**	16514
INFRASCAN OUTDOOR 3WIRE 10A	**750WPR-GY**	25305
INFRASCAN INDOOR 3WIRE 10A	**751R-WE**	14682
INFRASCAN 360 DEGREE 3WIRE	**753R-WE**	12752



PIR Flush Mount Sensors

Description	Reference	Unit MRP [₹]
ARGUS Standard min 360° False ceiling indoor movement detector	**CCT570005**	5902
ARGUS Standard 360° False ceiling indoor movement detector - 2ch	**CCT570003**	8664
Flush Mount Dual load 360 degrees standalone sensor	SAE-UE-MS-CDBWE	9864



Dimmable Sensors with Light Regulation

Dali Dimmable Sensor

Description	Reference	Unit MRP [₹]
ARGUS Presence Master with IR, DALI	**MTN5510-1519**	17821

Please contact Customer Care Center for Stockable and Non stockable status of references.
*Bold references are MTO reference.

W.E.F. August 15th, 2026

Wall Mount Sensors







BS Standard & Outdoor IP55 Sensor

Description	Reference	Unit MRP [₹]
Neo C-Metro 200 degrees wall mount sensor, grey colour	**E3751MS3C_GS**	7881
Zencelo 110 degrees wall mount sensor, white colour	**E84751MS3B_WE**	7980
Zencelo 90 degrees wall mount sensor, white colour	**E84751MS3A_WE**	6085
Argus 110 Electronic outdoor movement detector, angle of detection 110 degrees, max. range 12 mtrs, IP55 protection	**MTN565119**	8688
Argus 220 Electronic movement detector for outdoor ceiling mounting angle of detection 220 degrees, max. range 12 mtrs, IP55 protection	**MTN565219**	13406

Hotel - ELV Dual Motion Sensor

Description	Reference	Unit MRP [₹]
ELV DUAL TECH MOTION SENSOR	**SAE_UE_MS_CULV_WE**	11022

Please contact Customer Care Center for Stockable and Non stockable status of references.
*Bold references are MTO reference.

Note

Note

Schneider Electric India Pvt. Ltd.

Corporate Office: 15th Floor, DT-4 Downtown, DLF Phase 3, Sector 25A, Gurugram, Haryana - 122002

Ahmedabad
Schneider Electric India (P) Ltd.
1506-1507, 15th Floor Shapth-5
Opp.Karnavati Club, SG Highway,
Ahmedabad, Gujarat - 380015
Tel.: 079-66826701

Bengaluru
Schneider Electric India (P) Ltd.
No. 3/1, JP Techno Park
Mezzanine Floor, Millers Tank Bund
Road, Vasanth Nagar
Bengaluru - 560052
Tel.: 080-71481351

Bhubaneswar
Schneider Electric India (P) Ltd.
Workloop Co-Working in the property
Office No. 316, Esplanade One Mall
Rasulgarh, Bhubaneswar - 751010

Chennai
Schneider Electric India (P) Ltd.
No: 29, 2nd Floor,
Bannari Amman Towers, B-Block
Dr. Radhakrishnan Road, Mylapore
Chennai - 600 004
Tel.:044-71912000

Cochin
Schneider Electric India (P) Ltd.
Alapatt Properties Private Limited
(Trade Name: Centre A)
Main Door Number: 66/4971
(Old Door Number: 40/6584-H)
7th Floor Alapatt Heritage Building
MG Road Kochi - 682035

Coimbatore
Schneider Electric India Pvt. Ltd.
Mikro Grafeio Services Pvt Ltd.,
Elysium Tower, #21, A.T.T
Colony, Near Honda Office,
Coimbatore, Tamil Nadu - 641018

Hyderabad
Schneider Electric Pvt. Ltd.
4B-4th Floor, Gumidelli Towers,
Prakash Nagar, Begumpet,
Hyderabad - 500016

Indore
Schneider Electric India (P) Ltd.
219, Dhan Trident Building
Vijay Nagar, A.B.Road
Indore - 452001

Jaipur
Schneider Electric India (P) Ltd.
Jaipur Business Centre 309
3rd Floor, Sangam Tower 190
Church Road, Jaipur - 302001
Tel.: 0141-2374810

Kolkata
Schneider Electric (I) Pvt. Ltd.
BN3, Salt Lake, Sector V,
Kolkata - 700091

Lucknow
Schneider Electric India (P) Ltd.
Summit, Plot No. TCG 3/3
6th Floor, 604A/B/C, Vibhuti Khand
Gomti Nagar, Lucknow
Uttar Pradesh - 226010
Tel.: 0522-3500334

Ludhiana
Schneider Electric India (P) Ltd.
SCO 23, 2nd Floor,
Chandigarh Road, Sector 32
Ludhiana, Punjab -141010
Tel.: 0161- 5203011

Mohali
Schneider Electric India (P) Ltd.
2nd Floor, Tower-A
Bestech Business Tower
Mega Information & Technology Park
Industrial Plot No.1, Phase IX
(Expansion), Mohali - 160059
Tel.: 0172-7198200

Mumbai
Schneider Electric India Pvt. Ltd.
L&T Business Park, Tower B,
7th Floor, TC-II, Gate No.5,
Saki Vihar Road, Powai,
Mumbai - 400072

Nagpur
Schneider Electric India (P) Ltd.
6, Vasant Vihar Complex
W.H.C Road, Shankar Nagar
Nagpur - 440010
Tel.: 0712-2558581

Nashik
Schneider Electric India (P) Ltd.
401, 4th Floor, Rishi Raj Towers
Jehan Circle, Gangapur Road
Nashik - 422013
Tel.: 0253-2344333

New Delhi
Schneider Electric India (P) Ltd.
C-56, Mayapuri Industrial Area, Phase-2
New Delhi - 110064
Tel.: 011-61317400

Pune
Schneider Electric India (P) Ltd.
Amar Caliber, CTS No 911, BMCC Road,
OFF F.C. Road, Deccan Gymkhana,
Shivaji Nagar, Pune - 411007
Tel.: 020-67492500

Vadodara
Schneider Electric India (P) Ltd.
Notus IT Park, 10th Floor, Block-D
Sarabhai Campus, Vadiwadi
Vadodara, Gujarat - 390017

Vishakhapatnam
Schneider Electric India (P) Ltd.
D.N.10-1-43, 1st Floor
Ratnam's Business Centre,
Siripuram Fort, C.B.M.Compound
Visakhapatnam - 530016
Tel.: 0891-6675500

Customer Care Centre
Monday-Saturday, 9 a.m. to 8 p.m.
Toll-free numbers: 1800 419 4272, 1800 103 0011
Email: customercare.in@schneider-electric.com

For more information, visit our website at: www.se.com/in

- All Prices are in Indian Rupees
- Prices are subject to change without prior notice
- Product evolution is a continuous process and Schneider Electric reserves the right to modify/withdraw any product at any time without prior notice
- Prices charged will be as prevailing on the date of dispatch
- Invoice Amount = (MRP – less Applicable discount) + Applicable GST %
- Tax incidence on invoices is basis applicable GST rates
- Invoice amount not to exceed MRP
- Product pictures shown are for illustration purpose only; actual product may vary
- Kindly refer product datasheet for detailed specification
- SE recommends to procure products from our authorized sellers only, list of our authorized sellers can be found on https://www.se.com/in/en/work/support/locator/partner-map/

Distributor