

```
clang-7 -pthread -lm -o main main.c
./main
```

1. Create
2. Display
3. Delete
4. Insertfront

```
Enter your choice : 1
Enter the data : 10
Node created
```

1. Create
2. Display
3. Delete
4. Insertfront

```
Enter your choice : 1
Enter the data : 20
Node created
```

1. Create
2. Display
3. Delete
4. Insertfront

```
Enter your choice : 4
Enter the element : 30
```

1. Create
2. Display
3. Delete
4. Insertfront

```
Enter your choice : 2
30 10 20
```

1. Create

- 3. Delete
- 4. Insertfront

Enter your choice : 2

30 10 20

- 1. Create
- 2. Display
- 3. Delete
- 4. Insertfront

Enter your choice : 3

Enter the element to be deleted

10

- 1. Create
- 2. Display
- 3. Delete
- 4. Insertfront

I

Enter your choice : 2

30 20

- 1. Create
- 2. Display
- 3. Delete
- 4. Insertfront

Enter your choice : 3

Enter the element to be deleted

30

- 1. Create
- 2. Display
- 3. Delete
- 4. Insertfront

Enter your choice : 3

Enter the element to be deleted

30

1. Create
2. Display
3. Delete
4. Insertfront

Enter your choice : 3

Enter the element to be deleted

20

1. Create
2. Display
3. Delete
4. Insertfront

Enter your choice : 2

Nothing to print

I

-
1. Create
 2. Display
 3. Delete
 4. Insertfront

Enter your choice : 3

Enter the element to be deleted

20

Empty List. Can't delete

1. Create
2. Display
3. Delete
4. Insertfront

Enter your choice : █