

```
In [22]: import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns
```

```
In [4]: iris=pd.read_csv(r"C:\Users\dhruv4uvd\Downloads\Iris.csv")
```

```
In [5]: iris=iris.drop('Id',axis=1)
```

```
In [42]: iris.head()
```

```
Out[42]:
```

| | SepalLengthCm | SepalWidthCm | PetalLengthCm | PetalWidthCm | Species |
|---|---------------|--------------|---------------|--------------|-------------|
| 0 | 5.1 | 3.5 | 1.4 | 0.2 | Iris-setosa |
| 1 | 4.9 | 3.0 | 1.4 | 0.2 | Iris-setosa |
| 2 | 4.7 | 3.2 | 1.3 | 0.2 | Iris-setosa |
| 3 | 4.6 | 3.1 | 1.5 | 0.2 | Iris-setosa |
| 4 | 5.0 | 3.6 | 1.4 | 0.2 | Iris-setosa |

```
In [15]: iris.columns
```

```
Out[15]: Index(['SepalLengthCm', 'SepalWidthCm', 'PetalLengthCm', 'PetalWidthCm',
               'Species'],
              dtype='object')
```

```
In [11]: x=iris.drop('Species',axis=1)
y=iris['Species']
```

```
In [19]: x.describe()
```


```
Out[19]:
```

| | SepalLengthCm | SepalWidthCm | PetalLengthCm | PetalWidthCm |
|-------|---------------|--------------|---------------|--------------|
| count | 150.000000 | 150.000000 | 150.000000 | 150.000000 |
| mean | 5.843333 | 3.054000 | 3.758667 | 1.198667 |
| std | 0.828066 | 0.433594 | 1.764420 | 0.763161 |
| min | 4.300000 | 2.000000 | 1.000000 | 0.100000 |
| 25% | 5.100000 | 2.800000 | 1.600000 | 0.300000 |
| 50% | 5.800000 | 3.000000 | 4.350000 | 1.300000 |
| 75% | 6.400000 | 3.300000 | 5.100000 | 1.800000 |
| max | 7.900000 | 4.400000 | 6.900000 | 2.500000 |


```
In [18]: x.info()
```

```
<class 'pandas.core.frame.DataFrame'>  
RangeIndex: 150 entries, 0 to 149  
Data columns (total 4 columns):  
SepalLengthCm    150 non-null float64  
SepalWidthCm     150 non-null float64  
PetalLengthCm    150 non-null float64  
PetalWidthCm     150 non-null float64  
dtypes: float64(4)  
memory usage: 4.8 KB
```




```
In [43]: iris.plot(kind='scatter',x='PetalLengthCm',y='PetalWidthCm')  
plt.show()
```




```
In [24]: sns.set_style('whitegrid');  
sns.pairplot(iris,height=3)  
plt.show()
```




```
In [27]: for i in range(4):
sns.FacetGrid(iris,height=3)\
    .map(sns.distplot,iris.columns[i])\
    .add_legend();
plt.show();
```





In [28]: `x.corr()`


Out[28]:

| | SepalLengthCm | SepalWidthCm | PetalLengthCm | PetalWidthCm |
|---------------|---------------|--------------|---------------|--------------|
| SepalLengthCm | 1.000000 | -0.109369 | 0.871754 | 0.817954 |
| SepalWidthCm | -0.109369 | 1.000000 | -0.420516 | -0.356544 |
| PetalLengthCm | 0.871754 | -0.420516 | 1.000000 | 0.962757 |
| PetalWidthCm | 0.817954 | -0.356544 | 0.962757 | 1.000000 |

```
In [29]: from sklearn.cluster import KMeans
wcss = []

for i in range(1, 11):
    kmeans = KMeans(n_clusters = i, init = 'k-means++',
                    max_iter = 300, n_init = 10, random_state = 0)
    kmeans.fit(x)
    wcss.append(kmeans.inertia_)
```

```
In [30]: plt.plot(range(1, 11), wcss)
plt.title('The elbow method')
plt.xlabel('Number of clusters')
plt.ylabel('WCSS') # Within cluster sum of squares
plt.show()
```




```
In [41]: sns.set_style("whitegrid");  
sns.FacetGrid(x, hue="Species", height=5) \  
    .map(plt.scatter, "PetalLengthCm", "PetalWidthCm") \  
    .add_legend();  
plt.show();
```

