Practice Programming Assignment 1

Prathosh A. P.

August 17, 2025

- 1. Train a DC GAN (with an architecture of your choice) on the given data with the usual GAN loss. Plot the loss curves for the Generator and Discriminator losses.
- 2. Plot a 10 by 10 grid of images for generated images.
- 3. Vary the number of times the generator and discriminator is trained and document the outcome.
- 4. Write a code for computing the FID and compute FID by sampling 1000 data-points from both the true and the generated data distributions.
- 5. Implement two types of latent space traversals and plot the outcomes. Latent space traversal refers to randomly sampling two input vectors and generating images via (Linear or non-linear) interpolations.
- 6. Implement conditional generation by randomly choosing 20 subclasses in the data.
- 7. Implement a classifier on the given data by fine-tuning a Resnet (32 or 50) pre-trained on imagenet. Compute and report the classification accuracy and the F1 score.
- 8. Take the 20-class subset of the data (as taken in problem (6)), train a resnet-based classifier, and report the metrics.
- 9. Use the c-GAN trained in problem (6) to generate 100 more images per each of the 20-classes. Use these augmented data to retrain the classifier in the previous question. Compare the results with the previous classifier without augmentation.

General Instructions:

- 1. We use only one dataset for this assignment.
- 2. The dataset can be found here data
- 3. The dataset consists of 5400 Animal Images Across 90 Classes images.

- 4. You need to resize all images to 128x128 pixels before implementing.
- 5. Use Google collab with Jupiter notebook for all the computing.
- 6. Use Pytorch for building neural networks. You are supposed to directly use the off-the-shelf functions for the models asked.