

India's trusted Health Test @Home Service



Booking ID : 13170558366


Sample Collection Date : 26/Mar/2025

GAURAV DESAI

Male, 50 Yrs

A Comprehensive Health Analysis Report

AI Based Personalized Report for You



INDIA'S FIRST & ONLY CREDIBILITY CHECK FOR YOUR LAB REPORT

Check the authenticity of your lab report with machine data

Scan the QR using any QR code scanner

HEALTH ANALYSIS

Personalized Summary & Vital Parameters

GAURAV DESAI

Booking ID : 13170558366 | Sample Collection Date : 26/Mar/2025

GAURAV DESAI,

Congratulations, We have successfully completed your health diagnosis. This is a big step towards staying on top of your health and identify potential to improve!

10 Vital Health Parameters of a Human Body Ecosystem

Below are the health parameters which require routine checkups for primary healthcare. The view also includes *personalised information* depending on the tests you have taken.

Your Health Score

89

Out of 100

*Calculated from test reports



Thyroid Function

Thyroid Stimulating Hormone (TSH) - Ultrasensitive : 2.2 μ IU/ml


● Everything looks good



Cholesterol Total

178.9 mg/dl

● Everything looks good



Kidney Function

Serum Creatinine : 1 mg/dl

● Everything looks good



Vitamin D

19.3 ng/ml

● Concern



HbA1c

5.8 %

● Concern



Vitamin B12

338 pg/ml

● Everything looks good



Liver Function

Alanine Aminotransferase (ALT/SGPT) : 16.3 U/L

● Everything looks good



Calcium Total

9.9 mg/dl

● Everything looks good



Iron studies

Test not taken



Complete Hemogram

Haemoglobin (HB) : 14 g/dL

● Everything looks good





New Features

Report Summary

GAURAV DESAI

Booking ID 13170558366 | Sample Collection Date: 26/Mar/2025

Understanding laboratory reports can be complex, often leading to unwarranted anxiety.

At Healthians, we understand that you shouldn't have to rely on a Google search to decipher your own health report. That's why we offer comprehensive summaries that are easy to understand.

Summary of Deranged Parameters

Gaurav, your recent health test results indicate some areas that may need attention. It's important to remember that these findings are common and manageable with the right lifestyle adjustments. Here's a brief overview of the parameters that are outside the normal range:

1.

Vitamin D Levels

: Your vitamin D levels are lower than optimal. This is quite common and can often be improved with dietary changes and increased sun exposure.

2.

Cholesterol Levels

: Your LDL cholesterol is slightly elevated. This is a common concern and can often be addressed through dietary modifications and increased physical activity.

3.

Platelet Volume and Lymphocyte Count

: Both your mean platelet volume and lymphocyte percentage are higher than normal. These can be influenced by various factors, including stress and diet, and are often manageable with lifestyle changes.

4.

Glycated Hemoglobin

: Your HbA1c level is slightly above the normal range, which may indicate a need for dietary adjustments and regular physical activity to help maintain healthy blood sugar levels.

5.

Liver Function Indicators

: Some liver function markers are outside the normal range. This can often be improved with dietary changes and maintaining a healthy weight.

Suggestions for Improvement

1.

Increase Vitamin D Intake

: Consider incorporating more vitamin D-rich foods into your diet, such as fatty fish, fortified dairy products, and egg yolks. Additionally, try to spend some time outdoors in sunlight, as this can help boost your vitamin D levels naturally.

2.

Adopt a Heart-Healthy Diet

: Focus on a balanced diet that includes plenty of fruits, vegetables, whole grains, and healthy fats. Reducing saturated fats and sugars can help manage cholesterol levels effectively.

3.

Regular Physical Activity

: Engaging in regular exercise can have a positive impact on your overall health, including cholesterol levels and blood sugar control. Aim for at least 150 minutes of moderate aerobic activity each week.

4.

Monitor Stress Levels

: High stress can affect various health parameters. Consider incorporating stress-reducing practices such as mindfulness, yoga, or meditation into your routine to help manage your overall well-being.

By making these adjustments, you can work towards improving your health and well-being. Remember, small changes can lead to significant benefits over time.

Patient Name	: GAURAV DESAI	Barcode	: E2552128	
Age/Gender	: 50Y 0M 0D /Male	Sample Collected On	: 26/Mar/2025 08:21AM	
Order Id	: 13170558366	Sample Received On	: 26/Mar/2025 11:52AM	
Referred By	: Self	Report Generated On	: 26/Mar/2025 01:07PM	
Customer Since	: 26/Mar/2025	Sample Temperature	: Maintained ✓	
Sample Type	: Whole Blood EDTA	Report Status	: Final Report	

DEPARTMENT OF BIOCHEMISTRY HBA1C

Healthy India 2025 FBC Advance Family Package

Test Name	Value	Unit	Bio. Ref Interval
HbA1c - Glycosylated Hemoglobin			
 Hba1c (Glycosylated Hemoglobin) Method: HPLC Machine: TOSOH G11	5.80	%	4.2 - 5.7
 Average Estimated Glucose - plasma Method: Calculated	119.76	mg/dl	

INTERPRETATION:

AS PER AMERICAN DIABETES ASSOCIATION (ADA):

REFERENCE GROUP

Non diabetic
At Risk (Prediabetes)
Diagnosing Diabetes

GLYCOSYLATED HEMOGLOBIN (HBA1c) in %

<5.7
5.7 – 6.4
≥ 6.5
Age > 19 Years
Goals of Therapy: < 7.0
Actions Suggested: >8.0
Age < 19 Years
Goal of therapy: <7.5

Therapeutic goals for glycemic control

REMARKS :

- HbA1c is used for monitoring diabetic control. It reflects the mean plasma glucose over three months
- HbA1c may be falsely low in diabetics with hemolytic disease. In these individuals a plasma fructosamine level may be used which evaluates diabetes over 15 days.
- Inappropriately low HbA1c values may be reported due to hemolysis, recent blood transfusion, acute blood loss, hypertriglyceridemia, chronic liver disease. Drugs like dapsone, ribavirin, antiretroviral drugs, trimethoprim, may also cause interference with estimation of HbA1c, causing falsely low values.
- HbA1c may be increased in patients with polycythemia or post-splenectomy.
- Inappropriately higher values of HbA1c may be caused due to iron deficiency, vitamin B12 deficiency, alcohol intake, uremia, hyperbilirubinemia and large doses of aspirin.
- Trends in HbA1c are a better indicator of diabetic control than a solitary test.
- Any sample with >15% HbA1c should be suspected of having a hemoglobin variant, especially in a non-diabetic patient. Similarly, below 4% should prompt additional studies to determine the possible presence of variant hemoglobin.
- HbA1c target in pregnancy is to attain level <6 % .
- HbA1c target in paediatric age group is to attain level < 7.5 %.

Method : Ion-exchange high-performance liquid chromatography (HPLC).

Reference : American Diabetes Associations. Standards of Medical Care in Diabetes 2023

10.


Dr. Shashikant. D
MBBS, MD, Pathology
Consultant Pathologist, Healthians Labs



Patient Name	: GAURAV DESAI	Barcode	: E2552128	
Age/Gender	: 50Y 0M 0D /Male	Sample Collected On	: 26/Mar/2025 08:21AM	
Order Id	: 13170558366	Sample Received On	: 26/Mar/2025 12:46PM	
Referred By	: Self	Report Generated On	: 26/Mar/2025 02:07PM	
Customer Since	: 26/Mar/2025	Sample Temperature	: Maintained ✓	
Sample Type	: Flouride Plasma	Report Status	: Final Report	

DEPARTMENT OF BIOCHEMISTRY

Healthy India 2025 FBC Advance Family Package

Test Name	Value	Unit	Bio. Ref Interval
-----------	-------	------	-------------------

Fasting Blood Sugar



Glucose, Fasting

96.34

mg/dl

70 - 100

Method: Hexokinase

Machine: BECKMAN COULTER DxC 700 AU

American Diabetes Association Reference Range :

Normal : < 100 mg/dL
 Impaired fasting glucose(Prediabetes) : 100 - 125 mg/dL
 Diabetes : >= 126 mg/dL

Conditions that can result in an elevated blood glucose level include: Acromegaly, Acute stress (response to trauma, heart attack, and stroke for instance), Chronic kidney disease, Cushing syndrome, Excessive consumption of food, Hyperthyroidism, Pancreatitis

A low level of glucose may indicate hypoglycemia, a condition characterized by a drop in blood glucose to a level where first it causes nervous system symptoms (sweating, palpitations, hunger, trembling, and anxiety), then begins to affect the brain (causing confusion, hallucinations, blurred vision, and sometimes even coma and death). A low blood glucose level (hypoglycemia) may be seen with: Adrenal insufficiency, Drinking excessive alcohol, Severe liver disease, Hypopituitarism, Hypothyroidism, Severe infections, Severe heart failure, Chronic kidney (renal) failure, Insulin overdose, Tumors that produce insulin (insulinomas), Starvation.



Dr. Shashikant. D
 MBBS, MD, Pathology
 Consultant Pathologist, Healthians Labs



Page 2 of 13



SIN No:E2552128

Healthians Labs (A Unit of Expedient Healthcare Marketing Pvt. Ltd.)

Office No. 1 on Ground Floor, Ascot Center, Next to Hilton Hotel, Sahar Road, Andheri(E), Mumbai, Maharashtra, Pincode - 400099 (NABL Accreditation Certificate Number MC-5949)

Patient Name : GAURAV DESAI
Age/Gender : 50Y 0M 0D /Male
Order Id : 13170558366
Referred By : Self
Customer Since : 26/Mar/2025
Sample Type : Serum

Barcode : E2552128
Sample Collected On : 26/Mar/2025 08:21AM
Sample Received On : 26/Mar/2025 12:39PM
Report Generated On : 26/Mar/2025 02:59PM
Sample Temperature : Maintained ✓
Report Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

Healthy India 2025 FBC Advance Family Package

Test Name	Value	Unit	Bio. Ref Interval
-----------	-------	------	-------------------

Liver Function Test (LFT)

 Serum Bilirubin, (Total) Method: Diazonium Ion Machine: BECKMAN COULTER AU 5801	0.51	mg/dl	0.3 - 1.2
 Serum Bilirubin, (Direct) Method: Diazotization Machine: BECKMAN COULTER AU 5801	0.12	mg/dl	0 - 0.2
 Serum Bilirubin, (Indirect) Method: Calculated	0.39	mg/dl	0.0 - 0.8
 Aspartate Aminotransferase (AST/SGOT) Method: UV withP5P Machine: BECKMAN COULTER AU 5801	23.80	U/L	3- 50
 Alanine Aminotransferase (ALT/SGPT) Method: UV without P5P - IFCC Ref. Proc., Calibrated Machine: BECKMAN COULTER AU 5801	16.3	U/L	3 - 50
 Alkaline Phosphatase (ALP) Method: IFCC AMP Buffer Machine: BECKMAN COULTER AU 5801	63.00	U/L	43 - 115
 Gamma Glutamyl Transferase (GGT) Method: G-glutamyl-carboxy- nitroanalide-IFCC Machine: BECKMAN COULTER AU 5801	20.7	U/L	5 -55
 Serum Total Protein Method: Biuret Machine: BECKMAN COULTER AU 5801	7.24	g/dl	6.6 - 8.3
 Serum Albumin Method: Bromo Cresol Green(BCG) Machine: BECKMAN COULTER AU 5801	4.57	g/dl	3.5 - 5.2
 Serum Globulin Method: Calculated	2.67	gm/dl	3.0 - 4.2
 Albumin/Globulin Ratio Method: Calculated	1.71	Ratio	1.2 - 2.5
 SGOT/SGPT Ratio Method: Calculated	1.46	Ratio	0.7 - 1.4

Bilirubin is a yellowish pigment found in bile and is a breakdown product of normal heme catabolism. Elevated levels results from increased bilirubin production (eg hemolysis and ineffective erythropoiesis); decreased bilirubin excretion (eg; obstruction and hepatitis); and abnormal bilirubin metabolism (eg; hereditary and neonatal jaundice). Conjugated (direct) bilirubin is elevated more than unconjugated (indirect) bilirubin in viral hepatitis; drug reactions, alcoholic liver disease conjugated (direct) bilirubin is also elevated more than unconjugated (indirect) bilirubin when there is some kind of blockage of the bile ducts like in Gallstones getting into the bile ducts tumors & Scarring of the bile ducts. Increased unconjugated (indirect) bilirubin may be a result of hemolytic or pernicious anemia, transfusion reaction & a common metabolic


Dr. Shashikant. D
MBBS, MD, Pathology
Consultant Pathologist, Healthians Labs



Patient Name	: GAURAV DESAI	Barcode	: E2552128	
Age/Gender	: 50Y 0M 0D /Male	Sample Collected On	: 26/Mar/2025 08:21AM	
Order Id	: 13170558366	Sample Received On	: 26/Mar/2025 12:39PM	
Referred By	: Self	Report Generated On	: 26/Mar/2025 02:59PM	
Customer Since	: 26/Mar/2025	Sample Temperature	: Maintained ✓	
Sample Type	: Serum	Report Status	: Final Report	

DEPARTMENT OF BIOCHEMISTRY

Healthy India 2025 FBC Advance Family Package

Test Name	Value	Unit	Bio. Ref Interval
-----------	-------	------	-------------------

condition termed Gilbert syndrome.

AST levels increase in viral hepatitis, blockage of the bile duct, cirrhosis of the liver, liver cancer, kidney failure, hemolytic anemia, pancreatitis, hemochromatosis. AST levels may also increase after a heart attack or strenuous activity. ALT is commonly measured as a part of a diagnostic evaluation of hepatocellular injury, to determine liver health. Elevated ALP levels are seen in Biliary Obstruction, Osteoblastic Bone Tumors, Osteomalacia, Hepatitis, Hyperparathyroidism, Leukemia, Lymphoma, Paget's disease, Rickets, Sarcoidosis etc.

Elevated serum GGT activity can be found in diseases of the liver, Biliary system and pancreas. Conditions that increase serum GGT are obstructive liver disease, high alcohol consumption and use of enzyme-including drugs etc.

Serum total protein, also known as total protein, is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin. Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenström's disease. Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic - Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc.



Dr. Shashikant. D
MBBS, MD, Pathology
Consultant Pathologist, Healthians Labs



Page 4 of 13



SIN No: E2552128

Healthians Labs (A Unit of Expedient Healthcare Marketing Pvt. Ltd.)

Office No. 1 on Ground Floor, Ascot Center, Next to Hilton Hotel, Sahar Road, Andheri(E), Mumbai, Maharashtra, Pincode - 400099 (NABL Accreditation Certificate Number MC-5949)

Patient Name : GAURAV DESAI
Age/Gender : 50Y 0M 0D /Male
Order Id : 13170558366
Referred By : Self
Customer Since : 26/Mar/2025
Sample Type : SERUM

Barcode : E2552128
Sample Collected On : 26/Mar/2025 08:21AM
Sample Received On : 26/Mar/2025 12:39PM
Report Generated On : 26/Mar/2025 02:59PM
Sample Temperature : Maintained ✓
Report Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

Healthy India 2025 FBC Advance Family Package

Test Name	Value	Unit	Bio. Ref Interval
-----------	-------	------	-------------------

Kidney Function Test1 (KFT1)

 Serum Creatinine	1.00	mg/dl	0.7 - 1.4
Method: Jaffes Kinetic			
Machine: BECKMAN COULTER AU 5801			
 GFR, ESTIMATED	91.69	mL/min/1.73m2	
Method: Calculated			
 Serum Uric Acid	5.4	mg/dl	3.5-7.2
Method: Uricase			
Machine: BECKMAN COULTER AU 5801			
 Serum Calcium	9.9	mg/dl	8.8 - 10.6
Method: Arsenazo III			
Machine: BECKMAN COULTER AU 5801			
 Serum Phosphorus	2.7	mg/dl	2.5 - 4.5
Method: Phosphomolybdate complex			
Machine: BECKMAN COULTER AU 5801			
 Serum Sodium	141	mmol/L	136 - 146
Method: ISE (Indirect)			
Machine: BECKMAN COULTER AU 5801			
 Serum Chloride	104	mmol/L	101 - 109
Method: ISE (Indirect)			
Machine: BECKMAN COULTER AU 5801			
 Blood Urea	25	mg/dl	17 - 43
Method: Urease			
Machine: BECKMAN COULTER AU 5801			
 Blood Urea Nitrogen (BUN)	11.8	mg/dl	8-20
Method: Calculated			
 Bun/Creatinine Ratio	11.81	Ratio	
Method: Calculated			
 Urea/Creatinine Ratio	25.00	Ratio	
Method: Calculated			
Machine: BECKMAN COULTER AU 5801			

The kidneys play a vital role in the excretion of waste products and toxins such as urea, creatinine and uric acid, regulation of extracellular fluid volume, serum osmolality and electrolyte concentrations, as well as the production of hormones like erythropoietin and 1,25 dihydroxy vitamin D and renin. Assessment of renal function is important in the management of patients with kidney disease or pathologies affecting renal function. Tests of renal function have utility in identifying the presence of renal disease, monitoring the response of kidneys to treatment, and determining the progression of renal disease.

Urea is synthesized in the liver as the final product of protein and amino acid metabolism. Urea synthesis is therefore dependent on daily protein intake and endogenous protein metabolism.

Creatinine is a metabolic product of creatine and phosphocreatine, which are both found almost exclusively in muscle.

Uric Acid is the major product of purine catabolism in humans. Uric acid levels are used to monitor the treatment of gout.


Dr. Shashikant. D
MBBS, MD, Pathology
Consultant Pathologist, Healthians Labs



Patient Name	: GAURAV DESAI	Barcode	: E2552128	
Age/Gender	: 50Y 0M 0D /Male	Sample Collected On	: 26/Mar/2025 08:21AM	
Order Id	: 13170558366	Sample Received On	: 26/Mar/2025 12:39PM	
Referred By	: Self	Report Generated On	: 26/Mar/2025 02:59PM	
Customer Since	: 26/Mar/2025	Sample Temperature	: Maintained ✓	
Sample Type	: SERUM	Report Status	: Final Report	

DEPARTMENT OF BIOCHEMISTRY

Healthy India 2025 FBC Advance Family Package

Test Name	Value	Unit	Bio. Ref Interval
Measurement of calcium is used in the diagnosis and treatment of parathyroid disease, a variety of bone diseases, chronic renal disease, urolithiasis and tetany. Phosphorus levels are increased in acute or chronic renal failure with decreased GFR . Sodium is an electrolyte, and it helps regulate the amount of water in and around the cells & the balance of chemicals in the body called acids and bases. Chloride is a negatively charged ion that works with other electrolytes such as potassium, sodium, and bicarbonate, to help regulate the amount of fluid in the body and maintain the acid-base balance.			
Note: Kindly note change in reference range with effect from 17/08/2023.			


Dr. Shashikant. D
MBBS, MD, Pathology
Consultant Pathologist, Healthians Labs



Patient Name : GAURAV DESAI
Age/Gender : 50Y 0M 0D /Male
Order Id : 13170558366
Referred By : Self
Customer Since : 26/Mar/2025
Sample Type : SERUM


Barcode : E2552128
Sample Collected On : 26/Mar/2025 08:21AM
Sample Received On : 26/Mar/2025 12:39PM
Report Generated On : 26/Mar/2025 03:44PM
Sample Temperature : Maintained ✓
Report Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

Healthy India 2025 FBC Advance Family Package

Test Name	Value	Unit	Bio. Ref Interval
Lipid Profile			
 Total Cholesterol Method: Cholesterol Oxidase, Esterase, Peroxidase Machine: BECKMAN COULTER AU 5801	178.9	mg/dl	Desirable : <200 Borderline: 200-239 High : >=240
 Serum Triglycerides Method: Enzymatic Machine: BECKMAN COULTER AU 5801	97.9	mg/dl	Desirable : <150 Borderline high : 150-199 High : 200-499 Very high : >= 500
 Serum HDL Cholesterol Method: Direct measure, immunoinhibition Machine: BECKMAN COULTER AU 5801	49.3	mg/dl	40 - 60
 LDL Cholesterol Calculated Method: Calculated	110.02	mg/dl	Optimal : <100 near /above Optimal:100 - 129 Borderline High: 130- 159 High : 160 - 189 Very High :>=190
 VLDL Cholesterol Calculated Method: Calculated	19.58	mg/dl	<30
 Total CHOL / HDL Cholesterol Ratio Method: Calculated	3.63	Ratio	3.30 - 4.40
 LDL / HDL Cholesterol Ratio Method: Calculated	2.23	Ratio	Desirable/Low Risk: 0.5-3.0 Line/Moderate Risk: 3.0-6.0 Elevated/High Risk: >6.0
 HDL / LDL Cholesterol Ratio Method: Calculated	0.45	Ratio	Optimal->0.4 Moderate-0.4 to 0.3 High-<0.3
 Non-HDL Cholesterol Method: Calculated	129.6	mg/dl	0.0 - 160.0

Dyslipidemia is a disorder of fat or lipoprotein metabolism in the body and includes lipoprotein overproduction or deficiency. Dyslipidemias means increase in the level of one or more of the following: Total Cholesterol, low density lipoprotein (LDL) and/or triglyceride concentrations. Dyslipidemia also includes a decrease in the "good" cholesterol or high-density lipoprotein (HDL) concentration in the blood. Cholesterol is a steroid carried in the bloodstream as lipoprotein, necessary for cell membrane functioning and as a precursor to bile acids, progesterone, vitamin D, estrogens, glucocorticoids and mineralocorticoids. HDL is termed "good cholesterol" because its levels are inversely related to the risk of Coronary heart disease.


Dr. Shashikant. D
MBBS, MD, Pathology
Consultant Pathologist, Healthians Labs



Page 7 of 13



SIN No:E2552128

Healthians Labs (A Unit of Expedient Healthcare Marketing Pvt. Ltd.)

Office No. 1 on Ground Floor, Ascot Center, Next to Hilton Hotel, Sahar Road, Andheri(E), Mumbai, Maharashtra, Pincode - 400099 (NABL Accreditation Certificate Number MC-5949)

Patient Name	: GAURAV DESAI	Barcode	: E2552128	
Age/Gender	: 50Y 0M 0D /Male	Sample Collected On	: 26/Mar/2025 08:21AM	
Order Id	: 13170558366	Sample Received On	: 26/Mar/2025 12:39PM	
Referred By	: Self	Report Generated On	: 26/Mar/2025 03:44PM	
Customer Since	: 26/Mar/2025	Sample Temperature	: Maintained ✓	
Sample Type	: SERUM	Report Status	: Final Report	

DEPARTMENT OF BIOCHEMISTRY

Healthy India 2025 FBC Advance Family Package

Test Name	Value	Unit	Bio. Ref Interval
LDL cholesterol is termed the "bad cholesterol" and their increased levels are associated with increased risk of atherosclerosis and coronary heart disease. Lipid level assessments must be made following 9 to 12 hours of fasting, otherwise assay results might lead to erroneous interpretation. Healthians labs report biological reference intervals (normal ranges) in accordance with the recommendations of The National Cholesterol Education Program (NCEP) & Adult Treatment Panel IV (ATP IV) guidelines providing the most desirable targets of various circulating lipid fractions in the blood. NCEP recommends that all adults above 20 years of age must be screened for abnormal lipid levels.			


Dr. Shashikant. D
MBBS, MD, Pathology
Consultant Pathologist, Healthians Labs



Patient Name : GAURAV DESAI
Age/Gender : 50Y 0M 0D /Male
Order Id : 13170558366
Referred By : Self
Customer Since : 26/Mar/2025
Sample Type : WHOLE BLOOD EDTA

Barcode : E2552128
Sample Collected On : 26/Mar/2025 08:21AM
Sample Received On : 26/Mar/2025 11:52AM
Report Generated On : 26/Mar/2025 02:16PM
Sample Temperature : Maintained ✓
Report Status : Final Report

DEPARTMENT OF HAEMATOLOGY

Healthy India 2025 FBC Advance Family Package

Test Name	Value	Unit	Bio. Ref Interval
-----------	-------	------	-------------------

Complete Blood Count

 Haemoglobin (HB) Method: Photometric Measurement Machine: BECKMAN COULTER DxH800	14.0	g/dL	13.0-17.0
 Total Leucocyte Count (TLC) Method: Coulter Principle Machine: BECKMAN COULTER DxH800	5.8	10 ³ /uL	4.0-10.0
 Hematocrit (PCV) Method: Calculated Machine: BECKMAN COULTER DxH800	41.4	%	40.0-50.0
 Red Blood Cell Count (RBC) Method: Coulter Principle Machine: BECKMAN COULTER DxH800	4.80	10 ⁶ /μl	4.50-5.50
 Mean Corp Volume (MCV) Method: Derived from RBC Histogram Machine: BECKMAN COULTER DxH800	85.4	fL	83.0-101.0
 Mean Corp Hb (MCH) Method: Calculated Machine: BECKMAN COULTER DxH800	29	pg	27.0-32.0
 Mean Corp Hb Conc (MCHC) Method: Calculated Machine: BECKMAN COULTER DxH800	33.9	g/dL	31.5-34.5
 RDW - CV Method: Derived from RBC Histogram Machine: BECKMAN COULTER DxH800	13.8	%	11.6-14.0
 RDW - SD Method: Derived from RBC Histogram Machine: BECKMAN COULTER DxH800	41.60	fL	39.0-46.0
 Mentzer Index Method: Calculated	17.79	Ratio	
 RDWI Method: Calculated	245.53	Ratio	
 Green and king index Method: Calculated	72	Ratio	

Differential Leucocyte Count

 Neutrophils Method: VCS Technology	43.5	%	40 - 80
--	------	---	---------


Dr. Shashikant. D
MBBS, MD, Pathology
Consultant Pathologist, Healthians Labs



Patient Name : GAURAV DESAI
Age/Gender : 50Y 0M 0D /Male
Order Id : 13170558366
Referred By : Self
Customer Since : 26/Mar/2025
Sample Type : WHOLE BLOOD EDTA

Barcode : E2552128
Sample Collected On : 26/Mar/2025 08:21AM
Sample Received On : 26/Mar/2025 11:52AM
Report Generated On : 26/Mar/2025 02:16PM
Sample Temperature : Maintained ✓
Report Status : Final Report

DEPARTMENT OF HAEMATOLOGY

Healthy India 2025 FBC Advance Family Package

Test Name	Value	Unit	Bio. Ref Interval
Machine: BECKMAN COULTER DxH800			
 Lymphocytes	41.1	%	20-40
Method: VCS Technology			
Machine: BECKMAN COULTER DxH800			
 Monocytes	8.2	%	02 - 10
Method: VCS Technology			
Machine: BECKMAN COULTER DxH800			
 Eosinophils	5.9	%	01 - 06
Method: VCS Technology			
Machine: BECKMAN COULTER DxH800			
 Basophils	1.3	%	00 - 02
Method: VCS Technology			
Machine: BECKMAN COULTER DxH800			
Absolute Leucocyte Count			
 Absolute Neutrophil Count (ANC)	2.52	10 ³ /uL	2.0-7.0
Method: Calculated			
Machine: BECKMAN COULTER DxH800			
 Absolute Lymphocyte Count (ALC)	2.38	10 ³ /uL	1.0-3.0
Method: Calculated			
Machine: BECKMAN COULTER DxH800			
 Absolute Monocyte Count	0.48	10 ³ /uL	0.2-1.0
Method: Calculated			
Machine: BECKMAN COULTER DxH800			
 Absolute Eosinophil Count (AEC)	0.34	10 ³ /uL	0.02-0.5
Method: Calculated			
Machine: BECKMAN COULTER DxH800			
 Absolute Basophil Count	0.08	10 ³ /uL	0.02 - 0.10
Method: Calculated			
Machine: BECKMAN COULTER DxH800			
 Platelet Count(PLT)	187	10 ³ /μl	150-410
Method: Coulter Principle			
Machine: BECKMAN COULTER DxH800			
 MPV	10.8	fL	7 - 9
Method: Derived from PLT Histogram			
Machine: BECKMAN COULTER DxH800			

The International Council for Standardization in Haematology (ICSH) recommends reporting of absolute counts of various WBC subsets for clinical decision making. This test has been performed on a fully automated 5 part differential cell counter which counts over 10,000 WBCs to derive differential counts. A complete blood count is a blood panel that gives information about the cells in a patient's blood, such as the cell count for each cell type and the concentrations of Hemoglobin and platelets. The cells that circulate in the bloodstream are generally divided into three types: white blood cells (leukocytes), red blood cells (erythrocytes), and platelets


Dr. Shashikant. D
MBBS, MD, Pathology
Consultant Pathologist, Healthians Labs



Patient Name	: GAURAV DESAI	Barcode	: E2552128	
Age/Gender	: 50Y 0M 0D /Male	Sample Collected On	: 26/Mar/2025 08:21AM	
Order Id	: 13170558366	Sample Received On	: 26/Mar/2025 11:52AM	
Referred By	: Self	Report Generated On	: 26/Mar/2025 02:16PM	
Customer Since	: 26/Mar/2025	Sample Temperature	: Maintained ✓	
Sample Type	: WHOLE BLOOD EDTA	Report Status	: Final Report	

DEPARTMENT OF HAEMATOLOGY

Healthy India 2025 FBC Advance Family Package

Test Name	Value	Unit	Bio. Ref Interval
-----------	-------	------	-------------------

(thrombocytes). Abnormally high or low counts may be physiological or may indicate disease conditions, and hence need to be interpreted clinically.

The Mentzer index is used to differentiate iron deficiency anaemia beta thalassemia trait. If a CBC indicates microcytic anaemia, these are two of the most likely causes, making it necessary to distinguish between them.

If the quotient of the mean corpuscular volume divided by the red blood cell count is then 13, thalassemia is more likely. If the result is greater than 13, then iron-deficiency anaemia is more likely.


Dr. Shashikant. D
MBBS, MD, Pathology
Consultant Pathologist, Healthians Labs



Patient Name	: GAURAV DESAI	Barcode	: E2552128	
Age/Gender	: 50Y 0M 0D /Male	Sample Collected On	: 26/Mar/2025 08:21AM	
Order Id	: 13170558366	Sample Received On	: 26/Mar/2025 12:39PM	
Referred By	: Self	Report Generated On	: 26/Mar/2025 02:25PM	
Customer Since	: 26/Mar/2025	Sample Temperature	: Maintained ✓	
Sample Type	: Serum	Report Status	: Final Report	

DEPARTMENT OF IMMUNOLOGY

Healthy India 2025 FBC Advance Family Package

Test Name	Value	Unit	Bio. Ref Interval
-----------	-------	------	-------------------

Vitamin B12



VITAMIN B12

338

pg/ml

211 - 912

Method: CLIA

Machine: SIEMENS CENTAUR XP

Vitamin B12 is a coenzyme that is involved in two very important metabolic functions vital to normal cell growth and DNA synthesis: 1) the synthesis of methionine, and 2) the conversion of methylmalonyl CoA to succinyl CoA. Deficiency of this vitamin can lead to megaloblastic anemia and ultimately to severe neurological problems. Also causes macrocytic anemia, glossitis, peripheral neuropathy, weakness, hyperreflexia, ataxia, loss of proprioception, poor coordination, and affective behavioral changes. A significant increase in RBC MCV may be an important indicator of vitamin B12 deficiency. Patients taking vitamin B12 supplementation may have misleading results. A normal serum concentration of B12 does not rule out tissue deficiency of vitamin B12. The most sensitive test for B12 deficiency at the cellular level is the assay for MMA. If clinical symptoms suggest deficiency, measurement of MMA and homocysteine should be considered, even if serum B12 concentrations are normal.

Vitamin D, 25-Hydroxy



VITAMIN D (25 - OH VITAMIN D)

19.30

ng/ml

30 - 100

Method: CLIA

Machine: BECKMAN COULTER DxI800

VITAMIN D STATUS	VITAMIN D 25 HYDROXY (ng/mL)
DEFICIENCY	<20
INSUFFICIENCY	20 – <30
SUFFICIENCY	30 – 100
TOXICITY	>100

Vitamin D is a lipid-soluble steroid hormone that is produced in the skin through the action of sunlight or is obtained from dietary sources. The role of vitamin D in maintaining homeostasis of calcium and phosphorus is well established. The assay measures both D2 (Ergocalciferol) and D3 (Cholecalciferol) metabolites of vitamin D. Vitamin D status is best determined by measurement of 25 hydroxy vitamin D, as it is the major circulating form and has longer half life (2-3 weeks) than 1,25 Dihydroxy vitamin D (5-8 hrs). The reference ranges discussed in the preceding are related to total 25-OHD; as long as the combined total is 30 ng/mL or more, the patient has sufficient vitamin D. Levels needed to prevent rickets and osteomalacia (15 ng/mL) are lower than those that dramatically suppress parathyroid hormone levels (20–30 ng/mL). In turn, those levels are lower than levels needed to optimize intestinal calcium absorption (34 ng/mL). Neuromuscular peak performance is associated with levels approximately 38 ng/mL.

Signature

Dr. Shashikant. D
MBBS, MD, Pathology
Consultant Pathologist, Healthians Labs



Page 12 of 13



SIN No:E2552128

Healthians Labs (A Unit of Expedient Healthcare Marketing Pvt. Ltd.)

Office No. 1 on Ground Floor, Ascot Center, Next to Hilton Hotel, Sahar Road, Andheri(E), Mumbai, Maharashtra, Pincode – 400099 (NABL Accreditation Certificate Number MC-5949)

Patient Name	: GAURAV DESAI	Barcode	: E2552128	
Age/Gender	: 50Y 0M 0D /Male	Sample Collected On	: 26/Mar/2025 08:21AM	
Order Id	: 13170558366	Sample Received On	: 26/Mar/2025 12:39PM	
Referred By	: Self	Report Generated On	: 26/Mar/2025 02:32PM	
Customer Since	: 26/Mar/2025	Sample Temperature	: Maintained ✓	
Sample Type	: Serum	Report Status	: Final Report	

DEPARTMENT OF IMMUNOLOGY

Healthy India 2025 FBC Advance Family Package

Test Name	Value	Unit	Bio. Ref Interval
-----------	-------	------	-------------------

Thyroid Profile (Total T3, T4, TSH)

 Tri-Iodothyronine (T3, Total)	1.15	ng/ml	0.60-1.81
Method: CLIA			
Machine: SIEMENS CENTAUR XP			
 Thyroxine (T4, Total)	8.60	ug/dl	3.2-12.6
Method: CLIA			
Machine: SIEMENS CENTAUR XP			
 Thyroid Stimulating Hormone (TSH)-Ultrasensitive	2.204	μIU/ml	0.55-4.78
Method: CLIA			
Machine: SIEMENS CENTAUR XP			

Pregnancy interval	Bio Ref Range for TSH in uIU/ml (As per American Thyroid Association)
First trimester	0.1 - 2.5
Second trimester	0.2 - 3.0
Third trimester	0.3 - 3.0

Healthians recommends that the following potential sources of variation should be considered while interpreting thyroid hormone results:

1. Thyroid hormones undergo rhythmic variation within the body this is called circadian variation in TSH secretion: Peak levels are seen between 2-4 AM. Minimum levels seen between 6-10 AM. This variation may be as much as 50% thus, influence of sampling time needs to be considered for clinical interpretation.
2. Circulating forms of T3 and T4 are mostly reversibly bound with Thyroxine binding globulins (TBG), and to a lesser extent with albumin and Thyroid binding Pre-Albumin. Thus the conditions in which TBG and protein levels alter such as chronic liver disorders, pregnancy, excess of estrogens, androgens, anabolic steroids and glucocorticoids may cause misleading total T3, total T4 and TSH interpretations.
3. Total T3 and T4 levels are seen to have physiological rise during pregnancy and in patients on steroid treatment.
4. T4 may be normal even in the presence of hyperthyroidism under the following conditions : T3 thyrotoxicosis, Hypoproteinemia related reduced binding, during intake of certain drugs (eg Phenytoin, Salicylates etc)
5. Neonates and infants have higher levels of T4 due to increased concentration of TBG
6. TSH levels may be normal in central hypothyroidism, recent rapid correction of hypothyroidism or hyperthyroidism, pregnancy, phenytoin therapy etc.
7. TSH values of <0.03 uIU/mL must be clinically correlated to evaluate the presence of a rare TSH variant in certain individuals which is undetectable by conventional methods.
8. Presence of Autoimmune disorders may lead to spurious results of thyroid hormones.
9. Various drugs influence the levels of thyroid hormones such as L-Dopa, Lithium, Glucocorticoids, Phenytoin etc.
10. Healthians recommends evaluation of unbound fractions, that is free T3 (fT3) and free T4 (fT4) for clinic-pathologic correlation, as these are the metabolically active forms.

*** End Of Report ***



Dr. Shashikant. D
MBBS, MD, Pathology
Consultant Pathologist, Healthians Labs



Page 13 of 13



SIN No:E2552128

Healthians Labs (A Unit of Expedient Healthcare Marketing Pvt. Ltd.)

Office No. 1 on Ground Floor, Ascot Center, Next to Hilton Hotel, Sahar Road, Andheri(E), Mumbai, Maharashtra, Pincode - 400099 (NABL Accreditation Certificate Number MC-5949)

Terms & Conditions:

- 1) Machine Data is available for last 7 days only. In case of manual testing & outsourced testing, machine data will not be available.
- 2) CBC parameters may vary when it is manually reviewed by the Pathologists.
- 3) **For Thyroid tests** - Circulating TSH shows a normal circadian rhythm with a peak between 11pm-5am and a nadir between 5pm-8pm. TSH values are also lowered after food when compared to fasting in a statistically significant manner. This variation is of the order of $\pm 50\%$, hence time of day and fasting status have influence on the reported TSH level.
- 4) **For Lipid profile** - Lipid and Lipoprotein concentrations vary during the normal course of daily activity. Also, certain drugs, diet and alcohol can have lasting effects on Triglyceride levels. To obtain best results for Lipid testing, a strict fasting of 10-12 hours with a light meal on the previous night is recommended.
- 5) Test results released pertain to the specimen submitted.
- 6) Test results are dependent on the quality of the sample received by the Lab.
- 7) The tests are carried out in the lab with the presumption that the specimen belongs to the patient named or identified in the bill/test request form/booking ID.
- 8) The reported results are for information and are subject to confirmation and interpretation by the referring doctor to co-relate clinically.
- 9) Test results may show interlaboratory variations.
- 10) Liability of Healthians for deficiency of services or other errors and omissions shall be limited to the fee paid by the patient for the relevant laboratory services.
- 11) This report is not subject to use for any medico-legal purposes.
- 12) Few of the tests might be outsourced to partner labs as and when required.
- 13) This report is not intended to replace but to lead by providing comprehensive information. It is recommended that you consult your doctor/physician for interpretation of results.
- 14) All reports might not be applicable for individuals less than 18, pregnant women or individuals suffering from diseases for which health test has not been performed or symptoms not diagnosed.
- 15) This report is based on preventive health test screening and is meant for a healthy lifestyle. It does not provide any recommendation for life threatening situations.
- 16) It is strongly recommended to take required precautions for allergic reactions or sensitivities.
- 17) Authorised partner labs as mentioned for certain tests are as below:
 - HL/PL/001- Metropolis Healthcare Ltd
 - HL/PL/002- Thyrocare technologies Limited
 - HL/PL/003- Lifecell International Pvt. Ltd. - Laboratory Services
 - HL/PL/004- Modern Diagnostic & Research Centre

ADVISORY

Health Advisory

GAURAV DESAI

Booking ID : 13170558366 | Sample Collection Date : 26/Mar/2025

No Data Body Mass Index

5'6" Height (ft/in)

No Data Weight (kgs.)



Physical Activity

No Data



Smoke

No Data



Food Preference

No Data



Alcohol

No Data



Medication

No Data



Family History

No Data



Blood Pressure

No Data



Pulse Rate

No Data



Waist (In Cm)

No Data



Hip Circumference (In Cm)

No Data



SPO2 Levels

No Data



Sugar Levels

No Data

Additional Remarks :

NA

SUGGESTED NUTRITION

SUGGESTED NUTRITION

Do's

- Have a balanced diet that includes whole grains, pulses, dairy, fruits, vegetables, nuts and healthy fats
- Include fruits like apples, berries and melons in your diet
- Include calcium rich foods like milk, yoghurt, cheese and green, leafy vegetables
- Include Brazil nuts, sesame seeds, sunflower seeds

Dont's

- Avoid flavoured and seasoned foods
- Decrease intake of colas and sugary drinks
- Avoid saturated fats, trans fats, oily and greasy foods like cakes, creamy or fried foods
- Limit sugar intake
- Reduce caffeine intake

SUGGESTED LIFESTYLE

SUGGESTED LIFESTYLE

Do's

- Have breakfast early in morning and a light high fiber snack for dinner
- Plan a healthy routine and have food at the same time everyday
- Have regular exposure to sunlight


Dont's

- Avoid overexertion without having food or drink
- Avoid strenuous exercises
- Avoid smoking and alcohol
- Don't ignore your body signals and don't skip your regular health check-ups

SUGGESTED FUTURE TESTS

SUGGESTED FUTURE TESTS

- Complete Hemogram - **Every 2 Month**
- Peripheral Smear Examination By Pathologist - **Every 2 Month**
- Vitamin D Total-25 Hydroxy - **Every 2 Month**
- Calcium Total, Serum - **Every 2 Month**



HEALTH ADVISORY

Suggestions for Health & Well-being

GAURAV DESAI

Booking ID : 13170558366 | Sample Collection Date : 26/Mar/2025

PHYSICAL ACTIVITY

PHYSICAL ACTIVITY

Physical activities can vary from Regular walks (Brisk or normal), Jogging , Sports, Stretching, Yoga to light weight lifting etc. It is recommended to partake in physical activity at least 30 minutes a day for 3-4 days a week. If regular workout is difficult, then we can adapt changes such as using stairs instead of lift/escalators and doing household work!



BALANCED DIET

A balanced diet is the key to healthy lifestyle. Include Whole grains, vegetables, whole fruits, nuts, seeds, beans, plant oils in your diet. It is recommended to always have a high protein breakfast and a light dinner. Avoid items such as processed foods, potatoes and high calorie/sugar products. Don't forget to drink water regularly!

BALANCED DIET

STRESS MANAGEMENT

STRESS MANAGEMENT

Managing stress is an essential part of well-being. Some day to day changes can help such as having sufficient sleep (6-8 hours), indulging yourself in meditation, positive attitude towards lifestyle, using humor, traveling, talking to people whom you feel comfortable with and making time for hobbies by doing what you love to do.



BMI

BMI recommended range is 18.5 to 24.9. Your BMI is 29.35, which is on a higher side. Please fill your Health Karma to know your BMI results. BMI for your body helps prevent many untimely diseases and goes a long way.

BMI CHART

UNDERWEIGHT	NORMAL	OVERWEIGHT	OBSE
Less than 18.5	Between 18.5 - 24.9	Between 25.0 - 29.9	More than 30
*****	*****	*****	*****

BMI

Supplement Suggestions

GAURAV DESAI

Booking ID : 13170558366 | Sample Collection Date : 26/Mar/2025

Your test report has indicated that you have certain deficiencies in your body which may hamper your health & wellbeing in the longer run.

In order to fulfill the gaps in nutrition and promote a healthier body we suggest you the following supplements mentioned below:

Deficiency/Out of Range Parameter(s)	Suggested Supplement
Glycated Hemoglobin (HbA1c)	DIABEAT-EASE
Vitamin D Total-25 Hydroxy	VITAMIN D3

To order, call 1800-572-000-4

Suggestions for Improving Deficiencies



DIABEAT-EASE

Manage diabetes the all-natural way!

An all-natural supplement that helps in lowering your blood sugar levels, thus preventing the onset of diabetes and managing it if you are already a diabetic. By reducing blood sugar levels, this naturally-sourced diabetes supplement enables you to lead a productive life, while managing your diabetes in a safe and natural way.

Remember, ignoring diabetes can cause a lot of serious complications, including:

- Vision & Hearing Loss
- Nerve Damage
- Heart Attack
- Stroke
- Dementia

Infused with the ages-proven goodness of all-natural ingredients, DIABEAT-EASE is the perfect supplement to help you control diabetes without having to worry about side-effects. Sourced from nature's own pharmacy of herbs, the ingredients in DIABEAT-EASE present the following benefits:

Saunf

Helps control blood pressure & manage diabetes

Karela

Reduces blood sugar & reduces cholesterol levels

Chirata


Helps manage high blood pressure, diabetes & detoxifies blood

Ashwagandha

Reduces blood sugar, cholesterol, & triglycerides levels

Vijayasar

Helps manage diabetes by lowering down sugar cravings



VITAMIN D3

Improve bone health with enhanced calcium absorption, the natural way

Make your muscles and bones stronger with VITAMIN D3. Sourced from natural substances, it helps in regulating the absorption of calcium and phosphorus, which help keep your bones strong and enhancing the normal immune system functioning. Vitamin D3 is an essential nutrient that's critical for normal growth and development of bones and teeth, as well as improved resistance against certain diseases.

Remember, a lack of vitamin D3 can cause dangerous health situations.

- Rickets (in children)
- Brittle Bones
- Osteoporosis
- Weakened Bones (in adults)

Strengthens Bones & Muscles

Protects Against Pneumonia & Acute Respiratory Infections

Helps in Reducing Depression

Boosts Heart Health

Aids in Kidney Disease Treatment



Healthians Scans

Your one-stop destination for affordable & reliable imaging services



Honest pricing



Highly experienced
130+ radiology
specialists



100% covid safe



State-of-the-art
radiology labs
across India



2% CASH BACK



100% Cash Back

When you book via app

Know More

About Healthians Labs

How we control Report Accuracy at Healthians



Quality Control

We follow Quality control to ensure both **precision & accuracy** of patient results.



Machine Data

We save patient's result values **directly from machines** ensuring no manipulations & no fake values.



QR Code

QR Code based authenticity check on all its reports



Calibration

We make use of calibrators to evaluate the **precision & accuracy** of measurement equipment.



Equipment

Our Labs are equipped with state-of-the-art instruments with **cutting edge technology** to provide faster & reliable results.



EQA

Our Labs participate in EQA & show proven accuracy by checking **laboratory performance** through external agency or facility.

JOIN **100,000+** HAPPY USERS WHO TRUST HEALTHIANS!

KNOW ALL ABOUT YOUR HEALTH ON YOUR FINGERTIPS

- ✓ Book & track your health tests
- ✓ Smart reports on your Phone
- ✓ Health Tracker
- ✓ Health Articles

DOWNLOAD HEALTHIANS APP:

