

Cucumber Report

16 Dec 2023, 21:52:04

Start : Dec 16, 9:51:53.049 pm

End : Dec 16, 9:52:02.303 pm

Duration : 9.254 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 1
FAILED - 1
SKIPPED - 0

PASSED - 8
FAILED - 1
SKIPPED - 0




| Feature | | Scenario | | | | Step | | | |
|----------------------|----------|----------|---|---|---|------|---|---|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| <u>Login Feature</u> | 9.254 s | 2 | 1 | 1 | 0 | 9 | 8 | 1 | 0 |

| # | Feature Name | Scenario Name |
|---|----------------------|--|
| 1 | <u>Login Feature</u> | <u>verifyTheErrorMessageWithInvalidCredentials</u> |





| # | Feature Name | T | P | F | S | Duration |
|---|---------------|---|---|---|---|----------|
| 1 | Login Feature | 2 | 1 | 1 | 0 | 9.254 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|----------------------|--|---|---|---|---|----------|
| 1 | <u>Login Feature</u> | <u>User should navigate to login page successfully</u> | 3 | 3 | 0 | 0 | 4.907 s |
| 2 | | <u>verifyTheErrorMessageWithInvalidCredentials</u> | 6 | 5 | 1 | 0 | 4.327 s |

Login Feature



| | | | | | |
|---|-------------------------------|---|--|---|--|
| <div>FAILED</div> | <div>DURATION - 9.254 s</div> | <div>Scenarios</div> <div>Total - 2</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 0</div> | <div></div> | <div>Steps</div> <div>Total - 9</div> <div>Pass - 8</div> <div>Fail - 1</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 9:51:53.049 pm // 9:52:02.303 pm /</div> | | | | | |
| | | | | | |

User should navigate to login page successfully


| | | | |
|---|--|-----------|---|
| <div>PASSED</div> <div>DURATION - 4.907 s</div> |  | Steps |  |
| / 9:51:53.054 pm // 9:51:57.961 pm / | | Total - 3 | |
| Login Feature | | Pass - 3 | |
| | | Fail - 0 | |
| | | Skip - 0 | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given I am on homepage | PASSED | 0.001 s |
| 2 | When I click on login link | PASSED | 0.700 s |
| 3 | Then I should navigate to login page successfully | PASSED | 0.047 s |

verifyTheErrorMessageWithInvalidCredentials

| | | | | |
|---|--|--|---|---|
| <div><div>FAILED</div><div>DURATION - 4.327 s</div></div> | |  | <div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div> |  |
| / 9:51:57.976 pm // 9:52:02.303 pm / | | | | |
| Login Feature | | | | |
| | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given I am on homepage | PASSED | 0.000 s |
| 2 | When I click on login link | PASSED | 1.096 s |
| 3 | And I enter email "manish@gmail.com" | PASSED | 0.273 s |
| 4 | And I enter password "manish123" | PASSED | 0.109 s |
| 5 | And I click on login button | PASSED | 0.000 s |
| 6 | Then I see the Error message | FAILED | 0.005 s |
| | <p>io.cucumber.core.exception.CucumberException: Step [I see the Error message] is defined with 1 parameters at 'com.nopcommerce.demo.steps.LoginSteps.iSeeTheErrorMessage(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: I see the Error message</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83)</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)</p> <p>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)</p> <p>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)</p> <p>at io.cucumber.core.runner.TestStep.run(TestStep.java:56)</p> <p>at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)</p> <p>at io.cucumber.core.runner.TestCase.run(TestCase.java:84)</p> <p>at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)</p> <p>at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)</p> <p>at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:568)</p> <p>at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)</p> <p>at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)</p> <p>at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)</p> <p>at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)</p> <p>at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)</p> <p>at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)</p> <p>at org.testng.TestRunner.privateRun(TestRunner.java:848)</p> <p>at org.testng.TestRunner.run(TestRunner.java:621)</p> <p>at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)</p> <p>at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)</p> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre>at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)</pre> | | |
| | AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) | PASSED | 0.326 s |
| | verifyTheErrorMessageWithInvalidCredentials | | |
| |  | | |