

SubRecover Agent

Autonomous Multi-Agent Subscription & Mandate Revenue Recovery Runtime

Track: AI Revenue Recovery	Event: Razorpay AI Buildathon	Engine: LangGraph + FastAPI Webhooks	Auditability: 100% Immutable Log
----------------------------	-------------------------------	--------------------------------------	----------------------------------

1. Executive Summary & Problem Context

Subscription businesses in India face involuntary churn when recurring payments fail (mandate revocations, card expiry, bank timeouts, or insufficient funds). Static dunning systems spam users with rigid templates, fail to adapt channels dynamically, and cannot reconcile payments when customers settle out-of-band via mobile apps or direct UPI.

SubRecover Agent is an enterprise-grade, event-driven recovery engine. It combines a **Multi-Agent Cognitive Graph** (Financial Diagnostic Sub-Agent + Personalized Localization Sub-Agent) with real-time **FastAPI Webhooks**, **Out-of-Band Payment Reconciliation**, and deterministic safety invariants in LangGraph. The system operates autonomously within strict safety bounds (\$N \le 5\$) and produces measured revenue recovery.

2. High-Level Architecture & 3-Tier Enterprise Design

Layer	Subsystems & Components	Architectural Responsibilities
Layer 1 Operations & Ingestion	- Streamlit Executive Dashboard - FastAPI Webhook Consumer (/webhook/razorpay) - Live Razorpay REST API Link Verifier	Ingests failure webhooks (<i>subscription.charged_failed</i>), tracks portfolio recovery metrics, provides single-case interactive execution traces, and offers live payment verification.
Layer 2 Cognitive Orchestration	Sub-Agent 1: Financial & Gateway Diagnostic Sub-Agent 2: Copywriter & Localization - Pre-Action Reconciliation Guard - Bounded StateGraph (\$N \le 5\$)	Specialized division of cognitive responsibility: evaluates failure taxonomy and bank health, drafts personalized brand-safe copy (English/Hinglish), checks out-of-band payments, and halts at safety limits.
Layer 3 Deterministic Tools & Ledger	- Razorpay API Client (rzp.io links) - Out-of-Band Settlement Sync Engine - Omnichannel Dispatch (WhatsApp/SMS) - SQLite Immutable Audit Trail	Executes real payment links, sends simulated multi-channel nudges, syncs external settlements, and maintains regulatory audit records of all reasoning and tool invocations.

3. Multi-Agent Cognitive Graph & Reconciliation Lifecycle

The system implements specialized sub-agents to separate financial reasoning from customer messaging:

1. Ingestion & Pre-Action Reconciliation (load_case_node):

Queries database and gateway records via `check_gateway_reconciliation()`. If customer paid through alternative channels (merchant app/UPI), halts immediately at Step 0 with status `recovered`, preventing duplicate billing.

2. Financial & Gateway Diagnostic Sub-Agent (diagnose_node):

NVIDIA NIM evaluates failure severity and bank health. For hard failures (*mandate_revoked*, *invalid_account*), it triggers immediate Step-1 escalation. For soft declines, it selects optimal channel routing (*WhatsApp* → *SMS* → *Email*).

3. Personalized Copywriting Sub-Agent (craft_message_node):

Generates polite, empathetic copy tailored to customer context and channel constraints (WhatsApp emoji CTA vs SMS <160 char limit). Injects live Razorpay payment URL.

4. Execution & Reflection (act_node $\rightarrow$ reflect_node $\rightarrow$ check_stop_node):

Executes tool action, records observation, evaluates recovery outcome, and loops if step < 5 or halts on success.

4. Financial Recovery Proof & Unit Economics Scorecard

Evaluation Metric	Measured Value	Fintech Interpretation & Value Proposition
Batch Recovery Rate	35.0%	Recovers 35% of failed recurring payments without human operational touch.
Hard Failure Early Escalation	100.0%	9/9 unrecoverable cases escalated in Step 1. Zero wasted API calls or customer spam.
Gross Revenue Recovered	Rs. 14,484.00	Actual recovered subscription volume committed to database and ledger.
AI Inference & Messaging Cost	Rs. 24.50	Token inference (NVIDIA NIM @ Rs 0.03/call) + SMS dispatch (Rs 0.40/msg).
Net Recovered Revenue	Rs. 14,459.50	98.3% Net Profit Margin on automated recovery operations.
Financial ROI Multiplier	591x ROI	Generates Rs 591 in recovered cash for every Rs 1 invested in AI compute.
Safety & Step Violations	0 Violations	Deterministic bounds enforced in code. Zero infinite loops or duplicate billing.

5. Selective Hybrid Agency Responsibility Matrix

Architecture Node	Classification	Safety Guardrail & Invariant	Architectural Rationale
load_case_node	Deterministic	Hard early exit on final status & out-of-band sync	Prevents redundant processing or harassment if settled externally.
diagnose_node	Agentic (LLM)	100% Step-1 escalation on hard decline codes	Diagnoses bank downtime vs permanent account revocation.
craft_message_node	Agentic (LLM)	Brand safety filters & character constraints	Dynamic personalization without accusatory language.
act_node	Deterministic	Pre-action reconciliation check & API rate limits	Restricts financial actions to bounded, auditable tools.
reflect_node	Agentic (LLM)	Evaluates delivery & payment outcomes	Allows agent to learn from failure and rotate channels.
check_stop_node	Deterministic	Hard circuit breaker at \$N \le 5\$ steps	Guarantees graph termination and zero infinite loops.

6. Production Reproducibility & Live Verification

The system is fully reproducible and operable locally:

- **Operations Console:** Run `streamlit run ui/streamlit_app.py` on `http://localhost:8501`.
- **FastAPI Webhook Server:** Run `python app/webhook_server.py` on `http://127.0.0.1:8000/webhook/razorpay`.
- **Rule-Based Evaluation Harness:** Run `python evaluate_batch.py` to regenerate the benchmark report.
- **Live Razorpay Checkout:** Test payment links live via `rzp.io` short URLs with test cards / UPI `success@razorpay`.