

Started on	Thursday, 19 March 2026, 12:20 PM
State	Finished
Completed on	Thursday, 19 March 2026, 12:24 PM
Time taken	4 mins 37 secs
Grade	4.00 out of 4.00 (100%)

Question **1**
Correct
Mark 1.00 out of 1.00

With respect to the view created in Q2, if an update operation is performed on the it_staff view by changing the salary of Alice Johnson to 80000, will the corresponding record also get updated in the Employees table?

- Select one:
- ☒ a.
Yes, the record is updated in the Employees table
✔
 - ☐ b.
The update operation fails

Your answer is correct.
The correct answer is:
Yes, the record is updated in the Employees table

Question **2**
Correct
Mark 1.00 out of 1.00

With respect to the view created in Q3, if a deletion operation is performed on the emp_locations view by deleting Charlie Brown's record, will the corresponding record also get deleted from the Employees table?

- Select one:
- ☐ a. Yes, the record is deleted from the Employees table
 - ☒ b.
The delete operation fails
✔

Your answer is correct.
The correct answer is:
The delete operation fails

Question **3**

Correct

Mark 1.00 out of 1.00

Consider the following view that is created.

```
CREATE VIEW medium_salary_group AS
SELECT *, get_tax_bracket(emp_id) as tax_category
FROM Employees WHERE get_tax_bracket(emp_id) = "Medium";
```

Which of the following operations fail?

Select one:

- ☐ a.
SELECT emp_name, salary, get_tax_bracket(emp_id) as tax_category FROM medium_salary_group;
- ☒ b.
INSERT INTO medium_salary_group (emp_name, salary, tax_category)
VALUES ('Frank', 65000, 'Medium');
- ☐ c.
Update medium_salary_group set salary = 66000 where name= 'David White';

Your answer is correct.

The correct answer is:

```
INSERT INTO medium_salary_group (emp_name, salary, tax_category)
VALUES ('Frank', 65000, 'Medium');
```

Q. Consider the following relational schema:

Orders(order_id, customer_id, amount)

Customers(customer_id, name)

Consider the following view:

```
CREATE VIEW order_details AS
SELECT o.order_id, c.name, o.amount
FROM Orders o JOIN Customers c
ON o.customer_id = c.customer_id;
```

Which of the following operations fail?

- Select one:
- ☐ a. UPDATE order_details SET amount = 4000 WHERE order_id = 111;
 - ☐ b. UPDATE order_details SET name='Raj' WHERE order_id = 111;
 - ☐ c. SELECT * FROM order_details;
 - ☒ d. INSERT INTO order_details VALUES (101, 'Ron', 5000);



Your answer is correct.

The correct answer is:

INSERT INTO order_details VALUES (101, 'Ron', 5000);

◀ Lab 7 solution upload link (.sql file)

Jump to...

▾

Lab 7 test database ▶