

Security Scan Report

Target: http://127.0.0.1:5000

Scan Date: August 26, 2026 at 19:45 UTC

Scan ID: 3a1eac11-b9c7-4fad-9119-b8ebe7394436

0 CRITICAL

1 HIGH

0 MEDIUM

2 LOW

Executive Summary

Security scan of 'http://127.0.0.1:5000' identified 9 raw findings, reduced to 3 unique issues after deduplication. ■ 1 HIGH-severity issue(s) should be prioritized for remediation within the next 48 hours. 2 LOW-priority issue(s) have been logged for backlog tracking.

Scan Statistics

Metric	Value
Total Raw Findings	9
After Deduplication	3
Critical Findings	0
High Findings	1
Medium Findings	0
Low Findings	2
Scan Duration	12.3s

Detailed Findings

[HIGH] #1: Insecure Transport in 127.0.0.1:5000:0

Risk Score	0.5700
Affected Location	http://127.0.0.1:5000:0
Vulnerability Type	INSECURE_TRANSPORT
CWE ID	CWE-319
Detected By	url-scanner

Explanation
The site is served over unencrypted HTTP, exposing all traffic to interception. Found in 127.0.0.1:5000. Site is served over plain HTTP.

Business Impact
All data transmitted to user session data — including passwords and session tokens — can be intercepted on the network.

Fix Recommendation
Best Fix: Enable HTTPS with a valid TLS certificate (e.g. via Let's Encrypt). Redirect all HTTP traffic to HTTPS. Add the HSTS header.

[LOW] #2: Clickjacking in 127.0.0.1:5000:0

Risk Score	0.3589
Affected Location	http://127.0.0.1:5000:0
Vulnerability Type	CLICKJACKING
CWE ID	CWE-1021
Detected By	url-scanner

Explanation
The page can be embedded in an iframe, allowing attackers to overlay invisible controls and trick users into clicking. Found in 127.0.0.1:5000. Missing X-Frame-Options header.

Code or HTTP Excerpt
1 | Response headers: X-Frame-Options = (not set)

Business Impact
Users could be tricked into performing unintended actions on your application such as changing settings or transferring funds.

Fix Recommendation
Best Fix: Add X-Frame-Options: DENY header or use Content-Security-Policy with frame-ancestors 'self'.

[LOW] #3: Reconnaissance Surface in 127.0.0.1:5000:0

Risk Score	0.3500
Affected Location	http://127.0.0.1:5000:0
Vulnerability Type	RECONNAISSANCE_SURFACE
CWE ID	CWE-200
Detected By	url-scanner

Explanation
A security vulnerability was detected in your code. Found in 127.0.0.1:5000. Passive reconnaissance inventory of the reachable page.

Code or HTTP Excerpt

```
1 | Title: OWASP Benchmark
2 | Status: 200
3 | Content-Type: text/html; charset=utf-8
4 | Technologies disclosed: Werkzeug/3.1.8 Python/3.12.10
5 | Same-page links: 14
6 | Forms: 0
7 | Scripts: 1
```

Business Impact
This vulnerability could be exploited to compromise application security.

Fix Recommendation
Best Fix: Review the flagged code and apply security best practices. Consult the OWASP guidelines for the relevant vulnerability type.

Appendix

Deduplication Statistics

Total raw findings: 9 | After deduplication: 3 | Reduction: 67%

Scan Metadata

Scan ID	3a1eac11-b9c7-4fad-9119-b8ebe7394436
Target	http://127.0.0.1:5000
Timestamp	2026-08-26T19:45:29.929778+00:00
Duration	12.3s
Scanners Used	url-scanner
Scanner Versions	url-scanner=builtin-1.0

Raw Findings Data (JSON)

```
[
  {
    "id": "233331af-4053-4368-b75f-c55d8ea6895f",
    "title": "Insecure Transport in 127.0.0.1:5000:0",
    "file": "http://127.0.0.1:5000",
    "line_start": 0,
    "line_end": null,
    "severity": "HIGH",
    "vuln_type": "INSECURE_TRANSPORT",
    "description": "Site is served over plain HTTP. All traffic including credentials and session tokens is",
    "rule_id": null,
    "confidence": 1.0,
    "cwe_id": "CWE-319",
    "cvss_score": null,
    "code_snippet": null,
    "sources": [
      "url-scanner"
    ],
    "risk_score": 0.57,
    "risk_category": "HIGH",
    "category_source": "score",
    "category_reason": "score-threshold",
    "llm_explanation": "The site is served over unencrypted HTTP, exposing all traffic to interception. Four",
    "fix_suggestion": "Enable HTTPS with a valid TLS certificate (e.g. via Let's Encrypt). Redirect all HTTP",
    "business_impact": "All data transmitted to user session data \u2014 including passwords and session tok",
    "attack_path": "UNKNOWN: deterministic fallback has no runtime proof.",
    "next_test": "Run one authorized, read-only validation test and stop if it changes state or exposes rea",
    "raw": {
      "url": "http://127.0.0.1:5000",
      "check": "insecure_transport"
    }
  },
  {
    "id": "907d035a-9b2c-4e4a-bdde-7fe6a4cdfbec",
    "title": "Clickjacking in 127.0.0.1:5000:0",
    "file": "http://127.0.0.1:5000",
    "line_start": 0,
    "line_end": null,
    "severity": "MEDIUM",
```

```

    "vuln_type": "CLICKJACKING",
    "description": "Missing X-Frame-Options header. The site may be vulnerable to clickjacking attacks where",
    "rule_id": "header-missing-x-frame-options",
    "confidence": 0.85,
    "cwe_id": "CWE-1021",
    "cvss_score": null,
    "code_snippet": "Response headers: X-Frame-Options = (not set)",
    "sources": [
        "url-scanner"
    ],
    "risk_score": 0.3589,
    "risk_category": "LOW",
    "category_source": "score",
    "category_reason": "score-threshold",
    "llm_explanation": "The page can be embedded in an iframe, allowing attackers to overlay invisible content",
    "fix_suggestion": "Add X-Frame-Options: DENY header or use Content-Security-Policy with frame-ancestors",
    "business_impact": "Users could be tricked into performing unintended actions on your application such as",
    "attack_path": "UNKNOWN: deterministic fallback has no runtime proof.",
    "next_test": "Run one authorized, read-only validation test and stop if it changes state or exposes rea",
    "raw": {
        "url": "http://127.0.0.1:5000",
        "header": "X-Frame-Options",
        "check": "missing_header"
    }
},
{
    "id": "db74c0b1-c680-490a-96c9-0e73c4b267b4",
    "title": "Reconnaissance Surface in 127.0.0.1:5000:0",
    "file": "http://127.0.0.1:5000",
    "line_start": 0,
    "line_end": null,
    "severity": "LOW",
    "vuln_type": "RECONNAISSANCE_SURFACE",
    "description": "Passive reconnaissance inventory of the reachable page. Use the listed endpoints, forms, and",
    "rule_id": "recon-page-surface",
    "confidence": 1.0,
    "cwe_id": "CWE-200",
    "cvss_score": null,
    "code_snippet": "Title: OWASP Benchmark\nStatus: 200\nContent-Type: text/html; charset=utf-8\nTechnology: Python",
    "sources": [
        "url-scanner"
    ],
    "risk_score": 0.35,
    "risk_category": "LOW",
    "category_source": "score",
    "category_reason": "score-threshold",
    "llm_explanation": "A security vulnerability was detected in your code. Found in 127.0.0.1:5000. Passive reconnaissance",
    "fix_suggestion": "Review the flagged code and apply security best practices. Consult the OWASP guidelines for",
    "business_impact": "This vulnerability could be exploited to compromise application security.",
    "attack_path": "UNKNOWN: deterministic fallback has no runtime proof.",
    "next_test": "Run one authorized, read-only validation test and stop if it changes state or exposes rea",
    "raw": {
        "url": "http://127.0.0.1:5000",
        "surface": {
            "title": "OWASP Benchmark",
            "links": [
                "http://127.0.0.1:5000/cmdi-Index.html",
                "http://127.0.0.1:5000/codeinj-Index.html",
                "http://127.0.0.1:5000/deserialization-Index.html",
                "http://127.0.0.1:5000/hash-Index.html",
                "http://127.0.0.1:5000/ldapi-Index.html",
                "http://127.0.0.1:5000/pathtraver-Index.html",
                "http://127.0.0.1:5000/redirect-Index.html",
                "http://127.0.0.1:5000/securecookie-Index.html",
                "http://127.0.0.1:5000/sqli-Index.html",
                "http://127.0.0.1:5000/trustbound-Index.html",
                "http://127.0.0.1:5000/weakrand-Index.html",
                "http://127.0.0.1:5000/xpathi-Index.html",
                "http://127.0.0.1:5000/xss-Index.html",
                "http://127.0.0.1:5000/xxe-Index.html"
            ]
        }
    }
},

```

```
    "scripts": [  
      "http://127.0.0.1:5000/benchmark/js/jquery.min.js"  
    ],  
    "forms": []  
  },  
  "technologies": [  
    "Werkzeug/3.1.8 Python/3.12.10"  
  ]  
}  
]  
]
```