

Security Scan Report

Target: <https://ankergames.net/>

Scan Date: September 24, 2026 at 07:23 UTC

Scan ID: 9fef071b-43ce-4b6a-8dcc-538ad60a1ed6

0 CRITICAL

6 HIGH

1 MEDIUM

2 LOW

Executive Summary

Security scan of 'https://ankergames.net/' identified 10 raw findings, reduced to 9 unique issues after deduplication. ■ 6 HIGH-severity issue(s) should be prioritized for remediation within the next 48 hours. 1 MEDIUM-priority issue(s) should be addressed in the current development sprint. 2 LOW-priority issue(s) have been logged for backlog tracking.

Scan Statistics

Metric	Value
Total Raw Findings	10
After Deduplication	9
Critical Findings	0
High Findings	6
Medium Findings	1
Low Findings	2
Scan Duration	10.4s

Detailed Findings

[HIGH] #1: Sql Injection in ?id=:0

Risk Score	0.6175
Affected Location	https://ankergames.net/?id=:0
Vulnerability Type	SQL_INJECTION
CWE ID	CWE-89
Detected By	url-scanner

Explanation

SQL Injection occurs when user-controlled input is directly interpolated into SQL queries, allowing an attacker to alter query logic. Found in ?id=. Potential SQL injection via parameter 'id': safe boolean predicates produced distinct response signatures.

Code or HTTP Excerpt

```
1 | Baseline: GET https://ankergames.net/?id=
2 | True predicate: GET https://ankergames.net/?id=%27+AND+%271%27%3D%271
3 | False predicate: GET https://ankergames.net/?id=%27+AND+%271%27%3D%272
4 | Signatures: (403, 5538, '4fe03ec8d49d6246'), (403, 5626, 'f16e560aad9006b2'), (403, 5626, '3082c51352')
```

Business Impact

An attacker could read, modify, or delete database records, potentially exfiltrating the entire database including credentials and PII.

Fix Recommendation

Best Fix: Use parameterized/prepared queries instead of string concatenation. Pass user input as bind parameters, not as part of the query string.

[HIGH] #2: Sql Injection in ?user=:0

Risk Score	0.6175
Affected Location	https://ankergames.net/?user=:0
Vulnerability Type	SQL_INJECTION
CWE ID	CWE-89
Detected By	url-scanner

Explanation

SQL Injection occurs when user-controlled input is directly interpolated into SQL queries, allowing an attacker to alter query logic. Found in ?user=. Potential SQL injection via parameter 'user': safe boolean predicates produced distinct response signatures.

Code or HTTP Excerpt

```
1 | Baseline: GET https://ankergames.net/?user=
2 | True predicate: GET https://ankergames.net/?user=%27+AND+%271%27%3D%271
3 | False predicate: GET https://ankergames.net/?user=%27+AND+%271%27%3D%272
4 | Signatures: (403, 5544, '35e3a69c0f34f2ef'), (403, 5632, '4364dc5d890a47d8'), (403, 5632, 'a9b3a9a488')
```

Business Impact

An attacker could read, modify, or delete user accounts and personal data, potentially exfiltrating the entire database including credentials and PII.

Fix Recommendation

Best Fix: Use parameterized/prepared queries instead of string concatenation. Pass user input as bind parameters, not as part of the query string.

[HIGH] #3: Sql Injection in ?search=:0

Risk Score	0.6175
Affected Location	https://ankergames.net/?search=:0
Vulnerability Type	SQL_INJECTION
CWE ID	CWE-89
Detected By	url-scanner

Explanation

SQL Injection occurs when user-controlled input is directly interpolated into SQL queries, allowing an attacker to alter query logic. Found in ?search=. Potential SQL injection via parameter 'search': safe boolean predicates produced distinct response signatures.

Code or HTTP Excerpt

```
1 | Baseline: GET https://ankergames.net/?search=
2 | True predicate: GET https://ankergames.net/?search=%27+AND+%271%27%3D%271
3 | False predicate: GET https://ankergames.net/?search=%27+AND+%271%27%3D%272
4 | Signatures: (403, 5550, '49aafb969704381a'), (403, 5638, 'f7ce9f423dac6e48'), (403, 5638, '4da32efce7')
```

Business Impact

An attacker could read, modify, or delete database records, potentially exfiltrating the entire database including credentials and PII.

Fix Recommendation

Best Fix: Use parameterized/prepared queries instead of string concatenation. Pass user input as bind parameters, not as part of the query string.

[HIGH] #4: Sql Injection in ?q=:0

Risk Score	0.6175
Affected Location	https://ankergames.net/?q=:0
Vulnerability Type	SQL_INJECTION
CWE ID	CWE-89
Detected By	url-scanner

Explanation

SQL Injection occurs when user-controlled input is directly interpolated into SQL queries, allowing an attacker to alter query logic. Found in ?q=. Potential SQL injection via parameter 'q': safe boolean predicates produced distinct response signatures.

Code or HTTP Excerpt

```
1 | Baseline: GET https://ankergames.net/?q=
2 | True predicate: GET https://ankergames.net/?q=%27+AND+%271%27%3D%271
3 | False predicate: GET https://ankergames.net/?q=%27+AND+%271%27%3D%272
4 | Signatures: (403, 5514, '870e87b5ab3762cb'), (403, 5623, '1ab1a7d99f76ec85'), (403, 5623, 'd02b9d6582')
```

Business Impact

An attacker could read, modify, or delete database records, potentially exfiltrating the entire database including credentials and PII.

Fix Recommendation

Best Fix: Use parameterized/prepared queries instead of string concatenation. Pass user input as bind parameters, not as part of the query string.

[HIGH] #5: Sql Injection in ?category=:0

Risk Score	0.6175
Affected Location	https://ankergames.net/?category=:0
Vulnerability Type	SQL_INJECTION
CWE ID	CWE-89
Detected By	url-scanner

Explanation

SQL Injection occurs when user-controlled input is directly interpolated into SQL queries, allowing an attacker to alter query logic. Found in ?category=:. Potential SQL injection via parameter 'category': safe boolean predicates produced distinct response signatures.

Code or HTTP Excerpt

```
1 | Baseline: GET https://ankergames.net/?category=
2 | True predicate: GET https://ankergames.net/?category=%27+AND+%271%27%3D%271
3 | False predicate: GET https://ankergames.net/?category=%27+AND+%271%27%3D%272
4 | Signatures: (403, 5556, '532e672a98783cf8'), (403, 5644, 'd906ee62175cd2ae'), (403, 5644, '0a95cc8dd')
```

Business Impact

An attacker could read, modify, or delete database records, potentially exfiltrating the entire database including credentials and PII.

Fix Recommendation

Best Fix: Use parameterized/prepared queries instead of string concatenation. Pass user input as bind parameters, not as part of the query string.

[MEDIUM] #6: Information Disclosure in robots.txt:0

Risk Score	0.5093
Affected Location	https://ankergames.net/robots.txt:0
Vulnerability Type	INFORMATION_DISCLOSURE
CWE ID	CWE-200
Detected By	url-scanner

Explanation

The server is exposing sensitive information that could help attackers plan targeted attacks. Found in robots.txt. robots.

Code or HTTP Excerpt

```
1 | GET /robots.txt → HTTP 200
2 | Content-Length: 539 bytes
3 | Preview: User-agent: *
4 | Disallow: /admin
5 | Disallow: /download/
6 | Disallow: /torrent/
7 | Disallow: /torrent-file/
8 | Disallow: /lang/
9 | Disallow: /search/
10 | Disallow: /login
```

Business Impact

The disclosed the admin panel helps attackers identify attack vectors, reducing the effort needed for a successful breach.

Fix Recommendation

Best Fix: Review robots.txt for sensitive path disclosure. While robots.txt is public, listing hidden paths like /admin or /backup reveals targets to attackers. Use authentication instead of obscurity.

[HIGH] #7: Ssrf in :0

Risk Score	0.5076
Affected Location	https://ankergames.net/:0
Vulnerability Type	SSRF
CWE ID	CWE-918
Detected By	url-scanner

Explanation

Server-Side Request Forgery (SSRF) lets attackers make the server send HTTP requests to arbitrary URLs, including internal services. Found in . Potential SSRF detected via parameter 'url'.

Code or HTTP Excerpt

```
1 | Request: GET https://ankergames.net/?url=http%3A%2F%2Flocalhost%3A80%2F
2 | Payload: http://localhost:80/
3 | Status: 403
4 | Response excerpt: <!DOCTYPE html><html lang="en-US"><head><title>Just a moment...</title><meta http-c
```

Business Impact

An attacker could access internal services from within the server's network, potentially reading cloud metadata, internal APIs, or admin panels.

Fix Recommendation

Best Fix: Whitelist allowed domains for outbound requests. Block private IP ranges. Validate and resolve URLs before making requests.

[LOW] #8: Xss in :0

Risk Score	0.3552
Affected Location	https://ankergames.net/:0
Vulnerability Type	XSS
CWE ID	CWE-79
Detected By	url-scanner

Explanation
Cross-Site Scripting (XSS) allows attackers to inject malicious scripts into web pages viewed by other users. Found in . Content-Security-Policy contains 'unsafe-inline', which significantly weakens XSS protection.

Code or HTTP Excerpt

```
1 | CSP: default-src 'none'; script-src 'nonce-5npYFta5Ts2jTVws9HF9UE' 'unsafe-eval' https://challenges.
```

Business Impact
An attacker could steal session tokens from authenticated users, redirect users to phishing pages, or perform actions as the victim.

Fix Recommendation
Best Fix: Apply context-aware output encoding before rendering user content. Use your framework's built-in auto-escaping.

[LOW] #9: Reconnaissance Surface in :0

Risk Score	0.3500
Affected Location	https://ankergames.net/:0
Vulnerability Type	RECONNAISSANCE_SURFACE
CWE ID	CWE-200
Detected By	url-scanner

Explanation
A security vulnerability was detected in your code. Found in . Passive reconnaissance inventory of the reachable page.

Code or HTTP Excerpt

```
1 | Title: Just a moment...
2 | Status: 403
3 | Content-Type: text/html; charset=UTF-8
4 | Technologies disclosed: cloudflare
5 | Same-page links: 0
6 | Forms: 0
7 | Scripts: 0
```

Business Impact
This vulnerability could be exploited to compromise application security.

Fix Recommendation
Best Fix: Review the flagged code and apply security best practices. Consult the OWASP guidelines for the relevant vulnerability type.

Appendix

Deduplication Statistics

Total raw findings: 10 | After deduplication: 9 | Reduction: 10%

Scan Metadata

Scan ID	9fef071b-43ce-4b6a-8dcc-538ad60a1ed6
Target	https://ankergames.net/
Timestamp	2026-09-24T07:23:57.161153+00:00
Duration	10.4s
Scanners Used	url-scanner
Scanner Versions	url-scanner=builtin-1.0

Raw Findings Data (JSON)

```
[
  {
    "id": "7bd3ee0e-c83f-402f-9347-927e7423659f",
    "title": "Sql Injection in ?id=:0",
    "file": "https://ankergames.net/?id=",
    "line_start": 0,
    "line_end": null,
    "severity": "HIGH",
    "vuln_type": "SQL_INJECTION",
    "description": "Potential SQL injection via parameter 'id': safe boolean predicates produced distinct results",
    "rule_id": "sqli-boolean-differential",
    "confidence": 0.75,
    "cwe_id": "CWE-89",
    "cvss_score": null,
    "code_snippet": "Baseline: GET https://ankergames.net/?id=\nTrue predicate: GET https://ankergames.net/?id=",
    "sources": [
      "url-scanner"
    ],
    "risk_score": 0.6175,
    "risk_category": "HIGH",
    "category_source": "score",
    "category_reason": "score-threshold",
    "llm_explanation": "SQL Injection occurs when user-controlled input is directly interpolated into SQL queries",
    "fix_suggestion": "Use parameterized/prepared queries instead of string concatenation. Pass user input as a parameter.",
    "business_impact": "An attacker could read, modify, or delete database records, potentially exfiltrating sensitive information.",
    "attack_path": "UNKNOWN: deterministic fallback has no runtime proof.",
    "next_test": "Run one authorized, read-only validation test and stop if it changes state or exposes read-only data.",
    "raw": {
      "url": "https://ankergames.net/?id=",
      "param": "id",
      "method": "GET",
      "evidence": "boolean_differential"
    }
  },
  {
    "id": "b4a96ce8-9ea3-4425-8a5c-3563210f8d17",
    "title": "Sql Injection in ?user=:0",
    "file": "https://ankergames.net/?user=",
    "line_start": 0,
```

```

"line_end": null,
"severity": "HIGH",
"vuln_type": "SQL_INJECTION",
"description": "Potential SQL injection via parameter 'user': safe boolean predicates produced distinct results",
"rule_id": "sqli-boolean-differential",
"confidence": 0.75,
"cwe_id": "CWE-89",
"cvss_score": null,
"code_snippet": "Baseline: GET https://ankergames.net/?user=\nTrue predicate: GET https://ankergames.net/?user=\nTrue",
"sources": [
  "url-scanner"
],
"risk_score": 0.6175,
"risk_category": "HIGH",
"category_source": "score",
"category_reason": "score-threshold",
"llm_explanation": "SQL Injection occurs when user-controlled input is directly interpolated into SQL queries",
"fix_suggestion": "Use parameterized/prepared queries instead of string concatenation. Pass user input as a parameter.",
"business_impact": "An attacker could read, modify, or delete user accounts and personal data, potentially leading to account hijacking or data theft.",
"attack_path": "UNKNOWN: deterministic fallback has no runtime proof.",
"next_test": "Run one authorized, read-only validation test and stop if it changes state or exposes read-only data.",
"raw": {
  "url": "https://ankergames.net/?user=",
  "param": "user",
  "method": "GET",
  "evidence": "boolean_differential"
}
},
{
  "id": "b72f51aa-e53c-4845-951e-c563b9e15050",
  "title": "Sql Injection in ?search=:0",
  "file": "https://ankergames.net/?search=",
  "line_start": 0,
  "line_end": null,
  "severity": "HIGH",
  "vuln_type": "SQL_INJECTION",
  "description": "Potential SQL injection via parameter 'search': safe boolean predicates produced distinct results",
  "rule_id": "sqli-boolean-differential",
  "confidence": 0.75,
  "cwe_id": "CWE-89",
  "cvss_score": null,
  "code_snippet": "Baseline: GET https://ankergames.net/?search=\nTrue predicate: GET https://ankergames.net/?search=\nTrue",
  "sources": [
    "url-scanner"
  ],
  "risk_score": 0.6175,
  "risk_category": "HIGH",
  "category_source": "score",
  "category_reason": "score-threshold",
  "llm_explanation": "SQL Injection occurs when user-controlled input is directly interpolated into SQL queries",
  "fix_suggestion": "Use parameterized/prepared queries instead of string concatenation. Pass user input as a parameter.",
  "business_impact": "An attacker could read, modify, or delete database records, potentially exfiltrating sensitive data.",
  "attack_path": "UNKNOWN: deterministic fallback has no runtime proof.",
  "next_test": "Run one authorized, read-only validation test and stop if it changes state or exposes read-only data.",
  "raw": {
    "url": "https://ankergames.net/?search=",
    "param": "search",
    "method": "GET",
    "evidence": "boolean_differential"
  }
}
},
{
  "id": "cb5d5d4c-0a28-485d-a9a5-7e60c80e6bd5",
  "title": "Sql Injection in ?q=:0",
  "file": "https://ankergames.net/?q=",
  "line_start": 0,
  "line_end": null,
  "severity": "HIGH",
  "vuln_type": "SQL_INJECTION",
  "description": "Potential SQL injection via parameter 'q': safe boolean predicates produced distinct results",
  "rule_id": "sqli-boolean-differential",

```

```
"confidence": 0.75,
"cwe_id": "CWE-89",
"cvss_score": null,
"code_snippet": "Baseline: GET https://ankergames.net/?q=\nTrue predicate: GET https://ankergames.net/?q=\nTrue",
"sources": [
  "url-scanner"
],
"risk_score": 0.6175,
"risk_category": "HIGH",
"category_source": "score",
"category_reason": "score-threshold",
"llm_explanation": "SQL Injection occurs when user-controlled input is directly interpolated into SQL queries.",
"fix_suggestion": "Use parameterized/prepared queries instead of string concatenation. Pass user input as a parameter.",
"business_impact": "An attacker could read, modify, or delete database records, potentially exfiltrating sensitive information.",
"attack_path": "UNKNOWN: deterministic fallback has no runtime proof.",
"next_test": "Run one authorized, read-only validation test and stop if it changes state or exposes real data.",
"raw": {
  "url": "https://ankergames.net/?q=",
  "param": "q",
  "method": "GET",
  "evidence": "boolean-differential"
}
},
{
  "id": "a6bf2c85-8f85-47d2-99d8-78aa24fe05a0",
  "title": "Sql Injection in ?category=:0",
  "file": "https://ankergames.net/?category=",
  "line_start": 0,
  "line_end": null,
  "severity": "HIGH",
  "vuln_type": "SQL_INJECTION",
  "description": "Potential SQL injection via parameter 'category': safe boolean predicates produced distributed results.",
  "rule_id": "sqli-boolean-differential",
  "confidence": 0.75,
  "cwe_id": "CWE-89",
  "cvss_score": null,
  "code_snippet": "Baseline: GET https://ankergames.net/?category=\nTrue predicate: GET https://ankergames.net/?category=\nTrue",
  "sources": [
    "url-scanner"
  ],
  "risk_score": 0.6175,
  "risk_category": "HIGH",
  "category_source": "score",
  "category_reason": "score-threshold",
  "llm_explanation": "SQL Injection occurs when user-controlled input is directly interpolated into SQL queries.",
  "fix_suggestion": "Use parameterized/prepared queries instead of string concatenation. Pass user input as a parameter.",
  "business_impact": "An attacker could read, modify, or delete database records, potentially exfiltrating sensitive information.",
  "attack_path": "UNKNOWN: deterministic fallback has no runtime proof.",
  "next_test": "Run one authorized, read-only validation test and stop if it changes state or exposes real data.",
  "raw": {
    "url": "https://ankergames.net/?category=",
    "param": "category",
    "method": "GET",
    "evidence": "boolean-differential"
  }
},
{
  "id": "75dcf951-f9eb-46f9-a711-7d3c047449fe",
  "title": "Information Disclosure in robots.txt:0",
  "file": "https://ankergames.net/robots.txt",
  "line_start": 0,
  "line_end": null,
  "severity": "MEDIUM",
  "vuln_type": "INFORMATION_DISCLOSURE",
  "description": "robots.txt may reveal hidden paths and sensitive directories.",
  "rule_id": "sensitive-path-robots.txt",
  "confidence": 0.85,
  "cwe_id": "CWE-200",
  "cvss_score": null,
  "code_snippet": "GET /robots.txt \u2192 HTTP 200\nContent-Length: 539 bytes\nPreview: User-agent: *\nDisallow: /",
  "sources": [
```

```

        "url-scanner"
    ],
    "risk_score": 0.5093,
    "risk_category": "MEDIUM",
    "category_source": "score",
    "category_reason": "score-threshold",
    "llm_explanation": "The server is exposing sensitive information that could help attackers plan targeted",
    "fix_suggestion": "Review robots.txt for sensitive path disclosure. While robots.txt is public, listing",
    "business_impact": "The disclosed the admin panel helps attackers identify attack vectors, reducing the",
    "attack_path": "UNKNOWN: deterministic fallback has no runtime proof.",
    "next_test": "Run one authorized, read-only validation test and stop if it changes state or exposes rea",
    "raw": {
        "url": "https://ankergames.net/robots.txt",
        "status": 200,
        "path": "/robots.txt"
    }
},
{
    "id": "b6dd0f08-3d60-4d22-a4ea-ff79973ce5e2",
    "title": "Ssrf in :0",
    "file": "https://ankergames.net/",
    "line_start": 0,
    "line_end": null,
    "severity": "HIGH",
    "vuln_type": "SSRF",
    "description": "Potential SSRF detected via parameter 'url'. Application appears to process attacker-con",
    "rule_id": "ssrf-probe",
    "confidence": 0.7,
    "cwe_id": "CWE-918",
    "cvss_score": null,
    "code_snippet": "Request: GET https://ankergames.net/?url=http%3A%2F%2Flocalhost%3A80%2F\nPayload: http",
    "sources": [
        "url-scanner"
    ],
    "risk_score": 0.5076,
    "risk_category": "HIGH",
    "category_source": "vuln_floor",
    "category_reason": "minimum floor for SSRF",
    "llm_explanation": "Server-Side Request Forgery (SSRF) lets attackers make the server send HTTP requests",
    "fix_suggestion": "Whitelist allowed domains for outbound requests. Block private IP ranges. Validate an",
    "business_impact": "An attacker could access internal services from within the server's network, potent",
    "attack_path": "UNKNOWN: deterministic fallback has no runtime proof.",
    "next_test": "Run one authorized, read-only validation test and stop if it changes state or exposes rea",
    "raw": {
        "url": "https://ankergames.net/",
        "param": "url",
        "payload": "http://localhost:80/"
    }
},
{
    "id": "f9267551-762d-432f-b053-adb165f11fe3",
    "title": "Xss in :0",
    "file": "https://ankergames.net/",
    "line_start": 0,
    "line_end": null,
    "severity": "MEDIUM",
    "vuln_type": "XSS",
    "description": "Content-Security-Policy contains 'unsafe-inline', which significantly weakens XSS prote",
    "rule_id": "header-csp-unsafe-inline",
    "confidence": 0.8,
    "cwe_id": "CWE-79",
    "cvss_score": null,
    "code_snippet": "CSP: default-src 'none'; script-src 'nonce-5npYFta5Ts2jTVWs9HF9UE' 'unsafe-eval' https",
    "sources": [
        "url-scanner"
    ],
    "risk_score": 0.3552,
    "risk_category": "LOW",
    "category_source": "score",
    "category_reason": "score-threshold",
    "llm_explanation": "Cross-Site Scripting (XSS) allows attackers to inject malicious scripts into web pag

```

```

    "fix_suggestion": "Apply context-aware output encoding before rendering user content. Use your framework",
    "business_impact": "An attacker could steal session tokens from authenticated users, redirect users to p",
    "attack_path": "UNKNOWN: deterministic fallback has no runtime proof.",
    "next_test": "Run one authorized, read-only validation test and stop if it changes state or exposes rea",
    "raw": {
      "url": "https://ankergames.net/",
      "header": "Content-Security-Policy",
      "value": "default-src 'none'; script-src 'nonce-5npYFta5Ts2jTVWs9HF9UE' 'unsafe-eval' https://challeng
    }
  },
  {
    "id": "bea9ab77-6d2d-4f1e-bc27-e93d54804d9c",
    "title": "Reconnaissance Surface in :0",
    "file": "https://ankergames.net/",
    "line_start": 0,
    "line_end": null,
    "severity": "LOW",
    "vuln_type": "RECONNAISSANCE_SURFACE",
    "description": "Passive reconnaissance inventory of the reachable page. Use the listed endpoints, forms,
    "rule_id": "recon-page-surface",
    "confidence": 1.0,
    "cwe_id": "CWE-200",
    "cvss_score": null,
    "code_snippet": "Title: Just a moment...\nStatus: 403\nContent-Type: text/html; charset=UTF-8\nTechnolog
    "sources": [
      "url-scanner"
    ],
    "risk_score": 0.35,
    "risk_category": "LOW",
    "category_source": "score",
    "category_reason": "score-threshold",
    "llm_explanation": "A security vulnerability was detected in your code. Found in . Passive reconnaissance
    "fix_suggestion": "Review the flagged code and apply security best practices. Consult the OWASP guidelin
    "business_impact": "This vulnerability could be exploited to compromise application security.",
    "attack_path": "UNKNOWN: deterministic fallback has no runtime proof.",
    "next_test": "Run one authorized, read-only validation test and stop if it changes state or exposes rea",
    "raw": {
      "url": "https://ankergames.net/",
      "surface": {
        "title": "Just a moment...",
        "links": [],
        "scripts": [],
        "forms": []
      },
      "technologies": [
        "cloudflare"
      ]
    }
  }
]

```